

# Neural implicit representation for PDEs and hybrid numerical methods

H. Barucq<sup>3</sup>, F. Foucher<sup>3</sup>, E. Franck<sup>12</sup>, V. Michel-Dansac<sup>12</sup>, L. Navoret<sup>12</sup>, N. Victorion<sup>3</sup>

Workshop Physic Informed methods, GDR Mascot Num, Toulouse

---

<sup>1</sup>Inria Nancy Grand Est, France

<sup>2</sup>IRMA, Strasbourg university, France

<sup>3</sup>Inria Bordeaux, Pau center, France

# Outline

---

Introduction

Numerical Methods and Implicit neural representation

Application to numerical methods

Conclusion


# Numerical Methods and implicit neural representation

# Numerical methods

- We begin with a simple example:

$$\begin{cases} L_{t,x}u = \partial_t u - \Delta u = 0 \\ u(t=0, x) = u_0(x) \\ u(x) = g \text{ on } \partial\Omega \end{cases}$$

- Solving a PDE amounts to solving a infinite-dimensional problem.
- **Numerical method**: transform the PDE into a finite-dimensional problem of dimension  $N$  with convergence to the PDE solution when  $N \rightarrow \infty$
- How to summarize most of numerical methods? (drawing from S. Mishra)



- Definitions:
  - $\mathcal{E}$ , the **encoder**, transforms the data (initial conditions, RHS) into a finite dimensional vector. We speak about **degree of freedoms** (DoF).
  - $\mathcal{D}$ , the **decoder**, transforms degrees of freedom into a function.
  - $\mathcal{A}$ , the **approximator**, transforms the DoF of the inputs into the DoF of the approximate solution.
  - $\mathcal{E} \circ \mathcal{D} \approx I_d$  the **projector** to the final dimension functional space associated to the decoder form.



# Why numerical methods require a mesh?

## Polynomial Lagrange interpolation

We consider a domain  $[a, b]$ . There exists a polynomial  $P$  of degree  $k$  such that, for any  $f \in C^0([a, b])$ ,

$$|f(x) - P(x)| \leq |b - a|^k \max_{x \in [a, b]} |f^{k+1}(x)|.$$

- On small domains ( $|b - a| \ll 1$ ) or for large  $k$ , this polynomial gives a very good approximation.
- Very high degrees  $k$  can generate oscillations.
- To enforce small domains: we **introduce a mesh and a cell-wise polynomial approximation**

## First step: choose a parametric function

We define a mesh by splitting the geometry in small sub-intervals  $[x_i, x_{i+1}]$ , and we propose the following candidate to approximate the PDE solution  $u$

$$u|_{[x_i, x_{i+1}]}(t, x) = \sum_{j=1}^k \alpha_j(t) \phi_j(x).$$

This is a **piecewise polynomial representation**.

# Finite element, finite volume, discontinuous Galerkin

## Finite element method

- **Encoder:** transforms the function  $f$  into  $\alpha(t)$  the FE DoF (pointwise values, face/edge integral values, ...)
- **Decoder:**  $D(\alpha)(t, x) = \sum_{i=1}^N \alpha_i(t) \phi_i(x)$  with  $\phi_i(x)$  a compactly supported basis function defined on the whole mesh
- **Approximator:** we **plug the decoder** in the weak form of the equations to obtain an ODE or an algebraic system on  $\alpha$

## Finite volume and discontinuous Galerkin method

- **Encoder:** transforms the function  $f$  into  $\alpha(t)$  the FE DoF (average values, modal values, nodal values, ...)
- **Decoder:**  $D(\alpha)(t, x)|_{\Omega_j} = \sum_{i=1}^N \alpha_i(t) \phi_i(x)$  with  $\phi_i(x)$  a local cell-wise basis function.
- **Approximator:** we **plug the decoder** in the weak form of the equations to obtain an ODE or an algebraic system on  $\alpha$ , in each cell
- For this method, the **decoder** generates a **finite-dimensional vector space**.
- The method projects a form of the equation on this finite-dimensional space. **Uniqueness** is ensured **by the Hilbert projection theorem**.
- **Convergence** is ensured: increasing the number of DoF (mesh, polynomial degree) makes the error decrease.

# Spectral methods

## Spectral theorem

The **spectral theorem** in Hilbert spaces proposes an approximation of any function in  $H$  by

$$u(x) = \sum_{i=1}^N \alpha_i \phi_i(x),$$

with  $\phi_i(x)$  the orthonormal global Hilbert basis, and  $\alpha_i = \langle f, \phi_i \rangle$ .

## Spectral method

- **Encoder:** Projection of the function  $f$  in the spectral basis. DoF:  $\alpha_i = \langle f, \phi_i \rangle$
- **Decoder:**  $D(\alpha)(t, x) = \sum_{i=1}^N \alpha_i(t) \phi_i(x)$  with  $\phi_i(x)$  the first modes of the Hilbert basis.
- **Approximator:** we **plug the decoder** in the weak/strong form of the equations to obtain an ODE or an algebraic system on  $\alpha$ .
- For this method, the **decoder** generates a **finite-dimensional vector space**.
- The method projects a form of the equation on this finite-dimensional space, using the **Unicity by Hilbert projection theorem**.
- **Convergence** is ensured: increasing the number of DoF (number of modes) makes the error decrease.


# Mesh-free methods

## Idea

Represent the solution as a **sum of radial basis functions localized** at some points:

$$u(x) = \sum_{i=1}^N \alpha_i \phi_i(|x - x_i|)$$

with  $\phi_i(r)$  a radial basis function such as  $\phi(r) = e^{-(\varepsilon r)^2}$  or  $\phi(r) = \frac{1}{1+(\varepsilon r)^2}$ . Larger values of  $\varepsilon$  give more localized functions.



## Radial basis method

- **Encoder:** Projection of the function  $f$ . DoF: **weights of the radial functions**
- **Decoder:**  $D(\alpha)(t, x) = \sum_{i=1}^N \alpha_i(t) \phi(|x - x_i|)$  with  $\phi(x)$  a radial basis function.
- **Approximator:** just like before, the decoder is plugged in the equation.
- Like before, we have a finite-dimensional function space.
- **Convergence:** increasing the number of points (DoF) makes the error decrease.

## Space and space-time decoder

- Classical methods (FE/FV/DG/...) involve a decoder where only the space representation is fixed:

$$u(t, x) = \sum_{i=1}^N \alpha_i(t) \phi_i(x).$$

- Plugging this decoder in the equation, we obtain an **ODE** to solve.
- A more recent approach, **space-time methods**, proposes to fix both space and time representations:

$$u(t, x) = \sum_{i=1}^N \alpha_i \phi_i(t, x).$$

- Plugging this decoder in the equation we obtain an **algebraic system** to solve.

## Explicit vs implicit representations

- Representations are called explicit if the degrees of freedom can be explicitly computed and understood from the function.
- FE/FV/DG/spectral methods use **explicit representations** (average value, ...).
- The **radial basis method**, however, uses a **partially explicit representation**. It is difficult to understand the DoF from the function, but they can easily be computed by inverting the mass matrix (projector).

# Key idea

## Summary

Every previously mentioned space and space-time methods consists in:

1. choosing a **linear representation** (linear combination of basis functions), either local (on a mesh) or global;
2. plugging this representation **into the equation** to obtain algebraic relations (linear for linear problems, nonlinear for nonlinear problems) or ODEs.
3. solving this **algebraic relation** with a linear solver or Newton's method, using a time scheme to solve the ODE.

In all these cases, **the decoder is linear with respect to the DoFs, and the representation is either explicit or partially explicit.**

## Idea

Choose a **nonlinear representation** given by a neural network. We replace a sum of simple functions with a **composition of simple functions**.

## Important points

Finite-dimensional spaces associated to a nonlinear decoder are **not vector spaces but manifolds**. So:

- the projector is not unique, and **the representations will be implicit**.
- **Existence and uniqueness?** algebraic system replaced with **non-convex optimization**.

# Nonlinear models

- Nonlinear version of classical models:  $f$  is represented by the DoF  $\alpha_i$ ,  $\mu_i$ ,  $\omega_i$  or  $\Sigma_i$ :

$$f(\mathbf{x}; \alpha, \mu, \Sigma) = \sum_{i=1} \alpha_i e^{(x-\mu_i)\Sigma_i^{-1}(x-\mu_i)}, \quad f(\mathbf{x}; \alpha, \omega) = \sum_{i=1} \alpha_i \sin(\omega_i x)$$

- **Neural networks** (NN).

## Layer

A layer is a function  $L_I(\mathbf{x}_I) : \mathbb{R}^{d_I} \rightarrow \mathbb{R}^{d_{I+1}}$  given by

$$L_I(\mathbf{x}_I) = \sigma(A_I \mathbf{x}_I + \mathbf{b}_I),$$

$A_I \in \mathbb{R}^{d_{I+1}, d_I}$ ,  $\mathbf{b}_I \in \mathbb{R}^{d_{I+1}}$  and  $\sigma()$  a nonlinear function applied component by component.

## Neural network

A neural network is **parametric function obtained by composition** of layers:

$$f_\theta(\mathbf{x}) = L_n \circ \dots \circ L_1(\mathbf{x})$$

with  $\theta$  the trainable parameters composed of all the matrices  $A_{I,I+1}$  and biases  $\mathbf{b}_I$ .

- **Go to nonlinear models** allows to **use NN** which are: accurate global model (mesh free), low frequency (better for generalization) and able to deal with large dimension.
- **Go to nonlinear models**: would allows **to use less degrees of freedom**.

# Space-time approach: PINNs I

## Idea of PINNs

- For  $u$  in some function space  $\mathcal{H}$ , we wish to solve the following PDE:

$$\partial_t u = \mathcal{F}(u, \nabla u, \Delta u) = F(u).$$

- Classical representation for space-time approach:  $u(t, x) = \sum_{i=1}^N \theta_i \phi_i(x, t)$
- **Deep representation**:  $u(t, x) = u_{nn}(x, t; \theta)$  with  $u_{nn}$  a NN with trainable parameters  $\theta$ .

- Since ANNs are  $C^p$  functions, we can compute  $\partial_t u_{nn}(x, t; \theta)$ ,  $\partial_{x^p} u_{nn}(x, t; \theta)$  and

$$r(x, t) = \partial_t u_{nn}(x, t; \theta) - \mathcal{F}(u_{nn}(x, t; \theta), \nabla u_{nn}(x, t; \theta), \Delta u_{nn}(x, t; \theta))$$

- Since the subspace of **NN functions is not a vector space**, we cannot "project" this residue.

## Conclusion

We move away from solving algebraic equations on the parameters, and go towards non-convex optimization.



# Space-time approach: PINNs II

- We define the residual of the PDE:

$$R(t, x) = \partial_t u_{nn}(t, x; \theta) - \mathcal{F}(u_{nn}(t, x; \theta), \partial_x u_{nn}(t, x; \theta), \partial_{xx} u_{nn}(t, x; \theta))$$

- To learn the parameters  $\theta$  in  $u_{nn}(t, x; \theta)$ , we minimize:

$$\theta = \arg \min_{\theta} \left( J_r(\theta) + J_b(\theta) + J_i(\theta) \right),$$

with

$$J_r(\theta) = \int_0^T \int_{\Omega} |R(t, x)|^2 dx dt$$

and

$$J_b(\theta) = \int_0^T \int_{\partial\Omega} \|u_{nn}(t, x; \theta) - g(x)\|_2^2 dx dt, \quad J_i(\theta) = \int_{\Omega} \|u_{nn}(0, x; \theta) - u_0(x)\|_2^2 dx.$$

- If these residuals are all equal to zero, then  $u_{nn}(t, x; \theta)$  is a solution of the PDE.
- To complete the determination of the method, we need a way to compute the integrals. In practice we use **Monte Carlo**.
- **Important point:** the derivatives are computed exactly using **automatic differentiation tools and back propagation**. Valid for any decoder proposed.

# Space-time approach: PINNs II

- We define the residual of the PDE:

$$R(t, x) = \partial_t u_{nn}(t, x; \theta) - \mathcal{F}(u_{nn}(t, x; \theta), \partial_x u_{nn}(t, x; \theta), \partial_{xx} u_{nn}(t, x; \theta))$$

- To learn the parameters  $\theta$  in  $u_{nn}(t, x; \theta)$ , we minimize:

$$\theta = \arg \min_{\theta} \left( J_r(\theta) + J_b(\theta) + J_i(\theta) \right),$$

with

$$J_r(\theta) = \sum_{n=1}^N \sum_{i=1}^N |R(t_n, x_i)|^2$$

with  $(t_n, x_i)$  **sampled uniformly or through importance sampling**, and

$$J_b(\theta) = \sum_{n=1}^{N_b} \sum_{i=1}^{N_b} |u_{nn}(t_n, x_i; \theta) - g(x_i)|^2, \quad J_i(\theta) = \sum_{i=1}^{N_i} |u_{nn}(0, x_i; \theta) - u_0(x_i)|^2.$$

- If these residuals are all equal to zero, then  $u_{nn}(t, x; \theta)$  is a solution of the PDE.
- To complete the determination of the method, we need a way to compute the integrals. In practice we use **Monte Carlo**.
- **Important point:** the derivatives are computed exactly using **automatic differentiation tools and back propagation**. Valid for any decoder proposed.

# PINNs for parametric PDEs

- **Advantages of PINNs:** mesh-less approach, not too sensitive to the dimension.
- **Drawbacks of PINNs:** they are often not competitive with classical methods.
- Interesting possibility: use the strengths of PINNs to solve PDEs parameterized by some  $\mu$ .
- The neural network becomes  $u_{nn}(t, x, \mu; \theta)$ .


## New Optimization problem for PINNs

$\min_{\theta} J_r(\theta) + \dots$ , with

$$J_r(\theta) = \int_{V_{\mu}} \int_0^T \int_{\Omega} \|\partial_t u_{nn} - \mathcal{L}(u_{nn}(t, x, \mu), \partial_x u_{nn}(t, x, \mu), \partial_{xx} u_{nn}(t, x, \mu))\|_2^2 dx dt$$

with  $V_{\mu}$  a subspace of the parameters  $\mu$ .

- Application to the Burgers equations with many viscosities  $[10^{-2}, 10^{-4}]$ :



- Training for  $\mu = 10^{-4}$ : 2h. Training for the full viscosity subset: 2h.

# Spatial approach: Neural Galerkin I

- We solve the following PDE:

$$\partial_t u = \mathcal{F}(u, \nabla u, \Delta u) = F(u).$$

- Classical representation:  $u(t, x) = \sum_{i=1}^N \theta_i(t) \phi_i(x)$
- **Deep representation:**  $u(t, x) = u_{nn}(x; \theta(t))$  with  $u_{nn}$  a neural network, with parameters  $\theta(t)$ , taking  $x$  as input.
- We want that:

$$F(u_{nn}(x; \theta(t))) = \partial_t u_{nn}(x; \theta(t)) = \left\langle \nabla_{\theta} u_{nn}(x; \theta), \frac{d\theta(t)}{dt} \right\rangle$$

- How to find an equation for  $\frac{d\theta(t)}{dt}$ ?
- We solve the minimization problem:

$$\frac{d\theta(t)}{dt} = \arg \min_{\eta} J(\eta) = \arg \min_{\eta} \int_{\Omega} |\langle \nabla_{\theta} u_{nn}(x; \theta), \eta \rangle - F(u_{nn}(x; \theta(t)))|^2 dx.$$

- The solution is given by

$$M(\theta(t)) \frac{d\theta(t)}{dt} = F(x, \theta(t))$$

with

$$M(\theta(t)) = \int_{\Omega} \nabla_{\theta} u_{nn}(x; \theta) \otimes \nabla_{\theta} u_{nn}(x; \theta) dx, \quad F(x, \theta(t)) = \int_{\Omega} \nabla_{\theta} u_{nn}(x; \theta) F(u_{nn}(x; \theta)) dx.$$

# Spatial approach: Neural Galerkin II

- How to estimate  $M(\theta(t))$  and  $F(x, \theta(t))$ ?
- **Firstly**: we need to differentiate the network with respect to  $\theta$  and to  $x$  (in the function  $F$ ). This can easily be done with automatic differentiation.
- **Secondly**: How to compute the integrals? **Monte Carlo approach**.
- So, we use:

$$M(\theta(t)) \approx \sum_{i=1}^N \nabla_{\theta} u_{nn}(x_i; \theta) \otimes \nabla_{\theta} u_{nn}(x_i; \theta)$$

and the same for  $F(x, \theta(t))$ .

- **Summary**: we obtain an **ODE in time (as usual) and a mesh-less method in space**.
- Like in the case of PINNs, we can apply this framework to parametric PDEs and larger dimensions.
- We solve the following PDE:

$$\partial_t u = \mathcal{F}(u, \nabla u, \Delta u, \alpha) = F(u; \mu).$$

- **Deep representation**:  $u(t, x, \mu) = u_{nn}(x, \mu; \theta(t))$
- The solution is given by


$$M(\theta(t)) \frac{d\theta(t)}{dt} = F(x, \theta(t), \mu)$$

with

$$M(\theta(t)) = \int_{V_{\mu}} \int_{\Omega} \nabla_{\theta} u_{nn}(x, \mu; \theta) \otimes \nabla_{\theta} u_{nn}(x, \mu; \theta) dx d\mu.$$

# Spatial approach: Neural Galerkin III


- We solve the advection-diffusion equation  $\partial_t \rho + \mathbf{a} \cdot \nabla \rho = D \Delta \rho$  with a Gaussian function as initial condition.
- Case 1: with a neural network (2200 DOF)



- 5 minutes on CPU, MSE error around 0.0045.

# Spatial approach: Neural Galerkin III

- We solve the advection-diffusion equation  $\partial_t \rho + \mathbf{a} \cdot \nabla \rho = D \Delta \rho$  with a Gaussian function as initial condition.
- Case 2: with a Gaussian mixture (one Gaussian):



- 5 sec on CPU. MSE around  $1.0^{-6}$ . Decoder perfect to represent this test case.

# Summary

## New numerical methods

New numerical methods are derived using **nonlinear models** like neural networks. Same spirit as classical methods: plug an Ansatz into the equation to obtain equations on DoFs.

- **Classical numerics:** they use Ansatz  $f(t, x; \theta)$  plugged into the equations.

- Space time Ansatz

$$f(t, x; \theta) = \sum_{i=1} \theta_i \phi_i(t, x)$$

gives a algebraic system on  $\theta$  (linear for linear PDE, nonlinear else).

- Space Ansatz

$$f(t, x; \theta) = \sum_{i=1} \theta_i(t) \phi_i(x)$$

gives a linear/non-linear ODE on  $\theta$  + algebraic system on  $\theta$  for initial projection.

## Drawbacks

- less accurate than classical approaches especially in low dimension
- convergence and theoretical study difficult,

## Advantages

- mesh free
- more efficient in large dimension and for parametric PDEs, perfect for GPUs
- more freedom on the chosen structure (the decoder)



# Summary

## New numerical methods

New numerical methods are derived using **nonlinear models** like neural networks. Same spirit as classical methods: plug an Ansatz into the equation to obtain equations on DoFs.

- **Neural method**: idem.
  - PINNs (Space time Ansatz)

$$f(t, x; \theta) = u_{nn}(t, x; \theta)$$

replace algebraic system on  $\theta$  by non-convex optimization.

- **Neural Galerkin** (Space Ansatz)

$$f(t, x; \theta) = u_{nn}(x; \theta(t))$$

gives a nonlinear on  $\theta(t)$  + non-convex optimization for initial projection.

## Drawbacks

- less accurate than classical approaches especially in low dimension
- convergence and theoretical study difficult,

## Advantages

- mesh free
- more efficient in large dimension and for parametric PDEs, perfect for GPUs
- more freedom on the chosen structure (the decoder)

## Application to numerical methods

# Hybrid predictor-corrector methods

## Hybrid methods

In this context, **hybrid methods** combine classical numerical methods and numerical methods based on **Implicit Neural representation** (IRM).

## Objectives

**Taking the best of both worlds:** the accuracy of classical numerical methods, and the mesh-free large-dimensional capabilities of IRM-based numerical methods.

## General Idea

- **Offline process:** train a Neural Network (PINNs, NGs, NOs or CROM) to **obtain a large family of approximate solutions**.
- **Online process:** **predict** the solution associated to our test case using the NN.
- **Online process:** **correct** the solution with a numerical method.

# Predictor-Corrector: using PINNs in a FE method

- We consider the following elliptic problem:

$$\begin{cases} Lu = -\partial_{xx}u + v\partial_xu + ru = f, & \forall x \in \Omega \\ u = g, & \forall x \in \partial\Omega \end{cases}$$

- We assume that we have a **continuous** prior of the solution given by a **parametric PINN**  $u_\theta(x)$
- We propose the following corrections of the finite element basis functions:

$$u(x) = u_\theta(x) + p_h(x), \quad u(x) = u_\theta(x)p_h(x),$$

with  $p_h(x)$  a perturbation discretized using  **$P_k$  Lagrange finite element**.

- For the **first approach (additive prior)**, we solve in practice:

$$\begin{cases} Lp_h(x) = f - Lu_\theta(x), & \forall x \in \Omega \\ p_h(x) = g - u_\theta(x), & \forall x \in \partial\Omega \end{cases}$$

- For the **second approach (multiplicative prior)**, we need  $u_\theta(x) \neq 0$ , so we take  $M > 0$  and we solve:

$$\begin{cases} L(u_\theta(x)p_h(x)) = f, & \forall x \in \Omega \\ p_h(x) = \frac{g}{u_\theta(x)} + M, & \forall x \in \partial\Omega \end{cases}$$

# Theory for hybrid EF

- Approach one: we rewrite the Cea lemma for  $u_h(x) = u_\theta(x) + p_h(x)$ . We obtain

$$\|u - u_h\| \leq \frac{M}{\alpha} \|u - u_\theta - I_h(u - u_\theta)\|$$

with  $I_h$  the interpolator. Using the classical result of  $P_k$  Lagrange interpolator we obtain

$$\|u - u_h\|_{H^m} \leq \frac{M}{\alpha} Ch^{k+1-m} \underbrace{\left( \frac{|u - u_\theta|_{H^m}}{|u|_{H^m}} \right)}_{\text{gain}} |u|_{H^m}$$

- Approach two:  $u_h(x) = u_\theta(x)p_h(x)$ . We use a modified interpolator:

$$I_{mod,h}(f) = \sum_{i=1}^N \frac{f(x_i)}{u_\theta(x_i)} \phi_i(x) u_\theta(x)$$

using  $I_{mod,f}(f) = I_h\left(\frac{f}{u_\theta}\right)u_\theta(x)$ , the Cea lemma and interpolation estimate we have:

$$\|u - u_h\|_{H^m} \leq \frac{M}{\alpha} Ch^{k+1-m} \underbrace{\left( \frac{|\frac{u}{u_\theta}|_{H^m} \|u_\theta(x)\|_{L^\infty}}{|u|_{H^m}} \right)}_{\text{gain}} |u|_{H^m}$$

- The prior must give a good approximation of the  $m^{\text{th}}$  derivative.

# EF for elliptic problems

- First test:

$$-\partial_{xx}u = \alpha \sin(2\pi x) + \beta \sin(4\pi x) + \gamma \sin(8\pi x)$$

We train with  $(a, b, c) \in [0, 1]^3$  and test with  $(a, b, c) \in [0, 1.2]^3$ .

method:	average gain	variance gain
additive prior with PINNs	273	13000
Multiplicative prior $M = 3$ with PINNs	92	4000
Multiplicative prior $M = 100$ with PINNs	272	13000
additive prior with NN	15	18
Multiplicative prior $M = 3$ with NN	11	17.5
Multiplicative prior $M = 100$ with NN	15	18

- The PINN is trained with the physical loss, the NN with only data, no physics.
- The NN is able to better learn the solution itself, but the approximation of derivatives is less accurate than with the PINN.

# EF for elliptic problems

## ■ Second test:

$$v\partial_x u - \frac{1}{P_e}\partial_{xx}u = r$$

We train with  $r \in [1, 2]$ ,  $Pe \in [10, 100]$ . We test with  $(r, Pe) = (1.2, 40)$  and  $(r, Pe) = (1.5, 90)$

Case 1	Classical FE		Additive prior			Multiplicative prior		
	error	order	error	order	gain	error	order	gain
10	$1.07e^{-1}$	–	$2.70e^{-3}$	–	40	$2.29e^{-4}$	–	467
20	$3.36e^{-2}$	1.97	$8.00e^{-4}$	1.76	42	$9.06e^{-5}$	1.93	371
40	$9.09e^{-3}$	1.89	$2.01e^{-4}$	2.00	45	$2.63e^{-5}$	1.97	345
80	$2.32e^{-3}$	1.97	$5.01e^{-5}$	1.99	46	$6.37e^{-6}$	1.99	365
160	$5.82e^{-4}$	1.99	$1.30e^{-6}$	1.97	45	$1.77e^{-6}$	2.0	289



Case 2	Classic		additive prior			Multiplicative prior		
	error	order	error	order	gain	error	order	gain
10	$2.65e^{-1}$	–	$1.51e^{-1}$	–	1.7	$9.33e^{-4}$	–	284
20	$1.06e^{-1}$	1.32	$6.04e^{-2}$	1.33	1.7	$3.84e^{-4}$	1.28	276
40	$3.46e^{-2}$	1.62	$1.96e^{-2}$	1.62	1.8	$1.13e^{-4}$	1.76	305
80	$9.50e^{-3}$	1.86	$5.32e^{-3}$	1.87	1.8	$3.26e^{-5}$	1.80	291
160	$2.43e^{-3}$	1.86	$2.43e^{-3}$	1.86	1.8	$8.67e^{-6}$	1.91	280

# Hyperbolic systems with source terms

- In the team, most of us are interested in hyperbolic systems:

$$\partial_t \mathbf{U} + \nabla \cdot \mathbf{F}(\mathbf{U}) = \mathbf{S}(\mathbf{U})$$

- It is important to have a good preservation of the steady state  $\nabla \cdot \mathbf{F}(\mathbf{U}) = \mathbf{S}(\mathbf{U})$ .
- **Example:** Lake at rest for shallow water:
- **Exactly Well-Balanced schemes:** exact preservation of the steady state.  
**Approximately Well-Balanced schemes:** preserve with a high-accuracy than the scheme the steady state.
- Building exact WB schemes is difficult for some equilibria, or for 2D flows.



## Idea

Compute offline a family of equilibria with parametric PINNs (or NOs) and **plug the equilibrium in the DG basis to obtain a more accurate scheme around steady states.**



# Theory for hybrid DG

- Theory for the scalar case.
- The classical modal DG scheme uses the local representation:

$$u|_{\Omega_k}(x) = \sum_{l=0}^q \alpha_l \phi_l(x)^k, \text{ with } [\phi_1^k, \dots, \phi_q^k] = [1, (x - x_k), \dots, (x - x_k)^q]$$

- If  $u_\theta(x)$  is an approximation of the equilibrium, we propose to take as basis:

$$V_1 = [u_\theta(x), (x - x_k), \dots, (x - x_k)^q], \text{ or } V_2 = u_\theta(x)[1, (x - x_k), \dots, (x - x_k)^q]$$

## Estimate on the projector for $V_2$

Assume that the prior  $u_\theta$  satisfies

$$u_\theta(x; \mu)^2 > m^2 > 0, \quad \forall x \in \Omega, \quad \forall \mu \in \mathbb{P}.$$

and still consider the vector space  $V_2$ . For any function  $u \in H^{q+1}(\Omega)$ ,

$$\|u - P_h(u)\|_{L^2(\Omega)} \lesssim \left| \frac{u}{u_\theta} \right|_{H^{q+1}(\Omega)} (\Delta x_k)^{q+1} \|u_\theta\|_{L^\infty(\Omega)}.$$

- Adding a stability estimate, we can also prove the convergence.

# Euler-Poisson system in spherical geometry

- We consider the Euler-Poisson system in spherical geometry

$$\begin{cases} \partial_t \rho + \partial_r q = -\frac{2}{r} q, \\ \partial_t q + \partial_r \left( \frac{q^2}{\rho} + p \right) = -\frac{2}{r} \frac{q^2}{\rho} - \rho \partial_r \phi, \\ \partial_t E + \partial_r \left( \frac{q}{\rho} (E + p) \right) = -\frac{2}{r} \frac{q}{\rho} (E + p) - q \partial_r \phi, \\ \frac{1}{r^2} \partial_{rr} (r^2 \phi) = 4\pi G \rho, \end{cases}$$

- **First application:** we consider the barotropic pressure law  $p(\rho; \kappa, \gamma) = \kappa \rho^\gamma$  such that the steady solutions satisfy

$$\frac{d}{dr} \left( r^2 \kappa \gamma \rho^{\gamma-2} \frac{d\rho}{dr} \right) = 4\pi r^2 G \rho.$$

- The PINN yields an approximation of  $\rho_\theta(x, \kappa, \gamma)$
- **Second application:** we consider the ideal gas pressure law  $p(\rho; \kappa, \gamma) = \kappa \rho T(r)$ , with  $T(r) = e^{-\alpha r}$ , such that the steady solutions satisfy

$$\frac{d}{dr} \left( r^2 \kappa \frac{T}{\rho} \frac{d\rho}{dr} \right) + \frac{d}{dr} \left( r^2 \kappa \frac{dT}{dr} \right) = 4\pi r^2 G \rho,$$

- The PINN yields an approximation of  $\rho_\theta(x, \kappa, \alpha)$
- To simulate a flow around a steady solution, we need a scheme that is very accurate on the steady solution.

# Results


- Training takes about 10 minutes on an old GPU, with **no data**, only the PINN loss.
- We take a quadrature of degree  $n_Q = n_G + 1$  (sometimes, more accurate quadrature formulas are needed).
- Barotropic case:

$q$	minimum gain			average gain			maximum gain		
	$\rho$	$Q$	$E$	$\rho$	$Q$	$E$	$\rho$	$Q$	$E$
0	19.14	2.33	17.04	233.48	3.73	197.28	510.42	4.48	371.87
1	7.61	8.28	6.98	158.25	188.92	130.57	1095.68	1291.90	1024.59
2	0.14	0.22	2.99	12.11	16.55	23.73	89.47	109.93	169.28

- ideal gas case:

$q$	minimum gain			average gain			maximum gain		
	$\rho$	$Q$	$E$	$\rho$	$Q$	$E$	$\rho$	$Q$	$E$
0	13.30	1.05	16.24	151.96	1.88	150.63	600.13	2.91	473.83
1	6.30	7.53	5.40	72.63	77.20	51.09	321.20	302.58	257.19
2	3.35	3.45	2.20	18.96	22.58	13.56	55.47	63.45	47.83

- 2D shallow water equations: equilibrium with  $\mathbf{u} \neq 0$  + small perturbation. Plot the deviation to equilibrium:



## Conclusion

# Conclusion and Adverts!

## Short conclusion

Using **nonlinear implicit representations**, we proposed **new numerical/reduced modeling methods** whose advantages/drawbacks are very different to those of classical approaches. We will continue to investigate **hybrid approaches**.

## Scimba

- For the PEPR Numpex, we are currently writing the **Scimba** code. It contains for PINNs, Neural Galerkin, Neural operator methods, ...; the goal is for this code to be shared by different teams.
- If you are interested to try these methods, play with Scimba, or participate contact us!

## Macaron

- Our Inria team TONUS/MACARON will specialize in the hybridation between ML and numerical methods for PDEs.
- We regularly have PhD, post-doc and even permanent positions open on these subjects. If you are interested, contact us :)

# Main references

## ■ PINNs:

- *Physics-informed neural networks: A deep learning framework for solving forward and inverse problems involving nonlinear partial differential equations*, M. Raissi, P. Perdikaris, G.E. Karniadakis
- *An Expert's Guide to Training Physics-informed Neural Networks*, S. Wang, S. Sankaran, H. Wang, P. Perdikaris
- *Estimates on the generalization error of Physics Informed Neural Networks (PINNs) for approximating PDEs*, S. Mishra, R. Molinaro

## ■ Neural Galerkin:

- *Neural Galerkin Scheme with Active Learning for High-Dimensional Evolution Equations*, J. Bruna, B. Peherstorfer, E. Vanden-Eijnden
- *A Stable and Scalable Method for Solving Initial Value PDEs with Neural Networks*, M. Finzi, A. Potapczynski, M. Choptuik, A. Gordon Wilson

## ■ Neural Operator:

- *Fourier Neural Operator for Parametric Partial Differential Equations*, Z.i Li, N. Kovachki, K. Azizzadenesheli, B. Liu, K. Bhattacharya, A. Stuart, A. Anandkumar
- *Neural Operator: Learning Maps Between Function Spaces*, N. Kovachki, Z. Li, B. Liu, K. Azizzadenesheli, K. Bhattacharya, A. Stuart, A. Anandkumar
- *MOD-Net: A Machine Learning Approach via Model-Operator-Data Network for Solving PDE*, L. Zhang, T. Luo, Y. Zhang, Weinan E, Z. Xu, Z. Ma

## ■ Deep Predictor for Newton:

- *Accelerating hypersonic reentry simulations using deep learning-based hybridization (with guarantees)*, P. Novello, G. Poëtte, D. Lugato, S. Peluchon, P. Marco Congedo
- *DeepPhysics: a physics aware deep learning framework for real-time simulation*, A. Odot, R. Haferssas, S. Cotin
- *Accelerating Newton convergence for nonlinear elliptic PDE using neural operator approach*, E. Franck, R. Hild, V. Vigon, V. Michel-Dansac, J. Aghili. En cours de rédaction.

## ■ Hybrid methods:

- *Enhanced Finite element by neural networks for elliptic problems*, H. Barucq, E. Franck, F. Faucher, N. Victorion. En cours de rédaction
- *Approximately well-balanced Discontinuous Galerkin methods using bases enriched with Physics-Informed Neural Networks*, E. Franck, V. Michel-Dansac, L. Navoret. Arxiv preprint.