

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z, z^3 + z + 1)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z, z^3 + z + 1)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 00:12:09 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 9.9 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z, z^3 + z + 1)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$\begin{aligned} p_0(z) &= z^9 + z^8 + z^7 + z^5 + z^3 + z + 1, \\ p_1(z) &= z^{15} + z^{10} + z^9 + z^8 + z^7 + z^6 + z^4 + z^3 + z^2 + z, \\ p_2(z) &= z^{16} + z^{14} + z^{10} + z^8 + z^2, \\ p_3(z) &= z^{15} + z^{10} + z^9 + z^8 + z^7 + z^6 + z^4 + z^3 + z^2 + z, \\ p_4(z) &= z^{14} + z^{12} + z^{10} + z^9 + z^8 + z^7 + z^5 + z^4 + z^3 + z^2 + z, \end{aligned}$$

and for $\text{CF}(b, a)$,

$$\begin{aligned} p_0(z) &= z^{12} + z^9 + z^8 + z^7 + z^5 + z^3 + z, \\ p_1(z) &= z^{15} + z^{10} + z^9 + z^8 + z^7 + z^6 + z^4 + z^3 + z^2 + z, \\ p_2(z) &= z^{16} + z^{14} + z^{10} + z^8 + z^2, \\ p_3(z) &= z^{15} + z^{10} + z^9 + z^8 + z^7 + z^6 + z^4 + z^3 + z^2 + z, \\ p_4(z) &= z^{14} + z^{10} + z^9 + z^8 + z^7 + z^5 + z^4 + z^3 + z^2 + z + 1. \end{aligned}$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{t}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(100, 100, 100, 100, 100)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 360 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 360, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 440 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 440, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 8 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:8u] &= M^e[:4u] + x^{3u} M^e[:u] + x^{3u} M^e[:4u] + x^{6u} M^e[:u] + x^{5u} M^e[:3u] \\ &\quad + x^{7u} M^e[:u] + (x^{4u} + x^{7u}) R^e, \\ W^e[:8u] &= W^e[:4u] + x^{3u} W^e[:u] + x^{3u} W^e[:4u] + x^{6u} W^e[:u] + x^{5u} W^e[:3u] \\ &\quad + x^{7u} W^e[:u] + (x^{4u} + x^{7u}) R^e. \end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$M^o[:8u] = M^o[:4u] + x^{3u} M^o[:u] + x^{3u} M^o[:4u] + x^{6u} M^o[:u] + x^{5u} M^o[:3u]$$

$$\begin{aligned}
& + x^{7u}M^o[:u] + (x^{4u} + x^{7u})R^o, \\
W^o[:8u] &= W^o[:4u] + x^{3u}W^o[:u] + x^{3u}W^o[:4u] + x^{6u}W^o[:u] + x^{5u}W^o[:3u] \\
& + x^{7u}W^o[:u] + (x^{4u} + x^{7u})R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$T[:8u] = T[:4u] + x^{3u}T[:u] + x^{3u}T[:4u] + x^{6u}T[:u] + x^{5u}T[:3u] + x^{7u}T[:u].$$

The proof of the other 15 cases are similar. We break down the above identity into 4 parts:

$$\begin{aligned}
0 &= x^{3u}T[u:2u] + T[4u:5u], \\
0 &= x^{5u}T[:u] + x^{3u}T[2u:3u] + T[5u:6u], \\
0 &= x^{6u}T[:u] + x^{5u}T[u:2u] + x^{3u}T[3u:4u] + T[6u:7u], \\
0 &= x^{7u}T[:u] + x^{5u}T[2u:3u] + T[7u:8u],
\end{aligned}$$

which can be rewritten as

$$\begin{aligned}
(2.7) \quad 0 &= T[[1w]_2] + T[[100w]_2], \\
(2.8) \quad 0 &= T[[w]_2] + T[[10w]_2] + T[[101w]_2], \\
(2.9) \quad 0 &= T[[w]_2] + T[[1w]_2] + T[[11w]_2] + T[[110w]_2], \\
(2.10) \quad 0 &= T[[w]_2] + T[[10w]_2] + T[[111w]_2],
\end{aligned}$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$\begin{aligned}
(2.11) \quad 0 &= T[[1w]_2] + T[[100w]_2], \\
(2.12) \quad 0 &= T[[w]_2] + T[[10w]_2] + T[[101w]_2], \\
(2.13) \quad 0 &= T[[w]_2] + T[[1w]_2] + T[[11w]_2] + T[[110w]_2], \\
(2.14) \quad 0 &= T[[w]_2] + T[[10w]_2] + T[[111w]_2],
\end{aligned}$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 512 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.14) can be written as

$$\begin{aligned}
(2.15) \quad 0 &= \tau(A(s, 1)) + \tau(A(s, 100)), \\
(2.16) \quad 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 101)), \\
(2.17) \quad 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 110)), \\
(2.18) \quad 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 111)),
\end{aligned}$$

for all $s \in E_{2k}$, and

$$(2.19) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 100)),$$

$$(2.20) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 101)),$$

$$(2.21) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 110)),$$

$$(2.22) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 111)),$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{26}), E_{26}) = (A(i, 0^{14}), E_{14})$, so that we only have to verify that identities (2.15) through (2.22) hold for $2 \leq k \leq 13$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$M_{2k} = M^e[:4u] + x^{3u}M^e[:u] + x^{4u}R^e,$$

$$W_{2k} = W^e[:4u] + x^{3u}W^e[:u] + x^{4u}R^e.$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$M_{2k+1} = M^o[:4u] + x^{3u}M^o[:u] + x^{4u}R^o,$$

$$W_{2k+1} = W^o[:4u] + x^{3u}W^o[:u] + x^{4u}R^o.$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$\begin{aligned} M_{2k} \wedge W_{2k} &\Rightarrow M_{2k+1} \wedge W_{2k+1}, \\ M_{2k+1} \wedge W_{2k+1} &\Rightarrow M_{2k+2} \wedge W_{2k+2}. \end{aligned}$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$(2.23) \quad \begin{aligned} &W_{2k}M_{2k} = (W^e[:4v] + x^{3v}W^e[:v] + x^{4u}R^e) \times (M^e[:4v] + x^{3v}M^e[:v] \\ &\quad + x^{4u}R^e); \end{aligned}$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{8v}R^o$. Therefore we only need to prove that their difference is $O(x^{8v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{8v} , to

$$W^e[:8v]M^e[:8v] + x^{6v}W^e[:2v]M^e[:2v].$$

For all $n \leq 8$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.23) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_8, b_1, \dots, b_8, c][X]$. Note that it is not a problem

that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^8)$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned}\lim_{n \rightarrow \infty} M_{2n,j,k} &= M_{j,k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1,j,k} &= M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} &= W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} &= W_{j,k}^o.\end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12} \phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e/M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$\begin{aligned}q_0(x) &= x^{16} + x^{15} + x^{13} + x^{11} + x^9 + x^8 + x^7, \\ q_1(x) &= x^{15} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8 + x^7 + x^6 + x, \\ q_2(x) &= x^{14} + x^8 + x^6 + x^2 + 1, \\ q_3(x) &= x^{15} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8 + x^7 + x^6 + x, \\ q_4(x) &= x^{15} + x^{14} + x^{13} + x^{12} + x^{11} + x^9 + x^8 + x^7 + x^6 + x^4 + x^2.\end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 126, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 126, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 8 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{90} + x^{88} + x^{82} + x^{76} + x^{74} + x^{64} + x^{56} + x^{52} + x^{42} + x^{40} + x^{38} \\
&\quad + x^{26} + x^{22} + x^{16} + x^{12}, \\
p_3(x) &= x^{86} + x^{78} + x^{70} + x^{58} + x^{52} + x^{50} + x^{48} + x^{44} + x^{36} + x^{28} + x^{22} \\
&\quad + x^{20} + x^{18} + x^{14} + x^{10} + x^8, \\
p_6(x) &= x^{84} + x^{80} + x^{78} + x^{76} + x^{70} + x^{66} + x^{64} + x^{54} + x^{52} + x^{50} + x^{42} \\
&\quad + x^{40} + x^{36} + x^{32} + x^{26} + x^{22} + x^{16} + x^{12} + x^{10} + x^8 + x^6 + x^4 + x^2 \\
&\quad + 1, \\
p_9(x) &= x^{88} + x^{86} + x^{82} + x^{76} + x^{74} + x^{72} + x^{70} + x^{62} + x^{60} + x^{56} + x^{54} \\
&\quad + x^{52} + x^{48} + x^{46} + x^{44} + x^{42} + x^{40} + x^{36} + x^{30} + x^{26} + x^{24} + x^{22} \\
&\quad + x^{20} + x^{18} + x^{14} + x^{12} + x^{10} + x^8 + x^4 + x^2, \\
p_{12}(x) &= x^{88} + x^{80} + x^{72} + x^{56} + x^{40} + x^{24} + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{84} + x^{83} + x^{80} + x^{79} + x^{76} + x^{75} + x^{73} + x^{69} + x^{68} + x^{65} + x^{63} \\
&\quad + x^{62} + x^{59} + x^{57} + x^{56} + x^{54} + x^{52} + x^{51} + x^{49} + x^{48} + x^{45} + x^{44} \\
&\quad + x^{43} + x^{42} + x^{41} + x^{39} + x^{38} + x^{36} + x^{31} + x^{28} + x^{27}, \\
p_3(x) &= x^{82} + x^{79} + x^{76} + x^{73} + x^{70} + x^{67} + x^{62} + x^{59} + x^{58} + x^{55} + x^{54} \\
&\quad + x^{52} + x^{51} + x^{49} + x^{42} + x^{39} + x^{36} + x^{33} + x^{30} + x^{27} + x^{22} + x^{19} \\
&\quad + x^{18} + x^{15} + x^{14} + x^{12} + x^{11} + x^9, \\
p_6(x) &= x^{81} + x^{80} + x^{79} + x^{77} + x^{75} + x^{73} + x^{70} + x^{69} + x^{68} + x^{67} + x^{65} \\
&\quad + x^{62} + x^{61} + x^{60} + x^{58} + x^{55} + x^{54} + x^{53} + x^{51} + x^{48} + x^{47} + x^{46} \\
&\quad + x^{45} + x^{43} + x^{40} + x^{31} + x^{30} + x^{28} + x^{23} + x^{22} + x^{20} + x^{19} + x^{18} \\
&\quad + x^{17} + x^{14} + x^9 + x^8 + x^6, \\
p_9(x) &= x^{80} + x^{78} + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} + x^{69} + x^{68} + x^{65} + x^{64} \\
&\quad + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} + x^{55} + x^{53} + x^{52} + x^{50} + x^{49} + x^{47} \\
&\quad + x^{46} + x^{43} + x^{42} + x^{39} + x^{38} + x^{36} + x^{35} + x^{34} + x^{33} + x^{31} + x^{28} \\
&\quad + x^{26} + x^{25} + x^{23} + x^{22} + x^{19} + x^{12} + x^9 + x^8 + x^6 + x^5 + x^3, \\
p_{12}(x) &= x^{79} + x^{78} + x^{76} + x^{75} + x^{74} + x^{72} + x^{67} + x^{66} + x^{64} + x^{63} + x^{62} \\
&\quad + x^{60} + x^{59} + x^{58} + x^{56} + x^{51} + x^{50} + x^{48} + x^{47} + x^{46} + x^{44} + x^{43} \\
&\quad + x^{42} + x^{40} + x^{35} + x^{34} + x^{32} + x^{31} + x^{30} + x^{28} + x^{27} + x^{26} + x^{24} \\
&\quad + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} + x^8 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 0, 0, 0, 0, 0]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{84} + x^{83} + x^{80} + x^{79} + x^{76} + x^{75} + x^{73} + x^{69} + x^{68} + x^{65} + x^{63} \\
&\quad + x^{62} + x^{59} + x^{57} + x^{56} + x^{54} + x^{52} + x^{51} + x^{49} + x^{48} + x^{45} + x^{44}
\end{aligned}$$

$$\begin{aligned}
& + x^{43} + x^{42} + x^{41} + x^{39} + x^{38} + x^{36} + x^{31} + x^{28} + x^{27}, \\
p_3(x) &= x^{82} + x^{79} + x^{76} + x^{73} + x^{70} + x^{67} + x^{62} + x^{59} + x^{58} + x^{55} + x^{54} \\
& + x^{52} + x^{51} + x^{49} + x^{42} + x^{39} + x^{36} + x^{33} + x^{30} + x^{27} + x^{22} + x^{19} \\
& + x^{18} + x^{15} + x^{14} + x^{12} + x^{11} + x^9, \\
p_6(x) &= x^{81} + x^{80} + x^{79} + x^{77} + x^{75} + x^{73} + x^{70} + x^{69} + x^{68} + x^{67} + x^{65} \\
& + x^{62} + x^{61} + x^{60} + x^{58} + x^{55} + x^{54} + x^{53} + x^{51} + x^{48} + x^{47} + x^{46} \\
& + x^{45} + x^{43} + x^{40} + x^{31} + x^{30} + x^{28} + x^{23} + x^{22} + x^{20} + x^{19} + x^{18} \\
& + x^{17} + x^{14} + x^9 + x^8 + x^6, \\
p_9(x) &= x^{80} + x^{78} + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} + x^{69} + x^{68} + x^{65} + x^{64} \\
& + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} + x^{55} + x^{53} + x^{52} + x^{50} + x^{49} + x^{47} \\
& + x^{46} + x^{43} + x^{42} + x^{39} + x^{38} + x^{36} + x^{35} + x^{34} + x^{33} + x^{31} + x^{28} \\
& + x^{26} + x^{25} + x^{23} + x^{22} + x^{19} + x^{12} + x^9 + x^8 + x^6 + x^5 + x^3, \\
p_{12}(x) &= x^{79} + x^{78} + x^{76} + x^{75} + x^{74} + x^{72} + x^{67} + x^{66} + x^{64} + x^{63} + x^{62} \\
& + x^{60} + x^{59} + x^{58} + x^{56} + x^{51} + x^{50} + x^{48} + x^{47} + x^{46} + x^{44} + x^{43} \\
& + x^{42} + x^{40} + x^{35} + x^{34} + x^{32} + x^{31} + x^{30} + x^{28} + x^{27} + x^{26} + x^{24} \\
& + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} + x^8 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 0, 0, 0, 0, 0]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{78} + x^{68} + x^{66} + x^{58} + x^{54} + x^{48} + x^{46} + x^{44} + x^{42}, \\
p_3(x) &= x^{72} + x^{60} + x^{54} + x^{52} + x^{50} + x^{48} + x^{46} + x^{44} + x^{42} + x^{36} + x^{34} \\
& + x^{32} + x^{28} + x^{26} + x^{18} + x^{14} + x^8 + x^6, \\
p_6(x) &= x^{72} + x^{70} + x^{66} + x^{64} + x^{60} + x^{54} + x^{48} + x^{40} + x^{36} + x^{34} + x^{32} \\
& + x^{30} + x^{28} + x^{24} + x^{18} + x^{14} + x^{12} + x^{10} + x^8 + x^4 + x^2 + 1, \\
p_9(x) &= x^{70} + x^{66} + x^{62} + x^{58} + x^{54} + x^{52} + x^{50} + x^{48} + x^{46} + x^{36} + x^{34} \\
& + x^{30} + x^{28} + x^{22} + x^{20} + x^{14} + x^8 + x^6 + x^4 + x^2, \\
p_{12}(x) &= x^{70} + x^{68} + x^{64} + x^{54} + x^{52} + x^{48} + x^{38} + x^{36} + x^{32} + x^{22} + x^{20} \\
& + x^{16} + x^6 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 1, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{78} + x^{74} + x^{72} + x^{70} + x^{66} + x^{64} + x^{58} + x^{56} + x^{54} + x^{52} + x^{48} \\
& + x^{46} + x^{44} + x^{42} + x^{40} + x^{32} + x^{30} + x^{26} + x^{22} + x^{20} + x^{18} + x^{16} \\
& + x^{12}, \\
p_3(x) &= x^{72} + x^{68} + x^{64} + x^{62} + x^{58} + x^{56} + x^{52} + x^{46} + x^{40} + x^{38} + x^{30} \\
& + x^{28} + x^{18} + x^{14} + x^{12} + x^8, \\
p_6(x) &= x^{72} + x^{70} + x^{68} + x^{64} + x^{56} + x^{54} + x^{50} + x^{48} + x^{46} + x^{34} + x^{30}
\end{aligned}$$

$$\begin{aligned}
& + x^{28} + x^{26} + x^{18} + x^{14} + x^6 + x^2 + 1, \\
p_9(x) &= x^{70} + x^{66} + x^{62} + x^{58} + x^{54} + x^{52} + x^{50} + x^{48} + x^{46} + x^{36} + x^{34} \\
& + x^{30} + x^{28} + x^{22} + x^{20} + x^{14} + x^8 + x^6 + x^4 + x^2, \\
p_{12}(x) &= x^{70} + x^{68} + x^{64} + x^{54} + x^{52} + x^{48} + x^{38} + x^{36} + x^{32} + x^{22} + x^{20} \\
& + x^{16} + x^6 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 1, 0, 1, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{84} + x^{81} + x^{79} + x^{74} + x^{73} + x^{71} + x^{70} + x^{68} + x^{66} + x^{65} + x^{63} \\
& + x^{62} + x^{60} + x^{59} + x^{57} + x^{56} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} \\
& + x^{48} + x^{46} + x^{45} + x^{44} + x^{43} + x^{41} + x^{36} + x^{35} + x^{30} + x^{29} + x^{27} \\
& + x^{26} + x^{25} + x^{24} + x^{23} + x^{20} + x^{18}, \\
p_3(x) &= x^{82} + x^{79} + x^{76} + x^{73} + x^{70} + x^{67} + x^{62} + x^{59} + x^{58} + x^{55} + x^{54} \\
& + x^{52} + x^{51} + x^{49} + x^{42} + x^{39} + x^{36} + x^{33} + x^{30} + x^{27} + x^{22} + x^{19} \\
& + x^{18} + x^{15} + x^{14} + x^{12} + x^{11} + x^9, \\
p_6(x) &= x^{81} + x^{80} + x^{79} + x^{77} + x^{75} + x^{73} + x^{70} + x^{69} + x^{68} + x^{67} + x^{65} \\
& + x^{62} + x^{61} + x^{60} + x^{58} + x^{55} + x^{54} + x^{53} + x^{51} + x^{48} + x^{47} + x^{46} \\
& + x^{45} + x^{43} + x^{40} + x^{31} + x^{30} + x^{28} + x^{23} + x^{22} + x^{20} + x^{19} + x^{18} \\
& + x^{17} + x^{14} + x^9 + x^8 + x^6, \\
p_9(x) &= x^{80} + x^{78} + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} + x^{69} + x^{68} + x^{65} + x^{64} \\
& + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} + x^{55} + x^{53} + x^{52} + x^{50} + x^{49} + x^{47} \\
& + x^{46} + x^{43} + x^{42} + x^{39} + x^{38} + x^{36} + x^{35} + x^{34} + x^{33} + x^{31} + x^{28} \\
& + x^{26} + x^{25} + x^{23} + x^{22} + x^{19} + x^{12} + x^9 + x^8 + x^6 + x^5 + x^3, \\
p_{12}(x) &= x^{79} + x^{78} + x^{76} + x^{75} + x^{74} + x^{72} + x^{67} + x^{66} + x^{64} + x^{63} + x^{62} \\
& + x^{60} + x^{59} + x^{58} + x^{56} + x^{51} + x^{50} + x^{48} + x^{47} + x^{46} + x^{44} + x^{43} \\
& + x^{42} + x^{40} + x^{35} + x^{34} + x^{32} + x^{31} + x^{30} + x^{28} + x^{27} + x^{26} + x^{24} \\
& + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} + x^8 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 0, 1, 0]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{84} + x^{81} + x^{79} + x^{74} + x^{73} + x^{71} + x^{70} + x^{68} + x^{66} + x^{65} + x^{63} \\
& + x^{62} + x^{60} + x^{59} + x^{57} + x^{56} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} \\
& + x^{48} + x^{46} + x^{45} + x^{44} + x^{43} + x^{41} + x^{36} + x^{35} + x^{30} + x^{29} + x^{27} \\
& + x^{26} + x^{25} + x^{24} + x^{23} + x^{20} + x^{18}, \\
p_3(x) &= x^{82} + x^{79} + x^{76} + x^{73} + x^{70} + x^{67} + x^{62} + x^{59} + x^{58} + x^{55} + x^{54} \\
& + x^{52} + x^{51} + x^{49} + x^{42} + x^{39} + x^{36} + x^{33} + x^{30} + x^{27} + x^{22} + x^{19} \\
& + x^{18} + x^{15} + x^{14} + x^{12} + x^{11} + x^9,
\end{aligned}$$

$$\begin{aligned}
p_6(x) &= x^{81} + x^{80} + x^{79} + x^{77} + x^{75} + x^{73} + x^{70} + x^{69} + x^{68} + x^{67} + x^{65} \\
&\quad + x^{62} + x^{61} + x^{60} + x^{58} + x^{55} + x^{54} + x^{53} + x^{51} + x^{48} + x^{47} + x^{46} \\
&\quad + x^{45} + x^{43} + x^{40} + x^{31} + x^{30} + x^{28} + x^{23} + x^{22} + x^{20} + x^{19} + x^{18} \\
&\quad + x^{17} + x^{14} + x^9 + x^8 + x^6, \\
p_9(x) &= x^{80} + x^{78} + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} + x^{69} + x^{68} + x^{65} + x^{64} \\
&\quad + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} + x^{55} + x^{53} + x^{52} + x^{50} + x^{49} + x^{47} \\
&\quad + x^{46} + x^{43} + x^{42} + x^{39} + x^{38} + x^{36} + x^{35} + x^{34} + x^{33} + x^{31} + x^{28} \\
&\quad + x^{26} + x^{25} + x^{23} + x^{22} + x^{19} + x^{12} + x^9 + x^8 + x^6 + x^5 + x^3, \\
p_{12}(x) &= x^{79} + x^{78} + x^{76} + x^{75} + x^{74} + x^{72} + x^{67} + x^{66} + x^{64} + x^{63} + x^{62} \\
&\quad + x^{60} + x^{59} + x^{58} + x^{56} + x^{51} + x^{50} + x^{48} + x^{47} + x^{46} + x^{44} + x^{43} \\
&\quad + x^{42} + x^{40} + x^{35} + x^{34} + x^{32} + x^{31} + x^{30} + x^{28} + x^{27} + x^{26} + x^{24} \\
&\quad + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} + x^8 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 0, 1, 0]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{90} + x^{86} + x^{76} + x^{74} + x^{66} + x^{62} + x^{54} + x^{50} + x^{48} + x^{46} + x^{40} \\
&\quad + x^{38} + x^{36} + x^{34} + x^{32} + x^{30} + x^{24}, \\
p_3(x) &= x^{84} + x^{72} + x^{70} + x^{66} + x^{60} + x^{58} + x^{50} + x^{46} + x^{44} + x^{42} + x^{40} \\
&\quad + x^{34} + x^{30} + x^{24} + x^{20} + x^{16} + x^8 + x^6, \\
p_6(x) &= x^{86} + x^{84} + x^{76} + x^{72} + x^{70} + x^{68} + x^{64} + x^{60} + x^{56} + x^{54} + x^{52} \\
&\quad + x^{50} + x^{46} + x^{44} + x^{36} + x^{34} + x^{30} + x^{28} + x^{26} + x^{20} + x^{18} + x^{14} \\
&\quad + x^{12} + x^8 + x^2 + 1, \\
p_9(x) &= x^{88} + x^{86} + x^{82} + x^{76} + x^{74} + x^{72} + x^{70} + x^{62} + x^{60} + x^{56} + x^{54} \\
&\quad + x^{52} + x^{48} + x^{46} + x^{44} + x^{42} + x^{40} + x^{36} + x^{30} + x^{26} + x^{24} + x^{22} \\
&\quad + x^{20} + x^{18} + x^{14} + x^{12} + x^{10} + x^8 + x^4 + x^2, \\
p_{12}(x) &= x^{88} + x^{80} + x^{72} + x^{56} + x^{40} + x^{24} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{84} + x^{83} + x^{82} + x^{80} + x^{79} + x^{76} + x^{75} + x^{73} + x^{72} + x^{62} + x^{61} \\
&\quad + x^{60} + x^{58} + x^{56} + x^{55} + x^{54} + x^{52} + x^{51} + x^{49} + x^{46} + x^{45} + x^{43} \\
&\quad + x^{42} + x^{41} + x^{35} + x^{30} + x^{28} + x^{25} + x^{24} + x^{22} + x^{20} + x^{18} + x^{17} \\
&\quad + x^{15} + x^{12}, \\
p_3(x) &= x^{83} + x^{81} + x^{78} + x^{77} + x^{75} + x^{73} + x^{71} + x^{70} + x^{68} + x^{67} + x^{66} \\
&\quad + x^{65} + x^{63} + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} + x^{54} + x^{52} + x^{51} + x^{50} \\
&\quad + x^{49} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{40} + x^{36} + x^{35} + x^{34} + x^{32} \\
&\quad + x^{31} + x^{29} + x^{27} + x^{24} + x^{23} + x^{20} + x^{19} + x^{17} + x^{13} + x^{11} + x^8,
\end{aligned}$$

$$\begin{aligned}
p_6(x) &= x^{83} + x^{81} + x^{76} + x^{75} + x^{73} + x^{72} + x^{68} + x^{66} + x^{63} + x^{61} + x^{58} \\
&\quad + x^{57} + x^{55} + x^{54} + x^{51} + x^{50} + x^{47} + x^{44} + x^{43} + x^{42} + x^{40} + x^{36} \\
&\quad + x^{32} + x^{28} + x^{27} + x^{26} + x^{25} + x^{23} + x^{21} + x^{19} + x^{18} + x^{15} + x^{14} \\
&\quad + x^{10} + x^9 + x^7 + x^4 + x^3 + x^2 + 1, \\
p_9(x) &= x^{83} + x^{82} + x^{80} + x^{71} + x^{70} + x^{68} + x^{67} + x^{66} + x^{64} + x^{55} + x^{54} \\
&\quad + x^{52} + x^{51} + x^{50} + x^{48} + x^{39} + x^{38} + x^{36} + x^{35} + x^{34} + x^{32} + x^{23} \\
&\quad + x^{22} + x^{20} + x^{19} + x^{18} + x^{16} + x^7 + x^6 + x^4, \\
p_{12}(x) &= x^{83} + x^{82} + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} + x^{74} + x^{72} + x^{71} + x^{70} \\
&\quad + x^{68} + x^{63} + x^{62} + x^{60} + x^{59} + x^{58} + x^{56} + x^{55} + x^{54} + x^{52} + x^{47} \\
&\quad + x^{46} + x^{44} + x^{43} + x^{42} + x^{40} + x^{39} + x^{38} + x^{36} + x^{31} + x^{30} + x^{28} \\
&\quad + x^{27} + x^{26} + x^{24} + x^{23} + x^{22} + x^{20} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} \\
&\quad + x^8 + x^7 + x^6 + x^4 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 1, 0, 1, 1]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{84} + x^{81} + x^{77} + x^{76} + x^{75} + x^{73} + x^{71} + x^{70} + x^{69} + x^{68} + x^{65} \\
&\quad + x^{61} + x^{58} + x^{56} + x^{53} + x^{50} + x^{49} + x^{48} + x^{45} + x^{44} + x^{43} + x^{42} \\
&\quad + x^{41} + x^{38} + x^{35} + x^{34} + x^{33} + x^{32} + x^{30} + x^{28} + x^{27}, \\
p_3(x) &= x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{71} + x^{70} + x^{68} + x^{66} + x^{63} + x^{62} \\
&\quad + x^{60} + x^{58} + x^{55} + x^{54} + x^{53} + x^{51} + x^{49} + x^{37} + x^{36} + x^{35} + x^{34} \\
&\quad + x^{33} + x^{31} + x^{30} + x^{28} + x^{26} + x^{23} + x^{22} + x^{20} + x^{18} + x^{15} + x^{14} \\
&\quad + x^{13} + x^{11} + x^9, \\
p_6(x) &= x^{78} + x^{76} + x^{74} + x^{72} + x^{70} + x^{66} + x^{64} + x^{62} + x^{58} + x^{52} + x^{50} \\
&\quad + x^{48} + x^{44} + x^{42} + x^{40} + x^{28} + x^{20} + x^{16} + x^{14} + x^6, \\
p_9(x) &= x^{79} + x^{78} + x^{75} + x^{72} + x^{69} + x^{67} + x^{63} + x^{62} + x^{59} + x^{56} + x^{53} \\
&\quad + x^{51} + x^{47} + x^{46} + x^{43} + x^{40} + x^{37} + x^{35} + x^{31} + x^{30} + x^{27} + x^{24} \\
&\quad + x^{21} + x^{19} + x^{15} + x^{14} + x^{11} + x^8 + x^5 + x^3, \\
p_{12}(x) &= x^{80} + x^{76} + x^{72} + x^{68} + x^{60} + x^{56} + x^{52} + x^{44} + x^{40} + x^{36} + x^{28} \\
&\quad + x^{24} + x^{20} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 1, 0, 0, 0, 1]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{84} + x^{82} + x^{80} + x^{79} + x^{73} + x^{70} \\
&\quad + x^{69} + x^{67} + x^{66} + x^{64} + x^{62} + x^{58} + x^{53} + x^{52} + x^{51} + x^{50} + x^{49} \\
&\quad + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{39} + x^{37} + x^{36} + x^{32} + x^{31} \\
&\quad + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} + x^{23} + x^{22} + x^{21} + x^{20} + x^{18}, \\
p_3(x) &= x^{89} + x^{88} + x^{87} + x^{86} + x^{84} + x^{81} + x^{80} + x^{79} + x^{77} + x^{74} + x^{73}
\end{aligned}$$

$$\begin{aligned}
& + x^{72} + x^{70} + x^{67} + x^{66} + x^{65} + x^{63} + x^{60} + x^{59} + x^{58} + x^{57} + x^{55} \\
& + x^{54} + x^{53} + x^{51} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} + x^{40} + x^{39} + x^{37} \\
& + x^{34} + x^{33} + x^{32} + x^{30} + x^{27} + x^{26} + x^{25} + x^{23} + x^{20} + x^{19} + x^{18} \\
& + x^{17} + x^{15} + x^{14} + x^{13} + x^{11} + x^9, \\
p_6(x) &= x^{90} + x^{88} + x^{80} + x^{78} + x^{74} + x^{70} + x^{54} + x^{52} + x^{44} + x^{42} + x^{36} \\
& + x^{32} + x^{28} + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^6, \\
p_9(x) &= x^{91} + x^{90} + x^{86} + x^{84} + x^{83} + x^{81} + x^{80} + x^{78} + x^{77} + x^{75} + x^{74} \\
& + x^{72} + x^{70} + x^{69} + x^{68} + x^{65} + x^{64} + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} \\
& + x^{54} + x^{53} + x^{52} + x^{49} + x^{48} + x^{46} + x^{45} + x^{43} + x^{42} + x^{40} + x^{38} \\
& + x^{37} + x^{36} + x^{33} + x^{32} + x^{30} + x^{29} + x^{27} + x^{26} + x^{24} + x^{22} + x^{21} \\
& + x^{20} + x^{17} + x^{16} + x^{14} + x^{13} + x^8 + x^5 + x^3, \\
p_{12}(x) &= x^{92} + x^{80} + x^{68} + x^{52} + x^{36} + x^{20} + x^{12} + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 0, 1, 0]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{84} + x^{82} + x^{79} + x^{78} + x^{74} + x^{70} + x^{69} + x^{68} + x^{66} + x^{65} + x^{63} \\
& + x^{62} + x^{61} + x^{60} + x^{58} + x^{55} + x^{52} + x^{51} + x^{49} + x^{48} + x^{47} + x^{45} \\
& + x^{43} + x^{41} + x^{39} + x^{38} + x^{35} + x^{34} + x^{33}, \\
p_3(x) &= x^{83} + x^{80} + x^{77} + x^{74} + x^{73} + x^{72} + x^{71} + x^{70} + x^{69} + x^{67} + x^{65} \\
& + x^{63} + x^{62} + x^{60} + x^{59} + x^{57} + x^{53} + x^{50} + x^{49} + x^{48} + x^{46} + x^{45} \\
& + x^{44} + x^{43} + x^{42} + x^{41} + x^{38} + x^{36} + x^{31} + x^{28} + x^{27} + x^{26} + x^{24} \\
& + x^{23} + x^{21} + x^{19} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_6(x) &= x^{83} + x^{80} + x^{78} + x^{77} + x^{72} + x^{71} + x^{69} + x^{68} + x^{67} + x^{66} + x^{65} \\
& + x^{63} + x^{62} + x^{60} + x^{57} + x^{53} + x^{50} + x^{48} + x^{46} + x^{45} + x^{44} + x^{43} \\
& + x^{40} + x^{36} + x^{35} + x^{34} + x^{31} + x^{30} + x^{25} + x^{24} + x^{23} + x^{21} + x^{19} \\
& + x^{18} + x^{17} + x^{16} + x^{14} + x^{12} + x^{11} + x^3 + x^2 + 1, \\
p_9(x) &= x^{83} + x^{82} + x^{80} + x^{71} + x^{70} + x^{68} + x^{67} + x^{66} + x^{64} + x^{55} + x^{54} \\
& + x^{52} + x^{51} + x^{50} + x^{48} + x^{39} + x^{38} + x^{36} + x^{35} + x^{34} + x^{32} + x^{23} \\
& + x^{22} + x^{20} + x^{19} + x^{18} + x^{16} + x^7 + x^6 + x^4, \\
p_{12}(x) &= x^{83} + x^{82} + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} + x^{74} + x^{72} + x^{71} + x^{70} \\
& + x^{68} + x^{63} + x^{62} + x^{60} + x^{59} + x^{58} + x^{56} + x^{55} + x^{54} + x^{52} + x^{47} \\
& + x^{46} + x^{44} + x^{43} + x^{42} + x^{40} + x^{39} + x^{38} + x^{36} + x^{31} + x^{30} + x^{28} \\
& + x^{27} + x^{26} + x^{24} + x^{23} + x^{22} + x^{20} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} \\
& + x^8 + x^7 + x^6 + x^4 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 0, 1]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{84} + x^{83} + x^{82} + x^{80} + x^{79} + x^{76} + x^{75} + x^{73} + x^{72} + x^{62} + x^{61} \\
&\quad + x^{60} + x^{58} + x^{56} + x^{55} + x^{54} + x^{52} + x^{51} + x^{49} + x^{46} + x^{45} + x^{43} \\
&\quad + x^{42} + x^{41} + x^{35} + x^{30} + x^{28} + x^{25} + x^{24} + x^{22} + x^{20} + x^{18} + x^{17} \\
&\quad + x^{15} + x^{12}, \\
p_3(x) &= x^{83} + x^{81} + x^{78} + x^{77} + x^{75} + x^{73} + x^{71} + x^{70} + x^{68} + x^{67} + x^{66} \\
&\quad + x^{65} + x^{63} + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} + x^{54} + x^{52} + x^{51} + x^{50} \\
&\quad + x^{49} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{40} + x^{36} + x^{35} + x^{34} + x^{32} \\
&\quad + x^{31} + x^{29} + x^{27} + x^{24} + x^{23} + x^{20} + x^{19} + x^{17} + x^{13} + x^{11} + x^8, \\
p_6(x) &= x^{83} + x^{81} + x^{76} + x^{75} + x^{73} + x^{72} + x^{68} + x^{66} + x^{63} + x^{61} + x^{58} \\
&\quad + x^{57} + x^{55} + x^{54} + x^{51} + x^{50} + x^{47} + x^{44} + x^{43} + x^{42} + x^{40} + x^{36} \\
&\quad + x^{32} + x^{28} + x^{27} + x^{26} + x^{25} + x^{23} + x^{21} + x^{19} + x^{18} + x^{15} + x^{14} \\
&\quad + x^{10} + x^9 + x^7 + x^4 + x^3 + x^2 + 1, \\
p_9(x) &= x^{83} + x^{82} + x^{80} + x^{71} + x^{70} + x^{68} + x^{67} + x^{66} + x^{64} + x^{55} + x^{54} \\
&\quad + x^{52} + x^{51} + x^{50} + x^{48} + x^{39} + x^{38} + x^{36} + x^{35} + x^{34} + x^{32} + x^{23} \\
&\quad + x^{22} + x^{20} + x^{19} + x^{18} + x^{16} + x^7 + x^6 + x^4, \\
p_{12}(x) &= x^{83} + x^{82} + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} + x^{74} + x^{72} + x^{71} + x^{70} \\
&\quad + x^{68} + x^{63} + x^{62} + x^{60} + x^{59} + x^{58} + x^{56} + x^{55} + x^{54} + x^{52} + x^{47} \\
&\quad + x^{46} + x^{44} + x^{43} + x^{42} + x^{40} + x^{39} + x^{38} + x^{36} + x^{31} + x^{30} + x^{28} \\
&\quad + x^{27} + x^{26} + x^{24} + x^{23} + x^{22} + x^{20} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} \\
&\quad + x^8 + x^7 + x^6 + x^4 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 1, 0, 1, 1]$.

For $\phi(W^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{84} + x^{82} + x^{80} + x^{79} + x^{73} + x^{70} \\
&\quad + x^{69} + x^{67} + x^{66} + x^{64} + x^{62} + x^{58} + x^{53} + x^{52} + x^{51} + x^{50} + x^{49} \\
&\quad + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{39} + x^{37} + x^{36} + x^{32} + x^{31} \\
&\quad + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} + x^{23} + x^{22} + x^{21} + x^{20} + x^{18}, \\
p_3(x) &= x^{89} + x^{88} + x^{87} + x^{86} + x^{84} + x^{81} + x^{80} + x^{79} + x^{77} + x^{74} + x^{73} \\
&\quad + x^{72} + x^{70} + x^{67} + x^{66} + x^{65} + x^{63} + x^{60} + x^{59} + x^{58} + x^{57} + x^{55} \\
&\quad + x^{54} + x^{53} + x^{51} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} + x^{40} + x^{39} + x^{37} \\
&\quad + x^{34} + x^{33} + x^{32} + x^{30} + x^{27} + x^{26} + x^{25} + x^{23} + x^{20} + x^{19} + x^{18} \\
&\quad + x^{17} + x^{15} + x^{14} + x^{13} + x^{11} + x^9, \\
p_6(x) &= x^{90} + x^{88} + x^{80} + x^{78} + x^{74} + x^{70} + x^{54} + x^{52} + x^{44} + x^{42} + x^{36} \\
&\quad + x^{32} + x^{28} + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^6, \\
p_9(x) &= x^{91} + x^{90} + x^{86} + x^{84} + x^{83} + x^{81} + x^{80} + x^{78} + x^{77} + x^{75} + x^{74}
\end{aligned}$$

$$\begin{aligned}
& + x^{72} + x^{70} + x^{69} + x^{68} + x^{65} + x^{64} + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} \\
& + x^{54} + x^{53} + x^{52} + x^{49} + x^{48} + x^{46} + x^{45} + x^{43} + x^{42} + x^{40} + x^{38} \\
& + x^{37} + x^{36} + x^{33} + x^{32} + x^{30} + x^{29} + x^{27} + x^{26} + x^{24} + x^{22} + x^{21} \\
& + x^{20} + x^{17} + x^{16} + x^{14} + x^{13} + x^8 + x^5 + x^3, \\
p_{12}(x) &= x^{92} + x^{80} + x^{68} + x^{52} + x^{36} + x^{20} + x^{12} + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 0, 1, 0]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{84} + x^{81} + x^{77} + x^{76} + x^{75} + x^{73} + x^{71} + x^{70} + x^{69} + x^{68} + x^{65} \\
& + x^{61} + x^{58} + x^{56} + x^{53} + x^{50} + x^{49} + x^{48} + x^{45} + x^{44} + x^{43} + x^{42} \\
& + x^{41} + x^{38} + x^{35} + x^{34} + x^{33} + x^{32} + x^{30} + x^{28} + x^{27}, \\
p_3(x) &= x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{71} + x^{70} + x^{68} + x^{66} + x^{63} + x^{62} \\
& + x^{60} + x^{58} + x^{55} + x^{54} + x^{53} + x^{51} + x^{49} + x^{37} + x^{36} + x^{35} + x^{34} \\
& + x^{33} + x^{31} + x^{30} + x^{28} + x^{26} + x^{23} + x^{22} + x^{20} + x^{18} + x^{15} + x^{14} \\
& + x^{13} + x^{11} + x^9, \\
p_6(x) &= x^{78} + x^{76} + x^{74} + x^{72} + x^{70} + x^{66} + x^{64} + x^{62} + x^{58} + x^{52} + x^{50} \\
& + x^{48} + x^{44} + x^{42} + x^{40} + x^{28} + x^{20} + x^{16} + x^{14} + x^6, \\
p_9(x) &= x^{79} + x^{78} + x^{75} + x^{72} + x^{69} + x^{67} + x^{63} + x^{62} + x^{59} + x^{56} + x^{53} \\
& + x^{51} + x^{47} + x^{46} + x^{43} + x^{40} + x^{37} + x^{35} + x^{31} + x^{30} + x^{27} + x^{24} \\
& + x^{21} + x^{19} + x^{15} + x^{14} + x^{11} + x^8 + x^5 + x^3, \\
p_{12}(x) &= x^{80} + x^{76} + x^{72} + x^{68} + x^{60} + x^{56} + x^{52} + x^{44} + x^{40} + x^{36} + x^{28} \\
& + x^{24} + x^{20} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 1, 0, 0, 0, 1]$.

For $\phi(W^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{84} + x^{82} + x^{79} + x^{78} + x^{74} + x^{70} + x^{69} + x^{68} + x^{66} + x^{65} + x^{63} \\
& + x^{62} + x^{61} + x^{60} + x^{58} + x^{55} + x^{52} + x^{51} + x^{49} + x^{48} + x^{47} + x^{45} \\
& + x^{43} + x^{41} + x^{39} + x^{38} + x^{35} + x^{34} + x^{33}, \\
p_3(x) &= x^{83} + x^{80} + x^{77} + x^{74} + x^{73} + x^{72} + x^{71} + x^{70} + x^{69} + x^{67} + x^{65} \\
& + x^{63} + x^{62} + x^{60} + x^{59} + x^{57} + x^{53} + x^{50} + x^{49} + x^{48} + x^{46} + x^{45} \\
& + x^{44} + x^{43} + x^{42} + x^{41} + x^{38} + x^{36} + x^{31} + x^{28} + x^{27} + x^{26} + x^{24} \\
& + x^{23} + x^{21} + x^{19} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_6(x) &= x^{83} + x^{80} + x^{78} + x^{77} + x^{72} + x^{71} + x^{69} + x^{68} + x^{67} + x^{66} + x^{65} \\
& + x^{63} + x^{62} + x^{60} + x^{57} + x^{53} + x^{50} + x^{48} + x^{46} + x^{45} + x^{44} + x^{43} \\
& + x^{40} + x^{36} + x^{35} + x^{34} + x^{31} + x^{30} + x^{25} + x^{24} + x^{23} + x^{21} + x^{19} \\
& + x^{18} + x^{17} + x^{16} + x^{14} + x^{12} + x^{11} + x^3 + x^2 + 1, \\
p_9(x) &= x^{83} + x^{82} + x^{80} + x^{71} + x^{70} + x^{68} + x^{67} + x^{66} + x^{64} + x^{55} + x^{54}
\end{aligned}$$

$$\begin{aligned}
& + x^{52} + x^{51} + x^{50} + x^{48} + x^{39} + x^{38} + x^{36} + x^{35} + x^{34} + x^{32} + x^{23} \\
& + x^{22} + x^{20} + x^{19} + x^{18} + x^{16} + x^7 + x^6 + x^4, \\
p_{12}(x) = & x^{83} + x^{82} + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} + x^{74} + x^{72} + x^{71} + x^{70} \\
& + x^{68} + x^{63} + x^{62} + x^{60} + x^{59} + x^{58} + x^{56} + x^{55} + x^{54} + x^{52} + x^{47} \\
& + x^{46} + x^{44} + x^{43} + x^{42} + x^{40} + x^{39} + x^{38} + x^{36} + x^{31} + x^{30} + x^{28} \\
& + x^{27} + x^{26} + x^{24} + x^{23} + x^{22} + x^{20} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} \\
& + x^8 + x^7 + x^6 + x^4 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 0, 1]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	103	[108, 128]	206	[297, 289]	309	[391, 257]	412	[142, 9]
1	[3, 4]	104	[8, 122]	207	[287, 298]	310	[22, 6]	413	[459, 2]
2	[5, 6]	105	[175, 78]	208	[299, 146]	311	[392, 58]	414	[443, 328]
3	[7, 8]	106	[176, 16]	209	[300, 283]	312	[393, 258]	415	[460, 443]
4	[9, 10]	107	[177, 178]	210	[301, 300]	313	[205, 101]	416	[66, 374]
5	[11, 12]	108	[179, 23]	211	[302, 296]	314	[178, 347]	417	[461, 214]
6	[13, 14]	109	[180, 102]	212	[303, 173]	315	[258, 216]	418	[462, 75]
7	[15, 16]	110	[181, 182]	213	[304, 275]	316	[394, 248]	419	[350, 184]
8	[17, 18]	111	[87, 183]	214	[305, 139]	317	[395, 187]	420	[366, 400]
9	[19, 20]	112	[184, 61]	215	[54, 288]	318	[396, 216]	421	[250, 380]
10	[21, 22]	113	[185, 186]	216	[135, 124]	319	[397, 235]	422	[463, 81]
11	[23, 18]	114	[187, 78]	217	[306, 285]	320	[398, 101]	423	[186, 225]
12	[24, 25]	115	[79, 85]	218	[307, 167]	321	[347, 381]	424	[464, 240]
13	[26, 27]	116	[188, 189]	219	[308, 10]	322	[399, 91]	425	[465, 207]
14	[28, 29]	117	[190, 191]	220	[309, 287]	323	[352, 182]	426	[466, 467]
15	[30, 31]	118	[192, 97]	221	[310, 156]	324	[400, 401]	427	[62, 467]
16	[32, 33]	119	[193, 194]	222	[140, 130]	325	[402, 97]	428	[468, 242]
17	[34, 35]	120	[195, 196]	223	[311, 279]	326	[403, 67]	429	[469, 183]
18	[36, 37]	121	[197, 198]	224	[312, 295]	327	[404, 103]	430	[380, 95]
19	[12, 38]	122	[16, 93]	225	[313, 52]	328	[405, 200]	431	[470, 351]
20	[39, 40]	123	[199, 200]	226	[314, 315]	329	[406, 239]	432	[471, 401]
21	[41, 42]	124	[201, 198]	227	[173, 315]	330	[239, 364]	433	[472, 227]
22	[43, 44]	125	[202, 104]	228	[316, 317]	331	[407, 86]	434	[473, 365]
23	[45, 14]	126	[203, 204]	229	[318, 134]	332	[408, 82]	435	[374, 350]
24	[46, 47]	127	[58, 205]	230	[319, 114]	333	[409, 61]	436	[474, 184]
25	[48, 44]	128	[206, 207]	231	[144, 320]	334	[410, 176]	437	[376, 249]
26	[49, 50]	129	[70, 208]	232	[321, 322]	335	[182, 194]	438	[364, 226]
27	[51, 52]	130	[209, 199]	233	[323, 324]	336	[95, 376]	439	[475, 476]
28	[53, 54]	131	[210, 76]	234	[325, 51]	337	[233, 365]	440	[200, 219]
29	[55, 56]	132	[211, 212]	235	[326, 303]	338	[411, 77]	441	[401, 233]

30	[57, 58]	133	[213, 214]	236	[327, 326]	339	[412, 68]	442	[477, 348]
31	[59, 21]	134	[215, 201]	237	[328, 169]	340	[241, 21]	443	[478, 352]
32	[25, 60]	135	[216, 217]	238	[130, 329]	341	[413, 249]	444	[384, 179]
33	[61, 62]	136	[77, 69]	239	[330, 288]	342	[198, 187]	445	[385, 247]
34	[63, 64]	137	[218, 219]	240	[331, 261]	343	[414, 241]	446	[479, 223]
35	[65, 66]	138	[220, 206]	241	[332, 43]	344	[415, 29]	447	[480, 267]
36	[67, 68]	139	[221, 209]	242	[35, 265]	345	[296, 45]	448	[359, 191]
37	[69, 70]	140	[222, 223]	243	[162, 148]	346	[416, 166]	449	[93, 100]
38	[71, 72]	141	[224, 225]	244	[333, 32]	347	[417, 298]	450	[371, 211]
39	[73, 74]	142	[214, 204]	245	[150, 300]	348	[418, 283]	451	[481, 366]
40	[75, 76]	143	[226, 196]	246	[289, 260]	349	[165, 291]	452	[368, 244]
41	[27, 77]	144	[102, 227]	247	[334, 292]	350	[419, 33]	453	[378, 67]
42	[78, 79]	145	[228, 229]	248	[335, 336]	351	[282, 420]	454	[482, 215]
43	[80, 81]	146	[230, 213]	249	[164, 282]	352	[421, 337]	455	[483, 62]
44	[82, 83]	147	[231, 209]	250	[337, 164]	353	[422, 316]	456	[191, 384]
45	[84, 85]	148	[232, 233]	251	[38, 32]	354	[423, 424]	457	[484, 90]
46	[86, 87]	149	[204, 25]	252	[338, 8]	355	[425, 311]	458	[74, 371]
47	[88, 89]	150	[234, 235]	253	[339, 311]	356	[148, 262]	459	[83, 234]
48	[90, 91]	151	[236, 234]	254	[340, 9]	357	[52, 174]	460	[485, 201]
49	[92, 93]	152	[237, 70]	255	[341, 309]	358	[329, 332]	461	[486, 120]
50	[94, 95]	153	[238, 23]	256	[342, 112]	359	[426, 51]	462	[487, 119]
51	[96, 90]	154	[89, 239]	257	[343, 279]	360	[427, 312]	463	[488, 260]
52	[97, 98]	155	[240, 241]	258	[344, 111]	361	[14, 304]	464	[489, 332]
53	[99, 100]	156	[18, 242]	259	[2, 50]	362	[428, 145]	465	[292, 151]
54	[101, 102]	157	[243, 205]	260	[345, 179]	363	[37, 307]	466	[490, 305]
55	[85, 103]	158	[244, 176]	261	[225, 80]	364	[429, 142]	467	[491, 132]
56	[4, 104]	159	[91, 72]	262	[346, 347]	365	[336, 324]	468	[111, 424]
57	[105, 106]	160	[245, 221]	263	[212, 348]	366	[430, 420]	469	[280, 110]
58	[107, 108]	161	[217, 4]	264	[349, 350]	367	[431, 339]	470	[298, 322]
59	[109, 110]	162	[246, 247]	265	[64, 74]	368	[424, 261]	471	[492, 162]
60	[47, 111]	163	[194, 248]	266	[351, 352]	369	[127, 137]	472	[493, 117]
61	[33, 112]	164	[249, 250]	267	[267, 267]	370	[432, 262]	473	[285, 487]
62	[113, 114]	165	[20, 251]	268	[353, 96]	371	[433, 303]	474	[112, 160]
63	[115, 116]	166	[252, 57]	269	[104, 96]	372	[434, 317]	475	[494, 451]
64	[117, 118]	167	[253, 226]	270	[354, 208]	373	[322, 316]	476	[495, 133]
65	[119, 120]	168	[254, 217]	271	[355, 222]	374	[435, 56]	477	[496, 264]
66	[121, 122]	169	[255, 87]	272	[356, 28]	375	[146, 436]	478	[497, 442]
67	[123, 124]	170	[256, 257]	273	[357, 22]	376	[437, 337]	479	[498, 304]
68	[125, 118]	171	[81, 222]	274	[358, 359]	377	[438, 338]	480	[499, 280]
69	[126, 127]	172	[76, 258]	275	[29, 215]	378	[439, 269]	481	[500, 487]
70	[128, 37]	173	[227, 64]	276	[360, 250]	379	[440, 436]	482	[501, 291]
71	[120, 117]	174	[259, 211]	277	[361, 230]	380	[441, 437]	483	[502, 426]
72	[129, 130]	175	[260, 138]	278	[362, 199]	381	[1, 55]	484	[503, 45]
73	[131, 38]	176	[261, 155]	279	[207, 86]	382	[295, 309]	485	[504, 307]

74	[116, 55]	177	[262, 35]	280	[363, 364]	383	[442, 443]	486	[505, 400]
75	[132, 133]	178	[44, 171]	281	[365, 366]	384	[444, 165]	487	[506, 69]
76	[134, 135]	179	[263, 135]	282	[248, 351]	385	[445, 140]	488	[247, 206]
77	[136, 128]	180	[171, 264]	283	[235, 27]	386	[320, 53]	489	[507, 80]
78	[137, 132]	181	[265, 2]	284	[367, 98]	387	[446, 306]	490	[508, 212]
79	[138, 108]	182	[266, 267]	285	[208, 368]	388	[447, 328]	491	[509, 213]
80	[139, 140]	183	[40, 150]	286	[369, 83]	389	[448, 439]	492	[242, 189]
81	[141, 142]	184	[268, 269]	287	[370, 371]	390	[264, 326]	493	[510, 192]
82	[143, 144]	185	[110, 270]	288	[100, 192]	391	[269, 426]	494	[511, 60]
83	[145, 146]	186	[271, 139]	289	[6, 178]	392	[50, 339]	495	[476, 221]
84	[147, 148]	187	[272, 265]	290	[372, 79]	393	[449, 329]	496	[60, 256]
85	[149, 150]	188	[273, 138]	291	[373, 374]	394	[118, 312]	497	[196, 57]
86	[151, 40]	189	[274, 275]	292	[229, 75]	395	[450, 137]	498	[98, 89]
87	[152, 43]	190	[276, 277]	293	[375, 376]	396	[270, 306]	499	[223, 240]
88	[153, 119]	191	[278, 54]	294	[377, 378]	397	[451, 277]	500	[68, 20]
89	[154, 155]	192	[169, 161]	295	[379, 380]	398	[452, 174]	501	[467, 229]
90	[122, 156]	193	[279, 280]	296	[381, 28]	399	[453, 320]	502	[251, 476]
91	[157, 158]	194	[281, 282]	297	[72, 230]	400	[324, 437]	503	[189, 66]
92	[159, 160]	195	[283, 116]	298	[257, 359]	401	[420, 336]	504	[348, 82]
93	[31, 127]	196	[284, 285]	299	[382, 251]	402	[454, 167]	505	[114, 442]
94	[161, 162]	197	[286, 287]	300	[383, 384]	403	[455, 113]	506	[315, 338]
95	[163, 164]	198	[288, 144]	301	[219, 186]	404	[56, 439]	507	[133, 141]
96	[10, 165]	199	[156, 289]	302	[183, 385]	405	[456, 151]	508	[42, 47]
97	[166, 106]	200	[290, 161]	303	[103, 378]	406	[155, 31]	509	[160, 305]
98	[167, 134]	201	[291, 292]	304	[386, 381]	407	[457, 53]	510	[158, 166]
99	[168, 169]	202	[293, 270]	305	[387, 256]	408	[277, 145]	511	[124, 12]
100	[170, 171]	203	[294, 295]	306	[388, 244]	409	[317, 113]		
101	[172, 173]	204	[275, 296]	307	[389, 385]	410	[436, 451]		
102	[174, 158]	205	[106, 42]	308	[390, 368]	411	[458, 141]		

Output function $n \mapsto \tau(n)$:

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	74	1	148	0	222	1	296	0	370	1	444	0
1	0	75	1	149	0	223	0	297	0	371	0	445	1
2	0	76	0	150	0	224	0	298	1	372	1	446	1
3	0	77	0	151	0	225	0	299	1	373	1	447	0
4	0	78	1	152	1	226	1	300	1	374	1	448	1
5	0	79	0	153	1	227	0	301	1	375	0	449	0
6	1	80	0	154	1	228	0	302	1	376	0	450	0
7	0	81	0	155	1	229	0	303	1	377	1	451	0
8	0	82	1	156	1	230	0	304	0	378	1	452	0
9	0	83	0	157	1	231	0	305	1	379	1	453	1
10	1	84	0	158	0	232	0	306	0	380	0	454	0
11	0	85	0	159	1	233	1	307	1	381	0	455	1

12	0	86	0	160	0	234	0	308	1	382	1	456	1
13	1	87	1	161	0	235	1	309	0	383	1	457	1
14	0	88	1	162	1	236	0	310	0	384	0	458	1
15	0	89	1	163	0	237	1	311	0	385	1	459	0
16	1	90	1	164	1	238	1	312	0	386	0	460	0
17	0	91	1	165	1	239	1	313	0	387	1	461	0
18	1	92	1	166	1	240	1	314	1	388	0	462	0
19	0	93	0	167	1	241	0	315	0	389	1	463	0
20	1	94	0	168	0	242	1	316	0	390	1	464	0
21	1	95	0	169	0	243	1	317	0	391	0	465	0
22	0	96	1	170	0	244	0	318	0	392	0	466	1
23	0	97	1	171	0	245	0	319	0	393	0	467	0
24	0	98	1	172	0	246	1	320	0	394	0	468	1
25	1	99	0	173	0	247	0	321	0	395	0	469	1
26	1	100	0	174	0	248	1	322	1	396	0	470	1
27	1	101	0	175	0	249	1	323	1	397	0	471	1
28	0	102	0	176	0	250	1	324	1	398	0	472	0
29	0	103	1	177	1	251	1	325	0	399	1	473	1
30	0	104	0	178	1	252	1	326	1	400	1	474	0
31	0	105	0	179	1	253	1	327	0	401	0	475	1
32	1	106	0	180	0	254	0	328	1	402	0	476	0
33	1	107	1	181	1	255	0	329	1	403	1	477	1
34	0	108	1	182	1	256	0	330	1	404	0	478	1
35	1	109	0	183	1	257	1	331	1	405	1	479	1
36	1	110	1	184	0	258	0	332	0	406	1	480	0
37	1	111	1	185	1	259	0	333	0	407	1	481	0
38	1	112	0	186	0	260	0	334	0	408	0	482	0
39	1	113	1	187	0	261	0	335	1	409	0	483	1
40	1	114	0	188	1	262	1	336	0	410	0	484	1
41	1	115	0	189	1	263	1	337	1	411	1	485	0
42	1	116	1	190	1	264	1	338	1	412	1	486	0
43	0	117	1	191	1	265	1	339	1	413	0	487	0
44	1	118	0	192	0	266	1	340	0	414	1	488	0
45	0	119	1	193	1	267	0	341	0	415	0	489	0
46	0	120	1	194	0	268	0	342	0	416	1	490	1
47	1	121	1	195	1	269	0	343	1	417	0	491	0
48	1	122	1	196	1	270	0	344	0	418	0	492	1
49	1	123	1	197	1	271	0	345	0	419	0	493	0
50	0	124	1	198	0	272	0	346	1	420	0	494	1
51	1	125	0	199	1	273	1	347	0	421	1	495	0
52	1	126	1	200	1	274	1	348	0	422	0	496	1
53	0	127	1	201	1	275	0	349	1	423	0	497	1
54	0	128	0	202	0	276	1	350	0	424	0	498	1
55	0	129	0	203	1	277	0	351	1	425	0	499	0

56	0	130	1	204	0	278	1	352	1	426	1	500	0
57	0	131	1	205	0	279	1	353	0	427	1	501	0
58	1	132	1	206	0	280	1	354	0	428	1	502	1
59	0	133	0	207	1	281	0	355	0	429	1	503	1
60	1	134	0	208	1	282	1	356	0	430	0	504	0
61	1	135	0	209	1	283	1	357	1	431	1	505	0
62	1	136	0	210	1	284	1	358	1	432	1	506	0
63	0	137	1	211	1	285	1	359	1	433	0	507	0
64	1	138	0	212	1	286	1	360	1	434	1	508	1
65	1	139	0	213	0	287	1	361	0	435	1	509	0
66	1	140	1	214	1	288	0	362	1	436	0	510	0
67	1	141	0	215	0	289	1	363	1	437	0	511	1
68	0	142	1	216	0	290	1	364	1	438	1		
69	1	143	1	217	0	291	1	365	0	439	1		
70	0	144	0	218	1	292	0	366	0	440	1		
71	1	145	0	219	1	293	0	367	1	441	0		
72	0	146	0	220	0	294	1	368	0	442	1		
73	1	147	0	221	0	295	1	369	1	443	1		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE
Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA
Email address: `huyining@hust.edu.cn`