

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z^2, z^3 + 1)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z^2, z^3 + 1)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 06:35:19 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 14.7 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z^2, z^3 + 1)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$\begin{aligned} p_0(z) &= z^{15} + z^{11} + z^{10} + z^8 + z^5 + z^4 + z^2 + 1, \\ p_1(z) &= z^{18} + z^{17} + z^{13} + z^{12} + z^{10} + z^7 + z^4 + z^2, \\ p_2(z) &= z^{20} + z^{16} + z^{14} + z^4, \\ p_3(z) &= z^{18} + z^{17} + z^{13} + z^{12} + z^{10} + z^7 + z^4 + z^2, \\ p_4(z) &= z^{16} + z^{15} + z^{14} + z^{12} + z^{11} + z^{10} + z^8 + z^5 + z^2, \end{aligned}$$

and for $\text{CF}(b, a)$,

$$\begin{aligned} p_0(z) &= z^{15} + z^{12} + z^{11} + z^{10} + z^5 + z^4 + z^2, \\ p_1(z) &= z^{18} + z^{17} + z^{13} + z^{12} + z^{10} + z^7 + z^4 + z^2, \\ p_2(z) &= z^{20} + z^{16} + z^{14} + z^4, \\ p_3(z) &= z^{18} + z^{17} + z^{13} + z^{12} + z^{10} + z^7 + z^4 + z^2, \\ p_4(z) &= z^{16} + z^{15} + z^{14} + z^{11} + z^{10} + z^5 + z^2 + 1. \end{aligned}$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{t}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(125, 125, 125, 125, 125)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 450 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 450, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 550 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 550, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:10u] &= M^e[:5u] + x^{3u} M^e[:2u] + x^{4u} M^e[:u] + x^{3u} M^e[:5u] + x^{6u} M^e[:2u] \\ &\quad + x^{7u} M^e[:u] + x^{4u} M^e[:5u] + x^{7u} M^e[:2u] + x^{8u} M^e[:u] \\ &\quad + x^{7u} M^e[:3u] + (x^{5u} + x^{8u} + x^{9u}) R^e, \\ W^e[:10u] &= W^e[:5u] + x^{3u} W^e[:2u] + x^{4u} W^e[:u] + x^{3u} W^e[:5u] + x^{6u} W^e[:2u] \\ &\quad + x^{7u} W^e[:u] + x^{4u} W^e[:5u] + x^{7u} W^e[:2u] + x^{8u} W^e[:u] \\ &\quad + x^{7u} W^e[:3u] + (x^{5u} + x^{8u} + x^{9u}) R^e. \end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned}
M^o[:10u] &= M^o[:5u] + x^{3u}M^o[:2u] + x^{4u}M^o[:u] + x^{3u}M^o[:5u] + x^{6u}M^o[:2u] \\
&\quad + x^{7u}M^o[:u] + x^{4u}M^o[:5u] + x^{7u}M^o[:2u] + x^{8u}M^o[:u] \\
&\quad + x^{7u}M^o[:3u] + (x^{5u} + x^{8u} + x^{9u})R^o, \\
W^o[:10u] &= W^o[:5u] + x^{3u}W^o[:2u] + x^{4u}W^o[:u] + x^{3u}W^o[:5u] + x^{6u}W^o[:2u] \\
&\quad + x^{7u}W^o[:u] + x^{4u}W^o[:5u] + x^{7u}W^o[:2u] + x^{8u}W^o[:u] \\
&\quad + x^{7u}W^o[:3u] + (x^{5u} + x^{8u} + x^{9u})R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$\begin{aligned}
T[:10u] &= T[:5u] + x^{3u}T[:2u] + x^{4u}T[:u] + x^{3u}T[:5u] + x^{6u}T[:2u] + x^{7u}T[:u] \\
&\quad + x^{4u}T[:5u] + x^{7u}T[:2u] + x^{8u}T[:u] + x^{7u}T[:3u].
\end{aligned}$$

The proof of the other 15 cases are similar. We break down the above identity into 5 parts:

$$\begin{aligned}
0 &= x^{4u}T[u:2u] + x^{3u}T[2u:3u] + T[5u:6u], \\
0 &= x^{6u}T[:u] + x^{4u}T[2u:3u] + x^{3u}T[3u:4u] + T[6u:7u], \\
0 &= x^{7u}T[:u] + x^{6u}T[u:2u] + x^{4u}T[3u:4u] + x^{3u}T[4u:5u] + T[7u:8u], \\
0 &= x^{8u}T[:u] + x^{4u}T[4u:5u] + T[8u:9u], \\
0 &= x^{7u}T[2u:3u] + T[9u:10u],
\end{aligned}$$

which can be rewritten as

$$\begin{aligned}
(2.7) \quad 0 &= T[[1w]_2] + T[[10w]_2] + T[[101w]_2], \\
(2.8) \quad 0 &= T[[w]_2] + T[[10w]_2] + T[[11w]_2] + T[[110w]_2], \\
(2.9) \quad 0 &= T[[w]_2] + T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[111w]_2], \\
(2.10) \quad 0 &= T[[w]_2] + T[[100w]_2] + T[[1000w]_2], \\
(2.11) \quad 0 &= T[[10w]_2] + T[[1001w]_2],
\end{aligned}$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$\begin{aligned}
(2.12) \quad 0 &= T[[1w]_2] + T[[10w]_2] + T[[101w]_2], \\
(2.13) \quad 0 &= T[[w]_2] + T[[10w]_2] + T[[11w]_2] + T[[110w]_2], \\
(2.14) \quad 0 &= T[[w]_2] + T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[111w]_2], \\
(2.15) \quad 0 &= T[[w]_2] + T[[100w]_2] + T[[1000w]_2], \\
(2.16) \quad 0 &= T[[10w]_2] + T[[1001w]_2],
\end{aligned}$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 769 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached

after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.16) can be written as

$$(2.17) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 101)),$$

$$(2.18) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 110)),$$

$$(2.19) \quad \begin{aligned} 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) \\ &\quad + \tau(A(s, 111)), \end{aligned}$$

$$(2.20) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 100)) + \tau(A(s, 1000)),$$

$$(2.21) \quad 0 = \tau(A(s, 10)) + \tau(A(s, 1001)),$$

for all $s \in E_{2k}$, and

$$(2.22) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 101)),$$

$$(2.23) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 110)),$$

$$(2.24) \quad \begin{aligned} 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) \\ &\quad + \tau(A(s, 111)), \end{aligned}$$

$$(2.25) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 100)) + \tau(A(s, 1000)),$$

$$(2.26) \quad 0 = \tau(A(s, 10)) + \tau(A(s, 1001)),$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{28}), E_{28}) = (A(i, 0^{14}), E_{14})$, so that we only have to verify that identities (2.17) through (2.26) hold for $2 \leq k \leq 14$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$M_{2k} = M^e[:5u] + x^{3u}M^e[:2u] + x^{4u}M^e[:u] + x^{5u}R^e,$$

$$W_{2k} = W^e[:5u] + x^{3u}W^e[:2u] + x^{4u}W^e[:u] + x^{5u}R^e.$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$M_{2k+1} = M^o[:5u] + x^{3u}M^o[:2u] + x^{4u}M^o[:u] + x^{5u}R^o,$$

$$W_{2k+1} = W^o[:5u] + x^{3u}W^o[:2u] + x^{4u}W^o[:u] + x^{5u}R^o.$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$\begin{aligned} M_{2k} \wedge W_{2k} &\Rightarrow M_{2k+1} \wedge W_{2k+1}, \\ M_{2k+1} \wedge W_{2k+1} &\Rightarrow M_{2k+2} \wedge W_{2k+2}. \end{aligned}$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$W_{2k}M_{2k} = (W^e[:5v] + x^{3v}W^e[:2v] + x^{4v}W^e[:v] + x^{5v}R^e) \times (M^e[:5v]$$

$$(2.27) \quad + x^{3v} M^e[:2v] + x^{4v} M^e[:v] + x^{5u} R^e);$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{10v} R^o$. Therefore we only need to prove that their difference is $O(x^{10v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{10v} , to

$$W^e[:10v] M^e[:10v] + x^{6v} W^e[:4v] M^e[:4v] + x^{8v} W^e[:2v] M^e[:2v].$$

For all $n \leq 10$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.27) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{10}, b_1, \dots, b_{10}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{10})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned} \lim_{n \rightarrow \infty} M_{2n,j,k} &= M_{j,k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1,j,k} &= M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} &= W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} &= W_{j,k}^o. \end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12} \phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e / M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$\begin{aligned} q_0(x) &= x^{20} + x^{18} + x^{16} + x^{15} + x^{12} + x^{10} + x^9 + x^5, \\ q_1(x) &= x^{18} + x^{16} + x^{13} + x^{10} + x^8 + x^7 + x^3 + x^2, \\ q_2(x) &= x^{16} + x^6 + x^4 + 1, \\ q_3(x) &= x^{18} + x^{16} + x^{13} + x^{10} + x^8 + x^7 + x^3 + x^2, \end{aligned}$$

$$q_4(x) = x^{18} + x^{15} + x^{12} + x^{10} + x^9 + x^8 + x^6 + x^5 + x^4.$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 156, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 156, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned} p_0(x) &= x^{108} + x^{102} + x^{92} + x^{88} + x^{84} + x^{82} + x^{72} + x^{68} + x^{62} + x^{56} + x^{50} \\ &\quad + x^{38} + x^{36} + x^{32} + x^{30} + x^{26} + x^{24}, \\ p_3(x) &= x^{98} + x^{96} + x^{90} + x^{86} + x^{84} + x^{82} + x^{78} + x^{76} + x^{70} + x^{64} + x^{56} \\ &\quad + x^{52} + x^{48} + x^{44} + x^{40} + x^{34} + x^{32} + x^{26} + x^{24} + x^{22} + x^{20} + x^{14}, \\ p_6(x) &= x^{100} + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{82} + x^{80} + x^{78} \\ &\quad + x^{76} + x^{74} + x^{72} + x^{68} + x^{60} + x^{56} + x^{54} + x^{52} + x^{46} + x^{44} + x^{40} \\ &\quad + x^{32} + x^{20} + x^{14} + x^{10} + x^8 + x^6 + x^4 + 1, \\ p_9(x) &= x^{104} + x^{100} + x^{90} + x^{84} + x^{78} + x^{76} + x^{72} + x^{70} + x^{68} + x^{64} + x^{60} \\ &\quad + x^{56} + x^{52} + x^{50} + x^{44} + x^{42} + x^{40} + x^{38} + x^{36} + x^{32} + x^{26} + x^{24} \\ &\quad + x^{22} + x^{14} + x^{12} + x^8 + x^6 + x^4, \\ p_{12}(x) &= x^{104} + x^{80} + x^{56} + x^{32} + x^{24} + 1, \end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 1, 0, 1, 0, 1, 0, 0, 0, 1, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned} p_0(x) &= x^{105} + x^{103} + x^{100} + x^{97} + x^{96} + x^{95} + x^{94} + x^{93} + x^{92} + x^{89} + x^{87} \\ &\quad + x^{85} + x^{84} + x^{82} + x^{78} + x^{75} + x^{72} + x^{71} + x^{69} + x^{68} + x^{60} + x^{59} \\ &\quad + x^{57} + x^{56} + x^{54} + x^{46} + x^{43} + x^{39} + x^{38} + x^{37} + x^{34} + x^{33} + x^{31} \\ &\quad + x^{28} + x^{27}, \\ p_3(x) &= x^{101} + x^{99} + x^{98} + x^{91} + x^{88} + x^{87} + x^{86} + x^{75} + x^{72} + x^{71} + x^{70} \\ &\quad + x^{69} + x^{67} + x^{66} + x^{53} + x^{51} + x^{50} + x^{45} + x^{42} + x^{40} + x^{39} + x^{38} \\ &\quad + x^{35} + x^{32} + x^{31} + x^{30} + x^{29} + x^{26} + x^{24} + x^{23} + x^{22} + x^{21} + x^{19} \\ &\quad + x^{18}, \\ p_6(x) &= x^{99} + x^{96} + x^{95} + x^{92} + x^{91} + x^{89} + x^{88} + x^{86} + x^{81} + x^{79} + x^{78} \end{aligned}$$

$$\begin{aligned}
& + x^{76} + x^{71} + x^{68} + x^{67} + x^{64} + x^{61} + x^{58} + x^{55} + x^{52} + x^{49} + x^{46} \\
& + x^{39} + x^{37} + x^{36} + x^{34} + x^{33} + x^{31} + x^{30} + x^{28} + x^{25} + x^{22} + x^{21} \\
& + x^{19} + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} + x^{12}, \\
p_9(x) &= x^{97} + x^{95} + x^{94} + x^{93} + x^{91} + x^{90} + x^{85} + x^{82} + x^{80} + x^{79} + x^{78} \\
& + x^{77} + x^{75} + x^{74} + x^{73} + x^{71} + x^{70} + x^{63} + x^{61} + x^{60} + x^{57} + x^{55} \\
& + x^{54} + x^{53} + x^{50} + x^{48} + x^{47} + x^{46} + x^{43} + x^{40} + x^{38} + x^{37} + x^{36} \\
& + x^{35} + x^{32} + x^{31} + x^{30} + x^{27} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{15} \\
& + x^{14} + x^{13} + x^{10} + x^8 + x^7 + x^6, \\
p_{12}(x) &= x^{95} + x^{92} + x^{83} + x^{80} + x^{47} + x^{44} + x^{35} + x^{32} + x^{15} + x^{12} + x^3 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 0, 1, 1, 0, 0, 0, 0, 1, 0, 1]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{103} + x^{100} + x^{97} + x^{96} + x^{95} + x^{94} + x^{93} + x^{92} + x^{89} + x^{87} \\
& + x^{85} + x^{84} + x^{82} + x^{78} + x^{75} + x^{72} + x^{71} + x^{69} + x^{68} + x^{60} + x^{59} \\
& + x^{57} + x^{56} + x^{54} + x^{46} + x^{43} + x^{39} + x^{38} + x^{37} + x^{34} + x^{33} + x^{31} \\
& + x^{28} + x^{27}, \\
p_3(x) &= x^{101} + x^{99} + x^{98} + x^{91} + x^{88} + x^{87} + x^{86} + x^{75} + x^{72} + x^{71} + x^{70} \\
& + x^{69} + x^{67} + x^{66} + x^{53} + x^{51} + x^{50} + x^{45} + x^{42} + x^{40} + x^{39} + x^{38} \\
& + x^{35} + x^{32} + x^{31} + x^{30} + x^{29} + x^{26} + x^{24} + x^{23} + x^{22} + x^{21} + x^{19} \\
& + x^{18}, \\
p_6(x) &= x^{99} + x^{96} + x^{95} + x^{92} + x^{91} + x^{89} + x^{88} + x^{86} + x^{81} + x^{79} + x^{78} \\
& + x^{76} + x^{71} + x^{68} + x^{67} + x^{64} + x^{61} + x^{58} + x^{55} + x^{52} + x^{49} + x^{46} \\
& + x^{39} + x^{37} + x^{36} + x^{34} + x^{33} + x^{31} + x^{30} + x^{28} + x^{25} + x^{22} + x^{21} \\
& + x^{19} + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} + x^{12}, \\
p_9(x) &= x^{97} + x^{95} + x^{94} + x^{93} + x^{91} + x^{90} + x^{85} + x^{82} + x^{80} + x^{79} + x^{78} \\
& + x^{77} + x^{75} + x^{74} + x^{73} + x^{71} + x^{70} + x^{63} + x^{61} + x^{60} + x^{57} + x^{55} \\
& + x^{54} + x^{53} + x^{50} + x^{48} + x^{47} + x^{46} + x^{43} + x^{40} + x^{38} + x^{37} + x^{36} \\
& + x^{35} + x^{32} + x^{31} + x^{30} + x^{27} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{15} \\
& + x^{14} + x^{13} + x^{10} + x^8 + x^7 + x^6, \\
p_{12}(x) &= x^{95} + x^{92} + x^{83} + x^{80} + x^{47} + x^{44} + x^{35} + x^{32} + x^{15} + x^{12} + x^3 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 0, 1, 1, 0, 0, 0, 0, 1, 0, 1]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{102} + x^{98} + x^{96} + x^{90} + x^{82} + x^{78} + x^{72} + x^{70} + x^{66} + x^{62} + x^{60} \\
& + x^{58} + x^{50} + x^{40} + x^{38} + x^{36} + x^{30}, \\
p_3(x) &= x^{90} + x^{86} + x^{84} + x^{82} + x^{80} + x^{76} + x^{74} + x^{68} + x^{64} + x^{58} + x^{46} \\
& + x^{38} + x^{34} + x^{32} + x^{26} + x^{24} + x^{22} + x^{20} + x^{16} + x^{12},
\end{aligned}$$

$$\begin{aligned}
p_6(x) &= x^{90} + x^{84} + x^{78} + x^{76} + x^{72} + x^{66} + x^{62} + x^{60} + x^{58} + x^{54} + x^{50} \\
&\quad + x^{48} + x^{40} + x^{36} + x^{34} + x^{32} + x^{28} + x^{22} + x^{20} + x^{18} + x^{16} + x^{12} \\
&\quad + x^4 + 1, \\
p_9(x) &= x^{86} + x^{82} + x^{80} + x^{76} + x^{72} + x^{62} + x^{56} + x^{52} + x^{50} + x^{44} + x^{42} \\
&\quad + x^{40} + x^{36} + x^{34} + x^{32} + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{10} + x^8 \\
&\quad + x^6 + x^4, \\
p_{12}(x) &= x^{86} + x^{80} + x^{38} + x^{32} + x^6 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{102} + x^{98} + x^{96} + x^{94} + x^{90} + x^{88} + x^{86} + x^{80} + x^{78} + x^{72} + x^{66} \\
&\quad + x^{64} + x^{58} + x^{50} + x^{46} + x^{44} + x^{42} + x^{40} + x^{38} + x^{36} + x^{32} + x^{26} \\
&\quad + x^{24}, \\
p_3(x) &= x^{90} + x^{86} + x^{84} + x^{80} + x^{78} + x^{70} + x^{64} + x^{62} + x^{56} + x^{50} + x^{44} \\
&\quad + x^{42} + x^{38} + x^{36} + x^{26} + x^{24} + x^{20} + x^{14}, \\
p_6(x) &= x^{90} + x^{84} + x^{82} + x^{78} + x^{74} + x^{68} + x^{66} + x^{64} + x^{60} + x^{58} + x^{56} \\
&\quad + x^{54} + x^{52} + x^{48} + x^{44} + x^{42} + x^{38} + x^{34} + x^{32} + x^{20} + x^{12} + x^8 \\
&\quad + x^4 + 1, \\
p_9(x) &= x^{86} + x^{82} + x^{80} + x^{76} + x^{72} + x^{62} + x^{56} + x^{52} + x^{50} + x^{44} + x^{42} \\
&\quad + x^{40} + x^{36} + x^{34} + x^{32} + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{10} + x^8 \\
&\quad + x^6 + x^4, \\
p_{12}(x) &= x^{86} + x^{80} + x^{38} + x^{32} + x^6 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 0, 1, 0, 1, 0, 0, 0, 0, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{101} + x^{97} + x^{96} + x^{95} + x^{92} + x^{91} + x^{89} + x^{85} + x^{83} + x^{78} \\
&\quad + x^{74} + x^{73} + x^{72} + x^{71} + x^{68} + x^{67} + x^{62} + x^{57} + x^{54} + x^{53} + x^{51} \\
&\quad + x^{47} + x^{46} + x^{45} + x^{43} + x^{39} + x^{36} + x^{35} + x^{34} + x^{33} + x^{31} + x^{30} \\
&\quad + x^{28} + x^{27}, \\
p_3(x) &= x^{101} + x^{99} + x^{98} + x^{91} + x^{88} + x^{87} + x^{86} + x^{75} + x^{72} + x^{71} + x^{70} \\
&\quad + x^{69} + x^{67} + x^{66} + x^{53} + x^{51} + x^{50} + x^{45} + x^{42} + x^{40} + x^{39} + x^{38} \\
&\quad + x^{35} + x^{32} + x^{31} + x^{30} + x^{29} + x^{26} + x^{24} + x^{23} + x^{22} + x^{21} + x^{19} \\
&\quad + x^{18}, \\
p_6(x) &= x^{99} + x^{96} + x^{95} + x^{92} + x^{91} + x^{89} + x^{88} + x^{86} + x^{81} + x^{79} + x^{78} \\
&\quad + x^{76} + x^{71} + x^{68} + x^{67} + x^{64} + x^{61} + x^{58} + x^{55} + x^{52} + x^{49} + x^{46} \\
&\quad + x^{39} + x^{37} + x^{36} + x^{34} + x^{33} + x^{31} + x^{30} + x^{28} + x^{25} + x^{22} + x^{21} \\
&\quad + x^{19} + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} + x^{12},
\end{aligned}$$

$$\begin{aligned}
p_9(x) &= x^{97} + x^{95} + x^{94} + x^{93} + x^{91} + x^{90} + x^{85} + x^{82} + x^{80} + x^{79} + x^{78} \\
&\quad + x^{77} + x^{75} + x^{74} + x^{73} + x^{71} + x^{70} + x^{63} + x^{61} + x^{60} + x^{57} + x^{55} \\
&\quad + x^{54} + x^{53} + x^{50} + x^{48} + x^{47} + x^{46} + x^{43} + x^{40} + x^{38} + x^{37} + x^{36} \\
&\quad + x^{35} + x^{32} + x^{31} + x^{30} + x^{27} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{15} \\
&\quad + x^{14} + x^{13} + x^{10} + x^8 + x^7 + x^6, \\
p_{12}(x) &= x^{95} + x^{92} + x^{83} + x^{80} + x^{47} + x^{44} + x^{35} + x^{32} + x^{15} + x^{12} + x^3 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 0, 1, 1, 1, 1, 1, 1, 1, 0, 1]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{101} + x^{97} + x^{96} + x^{95} + x^{92} + x^{91} + x^{89} + x^{85} + x^{83} + x^{78} \\
&\quad + x^{74} + x^{73} + x^{72} + x^{71} + x^{68} + x^{67} + x^{62} + x^{57} + x^{54} + x^{53} + x^{51} \\
&\quad + x^{47} + x^{46} + x^{45} + x^{43} + x^{39} + x^{36} + x^{35} + x^{34} + x^{33} + x^{31} + x^{30} \\
&\quad + x^{28} + x^{27}, \\
p_3(x) &= x^{101} + x^{99} + x^{98} + x^{91} + x^{88} + x^{87} + x^{86} + x^{75} + x^{72} + x^{71} + x^{70} \\
&\quad + x^{69} + x^{67} + x^{66} + x^{53} + x^{51} + x^{50} + x^{45} + x^{42} + x^{40} + x^{39} + x^{38} \\
&\quad + x^{35} + x^{32} + x^{31} + x^{30} + x^{29} + x^{26} + x^{24} + x^{23} + x^{22} + x^{21} + x^{19} \\
&\quad + x^{18}, \\
p_6(x) &= x^{99} + x^{96} + x^{95} + x^{92} + x^{91} + x^{89} + x^{88} + x^{86} + x^{81} + x^{79} + x^{78} \\
&\quad + x^{76} + x^{71} + x^{68} + x^{67} + x^{64} + x^{61} + x^{58} + x^{55} + x^{52} + x^{49} + x^{46} \\
&\quad + x^{39} + x^{37} + x^{36} + x^{34} + x^{33} + x^{31} + x^{30} + x^{28} + x^{25} + x^{22} + x^{21} \\
&\quad + x^{19} + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} + x^{12}, \\
p_9(x) &= x^{97} + x^{95} + x^{94} + x^{93} + x^{91} + x^{90} + x^{85} + x^{82} + x^{80} + x^{79} + x^{78} \\
&\quad + x^{77} + x^{75} + x^{74} + x^{73} + x^{71} + x^{70} + x^{63} + x^{61} + x^{60} + x^{57} + x^{55} \\
&\quad + x^{54} + x^{53} + x^{50} + x^{48} + x^{47} + x^{46} + x^{43} + x^{40} + x^{38} + x^{37} + x^{36} \\
&\quad + x^{35} + x^{32} + x^{31} + x^{30} + x^{27} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{15} \\
&\quad + x^{14} + x^{13} + x^{10} + x^8 + x^7 + x^6, \\
p_{12}(x) &= x^{95} + x^{92} + x^{83} + x^{80} + x^{47} + x^{44} + x^{35} + x^{32} + x^{15} + x^{12} + x^3 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 0, 1, 1, 1, 1, 1, 1, 1, 0, 1]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{104} + x^{102} + x^{100} + x^{94} + x^{88} + x^{84} + x^{78} + x^{74} + x^{66} + x^{64} \\
&\quad + x^{62} + x^{60} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{48} + x^{46} + x^{42} + x^{40} \\
&\quad + x^{38} + x^{36} + x^{30}, \\
p_3(x) &= x^{100} + x^{98} + x^{92} + x^{88} + x^{86} + x^{80} + x^{70} + x^{64} + x^{60} + x^{52} + x^{50} \\
&\quad + x^{48} + x^{44} + x^{40} + x^{38} + x^{36} + x^{32} + x^{30} + x^{22} + x^{18} + x^{16} + x^{12}, \\
p_6(x) &= x^{98} + x^{96} + x^{94} + x^{88} + x^{86} + x^{84} + x^{76} + x^{74} + x^{68} + x^{56} + x^{54} \\
&\quad + x^{52} + x^{50} + x^{46} + x^{44} + x^{38} + x^{34} + x^{32} + x^{30} + x^{28} + x^{26} + x^{24}
\end{aligned}$$

$$\begin{aligned}
& + x^{18} + x^{16} + x^{10} + x^6 + x^4 + 1, \\
p_9(x) &= x^{104} + x^{100} + x^{90} + x^{84} + x^{78} + x^{76} + x^{72} + x^{70} + x^{68} + x^{64} + x^{60} \\
& + x^{56} + x^{52} + x^{50} + x^{44} + x^{42} + x^{40} + x^{38} + x^{36} + x^{32} + x^{26} + x^{24} \\
& + x^{22} + x^{14} + x^{12} + x^8 + x^6 + x^4, \\
p_{12}(x) &= x^{104} + x^{80} + x^{56} + x^{32} + x^{24} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 1, 0, 1, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{103} + x^{101} + x^{100} + x^{96} + x^{95} + x^{94} + x^{90} + x^{87} + x^{85} + x^{83} \\
& + x^{80} + x^{77} + x^{76} + x^{74} + x^{73} + x^{72} + x^{71} + x^{70} + x^{68} + x^{67} + x^{65} \\
& + x^{63} + x^{61} + x^{60} + x^{57} + x^{56} + x^{55} + x^{53} + x^{52} + x^{50} + x^{49} + x^{48} \\
& + x^{43} + x^{39} + x^{35} + x^{34} + x^{33} + x^{31} + x^{28} + x^{27} + x^{26} + x^{24}, \\
p_3(x) &= x^{103} + x^{101} + x^{100} + x^{99} + x^{96} + x^{95} + x^{92} + x^{91} + x^{86} + x^{85} + x^{83} \\
& + x^{82} + x^{80} + x^{79} + x^{77} + x^{76} + x^{74} + x^{72} + x^{70} + x^{69} + x^{67} + x^{65} \\
& + x^{64} + x^{62} + x^{59} + x^{56} + x^{55} + x^{52} + x^{50} + x^{47} + x^{44} + x^{43} + x^{42} \\
& + x^{41} + x^{39} + x^{36} + x^{32} + x^{31} + x^{30} + x^{29} + x^{28} + x^{25} + x^{24} + x^{23} \\
& + x^{20} + x^{19} + x^{18} + x^{16}, \\
p_6(x) &= x^{103} + x^{101} + x^{100} + x^{99} + x^{96} + x^{95} + x^{93} + x^{92} + x^{88} + x^{86} + x^{82} \\
& + x^{80} + x^{79} + x^{78} + x^{77} + x^{76} + x^{73} + x^{67} + x^{65} + x^{64} + x^{63} + x^{62} \\
& + x^{61} + x^{59} + x^{58} + x^{57} + x^{56} + x^{53} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} \\
& + x^{45} + x^{44} + x^{42} + x^{41} + x^{38} + x^{36} + x^{35} + x^{30} + x^{29} + x^{26} + x^{25} \\
& + x^{24} + x^{20} + x^{19} + x^{17} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} + x^8 + x^3 + 1, \\
p_9(x) &= x^{103} + x^{100} + x^{95} + x^{92} + x^{91} + x^{88} + x^{55} + x^{52} + x^{47} + x^{44} + x^{43} \\
& + x^{40} + x^{23} + x^{20} + x^{15} + x^{12} + x^{11} + x^8, \\
p_{12}(x) &= x^{103} + x^{100} + x^{91} + x^{88} + x^{83} + x^{80} + x^{55} + x^{52} + x^{43} + x^{40} + x^{35} \\
& + x^{32} + x^{23} + x^{20} + x^{11} + x^8 + x^3 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 1, 1, 0, 1, 1, 1, 0, 0, 0, 0, 1]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{102} + x^{100} + x^{99} + x^{95} + x^{93} + x^{92} + x^{89} + x^{87} + x^{86} + x^{85} \\
& + x^{82} + x^{80} + x^{78} + x^{77} + x^{76} + x^{75} + x^{74} + x^{72} + x^{71} + x^{69} + x^{68} \\
& + x^{66} + x^{65} + x^{64} + x^{59} + x^{55} + x^{52} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} \\
& + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{39} + x^{38} + x^{37} + x^{34} + x^{33} \\
& + x^{31} + x^{30} + x^{28} + x^{27}, \\
p_3(x) &= x^{94} + x^{92} + x^{89} + x^{86} + x^{83} + x^{82} + x^{78} + x^{76} + x^{73} + x^{70} + x^{67} \\
& + x^{66} + x^{46} + x^{44} + x^{41} + x^{36} + x^{35} + x^{34} + x^{33} + x^{28} + x^{27} + x^{26} \\
& + x^{25} + x^{22} + x^{19} + x^{18},
\end{aligned}$$

$$\begin{aligned}
p_6(x) &= x^{96} + x^{92} + x^{88} + x^{86} + x^{78} + x^{76} + x^{68} + x^{64} + x^{58} + x^{52} + x^{46} \\
&\quad + x^{36} + x^{34} + x^{30} + x^{28} + x^{22} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_9(x) &= x^{98} + x^{96} + x^{94} + x^{93} + x^{92} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{50} \\
&\quad + x^{48} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{39} + x^{38} + x^{18} + x^{16} \\
&\quad + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8 + x^7 + x^6, \\
p_{12}(x) &= x^{100} + x^{88} + x^{80} + x^{52} + x^{40} + x^{32} + x^{20} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 1, 0, 1, 0, 0, 0, 1, 1, 1, 0]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{106} + x^{104} + x^{103} + x^{102} + x^{100} + x^{97} + x^{95} + x^{93} + x^{91} \\
&\quad + x^{90} + x^{89} + x^{86} + x^{85} + x^{83} + x^{80} + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} \\
&\quad + x^{71} + x^{69} + x^{68} + x^{67} + x^{64} + x^{63} + x^{60} + x^{57} + x^{56} + x^{54} + x^{52} \\
&\quad + x^{51} + x^{50} + x^{47} + x^{45} + x^{44} + x^{41} + x^{38} + x^{37} + x^{36} + x^{35} + x^{31} \\
&\quad + x^{28} + x^{27}, \\
p_3(x) &= x^{106} + x^{104} + x^{101} + x^{98} + x^{95} + x^{92} + x^{90} + x^{89} + x^{88} + x^{86} + x^{85} \\
&\quad + x^{83} + x^{79} + x^{76} + x^{73} + x^{70} + x^{67} + x^{66} + x^{58} + x^{56} + x^{53} + x^{48} \\
&\quad + x^{47} + x^{45} + x^{44} + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{33} \\
&\quad + x^{31} + x^{30} + x^{28} + x^{27} + x^{26} + x^{25} + x^{22} + x^{19} + x^{18}, \\
p_6(x) &= x^{108} + x^{104} + x^{100} + x^{98} + x^{96} + x^{92} + x^{90} + x^{86} + x^{80} + x^{78} + x^{70} \\
&\quad + x^{68} + x^{52} + x^{48} + x^{42} + x^{40} + x^{36} + x^{26} + x^{24} + x^{22} + x^{18} + x^{16} \\
&\quad + x^{14} + x^{12}, \\
p_9(x) &= x^{110} + x^{108} + x^{106} + x^{105} + x^{104} + x^{102} + x^{101} + x^{100} + x^{99} + x^{96} \\
&\quad + x^{94} + x^{93} + x^{92} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{62} + x^{60} + x^{58} \\
&\quad + x^{57} + x^{56} + x^{54} + x^{53} + x^{52} + x^{51} + x^{48} + x^{46} + x^{45} + x^{44} + x^{42} \\
&\quad + x^{41} + x^{40} + x^{39} + x^{38} + x^{30} + x^{28} + x^{26} + x^{25} + x^{24} + x^{22} + x^{21} \\
&\quad + x^{20} + x^{19} + x^{16} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8 + x^7 + x^6, \\
p_{12}(x) &= x^{112} + x^{92} + x^{88} + x^{80} + x^{64} + x^{44} + x^{40} + x^{12} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 0, 1, 1, 0, 0, 1, 0, 1, 0, 0, 1]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{99} + x^{97} + x^{92} + x^{91} + x^{89} + x^{87} + x^{85} + x^{83} + x^{81} + x^{76} \\
&\quad + x^{66} + x^{63} + x^{56} + x^{55} + x^{54} + x^{52} + x^{49} + x^{47} + x^{43} + x^{42} + x^{41} \\
&\quad + x^{30}, \\
p_3(x) &= x^{103} + x^{101} + x^{100} + x^{95} + x^{92} + x^{91} + x^{89} + x^{87} + x^{85} + x^{84} + x^{83} \\
&\quad + x^{82} + x^{80} + x^{79} + x^{77} + x^{76} + x^{74} + x^{73} + x^{72} + x^{71} + x^{69} + x^{68} \\
&\quad + x^{65} + x^{62} + x^{59} + x^{56} + x^{55} + x^{52} + x^{51} + x^{50} + x^{48} + x^{47} + x^{44} \\
&\quad + x^{42} + x^{40} + x^{38} + x^{33} + x^{32} + x^{29} + x^{27} + x^{22} + x^{18},
\end{aligned}$$

$$\begin{aligned}
p_6(x) = & x^{103} + x^{101} + x^{100} + x^{95} + x^{93} + x^{92} + x^{91} + x^{89} + x^{87} + x^{84} + x^{83} \\
& + x^{82} + x^{81} + x^{77} + x^{75} + x^{73} + x^{72} + x^{71} + x^{68} + x^{67} + x^{65} + x^{64} \\
& + x^{63} + x^{62} + x^{59} + x^{57} + x^{56} + x^{55} + x^{53} + x^{52} + x^{50} + x^{48} + x^{47} \\
& + x^{45} + x^{44} + x^{42} + x^{41} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{31} \\
& + x^{29} + x^{28} + x^{26} + x^{24} + x^{23} + x^{22} + x^{21} + x^{19} + x^{18} + x^{15} + x^{12} \\
& + x^{10} + x^3 + 1,
\end{aligned}$$

$$\begin{aligned}
p_9(x) = & x^{103} + x^{100} + x^{95} + x^{92} + x^{91} + x^{88} + x^{55} + x^{52} + x^{47} + x^{44} + x^{43} \\
& + x^{40} + x^{23} + x^{20} + x^{15} + x^{12} + x^{11} + x^8,
\end{aligned}$$

$$\begin{aligned}
p_{12}(x) = & x^{103} + x^{100} + x^{91} + x^{88} + x^{83} + x^{80} + x^{55} + x^{52} + x^{43} + x^{40} + x^{35} \\
& + x^{32} + x^{23} + x^{20} + x^{11} + x^8 + x^3 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 0, 0, 1, 1, 1, 0, 1, 0, 0, 1]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned}
p_0(x) = & x^{105} + x^{103} + x^{101} + x^{100} + x^{96} + x^{95} + x^{94} + x^{90} + x^{87} + x^{85} + x^{83} \\
& + x^{80} + x^{77} + x^{76} + x^{74} + x^{73} + x^{72} + x^{71} + x^{70} + x^{68} + x^{67} + x^{65} \\
& + x^{63} + x^{61} + x^{60} + x^{57} + x^{56} + x^{55} + x^{53} + x^{52} + x^{50} + x^{49} + x^{48} \\
& + x^{43} + x^{39} + x^{35} + x^{34} + x^{33} + x^{31} + x^{28} + x^{27} + x^{26} + x^{24},
\end{aligned}$$

$$\begin{aligned}
p_3(x) = & x^{103} + x^{101} + x^{100} + x^{99} + x^{96} + x^{95} + x^{92} + x^{91} + x^{86} + x^{85} + x^{83} \\
& + x^{82} + x^{80} + x^{79} + x^{77} + x^{76} + x^{74} + x^{72} + x^{70} + x^{69} + x^{67} + x^{65} \\
& + x^{64} + x^{62} + x^{59} + x^{56} + x^{55} + x^{52} + x^{50} + x^{47} + x^{44} + x^{43} + x^{42} \\
& + x^{41} + x^{39} + x^{36} + x^{32} + x^{31} + x^{30} + x^{29} + x^{28} + x^{25} + x^{24} + x^{23} \\
& + x^{20} + x^{19} + x^{18} + x^{16},
\end{aligned}$$

$$\begin{aligned}
p_6(x) = & x^{103} + x^{101} + x^{100} + x^{99} + x^{96} + x^{95} + x^{93} + x^{92} + x^{88} + x^{86} + x^{82} \\
& + x^{80} + x^{79} + x^{78} + x^{77} + x^{76} + x^{73} + x^{67} + x^{65} + x^{64} + x^{63} + x^{62} \\
& + x^{61} + x^{59} + x^{58} + x^{57} + x^{56} + x^{53} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} \\
& + x^{45} + x^{44} + x^{42} + x^{41} + x^{38} + x^{36} + x^{35} + x^{30} + x^{29} + x^{26} + x^{25} \\
& + x^{24} + x^{20} + x^{19} + x^{17} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} + x^8 + x^3 + 1,
\end{aligned}$$

$$\begin{aligned}
p_9(x) = & x^{103} + x^{100} + x^{95} + x^{92} + x^{91} + x^{88} + x^{55} + x^{52} + x^{47} + x^{44} + x^{43} \\
& + x^{40} + x^{23} + x^{20} + x^{15} + x^{12} + x^{11} + x^8,
\end{aligned}$$

$$\begin{aligned}
p_{12}(x) = & x^{103} + x^{100} + x^{91} + x^{88} + x^{83} + x^{80} + x^{55} + x^{52} + x^{43} + x^{40} + x^{35} \\
& + x^{32} + x^{23} + x^{20} + x^{11} + x^8 + x^3 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 1, 1, 0, 1, 1, 1, 0, 0, 0, 0, 1]$.

For $\phi(W^o, 0, 1)$:

$$\begin{aligned}
p_0(x) = & x^{108} + x^{106} + x^{104} + x^{103} + x^{102} + x^{100} + x^{97} + x^{95} + x^{93} + x^{91} \\
& + x^{90} + x^{89} + x^{86} + x^{85} + x^{83} + x^{80} + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} \\
& + x^{71} + x^{69} + x^{68} + x^{67} + x^{64} + x^{63} + x^{60} + x^{57} + x^{56} + x^{54} + x^{52}
\end{aligned}$$

$$\begin{aligned}
& + x^{51} + x^{50} + x^{47} + x^{45} + x^{44} + x^{41} + x^{38} + x^{37} + x^{36} + x^{35} + x^{31} \\
& + x^{28} + x^{27}, \\
p_3(x) &= x^{106} + x^{104} + x^{101} + x^{98} + x^{95} + x^{92} + x^{90} + x^{89} + x^{88} + x^{86} + x^{85} \\
& + x^{83} + x^{79} + x^{76} + x^{73} + x^{70} + x^{67} + x^{66} + x^{58} + x^{56} + x^{53} + x^{48} \\
& + x^{47} + x^{45} + x^{44} + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{33} \\
& + x^{31} + x^{30} + x^{28} + x^{27} + x^{26} + x^{25} + x^{22} + x^{19} + x^{18}, \\
p_6(x) &= x^{108} + x^{104} + x^{100} + x^{98} + x^{96} + x^{92} + x^{90} + x^{86} + x^{80} + x^{78} + x^{70} \\
& + x^{68} + x^{52} + x^{48} + x^{42} + x^{40} + x^{36} + x^{26} + x^{24} + x^{22} + x^{18} + x^{16} \\
& + x^{14} + x^{12}, \\
p_9(x) &= x^{110} + x^{108} + x^{106} + x^{105} + x^{104} + x^{102} + x^{101} + x^{100} + x^{99} + x^{96} \\
& + x^{94} + x^{93} + x^{92} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{62} + x^{60} + x^{58} \\
& + x^{57} + x^{56} + x^{54} + x^{53} + x^{52} + x^{51} + x^{48} + x^{46} + x^{45} + x^{44} + x^{42} \\
& + x^{41} + x^{40} + x^{39} + x^{38} + x^{30} + x^{28} + x^{26} + x^{25} + x^{24} + x^{22} + x^{21} \\
& + x^{20} + x^{19} + x^{16} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8 + x^7 + x^6, \\
p_{12}(x) &= x^{112} + x^{92} + x^{88} + x^{80} + x^{64} + x^{44} + x^{40} + x^{12} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 0, 1, 1, 0, 0, 1, 0, 1, 0, 0, 1]$.

For $\phi(W^\circ, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{102} + x^{100} + x^{99} + x^{95} + x^{93} + x^{92} + x^{89} + x^{87} + x^{86} + x^{85} \\
& + x^{82} + x^{80} + x^{78} + x^{77} + x^{76} + x^{75} + x^{74} + x^{72} + x^{71} + x^{69} + x^{68} \\
& + x^{66} + x^{65} + x^{64} + x^{59} + x^{55} + x^{52} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} \\
& + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{39} + x^{38} + x^{37} + x^{34} + x^{33} \\
& + x^{31} + x^{30} + x^{28} + x^{27}, \\
p_3(x) &= x^{94} + x^{92} + x^{89} + x^{86} + x^{83} + x^{82} + x^{78} + x^{76} + x^{73} + x^{70} + x^{67} \\
& + x^{66} + x^{46} + x^{44} + x^{41} + x^{36} + x^{35} + x^{34} + x^{33} + x^{28} + x^{27} + x^{26} \\
& + x^{25} + x^{22} + x^{19} + x^{18}, \\
p_6(x) &= x^{96} + x^{92} + x^{88} + x^{86} + x^{78} + x^{76} + x^{68} + x^{64} + x^{58} + x^{52} + x^{46} \\
& + x^{36} + x^{34} + x^{30} + x^{28} + x^{22} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_9(x) &= x^{98} + x^{96} + x^{94} + x^{93} + x^{92} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{50} \\
& + x^{48} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{39} + x^{38} + x^{18} + x^{16} \\
& + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8 + x^7 + x^6, \\
p_{12}(x) &= x^{100} + x^{88} + x^{80} + x^{52} + x^{40} + x^{32} + x^{20} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 1, 0, 1, 0, 0, 0, 1, 1, 1, 0]$.

For $\phi(W^\circ, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{99} + x^{97} + x^{92} + x^{91} + x^{89} + x^{87} + x^{85} + x^{83} + x^{81} + x^{76} \\
& + x^{66} + x^{63} + x^{56} + x^{55} + x^{54} + x^{52} + x^{49} + x^{47} + x^{43} + x^{42} + x^{41}
\end{aligned}$$

$$\begin{aligned}
& + x^{30}, \\
p_3(x) &= x^{103} + x^{101} + x^{100} + x^{95} + x^{92} + x^{91} + x^{89} + x^{87} + x^{85} + x^{84} + x^{83} \\
& + x^{82} + x^{80} + x^{79} + x^{77} + x^{76} + x^{74} + x^{73} + x^{72} + x^{71} + x^{69} + x^{68} \\
& + x^{65} + x^{62} + x^{59} + x^{56} + x^{55} + x^{52} + x^{51} + x^{50} + x^{48} + x^{47} + x^{44} \\
& + x^{42} + x^{40} + x^{38} + x^{33} + x^{32} + x^{29} + x^{27} + x^{22} + x^{18}, \\
p_6(x) &= x^{103} + x^{101} + x^{100} + x^{95} + x^{93} + x^{92} + x^{91} + x^{89} + x^{87} + x^{84} + x^{83} \\
& + x^{82} + x^{81} + x^{77} + x^{75} + x^{73} + x^{72} + x^{71} + x^{68} + x^{67} + x^{65} + x^{64} \\
& + x^{63} + x^{62} + x^{59} + x^{57} + x^{56} + x^{55} + x^{53} + x^{52} + x^{50} + x^{48} + x^{47} \\
& + x^{45} + x^{44} + x^{42} + x^{41} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{31} \\
& + x^{29} + x^{28} + x^{26} + x^{24} + x^{23} + x^{22} + x^{21} + x^{19} + x^{18} + x^{15} + x^{12} \\
& + x^{10} + x^3 + 1, \\
p_9(x) &= x^{103} + x^{100} + x^{95} + x^{92} + x^{91} + x^{88} + x^{55} + x^{52} + x^{47} + x^{44} + x^{43} \\
& + x^{40} + x^{23} + x^{20} + x^{15} + x^{12} + x^{11} + x^8, \\
p_{12}(x) &= x^{103} + x^{100} + x^{91} + x^{88} + x^{83} + x^{80} + x^{55} + x^{52} + x^{43} + x^{40} + x^{35} \\
& + x^{32} + x^{23} + x^{20} + x^{11} + x^8 + x^3 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 0, 0, 1, 1, 1, 0, 1, 0, 0, 1]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	154	[262, 221]	308	[450, 333]	462	[249, 578]	616	[484, 294]
1	[3, 4]	155	[26, 65]	309	[369, 194]	463	[505, 579]	617	[581, 706]
2	[5, 6]	156	[85, 97]	310	[451, 141]	464	[91, 580]	618	[684, 707]
3	[7, 8]	157	[263, 264]	311	[439, 452]	465	[581, 273]	619	[708, 498]
4	[9, 10]	158	[265, 77]	312	[165, 383]	466	[534, 582]	620	[209, 212]
5	[11, 12]	159	[266, 70]	313	[453, 46]	467	[583, 584]	621	[709, 515]
6	[13, 14]	160	[267, 268]	314	[139, 454]	468	[585, 146]	622	[576, 702]
7	[15, 16]	161	[264, 230]	315	[181, 122]	469	[586, 587]	623	[710, 710]
8	[17, 18]	162	[269, 270]	316	[455, 456]	470	[588, 383]	624	[77, 524]
9	[19, 20]	163	[271, 272]	317	[457, 458]	471	[365, 589]	625	[711, 68]
10	[21, 22]	164	[101, 273]	318	[176, 157]	472	[202, 372]	626	[274, 104]
11	[23, 24]	165	[274, 275]	319	[459, 460]	473	[590, 177]	627	[712, 238]
12	[25, 26]	166	[276, 30]	320	[461, 462]	474	[387, 54]	628	[558, 713]
13	[27, 28]	167	[277, 278]	321	[34, 414]	475	[591, 360]	629	[511, 281]
14	[29, 30]	168	[279, 280]	322	[197, 59]	476	[389, 43]	630	[544, 570]
15	[31, 32]	169	[281, 282]	323	[342, 340]	477	[205, 389]	631	[6, 26]
16	[33, 34]	170	[283, 221]	324	[130, 334]	478	[592, 369]	632	[567, 714]
17	[35, 36]	171	[284, 285]	325	[463, 167]	479	[593, 594]	633	[695, 98]
18	[37, 38]	172	[286, 287]	326	[432, 168]	480	[199, 429]	634	[715, 61]
19	[39, 40]	173	[288, 281]	327	[464, 465]	481	[178, 595]	635	[87, 716]

20	[41, 42]	174	[289, 6]	328	[125, 398]	482	[596, 357]	636	[266, 478]
21	[43, 44]	175	[290, 263]	329	[466, 34]	483	[597, 598]	637	[473, 85]
22	[45, 43]	176	[291, 292]	330	[353, 158]	484	[130, 599]	638	[717, 234]
23	[46, 47]	177	[293, 294]	331	[105, 467]	485	[450, 130]	639	[486, 718]
24	[48, 49]	178	[295, 296]	332	[468, 5]	486	[600, 117]	640	[523, 719]
25	[50, 51]	179	[74, 280]	333	[469, 321]	487	[176, 601]	641	[555, 720]
26	[12, 52]	180	[297, 211]	334	[224, 261]	488	[127, 454]	642	[498, 721]
27	[53, 54]	181	[298, 27]	335	[243, 470]	489	[602, 131]	643	[529, 722]
28	[55, 56]	182	[299, 300]	336	[290, 268]	490	[603, 201]	644	[685, 468]
29	[57, 58]	183	[301, 302]	337	[471, 472]	491	[604, 177]	645	[477, 239]
30	[59, 60]	184	[303, 304]	338	[473, 96]	492	[41, 605]	646	[723, 575]
31	[61, 62]	185	[91, 305]	339	[79, 115]	493	[606, 607]	647	[724, 725]
32	[63, 64]	186	[306, 80]	340	[104, 474]	494	[608, 2]	648	[87, 245]
33	[65, 66]	187	[307, 91]	341	[475, 476]	495	[609, 400]	649	[687, 300]
34	[67, 68]	188	[308, 309]	342	[477, 475]	496	[437, 186]	650	[552, 328]
35	[69, 70]	189	[310, 75]	343	[478, 324]	497	[382, 424]	651	[726, 503]
36	[71, 72]	190	[311, 312]	344	[479, 480]	498	[610, 611]	652	[652, 652]
37	[73, 74]	191	[313, 314]	345	[481, 61]	499	[390, 612]	653	[684, 727]
38	[75, 76]	192	[212, 315]	346	[75, 482]	500	[123, 164]	654	[480, 508]
39	[77, 78]	193	[316, 315]	347	[483, 248]	501	[435, 173]	655	[694, 728]
40	[79, 80]	194	[317, 318]	348	[81, 65]	502	[609, 613]	656	[212, 729]
41	[6, 81]	195	[319, 87]	349	[484, 485]	503	[614, 615]	657	[229, 730]
42	[82, 83]	196	[320, 62]	350	[486, 256]	504	[396, 616]	658	[19, 705]
43	[84, 85]	197	[321, 322]	351	[487, 488]	505	[617, 183]	659	[492, 708]
44	[86, 87]	198	[323, 22]	352	[243, 108]	506	[596, 618]	660	[724, 111]
45	[88, 89]	199	[280, 314]	353	[489, 266]	507	[619, 620]	661	[89, 731]
46	[90, 91]	200	[70, 324]	354	[490, 303]	508	[32, 135]	662	[692, 473]
47	[92, 93]	201	[325, 326]	355	[268, 264]	509	[621, 622]	663	[709, 27]
48	[94, 95]	202	[327, 83]	356	[317, 491]	510	[623, 624]	664	[715, 320]
49	[96, 97]	203	[314, 23]	357	[492, 493]	511	[195, 625]	665	[573, 114]
50	[98, 99]	204	[328, 329]	358	[494, 495]	512	[382, 626]	666	[554, 732]
51	[100, 101]	205	[330, 84]	359	[239, 476]	513	[171, 159]	667	[733, 734]
52	[24, 102]	206	[331, 332]	360	[496, 497]	514	[349, 336]	668	[710, 652]
53	[103, 104]	207	[333, 334]	361	[498, 499]	515	[627, 126]	669	[275, 735]
54	[105, 17]	208	[335, 336]	362	[296, 500]	516	[628, 345]	670	[572, 736]
55	[106, 107]	209	[337, 192]	363	[224, 501]	517	[47, 629]	671	[297, 533]
56	[108, 109]	210	[338, 48]	364	[502, 503]	518	[442, 178]	672	[712, 477]
57	[110, 111]	211	[339, 59]	365	[504, 260]	519	[630, 631]	673	[577, 703]
58	[18, 112]	212	[60, 199]	366	[505, 222]	520	[438, 374]	674	[703, 704]
59	[113, 114]	213	[340, 341]	367	[506, 254]	521	[604, 442]	675	[533, 276]
60	[115, 116]	214	[342, 147]	368	[96, 317]	522	[126, 139]	676	[213, 93]
61	[117, 118]	215	[343, 344]	369	[507, 477]	523	[632, 397]	677	[480, 469]
62	[119, 120]	216	[345, 120]	370	[508, 71]	524	[410, 13]	678	[737, 493]
63	[121, 11]	217	[346, 347]	371	[281, 326]	525	[459, 10]	679	[738, 721]

64	[122, 13]	218	[348, 132]	372	[207, 237]	526	[160, 633]	680	[509, 567]
65	[51, 123]	219	[349, 350]	373	[210, 509]	527	[128, 634]	681	[739, 740]
66	[124, 125]	220	[351, 14]	374	[510, 98]	528	[178, 56]	682	[392, 741]
67	[126, 127]	221	[142, 352]	375	[467, 18]	529	[410, 351]	683	[679, 742]
68	[128, 38]	222	[353, 171]	376	[511, 325]	530	[635, 161]	684	[743, 744]
69	[129, 130]	223	[354, 355]	377	[490, 472]	531	[398, 58]	685	[58, 745]
70	[131, 132]	224	[356, 357]	378	[512, 513]	532	[636, 637]	686	[746, 422]
71	[133, 134]	225	[358, 359]	379	[508, 321]	533	[638, 136]	687	[413, 163]
72	[135, 136]	226	[360, 12]	380	[29, 514]	534	[360, 395]	688	[121, 360]
73	[118, 137]	227	[361, 362]	381	[515, 516]	535	[414, 638]	689	[666, 203]
74	[138, 139]	228	[147, 341]	382	[517, 518]	536	[639, 156]	690	[641, 584]
75	[140, 53]	229	[363, 364]	383	[519, 328]	537	[640, 425]	691	[675, 611]
76	[141, 142]	230	[365, 366]	384	[275, 474]	538	[466, 31]	692	[680, 747]
77	[143, 144]	231	[166, 367]	385	[70, 520]	539	[59, 198]	693	[636, 428]
78	[145, 146]	232	[368, 369]	386	[521, 488]	540	[412, 51]	694	[748, 128]
79	[147, 148]	233	[370, 35]	387	[28, 522]	541	[7, 125]	695	[123, 337]
80	[149, 150]	234	[174, 371]	388	[523, 518]	542	[641, 642]	696	[447, 170]
81	[151, 152]	235	[118, 372]	389	[270, 524]	543	[643, 46]	697	[749, 750]
82	[153, 45]	236	[373, 374]	390	[80, 525]	544	[644, 645]	698	[750, 751]
83	[154, 155]	237	[332, 375]	391	[328, 285]	545	[646, 614]	699	[361, 587]
84	[156, 157]	238	[376, 377]	392	[526, 483]	546	[647, 648]	700	[653, 660]
85	[158, 159]	239	[378, 379]	393	[527, 528]	547	[608, 649]	701	[358, 152]
86	[148, 160]	240	[380, 188]	394	[529, 278]	548	[351, 650]	702	[742, 751]
87	[161, 122]	241	[381, 382]	395	[530, 531]	549	[651, 652]	703	[752, 674]
88	[162, 153]	242	[368, 193]	396	[532, 533]	550	[653, 654]	704	[751, 679]
89	[163, 164]	243	[383, 384]	397	[472, 304]	551	[31, 414]	705	[674, 614]
90	[165, 166]	244	[385, 386]	398	[16, 508]	552	[198, 393]	706	[748, 37]
91	[167, 168]	245	[160, 150]	399	[259, 4]	553	[655, 131]	707	[749, 742]
92	[169, 170]	246	[387, 388]	400	[534, 107]	554	[656, 138]	708	[753, 612]
93	[43, 144]	247	[186, 200]	401	[535, 228]	555	[657, 658]	709	[754, 755]
94	[171, 172]	248	[153, 389]	402	[470, 109]	556	[381, 423]	710	[756, 649]
95	[173, 174]	249	[390, 391]	403	[536, 95]	557	[659, 660]	711	[746, 757]
96	[175, 176]	250	[392, 40]	404	[283, 505]	558	[661, 402]	712	[398, 378]
97	[177, 178]	251	[393, 394]	405	[537, 305]	559	[655, 348]	713	[758, 345]
98	[179, 60]	252	[395, 52]	406	[307, 537]	560	[662, 364]	714	[632, 365]
99	[180, 181]	253	[141, 396]	407	[515, 28]	561	[348, 663]	715	[758, 119]
100	[173, 182]	254	[397, 366]	408	[509, 24]	562	[664, 195]	716	[162, 205]
101	[183, 184]	255	[341, 149]	409	[223, 260]	563	[643, 343]	717	[203, 759]
102	[47, 185]	256	[396, 352]	410	[538, 252]	564	[431, 167]	718	[354, 183]
103	[186, 187]	257	[8, 398]	411	[539, 540]	565	[432, 665]	719	[754, 458]
104	[188, 171]	258	[399, 400]	412	[82, 541]	566	[666, 48]	720	[426, 188]
105	[189, 37]	259	[154, 401]	413	[97, 318]	567	[667, 437]	721	[607, 607]
106	[190, 191]	260	[402, 142]	414	[66, 500]	568	[662, 668]	722	[443, 441]
107	[164, 192]	261	[355, 184]	415	[233, 105]	569	[669, 462]	723	[651, 651]

108	[193, 194]	262	[345, 403]	416	[542, 543]	570	[670, 42]	724	[135, 760]
109	[195, 196]	263	[404, 365]	417	[544, 545]	571	[647, 671]	725	[630, 456]
110	[197, 179]	264	[405, 174]	418	[546, 547]	572	[164, 672]	726	[615, 646]
111	[198, 199]	265	[406, 407]	419	[548, 272]	573	[669, 673]	727	[644, 744]
112	[36, 200]	266	[374, 408]	420	[533, 29]	574	[370, 437]	728	[657, 622]
113	[201, 202]	267	[355, 409]	421	[320, 240]	575	[615, 674]	729	[406, 386]
114	[203, 49]	268	[344, 185]	422	[546, 549]	576	[675, 676]	730	[603, 117]
115	[204, 205]	269	[181, 410]	423	[234, 17]	577	[677, 671]	731	[464, 377]
116	[148, 149]	270	[411, 147]	424	[516, 522]	578	[678, 679]	732	[415, 53]
117	[206, 207]	271	[412, 413]	425	[550, 551]	579	[680, 417]	733	[395, 154]
118	[208, 209]	272	[414, 135]	426	[552, 284]	580	[346, 195]	734	[190, 434]
119	[112, 76]	273	[182, 371]	427	[286, 553]	581	[681, 173]	735	[656, 126]
120	[210, 23]	274	[415, 387]	428	[554, 247]	582	[635, 181]	736	[619, 419]
121	[5, 25]	275	[416, 417]	429	[22, 213]	583	[467, 310]	737	[674, 761]
122	[211, 29]	276	[418, 419]	430	[555, 216]	584	[682, 683]	738	[761, 615]
123	[99, 212]	277	[145, 420]	431	[556, 279]	585	[577, 258]	739	[389, 143]
124	[213, 214]	278	[413, 123]	432	[557, 213]	586	[682, 684]	740	[593, 134]
125	[215, 216]	279	[421, 422]	433	[237, 69]	587	[685, 64]	741	[321, 72]
126	[217, 218]	280	[423, 424]	434	[558, 528]	588	[516, 686]	742	[493, 738]
127	[219, 220]	281	[347, 196]	435	[64, 289]	589	[556, 74]	743	[296, 762]
128	[221, 222]	282	[331, 425]	436	[311, 309]	590	[26, 295]	744	[539, 220]
129	[223, 224]	283	[426, 353]	437	[559, 287]	591	[687, 688]	745	[733, 226]
130	[225, 226]	284	[427, 428]	438	[536, 560]	592	[689, 690]	746	[711, 763]
131	[227, 228]	285	[393, 429]	439	[4, 257]	593	[207, 489]	747	[570, 698]
132	[229, 230]	286	[425, 430]	440	[561, 562]	594	[240, 235]	748	[563, 764]
133	[231, 232]	287	[425, 375]	441	[563, 513]	595	[561, 243]	749	[765, 683]
134	[233, 234]	288	[431, 432]	442	[562, 108]	596	[568, 581]	750	[766, 549]
135	[62, 235]	289	[433, 434]	443	[108, 564]	597	[502, 691]	751	[683, 707]
136	[64, 5]	290	[435, 405]	444	[310, 112]	598	[526, 89]	752	[767, 702]
137	[231, 218]	291	[127, 436]	445	[565, 207]	599	[692, 84]	753	[21, 557]
138	[236, 237]	292	[437, 36]	446	[521, 566]	600	[255, 693]	754	[279, 313]
139	[238, 239]	293	[438, 439]	447	[565, 236]	601	[694, 302]	755	[258, 704]
140	[240, 241]	294	[439, 408]	448	[567, 102]	602	[263, 229]	756	[209, 316]
141	[242, 243]	295	[440, 441]	449	[568, 101]	603	[695, 208]	757	[708, 738]
142	[244, 245]	296	[52, 155]	450	[303, 569]	604	[535, 696]	758	[313, 210]
143	[246, 247]	297	[8, 57]	451	[86, 244]	605	[98, 209]	759	[689, 292]
144	[89, 248]	298	[442, 55]	452	[542, 497]	606	[697, 545]	760	[739, 551]
145	[249, 250]	299	[443, 444]	453	[22, 92]	607	[545, 698]	761	[768, 578]
146	[251, 252]	300	[58, 379]	454	[237, 266]	608	[548, 699]	762	[623, 598]
147	[253, 254]	301	[182, 445]	455	[570, 571]	609	[239, 700]	763	[661, 141]
148	[3, 255]	302	[343, 47]	456	[572, 531]	610	[251, 701]	764	[639, 176]
149	[254, 256]	303	[446, 382]	457	[573, 574]	611	[15, 480]	765	[678, 749]
150	[255, 257]	304	[201, 118]	458	[494, 575]	612	[269, 77]	766	[750, 678]
151	[258, 19]	305	[166, 384]	459	[576, 577]	613	[65, 296]	767	[614, 752]

152	[259, 255]	306	[447, 448]	460	[80, 116]	614	[702, 703]	768	[607, 606]
153	[260, 261]	307	[369, 449]	461	[506, 486]	615	[704, 705]		

Output function $n \mapsto \tau(n)$:

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	110	1	220	0	330	0	440	1	550	0	660	0
1	0	111	0	221	0	331	0	441	1	551	0	661	1
2	0	112	0	222	0	332	1	442	0	552	0	662	1
3	0	113	1	223	0	333	1	443	0	553	1	663	1
4	0	114	1	224	0	334	0	444	0	554	1	664	0
5	0	115	1	225	0	335	1	445	1	555	0	665	0
6	1	116	0	226	1	336	0	446	1	556	0	666	1
7	0	117	0	227	0	337	1	447	1	557	1	667	1
8	0	118	1	228	0	338	0	448	1	558	1	668	1
9	0	119	0	229	0	339	0	449	1	559	1	669	0
10	1	120	0	230	1	340	1	450	1	560	1	670	0
11	0	121	0	231	0	341	1	451	0	561	1	671	0
12	0	122	0	232	0	342	0	452	0	562	0	672	0
13	1	123	0	233	0	343	1	453	0	563	1	673	1
14	1	124	1	234	1	344	1	454	1	564	0	674	0
15	0	125	1	235	1	345	1	455	0	565	1	675	1
16	0	126	1	236	0	346	1	456	0	566	1	676	1
17	0	127	0	237	1	347	0	457	0	567	1	677	1
18	1	128	0	238	1	348	1	458	0	568	1	678	0
19	0	129	0	239	0	349	0	459	1	569	0	679	1
20	1	130	0	240	1	350	1	460	0	570	0	680	1
21	1	131	0	241	0	351	0	461	1	571	0	681	1
22	0	132	0	242	0	352	1	462	0	572	0	682	1
23	0	133	0	243	1	353	0	463	1	573	0	683	1
24	0	134	0	244	0	354	0	464	0	574	0	684	0
25	0	135	0	245	1	355	1	465	1	575	1	685	1
26	0	136	0	246	0	356	0	466	1	576	1	686	0
27	1	137	0	247	1	357	1	467	1	577	1	687	1
28	0	138	0	248	1	358	0	468	1	578	0	688	0
29	1	139	1	249	0	359	0	469	1	579	1	689	1
30	1	140	1	250	1	360	1	470	1	580	1	690	0
31	0	141	0	251	0	361	0	471	1	581	1	691	1
32	0	142	0	252	1	362	0	472	0	582	1	692	1
33	0	143	0	253	0	363	0	473	0	583	1	693	1
34	1	144	1	254	0	364	0	474	0	584	1	694	1
35	0	145	0	255	1	365	1	475	1	585	1	695	0
36	0	146	0	256	1	366	1	476	1	586	1	696	1
37	1	147	0	257	0	367	1	477	0	587	1	697	0
38	1	148	0	258	1	368	0	478	1	588	1	698	1

39	0	149	0	259	1	369	1	479	1	589	0	699	0
40	0	150	1	260	1	370	0	480	1	590	0	700	0
41	1	151	1	261	1	371	0	481	1	591	1	701	0
42	1	152	1	262	1	372	1	482	1	592	1	702	0
43	1	153	1	263	0	373	0	483	0	593	1	703	0
44	0	154	1	264	1	374	1	484	0	594	1	704	1
45	0	155	0	265	1	375	1	485	1	595	1	705	0
46	0	156	1	266	1	376	1	486	1	596	1	706	1
47	0	157	0	267	1	377	0	487	0	597	0	707	0
48	0	158	1	268	1	378	0	488	0	598	1	708	1
49	0	159	1	269	0	379	0	489	0	599	1	709	1
50	0	160	1	270	1	380	1	490	0	600	1	710	1
51	0	161	1	271	1	381	0	491	1	601	1	711	0
52	0	162	0	272	1	382	0	492	1	602	0	712	0
53	1	163	1	273	0	383	1	493	0	603	0	713	0
54	0	164	0	274	0	384	0	494	0	604	1	714	1
55	0	165	0	275	0	385	0	495	0	605	0	715	0
56	0	166	0	276	0	386	1	496	1	606	0	716	0
57	1	167	0	277	0	387	0	497	0	607	1	717	1
58	1	168	1	278	1	388	1	498	0	608	0	718	0
59	1	169	0	279	1	389	1	499	0	609	0	719	1
60	1	170	0	280	1	390	0	500	0	610	0	720	0
61	0	171	0	281	0	391	1	501	0	611	0	721	1
62	0	172	0	282	0	392	1	502	0	612	0	722	0
63	0	173	0	283	0	393	0	503	0	613	0	723	1
64	0	174	1	284	0	394	1	504	1	614	0	724	0
65	0	175	0	285	0	395	1	505	1	615	1	725	1
66	1	176	0	286	0	396	1	506	1	616	0	726	1
67	1	177	1	287	0	397	0	507	1	617	1	727	1
68	0	178	1	288	0	398	0	508	0	618	0	728	0
69	0	179	0	289	1	399	1	509	1	619	1	729	1
70	0	180	0	290	0	400	1	510	1	620	1	730	0
71	0	181	0	291	0	401	1	511	1	621	1	731	0
72	0	182	0	292	1	402	1	512	0	622	1	732	0
73	1	183	0	293	1	403	1	513	0	623	1	733	1
74	0	184	1	294	0	404	0	514	0	624	0	734	0
75	1	185	0	295	1	405	1	515	0	625	0	735	1
76	0	186	1	296	0	406	1	516	1	626	0	736	1
77	0	187	1	297	0	407	0	517	0	627	0	737	0
78	0	188	1	298	0	408	1	518	0	628	1	738	1
79	0	189	0	299	0	409	0	519	1	629	1	739	1
80	0	190	0	300	1	410	1	520	1	630	1	740	1
81	1	191	0	301	0	411	1	521	1	631	1	741	1
82	1	192	1	302	1	412	1	522	1	632	1	742	0

83	1	193	0	303	1	413	1	523	1	633	0	743	0
84	1	194	0	304	1	414	1	524	1	634	0	744	1
85	1	195	1	305	0	415	0	525	1	635	1	745	1
86	0	196	1	306	1	416	0	526	1	636	1	746	0
87	1	197	1	307	1	417	1	527	0	637	0	747	0
88	0	198	0	308	1	418	0	528	1	638	1	748	1
89	1	199	1	309	1	419	0	529	1	639	1	749	0
90	0	200	0	310	0	420	1	530	1	640	1	750	1
91	0	201	1	311	0	421	1	531	0	641	0	751	1
92	0	202	0	312	0	422	0	532	1	642	0	752	0
93	1	203	1	313	0	423	1	533	1	643	1	753	1
94	0	204	1	314	1	424	1	534	1	644	1	754	1
95	0	205	0	315	0	425	0	535	1	645	0	755	1
96	0	206	0	316	0	426	0	536	1	646	1	756	1
97	1	207	1	317	0	427	0	537	1	647	0	757	1
98	0	208	1	318	0	428	1	538	1	648	1	758	0
99	0	209	1	319	1	429	0	539	1	649	1	759	1
100	0	210	0	320	1	430	0	540	1	650	0	760	1
101	0	211	0	321	1	431	0	541	0	651	1	761	1
102	0	212	1	322	1	432	1	542	0	652	0	762	1
103	1	213	1	323	0	433	1	543	1	653	0	763	1
104	1	214	0	324	0	434	1	544	1	654	1	764	1
105	0	215	1	325	1	435	0	545	1	655	1	765	0
106	0	216	1	326	1	436	0	546	0	656	1	766	1
107	0	217	1	327	0	437	1	547	0	657	0	767	0
108	0	218	1	328	1	438	1	548	0	658	0	768	1
109	1	219	0	329	1	439	0	549	1	659	1		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE

Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA

Email address: `huyining@hust.edu.cn`