

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z^2, z^3 + z^2 + 1)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z^2, z^3 + z^2 + 1)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 06:35:19 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 14.2 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z^2, z^3 + z^2 + 1)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$\begin{aligned} p_0(z) &= z^{15} + z^{14} + z^{13} + z^{12} + z^{11} + z^{10} + z^9 + z^6 + z^5 + z^2 + 1, \\ p_1(z) &= z^{18} + z^{17} + z^{16} + z^{15} + z^{13} + z^{12} + z^{11} + z^8 + z^7 + z^6 + z^4 + z^2, \\ p_2(z) &= z^{20} + z^{14} + z^4, \\ p_3(z) &= z^{18} + z^{17} + z^{16} + z^{15} + z^{13} + z^{12} + z^{11} + z^8 + z^7 + z^6 + z^4 + z^2, \\ p_4(z) &= z^{16} + z^{15} + z^{13} + z^{11} + z^{10} + z^9 + z^8 + z^6 + z^5 + z^4 + z^2, \end{aligned}$$

and for $\text{CF}(b, a)$,

$$\begin{aligned} p_0(z) &= z^{15} + z^{14} + z^{13} + z^{11} + z^{10} + z^9 + z^6 + z^5 + z^2, \\ p_1(z) &= z^{18} + z^{17} + z^{16} + z^{15} + z^{13} + z^{12} + z^{11} + z^8 + z^7 + z^6 + z^4 + z^2, \\ p_2(z) &= z^{20} + z^{14} + z^4, \\ p_3(z) &= z^{18} + z^{17} + z^{16} + z^{15} + z^{13} + z^{12} + z^{11} + z^8 + z^7 + z^6 + z^4 + z^2, \\ p_4(z) &= z^{16} + z^{15} + z^{13} + z^{12} + z^{11} + z^{10} + z^9 + z^8 + z^6 + z^5 + z^4 + z^2 + 1. \end{aligned}$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{t}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(125, 125, 125, 125, 125)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 450 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 450, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 550 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 550, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:10u] &= M^e[:5u] + x^u M^e[:4u] + x^{3u} M^e[:2u] + x^{4u} M^e[:u] + x^u M^e[:5u] \\ &\quad + x^{2u} M^e[:4u] + x^{4u} M^e[:2u] + x^{5u} M^e[:u] + x^{2u} M^e[:5u] \\ &\quad + x^{3u} M^e[:4u] + x^{5u} M^e[:2u] + x^{6u} M^e[:u] + x^{5u} M^e[:5u] \\ &\quad + x^{6u} M^e[:4u] + x^{8u} M^e[:2u] + x^{9u} M^e[:u] + (x^{5u} + x^{6u} + x^{7u}) R^e, \\ W^e[:10u] &= W^e[:5u] + x^u W^e[:4u] + x^{3u} W^e[:2u] + x^{4u} W^e[:u] + x^u W^e[:5u] \\ &\quad + x^{2u} W^e[:4u] + x^{4u} W^e[:2u] + x^{5u} W^e[:u] + x^{2u} W^e[:5u] \end{aligned}$$

$$\begin{aligned}
& + x^{3u}W^e[:4u] + x^{5u}W^e[:2u] + x^{6u}W^e[:u] + x^{5u}W^e[:5u] \\
& + x^{6u}W^e[:4u] + x^{8u}W^e[:2u] + x^{9u}W^e[:u] + (x^{5u} + x^{6u} + x^{7u})R^e.
\end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned}
M^o[:10u] &= M^o[:5u] + x^u M^o[:4u] + x^{3u} M^o[:2u] + x^{4u} M^o[:u] + x^u M^o[:5u] \\
&+ x^{2u} M^o[:4u] + x^{4u} M^o[:2u] + x^{5u} M^o[:u] + x^{2u} M^o[:5u] \\
&+ x^{3u} M^o[:4u] + x^{5u} M^o[:2u] + x^{6u} M^o[:u] + x^{5u} M^o[:5u] \\
&+ x^{6u} M^o[:4u] + x^{8u} M^o[:2u] + x^{9u} M^o[:u] + (x^{5u} + x^{6u} + x^{7u})R^o, \\
W^o[:10u] &= W^o[:5u] + x^u W^o[:4u] + x^{3u} W^o[:2u] + x^{4u} W^o[:u] + x^u W^o[:5u] \\
&+ x^{2u} W^o[:4u] + x^{4u} W^o[:2u] + x^{5u} W^o[:u] + x^{2u} W^o[:5u] \\
&+ x^{3u} W^o[:4u] + x^{5u} W^o[:2u] + x^{6u} W^o[:u] + x^{5u} W^o[:5u] \\
&+ x^{6u} W^o[:4u] + x^{8u} W^o[:2u] + x^{9u} W^o[:u] + (x^{5u} + x^{6u} + x^{7u})R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$\begin{aligned}
T[:10u] &= T[:5u] + x^u T[:4u] + x^{3u} T[:2u] + x^{4u} T[:u] + x^u T[:5u] + x^{2u} T[:4u] \\
&+ x^{4u} T[:2u] + x^{5u} T[:u] + x^{2u} T[:5u] + x^{3u} T[:4u] + x^{5u} T[:2u] \\
&+ x^{6u} T[:u] + x^{5u} T[:5u] + x^{6u} T[:4u] + x^{8u} T[:2u] + x^{9u} T[:u].
\end{aligned}$$

The proof of the other 15 cases are similar. We break down the above identity into 5 parts:

$$\begin{aligned}
0 &= x^{5u} T[:u] + x^{4u} T[u:2u] + x^{3u} T[2u:3u] + x^u T[4u:5u] + T[5u:6u], \\
0 &= x^{3u} T[3u:4u] + x^{2u} T[4u:5u] + T[6u:7u], \\
0 &= x^{6u} T[u:2u] + x^{5u} T[2u:3u] + T[7u:8u], \\
0 &= x^{8u} T[:u] + x^{6u} T[2u:3u] + x^{5u} T[3u:4u] + T[8u:9u], \\
0 &= x^{9u} T[:u] + x^{8u} T[u:2u] + x^{6u} T[3u:4u] + x^{5u} T[4u:5u] + T[9u:10u],
\end{aligned}$$

which can be rewritten as

$$(2.7) \quad 0 = T[[w]_2] + T[[1w]_2] + T[[10w]_2] + T[[100w]_2] + T[[101w]_2],$$

$$(2.8) \quad 0 = T[[11w]_2] + T[[100w]_2] + T[[110w]_2],$$

$$(2.9) \quad 0 = T[[1w]_2] + T[[10w]_2] + T[[111w]_2],$$

$$(2.10) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[11w]_2] + T[[1000w]_2],$$

$$(2.11) \quad 0 = T[[w]_2] + T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[1001w]_2],$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$(2.12) \quad 0 = T[[w]_2] + T[[1w]_2] + T[[10w]_2] + T[[100w]_2] + T[[101w]_2],$$

$$(2.13) \quad 0 = T[[11w]_2] + T[[100w]_2] + T[[110w]_2],$$

$$(2.14) \quad 0 = T[[1w]_2] + T[[10w]_2] + T[[111w]_2],$$

$$(2.15) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[11w]_2] + T[[1000w]_2],$$

$$(2.16) \quad 0 = T[[w]_2] + T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[1001w]_2],$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 693 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.16) can be written as

$$(2.17) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 100)) \\ + \tau(A(s, 101)),$$

$$(2.18) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 110)),$$

$$(2.19) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 111)),$$

$$(2.20) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 1000)),$$

$$(2.21) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) \\ + \tau(A(s, 1001)),$$

for all $s \in E_{2k}$, and

$$(2.22) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 100)) \\ + \tau(A(s, 101)),$$

$$(2.23) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 110)),$$

$$(2.24) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 111)),$$

$$(2.25) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 1000)),$$

$$(2.26) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) \\ + \tau(A(s, 1001)),$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{28}), E_{28}) = (A(i, 0^{16}), E_{16})$, so that we only have to verify that identities (2.17) through (2.26) hold for $2 \leq k \leq 14$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$M_{2k} = M^e[:5u] + x^u M^e[:4u] + x^{3u} M^e[:2u] + x^{4u} M^e[:u] + x^{5u} R^e,$$

$$W_{2k} = W^e[:5u] + x^u W^e[:4u] + x^{3u} W^e[:2u] + x^{4u} W^e[:u] + x^{5u} R^e.$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$M_{2k+1} = M^o[:5u] + x^u M^o[:4u] + x^{3u} M^o[:2u] + x^{4u} M^o[:u] + x^{5u} R^o,$$

$$W_{2k+1} = W^o[:5u] + x^u W^o[:4u] + x^{3u} W^o[:2u] + x^{4u} W^o[:u] + x^{5u} R^o.$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1} \wedge W_{2k+1},$$

$$M_{2k+1} \wedge W_{2k+1} \Rightarrow M_{2k+2} \wedge W_{2k+2}.$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$(2.27) \quad W_{2k} M_{2k} = (W^e[:5v] + x^v W^e[:4v] + x^{3v} W^e[:2v] + x^{4v} W^e[:v] + x^{5u} R^e) \times (M^e[:5v] + x^v M^e[:4v] + x^{3v} M^e[:2v] + x^{4v} M^e[:v] + x^{5u} R^e);$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{10v} R^o$. Therefore we only need to prove that their difference is $O(x^{10v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{10v} , to

$$W^e[:10v] M^e[:10v] + x^{2v} W^e[:8v] M^e[:8v] + x^{6v} W^e[:4v] M^e[:4v] + x^{8v} W^e[:2v] M^e[:2v].$$

For all $n \leq 10$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.27) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{10}, b_1, \dots, b_{10}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{10})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned} \lim_{n \rightarrow \infty} M_{2n,j,k} &= M_{j,k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1,j,k} &= M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} &= W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} &= W_{j,k}^o. \end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12} \phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e / M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$\begin{aligned} q_0(x) &= x^{20} + x^{18} + x^{15} + x^{14} + x^{11} + x^{10} + x^9 + x^8 + x^7 + x^6 + x^5, \\ q_1(x) &= x^{18} + x^{16} + x^{14} + x^{13} + x^{12} + x^9 + x^8 + x^7 + x^5 + x^4 + x^3 + x^2, \\ q_2(x) &= x^{16} + x^6 + 1, \\ q_3(x) &= x^{18} + x^{16} + x^{14} + x^{13} + x^{12} + x^9 + x^8 + x^7 + x^5 + x^4 + x^3 + x^2, \\ q_4(x) &= x^{18} + x^{16} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} + x^9 + x^7 + x^5 + x^4. \end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 156, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 156, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned} p_0(x) &= x^{108} + x^{104} + x^{102} + x^{96} + x^{88} + x^{86} + x^{82} + x^{80} + x^{72} + x^{68} + x^{64} \\ &\quad + x^{62} + x^{60} + x^{58} + x^{54} + x^{46} + x^{44} + x^{38} + x^{28} + x^{26} + x^{24}, \\ p_3(x) &= x^{100} + x^{98} + x^{88} + x^{86} + x^{78} + x^{74} + x^{70} + x^{68} + x^{66} + x^{58} + x^{56} \\ &\quad + x^{54} + x^{52} + x^{48} + x^{42} + x^{40} + x^{36} + x^{32} + x^{30} + x^{22} + x^{20} + x^{18} \\ &\quad + x^{16} + x^{14}, \\ p_6(x) &= x^{98} + x^{96} + x^{94} + x^{80} + x^{76} + x^{74} + x^{72} + x^{66} + x^{64} + x^{60} + x^{58} \\ &\quad + x^{52} + x^{46} + x^{42} + x^{38} + x^{36} + x^{32} + x^{30} + x^{28} + x^{20} + x^{18} + x^{12} \\ &\quad + x^8 + x^6 + x^4 + 1, \\ p_9(x) &= x^{104} + x^{100} + x^{92} + x^{90} + x^{82} + x^{78} + x^{76} + x^{74} + x^{70} + x^{68} + x^{64} \\ &\quad + x^{60} + x^{52} + x^{50} + x^{42} + x^{40} + x^{38} + x^{34} + x^{30} + x^{26} + x^{18} + x^{14} \\ &\quad + x^{12} + x^{10} + x^6 + x^4, \\ p_{12}(x) &= x^{104} + x^{88} + x^{80} + x^{72} + x^{48} + x^{32} + x^{16} + x^8 + 1, \end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 1, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned} p_0(x) &= x^{105} + x^{103} + x^{100} + x^{99} + x^{97} + x^{94} + x^{93} + x^{92} + x^{91} + x^{88} + x^{82} \\ &\quad + x^{81} + x^{80} + x^{78} + x^{77} + x^{76} + x^{71} + x^{68} + x^{67} + x^{64} + x^{63} + x^{62} \end{aligned}$$

$$\begin{aligned}
& + x^{61} + x^{60} + x^{59} + x^{58} + x^{57} + x^{56} + x^{54} + x^{52} + x^{50} + x^{49} + x^{48} \\
& + x^{47} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{37} + x^{36} + x^{33} + x^{31} + x^{28} \\
& + x^{27}, \\
p_3(x) &= x^{101} + x^{98} + x^{91} + x^{88} + x^{75} + x^{72} + x^{59} + x^{56} + x^{45} + x^{43} + x^{42} \\
& + x^{40} + x^{35} + x^{32} + x^{29} + x^{27} + x^{26} + x^{24} + x^{21} + x^{18}, \\
p_6(x) &= x^{99} + x^{97} + x^{96} + x^{95} + x^{93} + x^{92} + x^{91} + x^{88} + x^{87} + x^{86} + x^{81} \\
& + x^{78} + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} + x^{67} + x^{64} + x^{62} + x^{60} + x^{58} \\
& + x^{57} + x^{56} + x^{55} + x^{53} + x^{52} + x^{51} + x^{49} + x^{48} + x^{47} + x^{44} + x^{42} \\
& + x^{41} + x^{40} + x^{37} + x^{35} + x^{34} + x^{33} + x^{31} + x^{30} + x^{29} + x^{26} + x^{25} \\
& + x^{24} + x^{23} + x^{20} + x^{18} + x^{16} + x^{14} + x^{13} + x^{12}, \\
p_9(x) &= x^{97} + x^{94} + x^{93} + x^{90} + x^{89} + x^{86} + x^{85} + x^{83} + x^{82} + x^{80} + x^{73} \\
& + x^{70} + x^{69} + x^{67} + x^{66} + x^{65} + x^{64} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} \\
& + x^{58} + x^{57} + x^{56} + x^{54} + x^{53} + x^{50} + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} \\
& + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} \\
& + x^{30} + x^{28} + x^{27} + x^{24} + x^{23} + x^{21} + x^{20} + x^{19} + x^{18} + x^{16} + x^{13} \\
& + x^{11} + x^{10} + x^9 + x^8 + x^6, \\
p_{12}(x) &= x^{95} + x^{93} + x^{92} + x^{87} + x^{85} + x^{84} + x^{83} + x^{81} + x^{80} + x^{63} + x^{61} \\
& + x^{60} + x^{55} + x^{53} + x^{52} + x^{51} + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} + x^{39} \\
& + x^{37} + x^{36} + x^{35} + x^{33} + x^{32} + x^{31} + x^{29} + x^{28} + x^{23} + x^{21} + x^{20} \\
& + x^{19} + x^{17} + x^{16} + x^{15} + x^{13} + x^{12} + x^7 + x^5 + x^4 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 0, 1, 0, 1, 0, 1, 1, 0, 0, 0]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{103} + x^{100} + x^{99} + x^{97} + x^{94} + x^{93} + x^{92} + x^{91} + x^{88} + x^{82} \\
& + x^{81} + x^{80} + x^{78} + x^{77} + x^{76} + x^{71} + x^{68} + x^{67} + x^{64} + x^{63} + x^{62} \\
& + x^{61} + x^{60} + x^{59} + x^{58} + x^{57} + x^{56} + x^{54} + x^{52} + x^{50} + x^{49} + x^{48} \\
& + x^{47} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{37} + x^{36} + x^{33} + x^{31} + x^{28} \\
& + x^{27}, \\
p_3(x) &= x^{101} + x^{98} + x^{91} + x^{88} + x^{75} + x^{72} + x^{59} + x^{56} + x^{45} + x^{43} + x^{42} \\
& + x^{40} + x^{35} + x^{32} + x^{29} + x^{27} + x^{26} + x^{24} + x^{21} + x^{18}, \\
p_6(x) &= x^{99} + x^{97} + x^{96} + x^{95} + x^{93} + x^{92} + x^{91} + x^{88} + x^{87} + x^{86} + x^{81} \\
& + x^{78} + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} + x^{67} + x^{64} + x^{62} + x^{60} + x^{58} \\
& + x^{57} + x^{56} + x^{55} + x^{53} + x^{52} + x^{51} + x^{49} + x^{48} + x^{47} + x^{44} + x^{42} \\
& + x^{41} + x^{40} + x^{37} + x^{35} + x^{34} + x^{33} + x^{31} + x^{30} + x^{29} + x^{26} + x^{25} \\
& + x^{24} + x^{23} + x^{20} + x^{18} + x^{16} + x^{14} + x^{13} + x^{12}, \\
p_9(x) &= x^{97} + x^{94} + x^{93} + x^{90} + x^{89} + x^{86} + x^{85} + x^{83} + x^{82} + x^{80} + x^{73}
\end{aligned}$$

$$\begin{aligned}
& + x^{70} + x^{69} + x^{67} + x^{66} + x^{65} + x^{64} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} \\
& + x^{58} + x^{57} + x^{56} + x^{54} + x^{53} + x^{50} + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} \\
& + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} \\
& + x^{30} + x^{28} + x^{27} + x^{24} + x^{23} + x^{21} + x^{20} + x^{19} + x^{18} + x^{16} + x^{13} \\
& + x^{11} + x^{10} + x^9 + x^8 + x^6, \\
p_{12}(x) = & x^{95} + x^{93} + x^{92} + x^{87} + x^{85} + x^{84} + x^{83} + x^{81} + x^{80} + x^{63} + x^{61} \\
& + x^{60} + x^{55} + x^{53} + x^{52} + x^{51} + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} + x^{39} \\
& + x^{37} + x^{36} + x^{35} + x^{33} + x^{32} + x^{31} + x^{29} + x^{28} + x^{23} + x^{21} + x^{20} \\
& + x^{19} + x^{17} + x^{16} + x^{15} + x^{13} + x^{12} + x^7 + x^5 + x^4 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 0, 1, 0, 1, 0, 1, 1, 0, 0, 0]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) = & x^{102} + x^{96} + x^{90} + x^{82} + x^{78} + x^{72} + x^{70} + x^{62} + x^{60} + x^{56} + x^{54} \\
& + x^{46} + x^{44} + x^{38} + x^{36} + x^{34} + x^{30}, \\
p_3(x) = & x^{90} + x^{84} + x^{80} + x^{78} + x^{76} + x^{74} + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} \\
& + x^{54} + x^{52} + x^{50} + x^{48} + x^{42} + x^{38} + x^{34} + x^{32} + x^{28} + x^{26} + x^{24} \\
& + x^{22} + x^{20} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_6(x) = & x^{90} + x^{86} + x^{84} + x^{76} + x^{74} + x^{72} + x^{70} + x^{66} + x^{64} + x^{60} + x^{56} \\
& + x^{54} + x^{52} + x^{48} + x^{46} + x^{44} + x^{40} + x^{38} + x^{36} + x^{32} + x^{28} + x^{26} \\
& + x^{24} + x^{18} + x^{14} + x^{12} + x^6 + x^4 + x^2 + 1, \\
p_9(x) = & x^{86} + x^{80} + x^{78} + x^{76} + x^{74} + x^{72} + x^{66} + x^{60} + x^{58} + x^{54} + x^{46} \\
& + x^{40} + x^{32} + x^{30} + x^{26} + x^{16} + x^8 + x^4, \\
p_{12}(x) = & x^{86} + x^{82} + x^{80} + x^{54} + x^{50} + x^{48} + x^{38} + x^{34} + x^{32} + x^{22} + x^{18} \\
& + x^{16} + x^6 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) = & x^{102} + x^{96} + x^{94} + x^{88} + x^{86} + x^{82} + x^{80} + x^{78} + x^{72} + x^{70} + x^{66} \\
& + x^{62} + x^{58} + x^{56} + x^{54} + x^{50} + x^{44} + x^{42} + x^{40} + x^{38} + x^{36} + x^{32} \\
& + x^{24}, \\
p_3(x) = & x^{90} + x^{84} + x^{82} + x^{80} + x^{78} + x^{70} + x^{64} + x^{60} + x^{58} + x^{56} + x^{54} \\
& + x^{50} + x^{48} + x^{46} + x^{40} + x^{36} + x^{34} + x^{30} + x^{28} + x^{14}, \\
p_6(x) = & x^{90} + x^{86} + x^{84} + x^{82} + x^{78} + x^{74} + x^{68} + x^{66} + x^{58} + x^{56} + x^{54} \\
& + x^{52} + x^{50} + x^{44} + x^{36} + x^{32} + x^{26} + x^{22} + x^{14} + x^{12} + x^{10} + x^8 \\
& + x^6 + x^4 + x^2 + 1, \\
p_9(x) = & x^{86} + x^{80} + x^{78} + x^{76} + x^{74} + x^{72} + x^{66} + x^{60} + x^{58} + x^{54} + x^{46} \\
& + x^{40} + x^{32} + x^{30} + x^{26} + x^{16} + x^8 + x^4,
\end{aligned}$$

$$p_{12}(x) = x^{86} + x^{82} + x^{80} + x^{54} + x^{50} + x^{48} + x^{38} + x^{34} + x^{32} + x^{22} + x^{18} \\ + x^{16} + x^6 + x^2 + 1,$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 0, 1, 0, 1, 0, 1, 0, 1, 0]$.

For $\phi(W^e, 0, 1)$:

$$p_0(x) = x^{105} + x^{96} + x^{95} + x^{92} + x^{91} + x^{89} + x^{81} + x^{80} + x^{78} + x^{76} + x^{75} \\ + x^{74} + x^{72} + x^{70} + x^{68} + x^{67} + x^{66} + x^{65} + x^{62} + x^{60} + x^{59} + x^{57} \\ + x^{55} + x^{54} + x^{53} + x^{51} + x^{49} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} \\ + x^{41} + x^{37} + x^{32} + x^{30} + x^{28} + x^{27},$$

$$p_3(x) = x^{101} + x^{98} + x^{91} + x^{88} + x^{75} + x^{72} + x^{59} + x^{56} + x^{45} + x^{43} + x^{42} \\ + x^{40} + x^{35} + x^{32} + x^{29} + x^{27} + x^{26} + x^{24} + x^{21} + x^{18},$$

$$p_6(x) = x^{99} + x^{97} + x^{96} + x^{95} + x^{93} + x^{92} + x^{91} + x^{88} + x^{87} + x^{86} + x^{81} \\ + x^{78} + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} + x^{67} + x^{64} + x^{62} + x^{60} + x^{58} \\ + x^{57} + x^{56} + x^{55} + x^{53} + x^{52} + x^{51} + x^{49} + x^{48} + x^{47} + x^{44} + x^{42} \\ + x^{41} + x^{40} + x^{37} + x^{35} + x^{34} + x^{33} + x^{31} + x^{30} + x^{29} + x^{26} + x^{25} \\ + x^{24} + x^{23} + x^{20} + x^{18} + x^{16} + x^{14} + x^{13} + x^{12},$$

$$p_9(x) = x^{97} + x^{94} + x^{93} + x^{90} + x^{89} + x^{86} + x^{85} + x^{83} + x^{82} + x^{80} + x^{73} \\ + x^{70} + x^{69} + x^{67} + x^{66} + x^{65} + x^{64} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} \\ + x^{58} + x^{57} + x^{56} + x^{54} + x^{53} + x^{50} + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} \\ + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} \\ + x^{30} + x^{28} + x^{27} + x^{24} + x^{23} + x^{21} + x^{20} + x^{19} + x^{18} + x^{16} + x^{13} \\ + x^{11} + x^{10} + x^9 + x^8 + x^6,$$

$$p_{12}(x) = x^{95} + x^{93} + x^{92} + x^{87} + x^{85} + x^{84} + x^{83} + x^{81} + x^{80} + x^{63} + x^{61} \\ + x^{60} + x^{55} + x^{53} + x^{52} + x^{51} + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} + x^{39} \\ + x^{37} + x^{36} + x^{35} + x^{33} + x^{32} + x^{31} + x^{29} + x^{28} + x^{23} + x^{21} + x^{20} \\ + x^{19} + x^{17} + x^{16} + x^{15} + x^{13} + x^{12} + x^7 + x^5 + x^4 + x^3 + x + 1,$$

and the initial terms are $[0, 0, 0, 1, 1, 1, 0, 0, 0, 1, 0, 1, 1, 1, 0, 0]$.

For $\phi(W^e, 1, 0)$:

$$p_0(x) = x^{105} + x^{96} + x^{95} + x^{92} + x^{91} + x^{89} + x^{81} + x^{80} + x^{78} + x^{76} + x^{75} \\ + x^{74} + x^{72} + x^{70} + x^{68} + x^{67} + x^{66} + x^{65} + x^{62} + x^{60} + x^{59} + x^{57} \\ + x^{55} + x^{54} + x^{53} + x^{51} + x^{49} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} \\ + x^{41} + x^{37} + x^{32} + x^{30} + x^{28} + x^{27},$$

$$p_3(x) = x^{101} + x^{98} + x^{91} + x^{88} + x^{75} + x^{72} + x^{59} + x^{56} + x^{45} + x^{43} + x^{42} \\ + x^{40} + x^{35} + x^{32} + x^{29} + x^{27} + x^{26} + x^{24} + x^{21} + x^{18},$$

$$p_6(x) = x^{99} + x^{97} + x^{96} + x^{95} + x^{93} + x^{92} + x^{91} + x^{88} + x^{87} + x^{86} + x^{81} \\ + x^{78} + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} + x^{67} + x^{64} + x^{62} + x^{60} + x^{58}$$

$$\begin{aligned}
& + x^{57} + x^{56} + x^{55} + x^{53} + x^{52} + x^{51} + x^{49} + x^{48} + x^{47} + x^{44} + x^{42} \\
& + x^{41} + x^{40} + x^{37} + x^{35} + x^{34} + x^{33} + x^{31} + x^{30} + x^{29} + x^{26} + x^{25} \\
& + x^{24} + x^{23} + x^{20} + x^{18} + x^{16} + x^{14} + x^{13} + x^{12}, \\
p_9(x) = & x^{97} + x^{94} + x^{93} + x^{90} + x^{89} + x^{86} + x^{85} + x^{83} + x^{82} + x^{80} + x^{73} \\
& + x^{70} + x^{69} + x^{67} + x^{66} + x^{65} + x^{64} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} \\
& + x^{58} + x^{57} + x^{56} + x^{54} + x^{53} + x^{50} + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} \\
& + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} \\
& + x^{30} + x^{28} + x^{27} + x^{24} + x^{23} + x^{21} + x^{20} + x^{19} + x^{18} + x^{16} + x^{13} \\
& + x^{11} + x^{10} + x^9 + x^8 + x^6, \\
p_{12}(x) = & x^{95} + x^{93} + x^{92} + x^{87} + x^{85} + x^{84} + x^{83} + x^{81} + x^{80} + x^{63} + x^{61} \\
& + x^{60} + x^{55} + x^{53} + x^{52} + x^{51} + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} + x^{39} \\
& + x^{37} + x^{36} + x^{35} + x^{33} + x^{32} + x^{31} + x^{29} + x^{28} + x^{23} + x^{21} + x^{20} \\
& + x^{19} + x^{17} + x^{16} + x^{15} + x^{13} + x^{12} + x^7 + x^5 + x^4 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 1, 1, 0, 0, 0, 1, 0, 1, 1, 1, 0, 0]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) = & x^{108} + x^{102} + x^{100} + x^{96} + x^{94} + x^{88} + x^{74} + x^{72} + x^{70} + x^{66} + x^{64} \\
& + x^{48} + x^{46} + x^{44} + x^{42} + x^{38} + x^{36} + x^{32} + x^{30}, \\
p_3(x) = & x^{98} + x^{96} + x^{90} + x^{88} + x^{86} + x^{84} + x^{76} + x^{74} + x^{70} + x^{68} + x^{66} \\
& + x^{60} + x^{58} + x^{54} + x^{52} + x^{50} + x^{48} + x^{44} + x^{42} + x^{40} + x^{38} + x^{36} \\
& + x^{30} + x^{26} + x^{22} + x^{18} + x^{16} + x^{12}, \\
p_6(x) = & x^{100} + x^{98} + x^{96} + x^{94} + x^{90} + x^{88} + x^{84} + x^{80} + x^{78} + x^{76} + x^{74} \\
& + x^{66} + x^{64} + x^{58} + x^{52} + x^{50} + x^{48} + x^{46} + x^{44} + x^{42} + x^{30} + x^{28} \\
& + x^{26} + x^{24} + x^{18} + x^{14} + x^{12} + x^6 + x^4 + 1, \\
p_9(x) = & x^{104} + x^{100} + x^{92} + x^{90} + x^{82} + x^{78} + x^{76} + x^{74} + x^{70} + x^{68} + x^{64} \\
& + x^{60} + x^{52} + x^{50} + x^{42} + x^{40} + x^{38} + x^{34} + x^{30} + x^{26} + x^{18} + x^{14} \\
& + x^{12} + x^{10} + x^6 + x^4, \\
p_{12}(x) = & x^{104} + x^{88} + x^{80} + x^{72} + x^{48} + x^{32} + x^{16} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) = & x^{105} + x^{103} + x^{101} + x^{100} + x^{99} + x^{97} + x^{95} + x^{94} + x^{92} + x^{90} + x^{89} \\
& + x^{88} + x^{85} + x^{84} + x^{81} + x^{76} + x^{75} + x^{74} + x^{73} + x^{71} + x^{64} + x^{63} \\
& + x^{60} + x^{55} + x^{54} + x^{52} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} \\
& + x^{44} + x^{42} + x^{41} + x^{39} + x^{38} + x^{36} + x^{33} + x^{32} + x^{31} + x^{29} + x^{28} \\
& + x^{26} + x^{25} + x^{24}, \\
p_3(x) = & x^{103} + x^{100} + x^{99} + x^{97} + x^{96} + x^{91} + x^{89} + x^{87} + x^{86} + x^{85} + x^{82}
\end{aligned}$$

$$\begin{aligned}
& + x^{81} + x^{80} + x^{79} + x^{76} + x^{74} + x^{73} + x^{70} + x^{68} + x^{67} + x^{66} + x^{65} \\
& + x^{62} + x^{60} + x^{59} + x^{58} + x^{56} + x^{55} + x^{54} + x^{49} + x^{46} + x^{45} + x^{44} \\
& + x^{43} + x^{42} + x^{41} + x^{40} + x^{33} + x^{32} + x^{26} + x^{23} + x^{21} + x^{20} + x^{18} \\
& + x^{17} + x^{16}, \\
p_6(x) &= x^{103} + x^{100} + x^{99} + x^{97} + x^{96} + x^{93} + x^{88} + x^{87} + x^{86} + x^{83} + x^{82} \\
& + x^{80} + x^{78} + x^{77} + x^{76} + x^{73} + x^{71} + x^{68} + x^{67} + x^{66} + x^{65} + x^{64} \\
& + x^{60} + x^{46} + x^{45} + x^{41} + x^{38} + x^{33} + x^{32} + x^{29} + x^{28} + x^{22} + x^{17} \\
& + x^{16} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8 + x^7 + x^5 + x^4 + x^3 + x + 1, \\
p_9(x) &= x^{103} + x^{101} + x^{100} + x^{91} + x^{89} + x^{88} + x^{71} + x^{69} + x^{68} + x^{59} + x^{57} \\
& + x^{56} + x^{55} + x^{53} + x^{52} + x^{43} + x^{41} + x^{40} + x^{39} + x^{37} + x^{36} + x^{27} \\
& + x^{25} + x^{24} + x^{23} + x^{21} + x^{20} + x^{11} + x^9 + x^8, \\
p_{12}(x) &= x^{103} + x^{101} + x^{100} + x^{95} + x^{93} + x^{92} + x^{91} + x^{89} + x^{88} + x^{87} + x^{85} \\
& + x^{84} + x^{83} + x^{81} + x^{80} + x^{71} + x^{69} + x^{68} + x^{63} + x^{61} + x^{60} + x^{59} \\
& + x^{57} + x^{56} + x^{51} + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} + x^{43} + x^{41} + x^{40} \\
& + x^{35} + x^{33} + x^{32} + x^{31} + x^{29} + x^{28} + x^{27} + x^{25} + x^{24} + x^{19} + x^{17} \\
& + x^{16} + x^{15} + x^{13} + x^{12} + x^{11} + x^9 + x^8 + x^7 + x^5 + x^4 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 1, 0, 1, 1, 0, 1, 0, 1, 0, 0, 1]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{102} + x^{99} + x^{98} + x^{96} + x^{93} + x^{91} + x^{89} + x^{85} + x^{84} + x^{82} \\
& + x^{78} + x^{77} + x^{76} + x^{73} + x^{68} + x^{67} + x^{65} + x^{64} + x^{63} + x^{62} + x^{61} \\
& + x^{57} + x^{56} + x^{49} + x^{45} + x^{44} + x^{43} + x^{42} + x^{39} + x^{38} + x^{36} + x^{35} \\
& + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{27}, \\
p_3(x) &= x^{94} + x^{92} + x^{90} + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} + x^{83} + x^{82} + x^{78} \\
& + x^{76} + x^{74} + x^{73} + x^{72} + x^{70} + x^{69} + x^{68} + x^{67} + x^{66} + x^{62} + x^{60} \\
& + x^{58} + x^{57} + x^{56} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} + x^{46} + x^{44} + x^{42} \\
& + x^{41} + x^{40} + x^{37} + x^{35} + x^{33} + x^{32} + x^{29} + x^{27} + x^{25} + x^{24} + x^{22} \\
& + x^{21} + x^{20} + x^{19} + x^{18}, \\
p_6(x) &= x^{96} + x^{92} + x^{88} + x^{86} + x^{78} + x^{76} + x^{72} + x^{64} + x^{62} + x^{60} + x^{58} \\
& + x^{56} + x^{52} + x^{48} + x^{44} + x^{42} + x^{40} + x^{34} + x^{30} + x^{26} + x^{24} + x^{20} \\
& + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_9(x) &= x^{98} + x^{96} + x^{93} + x^{90} + x^{87} + x^{86} + x^{66} + x^{64} + x^{61} + x^{58} + x^{55} \\
& + x^{54} + x^{50} + x^{48} + x^{45} + x^{42} + x^{39} + x^{38} + x^{34} + x^{32} + x^{29} + x^{26} \\
& + x^{23} + x^{22} + x^{18} + x^{16} + x^{13} + x^{10} + x^7 + x^6, \\
p_{12}(x) &= x^{100} + x^{92} + x^{88} + x^{84} + x^{80} + x^{68} + x^{60} + x^{56} + x^{48} + x^{44} + x^{40} \\
& + x^{32} + x^{28} + x^{24} + x^{16} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 1, 0, 1, 0, 1, 0, 0, 1, 0, 0]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{106} + x^{104} + x^{103} + x^{100} + x^{99} + x^{97} + x^{94} + x^{93} + x^{92} + x^{91} \\
&\quad + x^{89} + x^{85} + x^{84} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} + x^{66} \\
&\quad + x^{65} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} + x^{57} + x^{56} + x^{53} + x^{51} + x^{50} \\
&\quad + x^{49} + x^{46} + x^{45} + x^{43} + x^{42} + x^{41} + x^{39} + x^{36} + x^{34} + x^{27}, \\
p_3(x) &= x^{106} + x^{104} + x^{102} + x^{101} + x^{100} + x^{97} + x^{95} + x^{94} + x^{93} + x^{90} + x^{88} \\
&\quad + x^{87} + x^{86} + x^{83} + x^{82} + x^{81} + x^{79} + x^{78} + x^{77} + x^{74} + x^{72} + x^{71} \\
&\quad + x^{70} + x^{67} + x^{66} + x^{65} + x^{63} + x^{62} + x^{61} + x^{58} + x^{56} + x^{55} + x^{54} \\
&\quad + x^{51} + x^{49} + x^{48} + x^{47} + x^{44} + x^{42} + x^{41} + x^{40} + x^{37} + x^{35} + x^{34} \\
&\quad + x^{33} + x^{30} + x^{28} + x^{27} + x^{26} + x^{23} + x^{21} + x^{20} + x^{19} + x^{18}, \\
p_6(x) &= x^{108} + x^{104} + x^{98} + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{70} \\
&\quad + x^{66} + x^{64} + x^{60} + x^{58} + x^{56} + x^{54} + x^{52} + x^{40} + x^{36} + x^{32} + x^{30} \\
&\quad + x^{24} + x^{22} + x^{14} + x^{12}, \\
p_9(x) &= x^{110} + x^{108} + x^{105} + x^{100} + x^{99} + x^{97} + x^{96} + x^{94} + x^{93} + x^{91} + x^{87} \\
&\quad + x^{86} + x^{78} + x^{76} + x^{73} + x^{68} + x^{67} + x^{65} + x^{64} + x^{61} + x^{60} + x^{59} \\
&\quad + x^{57} + x^{55} + x^{54} + x^{52} + x^{51} + x^{49} + x^{48} + x^{45} + x^{44} + x^{43} + x^{41} \\
&\quad + x^{39} + x^{38} + x^{36} + x^{35} + x^{33} + x^{32} + x^{29} + x^{28} + x^{27} + x^{25} + x^{23} \\
&\quad + x^{22} + x^{20} + x^{19} + x^{17} + x^{16} + x^{14} + x^{13} + x^{11} + x^7 + x^6, \\
p_{12}(x) &= x^{112} + x^{92} + x^{64} + x^{60} + x^{44} + x^{28} + x^{16} + x^{12} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 1, 1, 0, 0, 1, 0, 0, 0, 1, 0, 1, 1]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{101} + x^{99} + x^{92} + x^{91} + x^{87} + x^{83} + x^{81} + x^{79} + x^{77} + x^{75} \\
&\quad + x^{71} + x^{67} + x^{66} + x^{64} + x^{60} + x^{59} + x^{58} + x^{57} + x^{55} + x^{54} + x^{53} \\
&\quad + x^{52} + x^{50} + x^{49} + x^{48} + x^{44} + x^{41} + x^{38} + x^{36} + x^{34} + x^{33} + x^{32} \\
&\quad + x^{31} + x^{30}, \\
p_3(x) &= x^{103} + x^{100} + x^{91} + x^{85} + x^{82} + x^{81} + x^{80} + x^{79} + x^{76} + x^{74} + x^{71} \\
&\quad + x^{68} + x^{67} + x^{66} + x^{65} + x^{62} + x^{60} + x^{59} + x^{58} + x^{57} + x^{56} + x^{49} \\
&\quad + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{39} + x^{38} + x^{32} + x^{31} + x^{30} + x^{27} \\
&\quad + x^{26} + x^{24} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18}, \\
p_6(x) &= x^{103} + x^{100} + x^{93} + x^{91} + x^{82} + x^{79} + x^{77} + x^{76} + x^{73} + x^{69} + x^{67} \\
&\quad + x^{66} + x^{64} + x^{63} + x^{62} + x^{61} + x^{60} + x^{58} + x^{57} + x^{56} + x^{47} + x^{46} \\
&\quad + x^{45} + x^{44} + x^{42} + x^{40} + x^{38} + x^{37} + x^{35} + x^{34} + x^{32} + x^{31} + x^{30} \\
&\quad + x^{28} + x^{27} + x^{26} + x^{23} + x^{22} + x^{20} + x^{19} + x^{18} + x^{16} + x^{11} + x^{10} \\
&\quad + x^7 + x^5 + x^4 + x^3 + x + 1,
\end{aligned}$$

$$\begin{aligned}
p_9(x) &= x^{103} + x^{101} + x^{100} + x^{91} + x^{89} + x^{88} + x^{71} + x^{69} + x^{68} + x^{59} + x^{57} \\
&\quad + x^{56} + x^{55} + x^{53} + x^{52} + x^{43} + x^{41} + x^{40} + x^{39} + x^{37} + x^{36} + x^{27} \\
&\quad + x^{25} + x^{24} + x^{23} + x^{21} + x^{20} + x^{11} + x^9 + x^8, \\
p_{12}(x) &= x^{103} + x^{101} + x^{100} + x^{95} + x^{93} + x^{92} + x^{91} + x^{89} + x^{88} + x^{87} + x^{85} \\
&\quad + x^{84} + x^{83} + x^{81} + x^{80} + x^{71} + x^{69} + x^{68} + x^{63} + x^{61} + x^{60} + x^{59} \\
&\quad + x^{57} + x^{56} + x^{51} + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} + x^{43} + x^{41} + x^{40} \\
&\quad + x^{35} + x^{33} + x^{32} + x^{31} + x^{29} + x^{28} + x^{27} + x^{25} + x^{24} + x^{19} + x^{17} \\
&\quad + x^{16} + x^{15} + x^{13} + x^{12} + x^{11} + x^9 + x^8 + x^7 + x^5 + x^4 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 0, 0, 0, 0, 1, 0, 1, 1]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{103} + x^{101} + x^{100} + x^{99} + x^{97} + x^{95} + x^{94} + x^{92} + x^{90} + x^{89} \\
&\quad + x^{88} + x^{85} + x^{84} + x^{81} + x^{76} + x^{75} + x^{74} + x^{73} + x^{71} + x^{64} + x^{63} \\
&\quad + x^{60} + x^{55} + x^{54} + x^{52} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} \\
&\quad + x^{44} + x^{42} + x^{41} + x^{39} + x^{38} + x^{36} + x^{33} + x^{32} + x^{31} + x^{29} + x^{28} \\
&\quad + x^{26} + x^{25} + x^{24}, \\
p_3(x) &= x^{103} + x^{100} + x^{99} + x^{97} + x^{96} + x^{91} + x^{89} + x^{87} + x^{86} + x^{85} + x^{82} \\
&\quad + x^{81} + x^{80} + x^{79} + x^{76} + x^{74} + x^{73} + x^{70} + x^{68} + x^{67} + x^{66} + x^{65} \\
&\quad + x^{62} + x^{60} + x^{59} + x^{58} + x^{56} + x^{55} + x^{54} + x^{49} + x^{46} + x^{45} + x^{44} \\
&\quad + x^{43} + x^{42} + x^{41} + x^{40} + x^{33} + x^{32} + x^{26} + x^{23} + x^{21} + x^{20} + x^{18} \\
&\quad + x^{17} + x^{16}, \\
p_6(x) &= x^{103} + x^{100} + x^{99} + x^{97} + x^{96} + x^{93} + x^{88} + x^{87} + x^{86} + x^{83} + x^{82} \\
&\quad + x^{80} + x^{78} + x^{77} + x^{76} + x^{73} + x^{71} + x^{68} + x^{67} + x^{66} + x^{65} + x^{64} \\
&\quad + x^{60} + x^{46} + x^{45} + x^{41} + x^{38} + x^{33} + x^{32} + x^{29} + x^{28} + x^{22} + x^{17} \\
&\quad + x^{16} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8 + x^7 + x^5 + x^4 + x^3 + x + 1, \\
p_9(x) &= x^{103} + x^{101} + x^{100} + x^{91} + x^{89} + x^{88} + x^{71} + x^{69} + x^{68} + x^{59} + x^{57} \\
&\quad + x^{56} + x^{55} + x^{53} + x^{52} + x^{43} + x^{41} + x^{40} + x^{39} + x^{37} + x^{36} + x^{27} \\
&\quad + x^{25} + x^{24} + x^{23} + x^{21} + x^{20} + x^{11} + x^9 + x^8, \\
p_{12}(x) &= x^{103} + x^{101} + x^{100} + x^{95} + x^{93} + x^{92} + x^{91} + x^{89} + x^{88} + x^{87} + x^{85} \\
&\quad + x^{84} + x^{83} + x^{81} + x^{80} + x^{71} + x^{69} + x^{68} + x^{63} + x^{61} + x^{60} + x^{59} \\
&\quad + x^{57} + x^{56} + x^{51} + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} + x^{43} + x^{41} + x^{40} \\
&\quad + x^{35} + x^{33} + x^{32} + x^{31} + x^{29} + x^{28} + x^{27} + x^{25} + x^{24} + x^{19} + x^{17} \\
&\quad + x^{16} + x^{15} + x^{13} + x^{12} + x^{11} + x^9 + x^8 + x^7 + x^5 + x^4 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 1, 1, 0, 1, 1, 0, 1, 0, 1, 0, 0, 1]$.

For $\phi(W^o, 0, 1)$:

$$p_0(x) = x^{108} + x^{106} + x^{104} + x^{103} + x^{100} + x^{99} + x^{97} + x^{94} + x^{93} + x^{92} + x^{91}$$

$$\begin{aligned}
& + x^{89} + x^{85} + x^{84} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} + x^{66} \\
& + x^{65} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} + x^{57} + x^{56} + x^{53} + x^{51} + x^{50} \\
& + x^{49} + x^{46} + x^{45} + x^{43} + x^{42} + x^{41} + x^{39} + x^{36} + x^{34} + x^{27}, \\
p_3(x) &= x^{106} + x^{104} + x^{102} + x^{101} + x^{100} + x^{97} + x^{95} + x^{94} + x^{93} + x^{90} + x^{88} \\
& + x^{87} + x^{86} + x^{83} + x^{82} + x^{81} + x^{79} + x^{78} + x^{77} + x^{74} + x^{72} + x^{71} \\
& + x^{70} + x^{67} + x^{66} + x^{65} + x^{63} + x^{62} + x^{61} + x^{58} + x^{56} + x^{55} + x^{54} \\
& + x^{51} + x^{49} + x^{48} + x^{47} + x^{44} + x^{42} + x^{41} + x^{40} + x^{37} + x^{35} + x^{34} \\
& + x^{33} + x^{30} + x^{28} + x^{27} + x^{26} + x^{23} + x^{21} + x^{20} + x^{19} + x^{18}, \\
p_6(x) &= x^{108} + x^{104} + x^{98} + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{70} \\
& + x^{66} + x^{64} + x^{60} + x^{58} + x^{56} + x^{54} + x^{52} + x^{40} + x^{36} + x^{32} + x^{30} \\
& + x^{24} + x^{22} + x^{14} + x^{12}, \\
p_9(x) &= x^{110} + x^{108} + x^{105} + x^{100} + x^{99} + x^{97} + x^{96} + x^{94} + x^{93} + x^{91} + x^{87} \\
& + x^{86} + x^{78} + x^{76} + x^{73} + x^{68} + x^{67} + x^{65} + x^{64} + x^{61} + x^{60} + x^{59} \\
& + x^{57} + x^{55} + x^{54} + x^{52} + x^{51} + x^{49} + x^{48} + x^{45} + x^{44} + x^{43} + x^{41} \\
& + x^{39} + x^{38} + x^{36} + x^{35} + x^{33} + x^{32} + x^{29} + x^{28} + x^{27} + x^{25} + x^{23} \\
& + x^{22} + x^{20} + x^{19} + x^{17} + x^{16} + x^{14} + x^{13} + x^{11} + x^7 + x^6, \\
p_{12}(x) &= x^{112} + x^{92} + x^{64} + x^{60} + x^{44} + x^{28} + x^{16} + x^{12} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 1, 1, 0, 0, 1, 0, 0, 0, 1, 0, 1, 1]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{102} + x^{99} + x^{98} + x^{96} + x^{93} + x^{91} + x^{89} + x^{85} + x^{84} + x^{82} \\
& + x^{78} + x^{77} + x^{76} + x^{73} + x^{68} + x^{67} + x^{65} + x^{64} + x^{63} + x^{62} + x^{61} \\
& + x^{57} + x^{56} + x^{49} + x^{45} + x^{44} + x^{43} + x^{42} + x^{39} + x^{38} + x^{36} + x^{35} \\
& + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{27}, \\
p_3(x) &= x^{94} + x^{92} + x^{90} + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} + x^{83} + x^{82} + x^{78} \\
& + x^{76} + x^{74} + x^{73} + x^{72} + x^{70} + x^{69} + x^{68} + x^{67} + x^{66} + x^{62} + x^{60} \\
& + x^{58} + x^{57} + x^{56} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} + x^{46} + x^{44} + x^{42} \\
& + x^{41} + x^{40} + x^{37} + x^{35} + x^{33} + x^{32} + x^{29} + x^{27} + x^{25} + x^{24} + x^{22} \\
& + x^{21} + x^{20} + x^{19} + x^{18}, \\
p_6(x) &= x^{96} + x^{92} + x^{88} + x^{86} + x^{78} + x^{76} + x^{72} + x^{64} + x^{62} + x^{60} + x^{58} \\
& + x^{56} + x^{52} + x^{48} + x^{44} + x^{42} + x^{40} + x^{34} + x^{30} + x^{26} + x^{24} + x^{20} \\
& + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_9(x) &= x^{98} + x^{96} + x^{93} + x^{90} + x^{87} + x^{86} + x^{66} + x^{64} + x^{61} + x^{58} + x^{55} \\
& + x^{54} + x^{50} + x^{48} + x^{45} + x^{42} + x^{39} + x^{38} + x^{34} + x^{32} + x^{29} + x^{26} \\
& + x^{23} + x^{22} + x^{18} + x^{16} + x^{13} + x^{10} + x^7 + x^6, \\
p_{12}(x) &= x^{100} + x^{92} + x^{88} + x^{84} + x^{80} + x^{68} + x^{60} + x^{56} + x^{48} + x^{44} + x^{40}
\end{aligned}$$

$$+ x^{32} + x^{28} + x^{24} + x^{16} + x^{12} + x^8 + x^4 + 1,$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 1, 0, 1, 0, 1, 0, 0, 1, 0, 0]$.

For $\phi(W^o, 1, 1)$:

$$\begin{aligned} p_0(x) = & x^{105} + x^{101} + x^{99} + x^{92} + x^{91} + x^{87} + x^{83} + x^{81} + x^{79} + x^{77} + x^{75} \\ & + x^{71} + x^{67} + x^{66} + x^{64} + x^{60} + x^{59} + x^{58} + x^{57} + x^{55} + x^{54} + x^{53} \\ & + x^{52} + x^{50} + x^{49} + x^{48} + x^{44} + x^{41} + x^{38} + x^{36} + x^{34} + x^{33} + x^{32} \\ & + x^{31} + x^{30}, \end{aligned}$$

$$\begin{aligned} p_3(x) = & x^{103} + x^{100} + x^{91} + x^{85} + x^{82} + x^{81} + x^{80} + x^{79} + x^{76} + x^{74} + x^{71} \\ & + x^{68} + x^{67} + x^{66} + x^{65} + x^{62} + x^{60} + x^{59} + x^{58} + x^{57} + x^{56} + x^{49} \\ & + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{39} + x^{38} + x^{32} + x^{31} + x^{30} + x^{27} \\ & + x^{26} + x^{24} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18}, \end{aligned}$$

$$\begin{aligned} p_6(x) = & x^{103} + x^{100} + x^{93} + x^{91} + x^{82} + x^{79} + x^{77} + x^{76} + x^{73} + x^{69} + x^{67} \\ & + x^{66} + x^{64} + x^{63} + x^{62} + x^{61} + x^{60} + x^{58} + x^{57} + x^{56} + x^{47} + x^{46} \\ & + x^{45} + x^{44} + x^{42} + x^{40} + x^{38} + x^{37} + x^{35} + x^{34} + x^{32} + x^{31} + x^{30} \\ & + x^{28} + x^{27} + x^{26} + x^{23} + x^{22} + x^{20} + x^{19} + x^{18} + x^{16} + x^{11} + x^{10} \\ & + x^7 + x^5 + x^4 + x^3 + x + 1, \end{aligned}$$

$$\begin{aligned} p_9(x) = & x^{103} + x^{101} + x^{100} + x^{91} + x^{89} + x^{88} + x^{71} + x^{69} + x^{68} + x^{59} + x^{57} \\ & + x^{56} + x^{55} + x^{53} + x^{52} + x^{43} + x^{41} + x^{40} + x^{39} + x^{37} + x^{36} + x^{27} \\ & + x^{25} + x^{24} + x^{23} + x^{21} + x^{20} + x^{11} + x^9 + x^8, \end{aligned}$$

$$\begin{aligned} p_{12}(x) = & x^{103} + x^{101} + x^{100} + x^{95} + x^{93} + x^{92} + x^{91} + x^{89} + x^{88} + x^{87} + x^{85} \\ & + x^{84} + x^{83} + x^{81} + x^{80} + x^{71} + x^{69} + x^{68} + x^{63} + x^{61} + x^{60} + x^{59} \\ & + x^{57} + x^{56} + x^{51} + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} + x^{43} + x^{41} + x^{40} \\ & + x^{35} + x^{33} + x^{32} + x^{31} + x^{29} + x^{28} + x^{27} + x^{25} + x^{24} + x^{19} + x^{17} \\ & + x^{16} + x^{15} + x^{13} + x^{12} + x^{11} + x^9 + x^8 + x^7 + x^5 + x^4 + x^3 + x + 1, \end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 0, 0, 0, 0, 1, 0, 1, 1]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	139	[234, 235]	278	[393, 362]	417	[70, 250]	556	[629, 295]
1	[3, 4]	140	[236, 237]	279	[394, 395]	418	[535, 536]	557	[445, 82]
2	[5, 6]	141	[238, 64]	280	[396, 397]	419	[537, 96]	558	[630, 214]
3	[7, 8]	142	[239, 237]	281	[398, 399]	420	[473, 16]	559	[64, 631]
4	[9, 10]	143	[240, 70]	282	[400, 37]	421	[538, 103]	560	[632, 102]
5	[11, 12]	144	[241, 242]	283	[401, 169]	422	[481, 486]	561	[633, 438]
6	[13, 14]	145	[243, 244]	284	[354, 402]	423	[269, 539]	562	[280, 235]
7	[15, 16]	146	[245, 246]	285	[403, 404]	424	[6, 106]	563	[634, 62]
8	[17, 18]	147	[247, 248]	286	[405, 140]	425	[540, 468]	564	[520, 100]

9	[19, 20]	148	[249, 250]	287	[406, 182]	426	[462, 454]	565	[219, 635]
10	[21, 22]	149	[251, 27]	288	[176, 45]	427	[541, 270]	566	[636, 637]
11	[23, 24]	150	[252, 67]	289	[390, 55]	428	[542, 8]	567	[638, 265]
12	[25, 26]	151	[253, 254]	290	[155, 407]	429	[543, 544]	568	[639, 512]
13	[27, 24]	152	[255, 245]	291	[408, 392]	430	[545, 58]	569	[97, 468]
14	[28, 29]	153	[200, 256]	292	[409, 386]	431	[142, 349]	570	[499, 640]
15	[30, 31]	154	[257, 258]	293	[141, 410]	432	[546, 161]	571	[285, 641]
16	[32, 33]	155	[259, 260]	294	[411, 49]	433	[547, 369]	572	[642, 95]
17	[34, 35]	156	[28, 261]	295	[412, 326]	434	[150, 548]	573	[61, 541]
18	[36, 37]	157	[262, 263]	296	[413, 331]	435	[348, 143]	574	[514, 26]
19	[38, 39]	158	[18, 254]	297	[414, 190]	436	[149, 173]	575	[643, 28]
20	[40, 41]	159	[83, 264]	298	[415, 416]	437	[549, 184]	576	[644, 71]
21	[42, 43]	160	[211, 265]	299	[47, 329]	438	[550, 551]	577	[645, 498]
22	[44, 45]	161	[266, 267]	300	[417, 418]	439	[552, 418]	578	[439, 289]
23	[46, 47]	162	[268, 94]	301	[419, 333]	440	[553, 395]	579	[294, 646]
24	[48, 49]	163	[269, 270]	302	[420, 421]	441	[554, 555]	580	[647, 25]
25	[50, 51]	164	[271, 272]	303	[422, 360]	442	[556, 557]	581	[299, 526]
26	[52, 53]	165	[273, 263]	304	[423, 424]	443	[558, 393]	582	[246, 105]
27	[54, 55]	166	[110, 274]	305	[130, 351]	444	[125, 559]	583	[648, 442]
28	[56, 57]	167	[275, 276]	306	[43, 425]	445	[560, 424]	584	[435, 300]
29	[58, 59]	168	[272, 243]	307	[347, 314]	446	[561, 562]	585	[96, 530]
30	[60, 61]	169	[100, 256]	308	[161, 180]	447	[549, 333]	586	[540, 98]
31	[62, 63]	170	[277, 278]	309	[426, 427]	448	[563, 30]	587	[649, 272]
32	[64, 65]	171	[279, 280]	310	[6, 87]	449	[180, 404]	588	[451, 107]
33	[66, 67]	172	[281, 282]	311	[428, 429]	450	[165, 355]	589	[221, 621]
34	[68, 4]	173	[283, 260]	312	[234, 430]	451	[49, 564]	590	[650, 75]
35	[69, 70]	174	[284, 285]	313	[235, 431]	452	[565, 165]	591	[636, 534]
36	[71, 72]	175	[105, 87]	314	[432, 248]	453	[566, 11]	592	[651, 516]
37	[73, 18]	176	[286, 74]	315	[433, 434]	454	[567, 10]	593	[456, 641]
38	[74, 75]	177	[69, 249]	316	[435, 22]	455	[150, 195]	594	[648, 652]
39	[76, 77]	178	[287, 133]	317	[436, 95]	456	[568, 569]	595	[449, 473]
40	[78, 79]	179	[288, 289]	318	[437, 438]	457	[570, 419]	596	[3, 474]
41	[80, 81]	180	[265, 290]	319	[113, 439]	458	[145, 548]	597	[653, 102]
42	[82, 83]	181	[76, 291]	320	[82, 110]	459	[571, 199]	598	[89, 307]
43	[84, 85]	182	[292, 293]	321	[24, 440]	460	[572, 573]	599	[510, 536]
44	[22, 86]	183	[294, 295]	322	[441, 74]	461	[40, 574]	600	[541, 539]
45	[87, 88]	184	[296, 112]	323	[442, 443]	462	[575, 407]	601	[455, 109]
46	[89, 90]	185	[96, 297]	324	[70, 444]	463	[158, 136]	602	[654, 640]
47	[91, 92]	186	[67, 90]	325	[445, 109]	464	[576, 342]	603	[303, 635]
48	[93, 94]	187	[271, 298]	326	[446, 447]	465	[393, 129]	604	[655, 439]
49	[95, 96]	188	[61, 269]	327	[240, 249]	466	[59, 370]	605	[639, 293]
50	[97, 98]	189	[24, 299]	328	[448, 449]	467	[577, 317]	606	[290, 637]
51	[99, 100]	190	[300, 86]	329	[90, 450]	468	[578, 579]	607	[485, 482]
52	[101, 72]	191	[285, 301]	330	[451, 79]	469	[370, 410]	608	[656, 211]

53	[102, 103]	192	[246, 6]	331	[452, 29]	470	[580, 581]	609	[527, 524]
54	[104, 73]	193	[302, 303]	332	[453, 225]	471	[8, 382]	610	[94, 657]
55	[105, 106]	194	[304, 305]	333	[454, 238]	472	[582, 569]	611	[658, 625]
56	[107, 108]	195	[306, 92]	334	[455, 82]	473	[583, 557]	612	[659, 489]
57	[109, 110]	196	[67, 307]	335	[456, 301]	474	[41, 122]	613	[660, 661]
58	[111, 112]	197	[308, 63]	336	[88, 308]	475	[584, 367]	614	[19, 460]
59	[98, 113]	198	[309, 71]	337	[457, 458]	476	[386, 579]	615	[215, 279]
60	[114, 115]	199	[212, 290]	338	[459, 460]	477	[585, 56]	616	[16, 531]
61	[116, 117]	200	[310, 119]	339	[461, 462]	478	[174, 336]	617	[628, 454]
62	[118, 119]	201	[311, 47]	340	[463, 464]	479	[586, 58]	618	[652, 443]
63	[120, 121]	202	[45, 38]	341	[282, 229]	480	[587, 588]	619	[21, 300]
64	[122, 117]	203	[312, 197]	342	[232, 73]	481	[589, 421]	620	[662, 279]
65	[123, 124]	204	[313, 163]	343	[465, 429]	482	[590, 190]	621	[571, 170]
66	[125, 126]	205	[314, 315]	344	[466, 442]	483	[408, 591]	622	[353, 358]
67	[127, 57]	206	[117, 316]	345	[449, 15]	484	[404, 416]	623	[663, 399]
68	[128, 129]	207	[312, 317]	346	[102, 467]	485	[592, 174]	624	[664, 409]
69	[130, 125]	208	[318, 43]	347	[307, 450]	486	[593, 594]	625	[592, 38]
70	[131, 14]	209	[319, 320]	348	[468, 113]	487	[595, 128]	626	[572, 607]
71	[132, 133]	210	[135, 137]	349	[442, 469]	488	[169, 150]	627	[665, 316]
72	[134, 135]	211	[321, 155]	350	[470, 232]	489	[413, 596]	628	[666, 350]
73	[136, 137]	212	[322, 191]	351	[4, 471]	490	[337, 125]	629	[667, 609]
74	[138, 139]	213	[323, 324]	352	[472, 473]	491	[597, 52]	630	[314, 396]
75	[140, 141]	214	[325, 326]	353	[474, 471]	492	[165, 402]	631	[337, 351]
76	[142, 143]	215	[327, 324]	354	[475, 229]	493	[352, 124]	632	[668, 669]
77	[144, 145]	216	[328, 329]	355	[272, 476]	494	[385, 578]	633	[371, 669]
78	[146, 147]	217	[330, 331]	356	[477, 207]	495	[543, 598]	634	[670, 120]
79	[148, 149]	218	[45, 174]	357	[303, 478]	496	[145, 195]	635	[620, 170]
80	[144, 150]	219	[332, 12]	358	[479, 28]	497	[370, 599]	636	[671, 350]
81	[151, 121]	220	[333, 334]	359	[480, 269]	498	[346, 365]	637	[672, 544]
82	[152, 153]	221	[123, 335]	360	[481, 482]	499	[600, 52]	638	[548, 196]
83	[154, 155]	222	[38, 336]	361	[483, 81]	500	[405, 59]	639	[412, 673]
84	[156, 35]	223	[1, 337]	362	[473, 484]	501	[157, 134]	640	[554, 377]
85	[157, 158]	224	[151, 338]	363	[485, 486]	502	[158, 135]	641	[668, 372]
86	[43, 159]	225	[339, 315]	364	[487, 432]	503	[601, 56]	642	[672, 598]
87	[160, 161]	226	[137, 340]	365	[488, 433]	504	[602, 427]	643	[674, 345]
88	[162, 163]	227	[341, 158]	366	[204, 489]	505	[31, 573]	644	[341, 134]
89	[164, 165]	228	[37, 157]	367	[490, 222]	506	[603, 588]	645	[558, 128]
90	[166, 51]	229	[340, 36]	368	[491, 25]	507	[197, 411]	646	[409, 578]
91	[167, 115]	230	[37, 341]	369	[249, 444]	508	[604, 409]	647	[33, 675]
92	[59, 141]	231	[134, 136]	370	[492, 458]	509	[376, 555]	648	[676, 562]
93	[168, 169]	232	[342, 36]	371	[304, 493]	510	[147, 605]	649	[325, 673]
94	[170, 171]	233	[343, 187]	372	[213, 494]	511	[330, 596]	650	[677, 337]
95	[172, 53]	234	[344, 142]	373	[495, 242]	512	[595, 393]	651	[616, 574]
96	[173, 13]	235	[329, 345]	374	[496, 305]	513	[606, 581]	652	[678, 31]

97	[174, 39]	236	[346, 347]	375	[476, 244]	514	[365, 314]	653	[419, 184]
98	[175, 176]	237	[348, 349]	376	[497, 498]	515	[31, 607]	654	[375, 675]
99	[177, 178]	238	[350, 139]	377	[499, 500]	516	[551, 192]	655	[679, 390]
100	[179, 180]	239	[351, 126]	378	[501, 502]	517	[608, 609]	656	[615, 680]
101	[181, 182]	240	[352, 335]	379	[245, 5]	518	[198, 425]	657	[169, 145]
102	[183, 142]	241	[353, 173]	380	[503, 479]	519	[574, 122]	658	[381, 681]
103	[184, 185]	242	[354, 355]	381	[504, 502]	520	[551, 605]	659	[682, 120]
104	[186, 187]	243	[356, 176]	382	[16, 505]	521	[576, 340]	660	[593, 680]
105	[188, 162]	244	[33, 357]	383	[506, 65]	522	[550, 147]	661	[601, 127]
106	[12, 189]	245	[358, 13]	384	[204, 507]	523	[401, 144]	662	[339, 396]
107	[190, 191]	246	[359, 360]	385	[508, 294]	524	[373, 379]	663	[94, 276]
108	[147, 192]	247	[361, 189]	386	[509, 267]	525	[577, 197]	664	[535, 511]
109	[193, 194]	248	[128, 362]	387	[218, 303]	526	[49, 610]	665	[683, 294]
110	[195, 196]	249	[363, 162]	388	[510, 511]	527	[611, 564]	666	[216, 234]
111	[197, 48]	250	[364, 365]	389	[292, 512]	528	[612, 414]	667	[440, 684]
112	[198, 159]	251	[317, 48]	390	[513, 464]	529	[613, 614]	668	[685, 246]
113	[199, 171]	252	[364, 347]	391	[298, 243]	530	[615, 594]	669	[472, 15]
114	[99, 200]	253	[366, 367]	392	[491, 514]	531	[616, 41]	670	[686, 211]
115	[201, 202]	254	[137, 342]	393	[515, 516]	532	[617, 419]	671	[687, 661]
116	[203, 204]	255	[368, 11]	394	[517, 440]	533	[120, 338]	672	[688, 432]
117	[26, 205]	256	[178, 369]	395	[302, 219]	534	[149, 358]	673	[517, 299]
118	[206, 207]	257	[140, 370]	396	[518, 61]	535	[618, 178]	674	[689, 433]
119	[208, 77]	258	[371, 372]	397	[462, 519]	536	[317, 411]	675	[649, 298]
120	[209, 210]	259	[373, 374]	398	[520, 200]	537	[619, 414]	676	[109, 83]
121	[211, 212]	260	[375, 357]	399	[216, 280]	538	[315, 397]	677	[452, 261]
122	[79, 108]	261	[376, 377]	400	[521, 282]	539	[585, 127]	678	[690, 434]
123	[213, 214]	262	[378, 157]	401	[522, 523]	540	[620, 199]	679	[5, 105]
124	[215, 216]	263	[378, 341]	402	[522, 524]	541	[115, 153]	680	[629, 646]
125	[217, 27]	264	[153, 379]	403	[525, 278]	542	[490, 621]	681	[78, 107]
126	[218, 219]	265	[380, 149]	404	[289, 202]	543	[538, 467]	682	[299, 684]
127	[220, 204]	266	[58, 140]	405	[519, 238]	544	[428, 622]	683	[8, 681]
128	[106, 88]	267	[381, 382]	406	[88, 62]	545	[83, 274]	684	[146, 551]
129	[221, 222]	268	[153, 374]	407	[440, 526]	546	[459, 20]	685	[691, 614]
130	[223, 64]	269	[383, 194]	408	[527, 523]	547	[623, 227]	686	[414, 322]
131	[224, 225]	270	[117, 384]	409	[528, 205]	548	[256, 449]	687	[590, 322]
132	[226, 227]	271	[385, 386]	410	[113, 288]	549	[624, 625]	688	[141, 599]
133	[133, 133]	272	[387, 33]	411	[430, 431]	550	[496, 493]	689	[391, 591]
134	[228, 210]	273	[388, 320]	412	[529, 530]	551	[626, 462]	690	[692, 30]
135	[229, 230]	274	[168, 144]	413	[484, 531]	552	[627, 479]	691	[279, 234]
136	[231, 232]	275	[389, 390]	414	[532, 285]	553	[446, 258]	692	[208, 291]
137	[210, 85]	276	[391, 392]	415	[533, 245]	554	[280, 430]		
138	[233, 230]	277	[184, 334]	416	[290, 534]	555	[628, 519]		

Output function $n \mapsto \tau(n)$:

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	100	0	200	1	300	0	400	0	500	0	600	1
1	0	101	0	201	1	301	0	401	1	501	1	601	0
2	0	102	1	202	0	302	1	402	1	502	1	602	0
3	0	103	0	203	0	303	0	403	1	503	0	603	0
4	0	104	1	204	0	304	0	404	0	504	0	604	0
5	0	105	0	205	1	305	0	405	0	505	0	605	0
6	1	106	1	206	0	306	0	406	1	506	0	606	0
7	0	107	0	207	0	307	1	407	0	507	1	607	1
8	1	108	0	208	1	308	1	408	0	508	0	608	1
9	0	109	1	209	1	309	1	409	1	509	0	609	0
10	0	110	0	210	1	310	1	410	1	510	0	610	0
11	0	111	1	211	0	311	1	411	1	511	1	611	0
12	1	112	1	212	1	312	0	412	0	512	0	612	1
13	1	113	1	213	0	313	0	413	0	513	0	613	0
14	0	114	0	214	1	314	1	414	0	514	0	614	0
15	0	115	1	215	1	315	0	415	1	515	0	615	1
16	1	116	0	216	0	316	1	416	0	516	1	616	1
17	1	117	0	217	1	317	0	417	0	517	1	617	0
18	1	118	0	218	0	318	1	418	1	518	1	618	1
19	0	119	1	219	1	319	1	419	0	519	0	619	0
20	0	120	1	220	1	320	0	420	1	520	1	620	0
21	0	121	0	221	0	321	0	421	0	521	0	621	1
22	1	122	1	222	0	322	1	422	0	522	1	622	1
23	0	123	0	223	0	323	0	423	0	523	1	623	0
24	0	124	1	224	0	324	0	424	1	524	0	624	1
25	1	125	1	225	0	325	1	425	0	525	1	625	1
26	0	126	0	226	1	326	0	426	1	526	1	626	1
27	1	127	1	227	0	327	1	427	1	527	0	627	1
28	0	128	1	228	0	328	0	428	1	528	1	628	0
29	1	129	0	229	1	329	0	429	0	529	0	629	0
30	0	130	0	230	0	330	1	430	1	530	1	630	1
31	0	131	0	231	0	331	1	431	0	531	1	631	1
32	1	132	1	232	0	332	1	432	1	532	0	632	1
33	1	133	0	233	0	333	1	433	0	533	1	633	0
34	1	134	0	234	0	334	0	434	0	534	0	634	0
35	0	135	1	235	0	335	0	435	1	535	1	635	0
36	1	136	0	236	1	336	1	436	0	536	0	636	1
37	0	137	1	237	1	337	1	437	1	537	0	637	1
38	0	138	0	238	1	338	1	438	1	538	0	638	1
39	0	139	0	239	0	339	0	439	1	539	1	639	0
40	0	140	1	240	1	340	1	440	0	540	0	640	1
41	1	141	1	241	1	341	0	441	1	541	1	641	1
42	0	142	0	242	1	342	0	442	0	542	1	642	1

43	0	143	1	243	1	343	0	443	1	543	0	643	1
44	1	144	1	244	1	344	0	444	1	544	1	644	0
45	0	145	1	245	0	345	0	445	1	545	1	645	1
46	0	146	0	246	1	346	1	446	0	546	1	646	1
47	1	147	0	247	0	347	1	447	1	547	0	647	1
48	0	148	1	248	1	348	1	448	0	548	1	648	1
49	1	149	0	249	1	349	0	449	0	549	1	649	1
50	1	150	0	250	0	350	1	450	0	550	1	650	1
51	0	151	0	251	0	351	0	451	1	551	1	651	1
52	0	152	0	252	0	352	1	452	1	552	1	652	1
53	1	153	1	253	0	353	1	453	1	553	0	653	0
54	1	154	1	254	1	354	1	454	1	554	1	654	0
55	0	155	0	255	0	355	0	455	0	555	0	655	0
56	0	156	0	256	1	356	1	456	0	556	0	656	1
57	1	157	1	257	1	357	0	457	1	557	1	657	0
58	1	158	1	258	0	358	0	458	1	558	1	658	0
59	0	159	1	259	0	359	1	459	1	559	1	659	1
60	0	160	0	260	0	360	0	460	1	560	1	660	0
61	0	161	1	261	0	361	0	461	0	561	0	661	0
62	0	162	1	262	1	362	1	462	1	562	1	662	0
63	1	163	0	263	1	363	1	463	1	563	0	663	0
64	1	164	0	264	1	364	0	464	0	564	1	664	1
65	0	165	0	265	0	365	0	465	0	565	1	665	1
66	1	166	0	266	1	366	0	466	0	566	1	666	0
67	1	167	1	267	0	367	1	467	1	567	1	667	0
68	1	168	0	268	1	368	0	468	1	568	0	668	1
69	0	169	0	269	0	369	1	469	0	569	1	669	1
70	0	170	0	270	0	370	0	470	1	570	1	670	0
71	1	171	1	271	0	371	0	471	1	571	1	671	1
72	0	172	1	272	0	372	0	472	1	572	1	672	1
73	0	173	1	273	0	373	0	473	1	573	0	673	1
74	0	174	1	274	0	374	1	474	1	574	0	674	1
75	1	175	0	275	1	375	0	475	1	575	1	675	1
76	0	176	0	276	1	376	0	476	0	576	0	676	1
77	1	177	0	277	0	377	1	477	1	577	1	677	1
78	0	178	1	278	0	378	1	478	1	578	1	678	1
79	1	179	0	279	1	379	0	479	0	579	1	679	0
80	1	180	0	280	1	380	0	480	1	580	1	680	0
81	0	181	0	281	1	381	0	481	0	581	1	681	0
82	0	182	1	282	0	382	1	482	1	582	1	682	1
83	1	183	1	283	1	383	0	483	0	583	1	683	1
84	0	184	0	284	1	384	0	484	0	584	1	684	0
85	1	185	1	285	1	385	0	485	1	585	1	685	1
86	0	186	1	286	0	386	0	486	0	586	0	686	0

87	0	187	0	287	1	387	0	487	0	587	1	687	1
88	1	188	0	288	0	388	0	488	0	588	1	688	1
89	0	189	0	289	0	389	1	489	0	589	0	689	1
90	0	190	0	290	0	390	0	490	1	590	1	690	1
91	1	191	1	291	0	391	1	491	0	591	1	691	1
92	0	192	1	292	1	392	0	492	0	592	1	692	1
93	0	193	1	293	1	393	0	493	1	593	0		
94	0	194	0	294	1	394	1	494	0	594	1		
95	1	195	0	295	0	395	1	495	0	595	0		
96	1	196	1	296	0	396	1	496	1	596	0		
97	1	197	1	297	0	397	1	497	0	597	0		
98	0	198	1	298	1	398	1	498	1	598	0		
99	0	199	1	299	1	399	0	499	1	599	0		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE
Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA
Email address: `huyining@hust.edu.cn`