

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z, z^4 + z^3 + z + 1)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z, z^4 + z^3 + z + 1)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 07:18:12 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 19.4 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z, z^4 + z^3 + z + 1)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$\begin{aligned} p_0(z) &= z^{16} + z^{15} + z^{14} + z^9 + z^8 + z^3 + z + 1, \\ p_1(z) &= z^{19} + z^{17} + z^{16} + z^{10} + z^9 + z^7 + z^4 + z^3 + z^2 + z, \\ p_2(z) &= z^{20} + z^{18} + z^{16} + z^{14} + z^{12} + z^{10} + z^8 + z^2, \\ p_3(z) &= z^{19} + z^{17} + z^{16} + z^{10} + z^9 + z^7 + z^4 + z^3 + z^2 + z, \\ p_4(z) &= z^{18} + z^{15} + z^{10} + z^9 + z^8 + z^4 + z^3 + z^2 + z, \end{aligned}$$

and for $\text{CF}(b, a)$,

$$\begin{aligned} p_0(z) &= z^{15} + z^{14} + z^{12} + z^9 + z^8 + z^3 + z, \\ p_1(z) &= z^{19} + z^{17} + z^{16} + z^{10} + z^9 + z^7 + z^4 + z^3 + z^2 + z, \\ p_2(z) &= z^{20} + z^{18} + z^{16} + z^{14} + z^{12} + z^{10} + z^8 + z^2, \\ p_3(z) &= z^{19} + z^{17} + z^{16} + z^{10} + z^9 + z^7 + z^4 + z^3 + z^2 + z, \\ p_4(z) &= z^{18} + z^{16} + z^{15} + z^{12} + z^{10} + z^9 + z^8 + z^4 + z^3 + z^2 + z + 1. \end{aligned}$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{t}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(125, 125, 125, 125, 125)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 450 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 450, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 550 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 550, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:10u] &= M^e[:5u] + x^u M^e[:4u] + x^{2u} M^e[:3u] + x^u M^e[:5u] + x^{2u} M^e[:4u] \\ &\quad + x^{3u} M^e[:3u] + x^{3u} M^e[:5u] + x^{4u} M^e[:4u] + x^{5u} M^e[:3u] \\ &\quad + x^{4u} M^e[:5u] + x^{5u} M^e[:4u] + x^{6u} M^e[:3u] + x^{6u} M^e[:4u] \\ &\quad + (x^{5u} + x^{6u} + x^{8u} + x^{9u}) R^e, \\ W^e[:10u] &= W^e[:5u] + x^u W^e[:4u] + x^{2u} W^e[:3u] + x^u W^e[:5u] + x^{2u} W^e[:4u] \\ &\quad + x^{3u} W^e[:3u] + x^{3u} W^e[:5u] + x^{4u} W^e[:4u] + x^{5u} W^e[:3u] \end{aligned}$$

$$\begin{aligned}
& + x^{4u}W^e[:5u] + x^{5u}W^e[:4u] + x^{6u}W^e[:3u] + x^{6u}W^e[:4u] \\
& + (x^{5u} + x^{6u} + x^{8u} + x^{9u})R^e.
\end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned}
M^o[:10u] &= M^o[:5u] + x^u M^o[:4u] + x^{2u} M^o[:3u] + x^u M^o[:5u] + x^{2u} M^o[:4u] \\
&+ x^{3u} M^o[:3u] + x^{3u} M^o[:5u] + x^{4u} M^o[:4u] + x^{5u} M^o[:3u] \\
&+ x^{4u} M^o[:5u] + x^{5u} M^o[:4u] + x^{6u} M^o[:3u] + x^{6u} M^o[:4u] \\
&+ (x^{5u} + x^{6u} + x^{8u} + x^{9u})R^o, \\
W^o[:10u] &= W^o[:5u] + x^u W^o[:4u] + x^{2u} W^o[:3u] + x^u W^o[:5u] + x^{2u} W^o[:4u] \\
&+ x^{3u} W^o[:3u] + x^{3u} W^o[:5u] + x^{4u} W^o[:4u] + x^{5u} W^o[:3u] \\
&+ x^{4u} W^o[:5u] + x^{5u} W^o[:4u] + x^{6u} W^o[:3u] + x^{6u} W^o[:4u] \\
&+ (x^{5u} + x^{6u} + x^{8u} + x^{9u})R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$\begin{aligned}
T[:10u] &= T[:5u] + x^u T[:4u] + x^{2u} T[:3u] + x^u T[:5u] + x^{2u} T[:4u] + x^{3u} T[:3u] \\
&+ x^{3u} T[:5u] + x^{4u} T[:4u] + x^{5u} T[:3u] + x^{4u} T[:5u] + x^{5u} T[:4u] \\
&+ x^{6u} T[:3u] + x^{6u} T[:4u].
\end{aligned}$$

The proof of the other 15 cases are similar. We break down the above identity into 5 parts:

$$\begin{aligned}
0 &= x^{2u}T[3u:4u] + x^u T[4u:5u] + T[5u:6u], \\
0 &= x^{3u}T[3u:4u] + T[6u:7u], \\
0 &= x^{3u}T[4u:5u] + T[7u:8u], \\
0 &= x^{5u}T[3u:4u] + x^{4u}T[4u:5u] + T[8u:9u], \\
0 &= x^{6u}T[3u:4u] + T[9u:10u],
\end{aligned}$$

which can be rewritten as

$$(2.7) \quad 0 = T[[11w]_2] + T[[100w]_2] + T[[101w]_2],$$

$$(2.8) \quad 0 = T[[11w]_2] + T[[110w]_2],$$

$$(2.9) \quad 0 = T[[100w]_2] + T[[111w]_2],$$

$$(2.10) \quad 0 = T[[11w]_2] + T[[100w]_2] + T[[1000w]_2],$$

$$(2.11) \quad 0 = T[[11w]_2] + T[[1001w]_2],$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$(2.12) \quad 0 = T[[11w]_2] + T[[100w]_2] + T[[101w]_2],$$

$$(2.13) \quad 0 = T[[11w]_2] + T[[110w]_2],$$

$$(2.14) \quad 0 = T[[100w]_2] + T[[111w]_2],$$

$$(2.15) \quad 0 = T[[11w]_2] + T[[100w]_2] + T[[1000w]_2],$$

$$(2.16) \quad 0 = T[[11w]_2] + T[[1001w]_2],$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 704 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.16) can be written as

$$(2.17) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 101)),$$

$$(2.18) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 110)),$$

$$(2.19) \quad 0 = \tau(A(s, 100)) + \tau(A(s, 111)),$$

$$(2.20) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 1000)),$$

$$(2.21) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 1001)),$$

for all $s \in E_{2k}$, and

$$(2.22) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 101)),$$

$$(2.23) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 110)),$$

$$(2.24) \quad 0 = \tau(A(s, 100)) + \tau(A(s, 111)),$$

$$(2.25) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 1000)),$$

$$(2.26) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 1001)),$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{36}), E_{36}) = (A(i, 0^{20}), E_{20})$, so that we only have to verify that identities (2.17) through (2.26) hold for $2 \leq k \leq 18$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$M_{2k} = M^e[:5u] + x^u M^e[:4u] + x^{2u} M^e[:3u] + x^{5u} R^e,$$

$$W_{2k} = W^e[:5u] + x^u W^e[:4u] + x^{2u} W^e[:3u] + x^{5u} R^e.$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$M_{2k+1} = M^o[:5u] + x^u M^o[:4u] + x^{2u} M^o[:3u] + x^{5u} R^o,$$

$$W_{2k+1} = W^o[:5u] + x^u W^o[:4u] + x^{2u} W^o[:3u] + x^{5u} R^o.$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$\begin{aligned} M_{2k} \wedge W_{2k} &\Rightarrow M_{2k+1} \wedge W_{2k+1}, \\ M_{2k+1} \wedge W_{2k+1} &\Rightarrow M_{2k+2} \wedge W_{2k+2}. \end{aligned}$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$(2.27) \quad \begin{aligned} W_{2k} M_{2k} = & (W^e[:5v] + x^v W^e[:4v] + x^{2v} W^e[:3v] + x^{5u} R^e) \times (M^e[:5v] \\ & + x^v M^e[:4v] + x^{2v} M^e[:3v] + x^{5u} R^e); \end{aligned}$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{10v} R^o$. Therefore we only need to prove that their difference is $O(x^{10v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{10v} , to

$$W^e[:10v] M^e[:10v] + x^{2v} W^e[:8v] M^e[:8v] + x^{4v} W^e[:6v] M^e[:6v].$$

For all $n \leq 10$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.27) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{10}, b_1, \dots, b_{10}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{10})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned} \lim_{n \rightarrow \infty} M_{2n,j,k} &= M_{j,k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1,j,k} &= M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} &= W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} &= W_{j,k}^o. \end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12} \phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e / M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$q_0(x) = x^{20} + x^{19} + x^{17} + x^{12} + x^{11} + x^6 + x^5 + x^4,$$

$$\begin{aligned}
q_1(x) &= x^{19} + x^{18} + x^{17} + x^{16} + x^{13} + x^{11} + x^{10} + x^4 + x^3 + x, \\
q_2(x) &= x^{18} + x^{12} + x^{10} + x^8 + x^6 + x^4 + x^2 + 1, \\
q_3(x) &= x^{19} + x^{18} + x^{17} + x^{16} + x^{13} + x^{11} + x^{10} + x^4 + x^3 + x, \\
q_4(x) &= x^{19} + x^{18} + x^{17} + x^{16} + x^{12} + x^{11} + x^{10} + x^5 + x^2.
\end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 156, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 156, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{114} + x^{112} + x^{100} + x^{96} + x^{94} + x^{90} + x^{86} + x^{82} + x^{80} + x^{78} + x^{76} \\
&\quad + x^{72} + x^{70} + x^{68} + x^{66} + x^{62} + x^{60} + x^{56} + x^{50} + x^{48} + x^{46} + x^{44} \\
&\quad + x^{32} + x^{28} + x^{24} + x^{18} + x^{12}, \\
p_3(x) &= x^{110} + x^{104} + x^{102} + x^{96} + x^{92} + x^{90} + x^{84} + x^{80} + x^{78} + x^{76} + x^{64} \\
&\quad + x^{62} + x^{58} + x^{56} + x^{54} + x^{50} + x^{44} + x^{42} + x^{32} + x^{30} + x^{24} + x^{22} \\
&\quad + x^{20} + x^{14} + x^{12} + x^8, \\
p_6(x) &= x^{108} + x^{100} + x^{98} + x^{88} + x^{86} + x^{84} + x^{82} + x^{78} + x^{72} + x^{68} + x^{62} \\
&\quad + x^{54} + x^{52} + x^{50} + x^{42} + x^{36} + x^{32} + x^{22} + x^{18} + x^{14} + x^{12} + x^4 \\
&\quad + x^2 + 1, \\
p_9(x) &= x^{112} + x^{110} + x^{106} + x^{98} + x^{94} + x^{88} + x^{86} + x^{84} + x^{82} + x^{80} + x^{76} \\
&\quad + x^{74} + x^{72} + x^{64} + x^{60} + x^{56} + x^{54} + x^{50} + x^{48} + x^{46} + x^{42} + x^{40} \\
&\quad + x^{38} + x^{34} + x^{18} + x^{14} + x^{10} + x^6 + x^4 + x^2, \\
p_{12}(x) &= x^{112} + x^{104} + x^{96} + x^{48} + x^{40} + x^{24} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{104} + x^{101} + x^{96} + x^{95} + x^{94} + x^{93} + x^{90} + x^{88} + x^{87} + x^{83} \\
&\quad + x^{78} + x^{77} + x^{76} + x^{73} + x^{72} + x^{71} + x^{67} + x^{66} + x^{64} + x^{63} + x^{62} \\
&\quad + x^{59} + x^{58} + x^{55} + x^{54} + x^{53} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} \\
&\quad + x^{43} + x^{42} + x^{41} + x^{39} + x^{37} + x^{36} + x^{34} + x^{32} + x^{31} + x^{30} + x^{28}
\end{aligned}$$

$$\begin{aligned}
& + x^{26} + x^{25} + x^{24} + x^{23} + x^{21} + x^{20} + x^{18}, \\
p_3(x) &= x^{103} + x^{100} + x^{99} + x^{97} + x^{94} + x^{91} + x^{90} + x^{89} + x^{88} + x^{84} + x^{80} \\
& + x^{79} + x^{75} + x^{73} + x^{72} + x^{70} + x^{68} + x^{67} + x^{66} + x^{65} + x^{63} + x^{60} \\
& + x^{59} + x^{57} + x^{55} + x^{54} + x^{52} + x^{50} + x^{48} + x^{47} + x^{46} + x^{42} + x^{38} \\
& + x^{35} + x^{34} + x^{33} + x^{32} + x^{28} + x^{24} + x^{23} + x^{19} + x^{17} + x^{16} + x^{14} \\
& + x^{12} + x^{11} + x^{10} + x^9, \\
p_6(x) &= x^{102} + x^{101} + x^{100} + x^{88} + x^{87} + x^{86} + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} \\
& + x^{74} + x^{72} + x^{71} + x^{69} + x^{68} + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} + x^{55} \\
& + x^{54} + x^{52} + x^{51} + x^{49} + x^{47} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{38} \\
& + x^{37} + x^{36} + x^{34} + x^{33} + x^{31} + x^{29} + x^{27} + x^{25} + x^{24} + x^{20} + x^{19} \\
& + x^{18} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^7 + x^6, \\
p_9(x) &= x^{101} + x^{99} + x^{98} + x^{96} + x^{95} + x^{94} + x^{90} + x^{89} + x^{75} + x^{73} + x^{72} \\
& + x^{71} + x^{70} + x^{69} + x^{65} + x^{62} + x^{59} + x^{58} + x^{57} + x^{56} + x^{52} + x^{49} \\
& + x^{48} + x^{47} + x^{46} + x^{43} + x^{42} + x^{40} + x^{39} + x^{38} + x^{34} + x^{30} + x^{29} \\
& + x^{23} + x^{20} + x^{17} + x^{16} + x^{14} + x^{12} + x^{11} + x^{10} + x^7 + x^6 + x^5 + x^4 \\
& + x^3, \\
p_{12}(x) &= x^{100} + x^{99} + x^{97} + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{84} + x^{80} \\
& + x^{79} + x^{77} + x^{76} + x^{72} + x^{71} + x^{69} + x^{68} + x^{64} + x^{63} + x^{61} + x^{60} \\
& + x^{56} + x^{55} + x^{53} + x^{52} + x^{48} + x^{47} + x^{45} + x^{44} + x^{40} + x^{39} + x^{37} \\
& + x^{35} + x^{33} + x^{32} + x^{20} + x^{19} + x^{17} + x^{15} + x^{13} + x^{12} + x^8 + x^7 + x^5 \\
& + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 0, 0, 1, 1, 1, 1, 1, 0, 0, 1, 1, 1]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{104} + x^{101} + x^{96} + x^{95} + x^{94} + x^{93} + x^{90} + x^{88} + x^{87} + x^{83} \\
& + x^{78} + x^{77} + x^{76} + x^{73} + x^{72} + x^{71} + x^{67} + x^{66} + x^{64} + x^{63} + x^{62} \\
& + x^{59} + x^{58} + x^{55} + x^{54} + x^{53} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} \\
& + x^{43} + x^{42} + x^{41} + x^{39} + x^{37} + x^{36} + x^{34} + x^{32} + x^{31} + x^{30} + x^{28} \\
& + x^{26} + x^{25} + x^{24} + x^{23} + x^{21} + x^{20} + x^{18}, \\
p_3(x) &= x^{103} + x^{100} + x^{99} + x^{97} + x^{94} + x^{91} + x^{90} + x^{89} + x^{88} + x^{84} + x^{80} \\
& + x^{79} + x^{75} + x^{73} + x^{72} + x^{70} + x^{68} + x^{67} + x^{66} + x^{65} + x^{63} + x^{60} \\
& + x^{59} + x^{57} + x^{55} + x^{54} + x^{52} + x^{50} + x^{48} + x^{47} + x^{46} + x^{42} + x^{38} \\
& + x^{35} + x^{34} + x^{33} + x^{32} + x^{28} + x^{24} + x^{23} + x^{19} + x^{17} + x^{16} + x^{14} \\
& + x^{12} + x^{11} + x^{10} + x^9, \\
p_6(x) &= x^{102} + x^{101} + x^{100} + x^{88} + x^{87} + x^{86} + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} \\
& + x^{74} + x^{72} + x^{71} + x^{69} + x^{68} + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} + x^{55}
\end{aligned}$$

$$\begin{aligned}
& + x^{54} + x^{52} + x^{51} + x^{49} + x^{47} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{38} \\
& + x^{37} + x^{36} + x^{34} + x^{33} + x^{31} + x^{29} + x^{27} + x^{25} + x^{24} + x^{20} + x^{19} \\
& + x^{18} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^7 + x^6, \\
p_9(x) &= x^{101} + x^{99} + x^{98} + x^{96} + x^{95} + x^{94} + x^{90} + x^{89} + x^{75} + x^{73} + x^{72} \\
& + x^{71} + x^{70} + x^{69} + x^{65} + x^{62} + x^{59} + x^{58} + x^{57} + x^{56} + x^{52} + x^{49} \\
& + x^{48} + x^{47} + x^{46} + x^{43} + x^{42} + x^{40} + x^{39} + x^{38} + x^{34} + x^{30} + x^{29} \\
& + x^{23} + x^{20} + x^{17} + x^{16} + x^{14} + x^{12} + x^{11} + x^{10} + x^7 + x^6 + x^5 + x^4 \\
& + x^3, \\
p_{12}(x) &= x^{100} + x^{99} + x^{97} + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{84} + x^{80} \\
& + x^{79} + x^{77} + x^{76} + x^{72} + x^{71} + x^{69} + x^{68} + x^{64} + x^{63} + x^{61} + x^{60} \\
& + x^{56} + x^{55} + x^{53} + x^{52} + x^{48} + x^{47} + x^{45} + x^{44} + x^{40} + x^{39} + x^{37} \\
& + x^{35} + x^{33} + x^{32} + x^{20} + x^{19} + x^{17} + x^{15} + x^{13} + x^{12} + x^8 + x^7 + x^5 \\
& + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 0, 0, 1, 1, 1, 1, 1, 0, 0, 1, 1, 1]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{96} + x^{88} + x^{86} + x^{84} + x^{72} + x^{70} + x^{66} + x^{62} + x^{60} + x^{56} + x^{54} \\
& + x^{52} + x^{46} + x^{40} + x^{38} + x^{28} + x^{24}, \\
p_3(x) &= x^{90} + x^{82} + x^{80} + x^{74} + x^{70} + x^{68} + x^{64} + x^{62} + x^{60} + x^{56} + x^{52} \\
& + x^{50} + x^{46} + x^{44} + x^{34} + x^{32} + x^{30} + x^{28} + x^{26} + x^{24} + x^{22} + x^{18} \\
& + x^{14} + x^6, \\
p_6(x) &= x^{90} + x^{88} + x^{84} + x^{76} + x^{62} + x^{60} + x^{58} + x^{54} + x^{52} + x^{48} + x^{46} \\
& + x^{44} + x^{38} + x^{36} + x^{34} + x^{32} + x^{28} + x^{26} + x^{22} + x^{12} + x^{10} + x^8 \\
& + x^4 + 1, \\
p_9(x) &= x^{88} + x^{84} + x^{78} + x^{72} + x^{66} + x^{62} + x^{60} + x^{56} + x^{54} + x^{52} + x^{48} \\
& + x^{44} + x^{42} + x^{36} + x^{32} + x^{30} + x^{28} + x^{24} + x^{22} + x^{20} + x^{12} + x^2, \\
p_{12}(x) &= x^{88} + x^{86} + x^{82} + x^{80} + x^{72} + x^{70} + x^{66} + x^{64} + x^{56} + x^{54} + x^{50} \\
& + x^{48} + x^{40} + x^{38} + x^{34} + x^{32} + x^8 + x^6 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 1, 0, 1, 0, 0, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{96} + x^{92} + x^{90} + x^{82} + x^{80} + x^{74} + x^{72} + x^{68} + x^{66} + x^{58} + x^{44} \\
& + x^{42} + x^{38} + x^{26} + x^{22} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_3(x) &= x^{90} + x^{86} + x^{76} + x^{74} + x^{72} + x^{66} + x^{64} + x^{60} + x^{52} + x^{48} + x^{42} \\
& + x^{34} + x^{32} + x^{30} + x^{28} + x^{24} + x^{20} + x^{16} + x^{14} + x^8, \\
p_6(x) &= x^{90} + x^{88} + x^{86} + x^{72} + x^{70} + x^{64} + x^{56} + x^{52} + x^{48} + x^{44} + x^{40} \\
& + x^{38} + x^{36} + x^{34} + x^{32} + x^{28} + x^{24} + x^{22} + x^{18} + x^{14} + x^{12} + 1,
\end{aligned}$$

$$\begin{aligned}
p_9(x) &= x^{88} + x^{84} + x^{78} + x^{72} + x^{66} + x^{62} + x^{60} + x^{56} + x^{54} + x^{52} + x^{48} \\
&\quad + x^{44} + x^{42} + x^{36} + x^{32} + x^{30} + x^{28} + x^{24} + x^{22} + x^{20} + x^{12} + x^2, \\
p_{12}(x) &= x^{88} + x^{86} + x^{82} + x^{80} + x^{72} + x^{70} + x^{66} + x^{64} + x^{56} + x^{54} + x^{50} \\
&\quad + x^{48} + x^{40} + x^{38} + x^{34} + x^{32} + x^8 + x^6 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 1, 0, 1, 0, 0, 0, 1, 0, 1, 0, 0, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{102} + x^{100} + x^{98} + x^{97} + x^{96} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} \\
&\quad + x^{90} + x^{85} + x^{84} + x^{83} + x^{80} + x^{77} + x^{75} + x^{72} + x^{68} + x^{63} + x^{59} \\
&\quad + x^{58} + x^{57} + x^{56} + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} + x^{43} + x^{41} + x^{40} \\
&\quad + x^{36} + x^{35} + x^{34} + x^{32} + x^{29} + x^{28} + x^{26} + x^{24} + x^{23} + x^{21}, \\
p_3(x) &= x^{103} + x^{100} + x^{99} + x^{97} + x^{94} + x^{91} + x^{90} + x^{89} + x^{88} + x^{84} + x^{80} \\
&\quad + x^{79} + x^{75} + x^{73} + x^{72} + x^{70} + x^{68} + x^{67} + x^{66} + x^{65} + x^{63} + x^{60} \\
&\quad + x^{59} + x^{57} + x^{55} + x^{54} + x^{52} + x^{50} + x^{48} + x^{47} + x^{46} + x^{42} + x^{38} \\
&\quad + x^{35} + x^{34} + x^{33} + x^{32} + x^{28} + x^{24} + x^{23} + x^{19} + x^{17} + x^{16} + x^{14} \\
&\quad + x^{12} + x^{11} + x^{10} + x^9, \\
p_6(x) &= x^{102} + x^{101} + x^{100} + x^{88} + x^{87} + x^{86} + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} \\
&\quad + x^{74} + x^{72} + x^{71} + x^{69} + x^{68} + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} + x^{55} \\
&\quad + x^{54} + x^{52} + x^{51} + x^{49} + x^{47} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{38} \\
&\quad + x^{37} + x^{36} + x^{34} + x^{33} + x^{31} + x^{29} + x^{27} + x^{25} + x^{24} + x^{20} + x^{19} \\
&\quad + x^{18} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^7 + x^6, \\
p_9(x) &= x^{101} + x^{99} + x^{98} + x^{96} + x^{95} + x^{94} + x^{90} + x^{89} + x^{75} + x^{73} + x^{72} \\
&\quad + x^{71} + x^{70} + x^{69} + x^{65} + x^{62} + x^{59} + x^{58} + x^{57} + x^{56} + x^{52} + x^{49} \\
&\quad + x^{48} + x^{47} + x^{46} + x^{43} + x^{42} + x^{40} + x^{39} + x^{38} + x^{34} + x^{30} + x^{29} \\
&\quad + x^{23} + x^{20} + x^{17} + x^{16} + x^{14} + x^{12} + x^{11} + x^{10} + x^7 + x^6 + x^5 + x^4 \\
&\quad + x^3, \\
p_{12}(x) &= x^{100} + x^{99} + x^{97} + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{84} + x^{80} \\
&\quad + x^{79} + x^{77} + x^{76} + x^{72} + x^{71} + x^{69} + x^{68} + x^{64} + x^{63} + x^{61} + x^{60} \\
&\quad + x^{56} + x^{55} + x^{53} + x^{52} + x^{48} + x^{47} + x^{45} + x^{44} + x^{40} + x^{39} + x^{37} \\
&\quad + x^{35} + x^{33} + x^{32} + x^{20} + x^{19} + x^{17} + x^{15} + x^{13} + x^{12} + x^8 + x^7 + x^5 \\
&\quad + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 1, 0, 1, 0, 0, 1, 1, 1, 1, 0, 0]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{102} + x^{100} + x^{98} + x^{97} + x^{96} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} \\
&\quad + x^{90} + x^{85} + x^{84} + x^{83} + x^{80} + x^{77} + x^{75} + x^{72} + x^{68} + x^{63} + x^{59} \\
&\quad + x^{58} + x^{57} + x^{56} + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} + x^{43} + x^{41} + x^{40}
\end{aligned}$$

$$\begin{aligned}
& + x^{36} + x^{35} + x^{34} + x^{32} + x^{29} + x^{28} + x^{26} + x^{24} + x^{23} + x^{21}, \\
p_3(x) &= x^{103} + x^{100} + x^{99} + x^{97} + x^{94} + x^{91} + x^{90} + x^{89} + x^{88} + x^{84} + x^{80} \\
& + x^{79} + x^{75} + x^{73} + x^{72} + x^{70} + x^{68} + x^{67} + x^{66} + x^{65} + x^{63} + x^{60} \\
& + x^{59} + x^{57} + x^{55} + x^{54} + x^{52} + x^{50} + x^{48} + x^{47} + x^{46} + x^{42} + x^{38} \\
& + x^{35} + x^{34} + x^{33} + x^{32} + x^{28} + x^{24} + x^{23} + x^{19} + x^{17} + x^{16} + x^{14} \\
& + x^{12} + x^{11} + x^{10} + x^9, \\
p_6(x) &= x^{102} + x^{101} + x^{100} + x^{88} + x^{87} + x^{86} + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} \\
& + x^{74} + x^{72} + x^{71} + x^{69} + x^{68} + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} + x^{55} \\
& + x^{54} + x^{52} + x^{51} + x^{49} + x^{47} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{38} \\
& + x^{37} + x^{36} + x^{34} + x^{33} + x^{31} + x^{29} + x^{27} + x^{25} + x^{24} + x^{20} + x^{19} \\
& + x^{18} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^7 + x^6, \\
p_9(x) &= x^{101} + x^{99} + x^{98} + x^{96} + x^{95} + x^{94} + x^{90} + x^{89} + x^{75} + x^{73} + x^{72} \\
& + x^{71} + x^{70} + x^{69} + x^{65} + x^{62} + x^{59} + x^{58} + x^{57} + x^{56} + x^{52} + x^{49} \\
& + x^{48} + x^{47} + x^{46} + x^{43} + x^{42} + x^{40} + x^{39} + x^{38} + x^{34} + x^{30} + x^{29} \\
& + x^{23} + x^{20} + x^{17} + x^{16} + x^{14} + x^{12} + x^{11} + x^{10} + x^7 + x^6 + x^5 + x^4 \\
& + x^3, \\
p_{12}(x) &= x^{100} + x^{99} + x^{97} + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{84} + x^{80} \\
& + x^{79} + x^{77} + x^{76} + x^{72} + x^{71} + x^{69} + x^{68} + x^{64} + x^{63} + x^{61} + x^{60} \\
& + x^{56} + x^{55} + x^{53} + x^{52} + x^{48} + x^{47} + x^{45} + x^{44} + x^{40} + x^{39} + x^{37} \\
& + x^{35} + x^{33} + x^{32} + x^{20} + x^{19} + x^{17} + x^{15} + x^{13} + x^{12} + x^8 + x^7 + x^5 \\
& + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 1, 0, 1, 0, 0, 1, 1, 1, 1, 0, 0]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{114} + x^{110} + x^{106} + x^{102} + x^{100} + x^{98} + x^{90} + x^{88} + x^{84} + x^{80} + x^{72} \\
& + x^{68} + x^{64} + x^{62} + x^{58} + x^{54} + x^{46} + x^{40} + x^{34} + x^{32} + x^{30}, \\
p_3(x) &= x^{108} + x^{104} + x^{100} + x^{88} + x^{86} + x^{84} + x^{80} + x^{76} + x^{72} + x^{68} + x^{66} \\
& + x^{64} + x^{62} + x^{56} + x^{46} + x^{44} + x^{38} + x^{34} + x^{32} + x^{30} + x^{28} + x^{26} \\
& + x^{24} + x^{20} + x^{18} + x^{16} + x^8 + x^6, \\
p_6(x) &= x^{110} + x^{108} + x^{104} + x^{102} + x^{98} + x^{96} + x^{90} + x^{88} + x^{84} + x^{82} + x^{80} \\
& + x^{72} + x^{66} + x^{62} + x^{60} + x^{58} + x^{52} + x^{46} + x^{38} + x^{36} + x^{34} + x^{32} \\
& + x^{26} + x^{24} + x^{20} + x^6 + x^2 + 1, \\
p_9(x) &= x^{112} + x^{110} + x^{106} + x^{98} + x^{94} + x^{88} + x^{86} + x^{84} + x^{82} + x^{80} + x^{76} \\
& + x^{74} + x^{72} + x^{64} + x^{60} + x^{56} + x^{54} + x^{50} + x^{48} + x^{46} + x^{42} + x^{40} \\
& + x^{38} + x^{34} + x^{18} + x^{14} + x^{10} + x^6 + x^4 + x^2, \\
p_{12}(x) &= x^{112} + x^{104} + x^{96} + x^{48} + x^{40} + x^{24} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{104} + x^{103} + x^{101} + x^{96} + x^{93} + x^{85} + x^{84} + x^{83} + x^{82} + x^{79} \\
&\quad + x^{78} + x^{77} + x^{75} + x^{74} + x^{69} + x^{68} + x^{67} + x^{64} + x^{60} + x^{59} + x^{58} \\
&\quad + x^{57} + x^{54} + x^{52} + x^{45} + x^{43} + x^{41} + x^{39} + x^{38} + x^{37} + x^{36} + x^{33} \\
&\quad + x^{32} + x^{29} + x^{28} + x^{27} + x^{24} + x^{23} + x^{22} + x^{20} + x^{16} + x^{14} + x^{13} \\
&\quad + x^{12}, \\
p_3(x) &= x^{104} + x^{102} + x^{100} + x^{99} + x^{96} + x^{93} + x^{92} + x^{89} + x^{85} + x^{84} + x^{83} \\
&\quad + x^{82} + x^{81} + x^{80} + x^{78} + x^{77} + x^{76} + x^{75} + x^{74} + x^{70} + x^{69} + x^{68} \\
&\quad + x^{67} + x^{66} + x^{63} + x^{58} + x^{54} + x^{53} + x^{51} + x^{50} + x^{48} + x^{46} + x^{43} \\
&\quad + x^{40} + x^{38} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{27} + x^{26} + x^{25} \\
&\quad + x^{23} + x^{22} + x^{19} + x^{17} + x^{15} + x^{14} + x^{12} + x^{10} + x^9 + x^8, \\
p_6(x) &= x^{104} + x^{102} + x^{100} + x^{98} + x^{97} + x^{96} + x^{94} + x^{91} + x^{88} + x^{87} + x^{83} \\
&\quad + x^{81} + x^{80} + x^{79} + x^{78} + x^{75} + x^{74} + x^{73} + x^{69} + x^{68} + x^{67} + x^{66} \\
&\quad + x^{65} + x^{64} + x^{61} + x^{60} + x^{58} + x^{57} + x^{54} + x^{53} + x^{52} + x^{50} + x^{49} \\
&\quad + x^{48} + x^{45} + x^{44} + x^{42} + x^{36} + x^{34} + x^{31} + x^{29} + x^{28} + x^{26} + x^{25} \\
&\quad + x^{23} + x^{20} + x^{19} + x^{17} + x^{16} + x^{15} + x^{14} + x^{11} + x^9 + x^8 + x^7 + x^6 \\
&\quad + x^4 + x^3 + x + 1, \\
p_9(x) &= x^{104} + x^{103} + x^{101} + x^{100} + x^{92} + x^{91} + x^{89} + x^{88} + x^{76} + x^{75} + x^{73} \\
&\quad + x^{72} + x^{60} + x^{59} + x^{57} + x^{56} + x^{44} + x^{43} + x^{41} + x^{39} + x^{37} + x^{36} \\
&\quad + x^{24} + x^{23} + x^{21} + x^{20} + x^{12} + x^{11} + x^9 + x^7 + x^5 + x^4, \\
p_{12}(x) &= x^{104} + x^{103} + x^{101} + x^{99} + x^{97} + x^{95} + x^{93} + x^{91} + x^{89} + x^{87} + x^{85} \\
&\quad + x^{84} + x^{80} + x^{79} + x^{77} + x^{75} + x^{73} + x^{71} + x^{69} + x^{68} + x^{64} + x^{63} \\
&\quad + x^{61} + x^{59} + x^{57} + x^{55} + x^{53} + x^{52} + x^{48} + x^{47} + x^{45} + x^{43} + x^{41} \\
&\quad + x^{40} + x^{36} + x^{35} + x^{33} + x^{32} + x^{24} + x^{23} + x^{21} + x^{19} + x^{17} + x^{15} \\
&\quad + x^{13} + x^{11} + x^9 + x^8 + x^4 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 0, 1, 1, 0, 1, 1, 1, 1, 1, 0, 0, 1]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{104} + x^{101} + x^{96} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{88} + x^{86} + x^{83} \\
&\quad + x^{78} + x^{77} + x^{73} + x^{71} + x^{67} + x^{65} + x^{64} + x^{63} + x^{61} + x^{59} + x^{58} \\
&\quad + x^{57} + x^{54} + x^{53} + x^{52} + x^{51} + x^{49} + x^{48} + x^{47} + x^{46} + x^{43} + x^{37} \\
&\quad + x^{32} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18}, \\
p_3(x) &= x^{97} + x^{96} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{87} + x^{85} + x^{83} + x^{81} \\
&\quad + x^{79} + x^{77} + x^{75} + x^{72} + x^{70} + x^{68} + x^{65} + x^{57} + x^{56} + x^{55} + x^{54} \\
&\quad + x^{53} + x^{52} + x^{51} + x^{49} + x^{48} + x^{46} + x^{44} + x^{40} + x^{39} + x^{38} + x^{37}
\end{aligned}$$

$$\begin{aligned}
& + x^{36} + x^{35} + x^{31} + x^{29} + x^{27} + x^{25} + x^{23} + x^{21} + x^{19} + x^{16} + x^{14} \\
& + x^{12} + x^9, \\
p_6(x) &= x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{76} + x^{74} + x^{68} + x^{58} \\
& + x^{52} + x^{50} + x^{46} + x^{42} + x^{40} + x^{34} + x^{32} + x^{28} + x^{24} + x^{16} + x^{14} \\
& + x^{12} + x^6, \\
p_9(x) &= x^{99} + x^{98} + x^{95} + x^{94} + x^{92} + x^{90} + x^{89} + x^{88} + x^{86} + x^{82} + x^{79} \\
& + x^{78} + x^{76} + x^{74} + x^{73} + x^{72} + x^{70} + x^{66} + x^{63} + x^{62} + x^{60} + x^{58} \\
& + x^{57} + x^{56} + x^{54} + x^{50} + x^{47} + x^{46} + x^{44} + x^{42} + x^{41} + x^{40} + x^{38} \\
& + x^{35} + x^{19} + x^{18} + x^{15} + x^{14} + x^{12} + x^{10} + x^9 + x^8 + x^6 + x^3, \\
p_{12}(x) &= x^{100} + x^{96} + x^{92} + x^{88} + x^{84} + x^{76} + x^{72} + x^{68} + x^{60} + x^{56} + x^{52} \\
& + x^{44} + x^{40} + x^{32} + x^{20} + x^{16} + x^{12} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 1, 0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 0]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{109} + x^{108} + x^{107} + x^{105} + x^{104} \\
& + x^{102} + x^{100} + x^{99} + x^{94} + x^{91} + x^{90} + x^{88} + x^{86} + x^{84} + x^{82} + x^{79} \\
& + x^{77} + x^{76} + x^{75} + x^{74} + x^{71} + x^{70} + x^{69} + x^{68} + x^{65} + x^{64} + x^{63} \\
& + x^{62} + x^{61} + x^{60} + x^{57} + x^{53} + x^{51} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} \\
& + x^{39} + x^{37} + x^{34} + x^{32} + x^{30} + x^{28} + x^{27} + x^{25} + x^{24} + x^{23} + x^{22} \\
& + x^{21}, \\
p_3(x) &= x^{113} + x^{112} + x^{111} + x^{110} + x^{106} + x^{105} + x^{104} + x^{100} + x^{99} + x^{98} \\
& + x^{94} + x^{93} + x^{92} + x^{88} + x^{87} + x^{86} + x^{82} + x^{81} + x^{80} + x^{76} + x^{75} \\
& + x^{74} + x^{73} + x^{72} + x^{71} + x^{69} + x^{68} + x^{66} + x^{65} + x^{63} + x^{62} + x^{60} \\
& + x^{59} + x^{55} + x^{53} + x^{51} + x^{48} + x^{46} + x^{45} + x^{43} + x^{42} + x^{41} + x^{38} \\
& + x^{37} + x^{36} + x^{32} + x^{31} + x^{30} + x^{26} + x^{25} + x^{24} + x^{20} + x^{19} + x^{18} \\
& + x^{14} + x^{13} + x^{12} + x^9, \\
p_6(x) &= x^{114} + x^{112} + x^{102} + x^{98} + x^{92} + x^{90} + x^{84} + x^{78} + x^{76} + x^{72} + x^{70} \\
& + x^{66} + x^{64} + x^{62} + x^{58} + x^{50} + x^{48} + x^{46} + x^{44} + x^{42} + x^{40} + x^{38} \\
& + x^{34} + x^{32} + x^{30} + x^{26} + x^{22} + x^{20} + x^{14} + x^{12} + x^{10} + x^6, \\
p_9(x) &= x^{115} + x^{114} + x^{108} + x^{107} + x^{105} + x^{103} + x^{102} + x^{101} + x^{100} + x^{96} \\
& + x^{93} + x^{92} + x^{91} + x^{88} + x^{85} + x^{84} + x^{83} + x^{80} + x^{77} + x^{76} + x^{75} \\
& + x^{72} + x^{69} + x^{68} + x^{67} + x^{64} + x^{61} + x^{60} + x^{59} + x^{56} + x^{53} + x^{52} \\
& + x^{50} + x^{48} + x^{45} + x^{41} + x^{40} + x^{39} + x^{38} + x^{34} + x^{28} + x^{27} + x^{25} \\
& + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18} + x^{16} + x^{13} + x^9 + x^8 + x^7 + x^6 \\
& + x^3, \\
p_{12}(x) &= x^{116} + x^{104} + x^{96} + x^{92} + x^{84} + x^{76} + x^{68} + x^{60} + x^{44} + x^{40} + x^{32}
\end{aligned}$$

$$+ x^{24} + x^{20} + x^{16} + x^{12} + x^8 + x^4 + 1,$$

and the initial terms are $[0, 0, 0, 0, 1, 1, 0, 1, 1, 0, 1, 0, 0, 0, 0, 0]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned} p_0(x) = & x^{105} + x^{103} + x^{100} + x^{99} + x^{97} + x^{96} + x^{93} + x^{90} + x^{85} + x^{84} + x^{83} \\ & + x^{82} + x^{81} + x^{78} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} + x^{70} + x^{67} + x^{65} \\ & + x^{64} + x^{63} + x^{62} + x^{61} + x^{60} + x^{58} + x^{55} + x^{53} + x^{52} + x^{50} + x^{49} \\ & + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{39} + x^{38} + x^{35} + x^{32} + x^{31} \\ & + x^{30} + x^{28} + x^{27}, \end{aligned}$$

$$\begin{aligned} p_3(x) = & x^{104} + x^{101} + x^{100} + x^{98} + x^{95} + x^{92} + x^{91} + x^{90} + x^{89} + x^{88} + x^{87} \\ & + x^{84} + x^{82} + x^{80} + x^{79} + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} + x^{70} + x^{69} \\ & + x^{68} + x^{67} + x^{65} + x^{64} + x^{63} + x^{62} + x^{61} + x^{59} + x^{56} + x^{55} + x^{53} \\ & + x^{51} + x^{50} + x^{48} + x^{45} + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{33} \\ & + x^{29} + x^{26} + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12}, \end{aligned}$$

$$\begin{aligned} p_6(x) = & x^{104} + x^{101} + x^{100} + x^{99} + x^{98} + x^{94} + x^{92} + x^{89} + x^{88} + x^{86} + x^{84} \\ & + x^{79} + x^{77} + x^{76} + x^{75} + x^{71} + x^{68} + x^{66} + x^{64} + x^{63} + x^{62} + x^{61} \\ & + x^{59} + x^{57} + x^{50} + x^{49} + x^{48} + x^{45} + x^{43} + x^{40} + x^{39} + x^{38} + x^{36} \\ & + x^{33} + x^{26} + x^{25} + x^{23} + x^{18} + x^{17} + x^{16} + x^{15} + x^{13} + x^{12} + x^{11} \\ & + x^{10} + x^7 + x^5 + x^3 + x + 1, \end{aligned}$$

$$\begin{aligned} p_9(x) = & x^{104} + x^{103} + x^{101} + x^{100} + x^{92} + x^{91} + x^{89} + x^{88} + x^{76} + x^{75} + x^{73} \\ & + x^{72} + x^{60} + x^{59} + x^{57} + x^{56} + x^{44} + x^{43} + x^{41} + x^{39} + x^{37} + x^{36} \\ & + x^{24} + x^{23} + x^{21} + x^{20} + x^{12} + x^{11} + x^9 + x^7 + x^5 + x^4, \end{aligned}$$

$$\begin{aligned} p_{12}(x) = & x^{104} + x^{103} + x^{101} + x^{99} + x^{97} + x^{95} + x^{93} + x^{91} + x^{89} + x^{87} + x^{85} \\ & + x^{84} + x^{80} + x^{79} + x^{77} + x^{75} + x^{73} + x^{71} + x^{69} + x^{68} + x^{64} + x^{63} \\ & + x^{61} + x^{59} + x^{57} + x^{55} + x^{53} + x^{52} + x^{48} + x^{47} + x^{45} + x^{43} + x^{41} \\ & + x^{40} + x^{36} + x^{35} + x^{33} + x^{32} + x^{24} + x^{23} + x^{21} + x^{19} + x^{17} + x^{15} \\ & + x^{13} + x^{11} + x^9 + x^8 + x^4 + x^3 + x + 1, \end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 0, 1, 1, 1, 1, 0, 0, 0, 1]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned} p_0(x) = & x^{105} + x^{104} + x^{103} + x^{101} + x^{96} + x^{93} + x^{85} + x^{84} + x^{83} + x^{82} + x^{79} \\ & + x^{78} + x^{77} + x^{75} + x^{74} + x^{69} + x^{68} + x^{67} + x^{64} + x^{60} + x^{59} + x^{58} \\ & + x^{57} + x^{54} + x^{52} + x^{45} + x^{43} + x^{41} + x^{39} + x^{38} + x^{37} + x^{36} + x^{33} \\ & + x^{32} + x^{29} + x^{28} + x^{27} + x^{24} + x^{23} + x^{22} + x^{20} + x^{16} + x^{14} + x^{13} \\ & + x^{12}, \end{aligned}$$

$$\begin{aligned} p_3(x) = & x^{104} + x^{102} + x^{100} + x^{99} + x^{96} + x^{93} + x^{92} + x^{89} + x^{85} + x^{84} + x^{83} \\ & + x^{82} + x^{81} + x^{80} + x^{78} + x^{77} + x^{76} + x^{75} + x^{74} + x^{70} + x^{69} + x^{68} \end{aligned}$$

$$\begin{aligned}
& + x^{67} + x^{66} + x^{63} + x^{58} + x^{54} + x^{53} + x^{51} + x^{50} + x^{48} + x^{46} + x^{43} \\
& + x^{40} + x^{38} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{27} + x^{26} + x^{25} \\
& + x^{23} + x^{22} + x^{19} + x^{17} + x^{15} + x^{14} + x^{12} + x^{10} + x^9 + x^8, \\
p_6(x) & = x^{104} + x^{102} + x^{100} + x^{98} + x^{97} + x^{96} + x^{94} + x^{91} + x^{88} + x^{87} + x^{83} \\
& + x^{81} + x^{80} + x^{79} + x^{78} + x^{75} + x^{74} + x^{73} + x^{69} + x^{68} + x^{67} + x^{66} \\
& + x^{65} + x^{64} + x^{61} + x^{60} + x^{58} + x^{57} + x^{54} + x^{53} + x^{52} + x^{50} + x^{49} \\
& + x^{48} + x^{45} + x^{44} + x^{42} + x^{36} + x^{34} + x^{31} + x^{29} + x^{28} + x^{26} + x^{25} \\
& + x^{23} + x^{20} + x^{19} + x^{17} + x^{16} + x^{15} + x^{14} + x^{11} + x^9 + x^8 + x^7 + x^6 \\
& + x^4 + x^3 + x + 1, \\
p_9(x) & = x^{104} + x^{103} + x^{101} + x^{100} + x^{92} + x^{91} + x^{89} + x^{88} + x^{76} + x^{75} + x^{73} \\
& + x^{72} + x^{60} + x^{59} + x^{57} + x^{56} + x^{44} + x^{43} + x^{41} + x^{39} + x^{37} + x^{36} \\
& + x^{24} + x^{23} + x^{21} + x^{20} + x^{12} + x^{11} + x^9 + x^7 + x^5 + x^4, \\
p_{12}(x) & = x^{104} + x^{103} + x^{101} + x^{99} + x^{97} + x^{95} + x^{93} + x^{91} + x^{89} + x^{87} + x^{85} \\
& + x^{84} + x^{80} + x^{79} + x^{77} + x^{75} + x^{73} + x^{71} + x^{69} + x^{68} + x^{64} + x^{63} \\
& + x^{61} + x^{59} + x^{57} + x^{55} + x^{53} + x^{52} + x^{48} + x^{47} + x^{45} + x^{43} + x^{41} \\
& + x^{40} + x^{36} + x^{35} + x^{33} + x^{32} + x^{24} + x^{23} + x^{21} + x^{19} + x^{17} + x^{15} \\
& + x^{13} + x^{11} + x^9 + x^8 + x^4 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 0, 1, 1, 0, 1, 1, 1, 1, 0, 0, 1]$.

For $\phi(W^o, 0, 1)$:

$$\begin{aligned}
p_0(x) & = x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{109} + x^{108} + x^{107} + x^{105} + x^{104} \\
& + x^{102} + x^{100} + x^{99} + x^{94} + x^{91} + x^{90} + x^{88} + x^{86} + x^{84} + x^{82} + x^{79} \\
& + x^{77} + x^{76} + x^{75} + x^{74} + x^{71} + x^{70} + x^{69} + x^{68} + x^{65} + x^{64} + x^{63} \\
& + x^{62} + x^{61} + x^{60} + x^{57} + x^{53} + x^{51} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} \\
& + x^{39} + x^{37} + x^{34} + x^{32} + x^{30} + x^{28} + x^{27} + x^{25} + x^{24} + x^{23} + x^{22} \\
& + x^{21}, \\
p_3(x) & = x^{113} + x^{112} + x^{111} + x^{110} + x^{106} + x^{105} + x^{104} + x^{100} + x^{99} + x^{98} \\
& + x^{94} + x^{93} + x^{92} + x^{88} + x^{87} + x^{86} + x^{82} + x^{81} + x^{80} + x^{76} + x^{75} \\
& + x^{74} + x^{73} + x^{72} + x^{71} + x^{69} + x^{68} + x^{66} + x^{65} + x^{63} + x^{62} + x^{60} \\
& + x^{59} + x^{55} + x^{53} + x^{51} + x^{48} + x^{46} + x^{45} + x^{43} + x^{42} + x^{41} + x^{38} \\
& + x^{37} + x^{36} + x^{32} + x^{31} + x^{30} + x^{26} + x^{25} + x^{24} + x^{20} + x^{19} + x^{18} \\
& + x^{14} + x^{13} + x^{12} + x^9, \\
p_6(x) & = x^{114} + x^{112} + x^{102} + x^{98} + x^{92} + x^{90} + x^{84} + x^{78} + x^{76} + x^{72} + x^{70} \\
& + x^{66} + x^{64} + x^{62} + x^{58} + x^{50} + x^{48} + x^{46} + x^{44} + x^{42} + x^{40} + x^{38} \\
& + x^{34} + x^{32} + x^{30} + x^{26} + x^{22} + x^{20} + x^{14} + x^{12} + x^{10} + x^6, \\
p_9(x) & = x^{115} + x^{114} + x^{108} + x^{107} + x^{105} + x^{103} + x^{102} + x^{101} + x^{100} + x^{96}
\end{aligned}$$

$$\begin{aligned}
& + x^{93} + x^{92} + x^{91} + x^{88} + x^{85} + x^{84} + x^{83} + x^{80} + x^{77} + x^{76} + x^{75} \\
& + x^{72} + x^{69} + x^{68} + x^{67} + x^{64} + x^{61} + x^{60} + x^{59} + x^{56} + x^{53} + x^{52} \\
& + x^{50} + x^{48} + x^{45} + x^{41} + x^{40} + x^{39} + x^{38} + x^{34} + x^{28} + x^{27} + x^{25} \\
& + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18} + x^{16} + x^{13} + x^9 + x^8 + x^7 + x^6 \\
& + x^3, \\
p_{12}(x) &= x^{116} + x^{104} + x^{96} + x^{92} + x^{84} + x^{76} + x^{68} + x^{60} + x^{44} + x^{40} + x^{32} \\
& + x^{24} + x^{20} + x^{16} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 1, 0, 1, 1, 0, 1, 0, 0, 0, 0, 0]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{104} + x^{101} + x^{96} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{88} + x^{86} + x^{83} \\
& + x^{78} + x^{77} + x^{73} + x^{71} + x^{67} + x^{65} + x^{64} + x^{63} + x^{61} + x^{59} + x^{58} \\
& + x^{57} + x^{54} + x^{53} + x^{52} + x^{51} + x^{49} + x^{48} + x^{47} + x^{46} + x^{43} + x^{37} \\
& + x^{32} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18}, \\
p_3(x) &= x^{97} + x^{96} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{87} + x^{85} + x^{83} + x^{81} \\
& + x^{79} + x^{77} + x^{75} + x^{72} + x^{70} + x^{68} + x^{65} + x^{57} + x^{56} + x^{55} + x^{54} \\
& + x^{53} + x^{52} + x^{51} + x^{49} + x^{48} + x^{46} + x^{44} + x^{40} + x^{39} + x^{38} + x^{37} \\
& + x^{36} + x^{35} + x^{31} + x^{29} + x^{27} + x^{25} + x^{23} + x^{21} + x^{19} + x^{16} + x^{14} \\
& + x^{12} + x^9, \\
p_6(x) &= x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{76} + x^{74} + x^{68} + x^{58} \\
& + x^{52} + x^{50} + x^{46} + x^{42} + x^{40} + x^{34} + x^{32} + x^{28} + x^{24} + x^{16} + x^{14} \\
& + x^{12} + x^6, \\
p_9(x) &= x^{99} + x^{98} + x^{95} + x^{94} + x^{92} + x^{90} + x^{89} + x^{88} + x^{86} + x^{82} + x^{79} \\
& + x^{78} + x^{76} + x^{74} + x^{73} + x^{72} + x^{70} + x^{66} + x^{63} + x^{62} + x^{60} + x^{58} \\
& + x^{57} + x^{56} + x^{54} + x^{50} + x^{47} + x^{46} + x^{44} + x^{42} + x^{41} + x^{40} + x^{38} \\
& + x^{35} + x^{19} + x^{18} + x^{15} + x^{14} + x^{12} + x^{10} + x^9 + x^8 + x^6 + x^3, \\
p_{12}(x) &= x^{100} + x^{96} + x^{92} + x^{88} + x^{84} + x^{76} + x^{72} + x^{68} + x^{60} + x^{56} + x^{52} \\
& + x^{44} + x^{40} + x^{32} + x^{20} + x^{16} + x^{12} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 1, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 0]$.

For $\phi(W^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{103} + x^{100} + x^{99} + x^{97} + x^{96} + x^{93} + x^{90} + x^{85} + x^{84} + x^{83} \\
& + x^{82} + x^{81} + x^{78} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} + x^{70} + x^{67} + x^{65} \\
& + x^{64} + x^{63} + x^{62} + x^{61} + x^{60} + x^{58} + x^{55} + x^{53} + x^{52} + x^{50} + x^{49} \\
& + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{39} + x^{38} + x^{35} + x^{32} + x^{31} \\
& + x^{30} + x^{28} + x^{27}, \\
p_3(x) &= x^{104} + x^{101} + x^{100} + x^{98} + x^{95} + x^{92} + x^{91} + x^{90} + x^{89} + x^{88} + x^{87}
\end{aligned}$$

$$\begin{aligned}
& + x^{84} + x^{82} + x^{80} + x^{79} + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} + x^{70} + x^{69} \\
& + x^{68} + x^{67} + x^{65} + x^{64} + x^{63} + x^{62} + x^{61} + x^{59} + x^{56} + x^{55} + x^{53} \\
& + x^{51} + x^{50} + x^{48} + x^{45} + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{33} \\
& + x^{29} + x^{26} + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12}, \\
p_6(x) = & x^{104} + x^{101} + x^{100} + x^{99} + x^{98} + x^{94} + x^{92} + x^{89} + x^{88} + x^{86} + x^{84} \\
& + x^{79} + x^{77} + x^{76} + x^{75} + x^{71} + x^{68} + x^{66} + x^{64} + x^{63} + x^{62} + x^{61} \\
& + x^{59} + x^{57} + x^{50} + x^{49} + x^{48} + x^{45} + x^{43} + x^{40} + x^{39} + x^{38} + x^{36} \\
& + x^{33} + x^{26} + x^{25} + x^{23} + x^{18} + x^{17} + x^{16} + x^{15} + x^{13} + x^{12} + x^{11} \\
& + x^{10} + x^7 + x^5 + x^3 + x + 1, \\
p_9(x) = & x^{104} + x^{103} + x^{101} + x^{100} + x^{92} + x^{91} + x^{89} + x^{88} + x^{76} + x^{75} + x^{73} \\
& + x^{72} + x^{60} + x^{59} + x^{57} + x^{56} + x^{44} + x^{43} + x^{41} + x^{39} + x^{37} + x^{36} \\
& + x^{24} + x^{23} + x^{21} + x^{20} + x^{12} + x^{11} + x^9 + x^7 + x^5 + x^4, \\
p_{12}(x) = & x^{104} + x^{103} + x^{101} + x^{99} + x^{97} + x^{95} + x^{93} + x^{91} + x^{89} + x^{87} + x^{85} \\
& + x^{84} + x^{80} + x^{79} + x^{77} + x^{75} + x^{73} + x^{71} + x^{69} + x^{68} + x^{64} + x^{63} \\
& + x^{61} + x^{59} + x^{57} + x^{55} + x^{53} + x^{52} + x^{48} + x^{47} + x^{45} + x^{43} + x^{41} \\
& + x^{40} + x^{36} + x^{35} + x^{33} + x^{32} + x^{24} + x^{23} + x^{21} + x^{19} + x^{17} + x^{15} \\
& + x^{13} + x^{11} + x^9 + x^8 + x^4 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 0, 1, 1, 1, 0, 0, 0, 1]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	141	[107, 18]	282	[388, 385]	423	[523, 359]	564	[628, 22]
1	[3, 4]	142	[239, 240]	283	[174, 389]	424	[39, 156]	565	[629, 293]
2	[5, 6]	143	[241, 100]	284	[390, 391]	425	[524, 136]	566	[6, 90]
3	[7, 8]	144	[238, 242]	285	[171, 389]	426	[525, 526]	567	[233, 223]
4	[9, 10]	145	[243, 244]	286	[385, 172]	427	[527, 120]	568	[630, 489]
5	[11, 12]	146	[245, 246]	287	[51, 51]	428	[528, 116]	569	[631, 595]
6	[13, 14]	147	[247, 248]	288	[392, 313]	429	[529, 169]	570	[632, 283]
7	[15, 16]	148	[249, 250]	289	[393, 154]	430	[530, 112]	571	[202, 264]
8	[17, 18]	149	[251, 71]	290	[333, 160]	431	[531, 319]	572	[633, 634]
9	[19, 20]	150	[230, 252]	291	[394, 117]	432	[532, 161]	573	[583, 4]
10	[21, 21]	151	[253, 254]	292	[8, 352]	433	[533, 42]	574	[635, 636]
11	[22, 23]	152	[255, 256]	293	[333, 178]	434	[388, 174]	575	[310, 161]
12	[24, 25]	153	[257, 258]	294	[395, 396]	435	[534, 350]	576	[637, 536]
13	[26, 27]	154	[259, 260]	295	[160, 311]	436	[535, 375]	577	[524, 31]
14	[28, 29]	155	[261, 220]	296	[397, 332]	437	[132, 341]	578	[637, 332]
15	[30, 31]	156	[74, 262]	297	[398, 362]	438	[331, 536]	579	[543, 306]
16	[32, 33]	157	[263, 264]	298	[13, 167]	439	[40, 154]	580	[349, 574]

17	[34, 35]	158	[265, 266]	299	[399, 182]	440	[537, 514]	581	[50, 391]
18	[36, 37]	159	[267, 268]	300	[178, 161]	441	[538, 148]	582	[638, 9]
19	[38, 39]	160	[23, 269]	301	[306, 115]	442	[152, 160]	583	[119, 345]
20	[40, 41]	161	[270, 271]	302	[400, 314]	443	[315, 128]	584	[111, 114]
21	[42, 43]	162	[272, 87]	303	[118, 352]	444	[1, 10]	585	[639, 54]
22	[44, 45]	163	[27, 245]	304	[401, 128]	445	[539, 135]	586	[640, 145]
23	[46, 47]	164	[273, 274]	305	[402, 403]	446	[540, 309]	587	[363, 550]
24	[48, 49]	165	[275, 276]	306	[190, 404]	447	[313, 55]	588	[569, 348]
25	[50, 51]	166	[277, 106]	307	[258, 195]	448	[541, 401]	589	[30, 136]
26	[52, 53]	167	[82, 232]	308	[405, 256]	449	[542, 389]	590	[641, 509]
27	[54, 55]	168	[278, 279]	309	[406, 407]	450	[158, 368]	591	[642, 165]
28	[14, 56]	169	[280, 281]	310	[268, 83]	451	[528, 346]	592	[553, 159]
29	[41, 57]	170	[194, 63]	311	[256, 408]	452	[122, 518]	593	[573, 350]
30	[58, 59]	171	[25, 248]	312	[409, 270]	453	[543, 114]	594	[643, 135]
31	[60, 61]	172	[282, 283]	313	[410, 411]	454	[544, 403]	595	[355, 156]
32	[62, 15]	173	[284, 285]	314	[412, 208]	455	[114, 44]	596	[644, 520]
33	[63, 64]	174	[283, 286]	315	[413, 414]	456	[545, 166]	597	[645, 528]
34	[65, 66]	175	[248, 287]	316	[298, 415]	457	[546, 396]	598	[394, 124]
35	[67, 68]	176	[288, 289]	317	[416, 417]	458	[547, 313]	599	[646, 329]
36	[69, 70]	177	[290, 291]	318	[418, 29]	459	[125, 548]	600	[519, 2]
37	[71, 72]	178	[292, 93]	319	[419, 420]	460	[549, 548]	601	[554, 572]
38	[73, 74]	179	[242, 293]	320	[421, 28]	461	[389, 550]	602	[180, 55]
39	[75, 76]	180	[294, 295]	321	[269, 422]	462	[551, 176]	603	[647, 114]
40	[77, 78]	181	[296, 61]	322	[423, 190]	463	[376, 57]	604	[648, 375]
41	[79, 80]	182	[297, 203]	323	[424, 425]	464	[552, 115]	605	[640, 143]
42	[81, 82]	183	[212, 298]	324	[426, 427]	465	[387, 159]	606	[649, 143]
43	[83, 84]	184	[299, 300]	325	[70, 428]	466	[553, 368]	607	[650, 126]
44	[85, 86]	185	[193, 301]	326	[429, 255]	467	[554, 378]	608	[651, 2]
45	[87, 88]	186	[302, 303]	327	[205, 189]	468	[131, 167]	609	[516, 116]
46	[89, 90]	187	[225, 304]	328	[430, 99]	469	[172, 550]	610	[652, 378]
47	[90, 91]	188	[305, 207]	329	[431, 432]	470	[555, 550]	611	[653, 528]
48	[92, 93]	189	[9, 187]	330	[432, 290]	471	[48, 42]	612	[550, 385]
49	[94, 95]	190	[306, 44]	331	[295, 106]	472	[338, 144]	613	[654, 314]
50	[96, 97]	191	[307, 157]	332	[433, 434]	473	[328, 346]	614	[11, 518]
51	[97, 98]	192	[308, 309]	333	[427, 235]	474	[112, 352]	615	[655, 348]
52	[99, 100]	193	[310, 311]	334	[435, 98]	475	[556, 355]	616	[53, 31]
53	[101, 102]	194	[31, 120]	335	[436, 437]	476	[557, 522]	617	[652, 572]
54	[103, 16]	195	[312, 160]	336	[438, 270]	477	[552, 44]	618	[647, 306]
55	[104, 105]	196	[313, 130]	337	[439, 216]	478	[558, 559]	619	[656, 371]
56	[106, 107]	197	[314, 152]	338	[440, 60]	479	[560, 548]	620	[360, 163]
57	[108, 109]	198	[315, 316]	339	[441, 442]	480	[380, 144]	621	[401, 316]
58	[110, 111]	199	[317, 158]	340	[443, 274]	481	[31, 150]	622	[390, 51]
59	[112, 113]	200	[54, 130]	341	[20, 424]	482	[561, 54]	623	[568, 520]
60	[114, 115]	201	[318, 319]	342	[444, 427]	483	[371, 327]	624	[656, 324]

61	[116, 117]	202	[115, 33]	343	[445, 23]	484	[320, 43]	625	[173, 385]
62	[118, 113]	203	[320, 321]	344	[446, 22]	485	[379, 371]	626	[560, 126]
63	[119, 57]	204	[322, 128]	345	[289, 447]	486	[386, 176]	627	[657, 142]
64	[120, 121]	205	[111, 306]	346	[204, 265]	487	[562, 563]	628	[157, 306]
65	[122, 12]	206	[115, 45]	347	[300, 102]	488	[564, 329]	629	[658, 526]
66	[123, 124]	207	[323, 121]	348	[448, 449]	489	[153, 41]	630	[116, 124]
67	[125, 126]	208	[129, 55]	349	[450, 451]	490	[393, 41]	631	[32, 45]
68	[127, 128]	209	[324, 325]	350	[452, 453]	491	[340, 133]	632	[659, 574]
69	[129, 130]	210	[326, 327]	351	[454, 74]	492	[550, 174]	633	[660, 315]
70	[131, 14]	211	[328, 116]	352	[219, 455]	493	[541, 315]	634	[555, 175]
71	[132, 133]	212	[329, 330]	353	[456, 292]	494	[565, 321]	635	[655, 559]
72	[56, 134]	213	[331, 332]	354	[214, 202]	495	[175, 174]	636	[353, 152]
73	[135, 136]	214	[151, 333]	355	[457, 104]	496	[389, 175]	637	[411, 303]
74	[56, 137]	215	[334, 335]	356	[458, 451]	497	[542, 172]	638	[661, 21]
75	[138, 139]	216	[136, 120]	357	[459, 97]	498	[566, 188]	639	[636, 220]
76	[140, 134]	217	[176, 41]	358	[460, 461]	499	[565, 43]	640	[662, 238]
77	[141, 39]	218	[336, 139]	359	[462, 463]	500	[567, 536]	641	[663, 108]
78	[142, 116]	219	[120, 37]	360	[464, 465]	501	[568, 2]	642	[664, 304]
79	[143, 144]	220	[150, 121]	361	[466, 289]	502	[183, 33]	643	[240, 244]
80	[145, 146]	221	[152, 178]	362	[467, 468]	503	[569, 559]	644	[29, 417]
81	[147, 148]	222	[337, 157]	363	[469, 470]	504	[570, 563]	645	[665, 260]
82	[149, 150]	223	[329, 47]	364	[471, 472]	505	[571, 572]	646	[252, 432]
83	[151, 152]	224	[338, 146]	365	[221, 227]	506	[573, 574]	647	[666, 667]
84	[153, 154]	225	[339, 325]	366	[473, 442]	507	[322, 316]	648	[668, 265]
85	[155, 156]	226	[8, 113]	367	[210, 79]	508	[575, 292]	649	[669, 579]
86	[157, 114]	227	[340, 341]	368	[417, 474]	509	[576, 577]	650	[670, 199]
87	[158, 159]	228	[178, 311]	369	[468, 295]	510	[578, 465]	651	[465, 444]
88	[160, 161]	229	[342, 343]	370	[475, 267]	511	[109, 579]	652	[671, 667]
89	[162, 35]	230	[344, 330]	371	[476, 477]	512	[78, 414]	653	[672, 484]
90	[163, 134]	231	[154, 345]	372	[478, 232]	513	[580, 581]	654	[415, 255]
91	[14, 163]	232	[346, 124]	373	[479, 480]	514	[582, 583]	655	[64, 59]
92	[164, 165]	233	[150, 37]	374	[422, 481]	515	[584, 219]	656	[673, 70]
93	[166, 167]	234	[347, 348]	375	[482, 444]	516	[585, 199]	657	[674, 80]
94	[168, 169]	235	[10, 133]	376	[483, 484]	517	[72, 254]	658	[675, 285]
95	[170, 115]	236	[349, 350]	377	[18, 85]	518	[586, 587]	659	[235, 20]
96	[171, 172]	237	[351, 352]	378	[485, 284]	519	[437, 267]	660	[676, 86]
97	[173, 174]	238	[353, 333]	379	[486, 425]	520	[588, 589]	661	[677, 42]
98	[172, 175]	239	[354, 355]	380	[487, 481]	521	[590, 391]	662	[638, 165]
99	[176, 154]	240	[356, 187]	381	[425, 207]	522	[591, 592]	663	[346, 117]
100	[177, 178]	241	[357, 335]	382	[488, 489]	523	[593, 282]	664	[678, 143]
101	[179, 166]	242	[165, 10]	383	[490, 28]	524	[594, 595]	665	[679, 371]
102	[180, 130]	243	[358, 359]	384	[491, 78]	525	[596, 287]	666	[680, 186]
103	[181, 182]	244	[360, 56]	385	[470, 492]	526	[597, 598]	667	[188, 330]
104	[183, 45]	245	[53, 136]	386	[493, 494]	527	[262, 466]	668	[681, 324]

105	[167, 56]	246	[142, 346]	387	[480, 494]	528	[599, 211]	669	[364, 375]
106	[184, 185]	247	[361, 362]	388	[495, 282]	529	[600, 470]	670	[367, 159]
107	[186, 14]	248	[363, 175]	389	[287, 279]	530	[197, 411]	671	[532, 311]
108	[165, 187]	249	[364, 317]	390	[496, 497]	531	[601, 227]	672	[649, 145]
109	[188, 47]	250	[123, 117]	391	[391, 391]	532	[602, 603]	673	[657, 528]
110	[189, 190]	251	[365, 56]	392	[93, 104]	533	[604, 269]	674	[682, 315]
111	[191, 85]	252	[343, 333]	393	[498, 108]	534	[291, 276]	675	[398, 509]
112	[192, 193]	253	[366, 343]	394	[499, 472]	535	[605, 210]	676	[683, 176]
113	[16, 194]	254	[39, 185]	395	[500, 404]	536	[606, 96]	677	[684, 83]
114	[195, 87]	255	[167, 163]	396	[501, 499]	537	[607, 286]	678	[685, 107]
115	[196, 197]	256	[367, 368]	397	[502, 27]	538	[608, 492]	679	[686, 252]
116	[80, 198]	257	[369, 8]	398	[231, 258]	539	[609, 60]	680	[276, 95]
117	[199, 200]	258	[370, 158]	399	[503, 466]	540	[610, 291]	681	[687, 205]
118	[201, 202]	259	[127, 316]	400	[489, 477]	541	[611, 197]	682	[688, 298]
119	[203, 204]	260	[371, 325]	401	[504, 195]	542	[612, 581]	683	[689, 79]
120	[59, 205]	261	[372, 373]	402	[505, 231]	543	[613, 196]	684	[551, 153]
121	[61, 206]	262	[136, 150]	403	[506, 507]	544	[614, 71]	685	[690, 153]
122	[207, 208]	263	[374, 53]	404	[187, 341]	545	[451, 82]	686	[691, 317]
123	[209, 210]	264	[351, 113]	405	[508, 12]	546	[615, 63]	687	[692, 9]
124	[211, 212]	265	[49, 321]	406	[361, 509]	547	[616, 300]	688	[535, 317]
125	[66, 211]	266	[324, 327]	407	[326, 325]	548	[617, 618]	689	[693, 145]
126	[213, 214]	267	[375, 367]	408	[163, 137]	549	[463, 99]	690	[694, 266]
127	[215, 216]	268	[355, 185]	409	[170, 44]	550	[286, 461]	691	[695, 198]
128	[86, 217]	269	[135, 31]	410	[510, 373]	551	[619, 259]	692	[696, 225]
129	[218, 219]	270	[376, 345]	411	[511, 137]	552	[620, 66]	693	[697, 245]
130	[220, 221]	271	[44, 33]	412	[512, 111]	553	[621, 259]	694	[698, 49]
131	[222, 223]	272	[377, 378]	413	[513, 514]	554	[408, 196]	695	[699, 401]
132	[224, 225]	273	[379, 324]	414	[365, 163]	555	[449, 622]	696	[660, 401]
133	[4, 226]	274	[380, 146]	415	[317, 367]	556	[579, 193]	697	[700, 142]
134	[227, 228]	275	[381, 188]	416	[515, 112]	557	[623, 497]	698	[701, 603]
135	[229, 230]	276	[382, 367]	417	[516, 346]	558	[76, 230]	699	[702, 15]
136	[100, 231]	277	[383, 186]	418	[517, 518]	559	[624, 625]	700	[703, 204]
137	[232, 233]	278	[384, 362]	419	[519, 520]	560	[404, 240]	701	[645, 142]
138	[234, 235]	279	[175, 385]	420	[339, 327]	561	[603, 76]	702	[642, 9]
139	[236, 224]	280	[386, 153]	421	[521, 522]	562	[626, 622]	703	[533, 49]
140	[237, 238]	281	[387, 368]	422	[375, 158]	563	[627, 491]		

Output function $n \mapsto \tau(n)$:

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	101	1	202	1	303	1	404	1	505	1	606	1
1	0	102	1	203	0	304	0	405	0	506	0	607	0
2	0	103	0	204	0	305	1	406	0	507	0	608	1
3	0	104	0	205	0	306	1	407	0	508	0	609	0
4	0	105	0	206	1	307	0	408	0	509	1	610	1

5	0	106	1	207	1	308	0	409	0	510	1	611	1
6	0	107	1	208	0	309	0	410	1	511	1	612	1
7	0	108	1	209	0	310	0	411	1	512	1	613	0
8	1	109	1	210	0	311	0	412	1	513	1	614	0
9	0	110	0	211	1	312	0	413	1	514	0	615	0
10	0	111	0	212	0	313	1	414	0	515	0	616	1
11	0	112	0	213	0	314	1	415	0	516	0	617	1
12	1	113	1	214	1	315	1	416	0	517	1	618	1
13	0	114	0	215	1	316	0	417	0	518	0	619	0
14	1	115	1	216	1	317	0	418	1	519	0	620	1
15	0	116	1	217	0	318	1	419	0	520	1	621	0
16	1	117	0	218	0	319	0	420	1	521	0	622	1
17	1	118	1	219	0	320	0	421	0	522	1	623	1
18	0	119	0	220	1	321	0	422	1	523	0	624	0
19	0	120	0	221	0	322	0	423	0	524	1	625	1
20	1	121	1	222	1	323	1	424	1	525	0	626	1
21	0	122	1	223	0	324	0	425	1	526	1	627	0
22	0	123	0	224	0	325	1	426	0	527	1	628	1
23	0	124	1	225	1	326	0	427	1	528	0	629	1
24	1	125	0	226	1	327	0	428	0	529	0	630	1
25	0	126	0	227	1	328	1	429	0	530	1	631	1
26	0	127	1	228	1	329	0	430	1	531	0	632	0
27	0	128	1	229	0	330	1	431	0	532	1	633	0
28	1	129	0	230	1	331	0	432	1	533	0	634	1
29	0	130	1	231	1	332	0	433	0	534	1	635	0
30	0	131	1	232	0	333	1	434	0	535	0	636	0
31	0	132	0	233	1	334	1	435	1	536	1	637	1
32	1	133	0	234	1	335	0	436	0	537	0	638	0
33	0	134	1	235	0	336	0	437	0	538	1	639	0
34	1	135	0	236	1	337	1	438	0	539	0	640	0
35	0	136	1	237	0	338	0	439	1	540	1	641	0
36	0	137	0	238	0	339	1	440	0	541	1	642	1
37	0	138	1	239	1	340	1	441	1	542	1	643	1
38	0	139	1	240	1	341	1	442	0	543	0	644	0
39	1	140	0	241	0	342	0	443	1	544	0	645	1
40	1	141	1	242	1	343	0	444	0	545	0	646	0
41	0	142	1	243	1	344	1	445	0	546	0	647	1
42	0	143	0	244	1	345	0	446	1	547	1	648	0
43	1	144	0	245	1	346	0	447	1	548	1	649	1
44	0	145	1	246	1	347	1	448	1	549	1	650	0
45	1	146	1	247	0	348	1	449	1	550	1	651	1
46	0	147	0	248	0	349	1	450	1	551	0	652	1
47	0	148	1	249	1	350	1	451	0	552	1	653	1
48	1	149	0	250	0	351	0	452	1	553	0	654	0

49	1	150	1	251	0	352	0	453	0	554	0	655	0
50	0	151	1	252	0	353	0	454	0	555	1	656	0
51	1	152	0	253	1	354	1	455	0	556	0	657	0
52	0	153	1	254	1	355	0	456	0	557	1	658	1
53	1	154	1	255	0	356	1	457	0	558	0	659	0
54	0	155	0	256	0	357	0	458	1	559	0	660	0
55	0	156	1	257	1	358	1	459	0	560	1	661	0
56	1	157	1	258	0	359	0	460	1	561	1	662	0
57	1	158	1	259	1	360	1	461	1	562	1	663	0
58	0	159	1	260	1	361	0	462	0	563	0	664	1
59	0	160	0	261	0	362	0	463	1	564	1	665	1
60	0	161	1	262	1	363	0	464	1	565	1	666	1
61	1	162	0	263	1	364	1	465	1	566	0	667	1
62	1	163	0	264	0	365	0	466	0	567	1	668	0
63	0	164	1	265	1	366	1	467	0	568	1	669	1
64	0	165	1	266	0	367	0	468	1	569	1	670	0
65	1	166	0	267	1	368	0	469	0	570	0	671	1
66	0	167	0	268	0	369	1	470	1	571	1	672	1
67	0	168	1	269	0	370	0	471	1	572	0	673	0
68	1	169	1	270	1	371	1	472	0	573	0	674	0
69	0	170	0	271	0	372	0	473	1	574	0	675	1
70	1	171	0	272	0	373	1	474	0	575	0	676	0
71	0	172	0	273	1	374	1	475	0	576	1	677	0
72	1	173	1	274	1	375	1	476	1	577	1	678	1
73	0	174	0	275	1	376	1	477	1	578	1	679	1
74	1	175	0	276	1	377	0	478	0	579	0	680	1
75	1	176	0	277	0	378	1	479	1	580	1	681	0
76	0	177	1	278	1	379	1	480	1	581	0	682	0
77	1	178	1	279	0	380	1	481	0	582	0	683	0
78	1	179	1	280	1	381	1	482	1	583	0	684	0
79	0	180	1	281	1	382	1	483	1	584	0	685	1
80	1	181	0	282	0	383	0	484	0	585	0	686	1
81	0	182	1	283	0	384	1	485	1	586	0	687	0
82	0	183	0	284	1	385	1	486	1	587	0	688	0
83	1	184	1	285	0	386	1	487	1	588	1	689	0
84	1	185	0	286	1	387	1	488	1	589	0	690	1
85	0	186	1	287	1	388	0	489	1	590	0	691	1
86	1	187	1	288	0	389	1	490	0	591	1	692	0
87	1	188	1	289	0	390	1	491	1	592	0	693	0
88	0	189	0	290	1	391	0	492	1	593	0	694	1
89	0	190	1	291	1	392	0	493	1	594	1	695	1
90	0	191	0	292	1	393	0	494	1	595	0	696	0
91	1	192	0	293	1	394	1	495	0	596	0	697	0
92	1	193	0	294	1	395	1	496	1	597	1	698	1

93	0	194	0	295	0	396	1	497	1	598	1	699	1
94	1	195	0	296	0	397	0	498	0	599	0	700	0
95	0	196	1	297	1	398	1	499	1	600	0	701	1
96	0	197	1	298	0	399	1	500	1	601	0	702	1
97	1	198	1	299	1	400	1	501	1	602	1	703	0
98	0	199	0	300	1	401	0	502	0	603	1		
99	0	200	0	301	1	402	1	503	1	604	0		
100	1	201	1	302	1	403	0	504	0	605	0		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE
Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA
Email address: `huyining@hust.edu.cn`