

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z^3 + z, z^2 + z + 1)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z^3 + z, z^2 + z + 1)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 07:18:13 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 19.9 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z^3 + z, z^2 + z + 1)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$\begin{aligned} p_0(z) &= z^{15} + z^{14} + z^{13} + z^{10} + z^9 + z^8 + z^6 + z^5 + z^3 + z + 1, \\ p_1(z) &= z^{18} + z^{14} + z^{13} + z^{12} + z^{10} + z^8 + z^7 + z^5 + z^2 + z, \\ p_2(z) &= z^{20} + z^{12} + z^6 + z^2, \\ p_3(z) &= z^{18} + z^{14} + z^{13} + z^{12} + z^{10} + z^8 + z^7 + z^5 + z^2 + z, \\ p_4(z) &= z^{16} + z^{15} + z^{14} + z^{13} + z^{10} + z^9 + z^8 + z^5 + z^4 + z^3 + z^2 + z, \end{aligned}$$

and for $\text{CF}(b, a)$,

$$\begin{aligned} p_0(z) &= z^{15} + z^{14} + z^{13} + z^{12} + z^{10} + z^9 + z^6 + z^5 + z^3 + z, \\ p_1(z) &= z^{18} + z^{14} + z^{13} + z^{12} + z^{10} + z^8 + z^7 + z^5 + z^2 + z, \\ p_2(z) &= z^{20} + z^{12} + z^6 + z^2, \\ p_3(z) &= z^{18} + z^{14} + z^{13} + z^{12} + z^{10} + z^8 + z^7 + z^5 + z^2 + z, \\ p_4(z) &= z^{16} + z^{15} + z^{14} + z^{13} + z^{12} + z^{10} + z^9 + z^5 + z^4 + z^3 + z^2 + z + 1. \end{aligned}$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{t}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(125, 125, 125, 125, 125)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 450 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 450, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 550 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 550, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:10u] &= M^e[:5u] + x^u M^e[:4u] + x^{3u} M^e[:2u] + x^u M^e[:5u] + x^{2u} M^e[:4u] \\ &\quad + x^{4u} M^e[:2u] + x^{2u} M^e[:5u] + x^{3u} M^e[:4u] + x^{5u} M^e[:2u] \\ &\quad + x^{4u} M^e[:5u] + x^{5u} M^e[:4u] + x^{7u} M^e[:2u] + x^{5u} M^e[:5u] \\ &\quad + x^{6u} M^e[:4u] + x^{7u} M^e[:3u] + x^{8u} M^e[:2u] + x^{9u} M^e[:u] \\ &\quad + (x^{5u} + x^{6u} + x^{7u} + x^{9u}) R^e, \\ W^e[:10u] &= W^e[:5u] + x^u W^e[:4u] + x^{3u} W^e[:2u] + x^u W^e[:5u] + x^{2u} W^e[:4u] \end{aligned}$$

$$\begin{aligned}
& + x^{4u}W^e[:2u] + x^{2u}W^e[:5u] + x^{3u}W^e[:4u] + x^{5u}W^e[:2u] \\
& + x^{4u}W^e[:5u] + x^{5u}W^e[:4u] + x^{7u}W^e[:2u] + x^{5u}W^e[:5u] \\
& + x^{6u}W^e[:4u] + x^{7u}W^e[:3u] + x^{8u}W^e[:2u] + x^{9u}W^e[:u] \\
& + (x^{5u} + x^{6u} + x^{7u} + x^{9u})R^e.
\end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned}
M^o[:10u] &= M^o[:5u] + x^u M^o[:4u] + x^{3u} M^o[:2u] + x^u M^o[:5u] + x^{2u} M^o[:4u] \\
&+ x^{4u} M^o[:2u] + x^{2u} M^o[:5u] + x^{3u} M^o[:4u] + x^{5u} M^o[:2u] \\
&+ x^{4u} M^o[:5u] + x^{5u} M^o[:4u] + x^{7u} M^o[:2u] + x^{5u} M^o[:5u] \\
&+ x^{6u} M^o[:4u] + x^{7u} M^o[:3u] + x^{8u} M^o[:2u] + x^{9u} M^o[:u] \\
&+ (x^{5u} + x^{6u} + x^{7u} + x^{9u})R^o, \\
W^o[:10u] &= W^o[:5u] + x^u W^o[:4u] + x^{3u} W^o[:2u] + x^u W^o[:5u] + x^{2u} W^o[:4u] \\
&+ x^{4u} W^o[:2u] + x^{2u} W^o[:5u] + x^{3u} W^o[:4u] + x^{5u} W^o[:2u] \\
&+ x^{4u} W^o[:5u] + x^{5u} W^o[:4u] + x^{7u} W^o[:2u] + x^{5u} W^o[:5u] \\
&+ x^{6u} W^o[:4u] + x^{7u} W^o[:3u] + x^{8u} W^o[:2u] + x^{9u} W^o[:u] \\
&+ (x^{5u} + x^{6u} + x^{7u} + x^{9u})R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$\begin{aligned}
T[:10u] &= T[:5u] + x^u T[:4u] + x^{3u} T[:2u] + x^u T[:5u] + x^{2u} T[:4u] + x^{4u} T[:2u] \\
&+ x^{2u} T[:5u] + x^{3u} T[:4u] + x^{5u} T[:2u] + x^{4u} T[:5u] + x^{5u} T[:4u] \\
&+ x^{7u} T[:2u] + x^{5u} T[:5u] + x^{6u} T[:4u] + x^{7u} T[:3u] + x^{8u} T[:2u] \\
&+ x^{9u} T[:u].
\end{aligned}$$

The proof of the other 15 cases are similar. We break down the above identity into 5 parts:

$$\begin{aligned}
0 &= x^{5u}T[:u] + x^{3u}T[2u:3u] + x^uT[4u:5u] + T[5u:6u], \\
0 &= x^{6u}T[:u] + x^{5u}T[u:2u] + x^{4u}T[2u:3u] + x^{3u}T[3u:4u] \\
&\quad + x^{2u}T[4u:5u] + T[6u:7u], \\
0 &= x^{6u}T[u:2u] + x^{4u}T[3u:4u] + T[7u:8u], \\
0 &= x^{8u}T[:u] + x^{6u}T[2u:3u] + x^{4u}T[4u:5u] + T[8u:9u], \\
0 &= x^{9u}T[:u] + x^{8u}T[u:2u] + x^{7u}T[2u:3u] + x^{6u}T[3u:4u] \\
&\quad + x^{5u}T[4u:5u] + T[9u:10u],
\end{aligned}$$

which can be rewritten as

$$(2.7) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[100w]_2] + T[[101w]_2],$$

$$\begin{aligned}
(2.8) \quad 0 &= T[[w]_2] + T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[100w]_2] \\
&\quad + T[[110w]_2],
\end{aligned}$$

$$(2.9) \quad 0 = T[[1w]_2] + T[[11w]_2] + T[[111w]_2],$$

$$(2.10) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[100w]_2] + T[[1000w]_2],$$

$$(2.11) \quad \begin{aligned} 0 &= T[[w]_2] + T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[100w]_2] \\ &\quad + T[[1001w]_2], \end{aligned}$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$(2.12) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[100w]_2] + T[[101w]_2],$$

$$(2.13) \quad \begin{aligned} 0 &= T[[w]_2] + T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[100w]_2] \\ &\quad + T[[110w]_2], \end{aligned}$$

$$(2.14) \quad 0 = T[[1w]_2] + T[[11w]_2] + T[[111w]_2],$$

$$(2.15) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[100w]_2] + T[[1000w]_2],$$

$$(2.16) \quad \begin{aligned} 0 &= T[[w]_2] + T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[100w]_2] \\ &\quad + T[[1001w]_2], \end{aligned}$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 736 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.16) can be written as

$$(2.17) \quad \begin{aligned} 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 101)), \\ 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 100)) \end{aligned}$$

$$(2.18) \quad + \tau(A(s, 110)),$$

$$(2.19) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 111)),$$

$$(2.20) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 1000)),$$

$$(2.21) \quad \begin{aligned} 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 100)) \\ &\quad + \tau(A(s, 1001)), \end{aligned}$$

for all $s \in E_{2k}$, and

$$(2.22) \quad \begin{aligned} 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 101)), \\ 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 100)) \end{aligned}$$

$$(2.23) \quad + \tau(A(s, 110)),$$

$$(2.24) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 111)),$$

$$(2.25) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 1000)),$$

$$(2.26) \quad \begin{aligned} 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 100)) \\ &\quad + \tau(A(s, 1001)), \end{aligned}$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{44}), E_{44}) = (A(i, 0^{16}), E_{16})$, so that we only have to verify that identities (2.17) through (2.26) hold for $2 \leq k \leq 22$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$\begin{aligned} M_{2k} &= M^e[:5u] + x^u M^e[:4u] + x^{3u} M^e[:2u] + x^{5u} R^e, \\ W_{2k} &= W^e[:5u] + x^u W^e[:4u] + x^{3u} W^e[:2u] + x^{5u} R^e. \end{aligned}$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$\begin{aligned} M_{2k+1} &= M^o[:5u] + x^u M^o[:4u] + x^{3u} M^o[:2u] + x^{5u} R^o, \\ W_{2k+1} &= W^o[:5u] + x^u W^o[:4u] + x^{3u} W^o[:2u] + x^{5u} R^o. \end{aligned}$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$\begin{aligned} M_{2k} \wedge W_{2k} &\Rightarrow M_{2k+1} \wedge W_{2k+1}, \\ M_{2k+1} \wedge W_{2k+1} &\Rightarrow M_{2k+2} \wedge W_{2k+2}. \end{aligned}$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$\begin{aligned} (2.27) \quad W_{2k} M_{2k} &= (W^e[:5v] + x^v W^e[:4v] + x^{3v} W^e[:2v] + x^{5v} R^e) \times (M^e[:5v] \\ &\quad + x^v M^e[:4v] + x^{3v} M^e[:2v] + x^{5v} R^e); \end{aligned}$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{10v} R^o$. Therefore we only need to prove that their difference is $O(x^{10v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{10v} , to

$$W^e[:10v] M^e[:10v] + x^{2v} W^e[:8v] M^e[:8v] + x^{6v} W^e[:4v] M^e[:4v].$$

For all $n \leq 10$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.27) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{10}, b_1, \dots, b_{10}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{10})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\lim_{n \rightarrow \infty} M_{2n, j, k} = M_{j, k}^e,$$

$$\begin{aligned}\lim_{n \rightarrow \infty} M_{2n+1,j,k} &= M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} &= W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} &= W_{j,k}^o.\end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12} \phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e/M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$\begin{aligned}q_0(x) &= x^{20} + x^{19} + x^{17} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} + x^7 + x^6 + x^5, \\ q_1(x) &= x^{19} + x^{18} + x^{15} + x^{13} + x^{12} + x^{10} + x^8 + x^7 + x^6 + x^2, \\ q_2(x) &= x^{18} + x^{14} + x^8 + 1, \\ q_3(x) &= x^{19} + x^{18} + x^{15} + x^{13} + x^{12} + x^{10} + x^8 + x^7 + x^6 + x^2, \\ q_4(x) &= x^{19} + x^{18} + x^{17} + x^{16} + x^{15} + x^{12} + x^{11} + x^{10} + x^7 + x^6 + x^5 + x^4.\end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 156, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 156, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned}p_0(x) &= x^{102} + x^{100} + x^{98} + x^{96} + x^{94} + x^{88} + x^{78} + x^{74} + x^{72} + x^{70} + x^{64} \\ &\quad + x^{46} + x^{40} + x^{38} + x^{36} + x^{30} + x^{28} + x^{26} + x^{24}, \\ p_3(x) &= x^{98} + x^{96} + x^{88} + x^{86} + x^{84} + x^{74} + x^{68} + x^{64} + x^{62} + x^{52} + x^{50} \\ &\quad + x^{48} + x^{42} + x^{38} + x^{30} + x^{28} + x^{26} + x^{24} + x^{20} + x^{14}, \\ p_6(x) &= x^{94} + x^{90} + x^{86} + x^{84} + x^{82} + x^{76} + x^{74} + x^{70} + x^{66} + x^{62} + x^{58} \\ &\quad + x^{54} + x^{52} + x^{42} + x^{40} + x^{36} + x^{34} + x^{32} + x^{26} + x^{16} + x^{12} + x^{10}\end{aligned}$$

$$\begin{aligned}
& + x^8 + 1, \\
p_9(x) &= x^{100} + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{82} + x^{74} + x^{70} + x^{58} + x^{56} \\
& + x^{54} + x^{52} + x^{50} + x^{44} + x^{40} + x^{38} + x^{36} + x^{30} + x^{26} + x^{20} + x^{18} \\
& + x^{14} + x^4, \\
p_{12}(x) &= x^{100} + x^{96} + x^{92} + x^{88} + x^{76} + x^{72} + x^{68} + x^{64} + x^{52} + x^{48} + x^{44} \\
& + x^{40} + x^{28} + x^{24} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 1, 0, 1, 0, 0, 0, 1, 0, 0, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{104} + x^{100} + x^{96} + x^{95} + x^{93} + x^{92} + x^{90} + x^{89} + x^{86} + x^{82} \\
& + x^{79} + x^{78} + x^{70} + x^{67} + x^{66} + x^{65} + x^{60} + x^{59} + x^{58} + x^{57} + x^{56} \\
& + x^{52} + x^{51} + x^{49} + x^{47} + x^{43} + x^{42} + x^{38} + x^{36} + x^{32} + x^{30} + x^{29} \\
& + x^{28} + x^{27}, \\
p_3(x) &= x^{103} + x^{101} + x^{100} + x^{99} + x^{97} + x^{96} + x^{95} + x^{92} + x^{90} + x^{89} + x^{88} \\
& + x^{87} + x^{85} + x^{84} + x^{83} + x^{81} + x^{80} + x^{79} + x^{77} + x^{76} + x^{75} + x^{73} \\
& + x^{72} + x^{61} + x^{59} + x^{58} + x^{39} + x^{37} + x^{36} + x^{35} + x^{33} + x^{32} + x^{29} \\
& + x^{27} + x^{26} + x^{21} + x^{19} + x^{18}, \\
p_6(x) &= x^{102} + x^{101} + x^{100} + x^{98} + x^{97} + x^{96} + x^{94} + x^{93} + x^{91} + x^{90} + x^{86} \\
& + x^{85} + x^{83} + x^{82} + x^{76} + x^{75} + x^{73} + x^{72} + x^{66} + x^{65} + x^{64} + x^{56} \\
& + x^{55} + x^{53} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} + x^{43} + x^{42} + x^{32} + x^{31} \\
& + x^{29} + x^{27} + x^{25} + x^{23} + x^{22} + x^{20} + x^{19} + x^{17} + x^{15} + x^{13} + x^{12}, \\
p_9(x) &= x^{101} + x^{98} + x^{96} + x^{94} + x^{93} + x^{92} + x^{83} + x^{81} + x^{80} + x^{67} + x^{65} \\
& + x^{64} + x^{63} + x^{61} + x^{60} + x^{59} + x^{56} + x^{55} + x^{54} + x^{53} + x^{50} + x^{48} \\
& + x^{47} + x^{46} + x^{45} + x^{42} + x^{41} + x^{40} + x^{37} + x^{35} + x^{34} + x^{31} + x^{28} \\
& + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{15} + x^{14} + x^9 + x^7 + x^6, \\
p_{12}(x) &= x^{100} + x^{99} + x^{97} + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{84} + x^{80} \\
& + x^{79} + x^{77} + x^{76} + x^{72} + x^{71} + x^{69} + x^{67} + x^{65} + x^{64} + x^{52} + x^{51} \\
& + x^{49} + x^{47} + x^{45} + x^{44} + x^{40} + x^{39} + x^{37} + x^{36} + x^{32} + x^{31} + x^{29} \\
& + x^{28} + x^{24} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^{12} + x^8 + x^7 + x^5 \\
& + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 1, 0, 0, 1, 0, 0, 1, 0, 0, 1, 1]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{104} + x^{100} + x^{96} + x^{95} + x^{93} + x^{92} + x^{90} + x^{89} + x^{86} + x^{82} \\
& + x^{79} + x^{78} + x^{70} + x^{67} + x^{66} + x^{65} + x^{60} + x^{59} + x^{58} + x^{57} + x^{56} \\
& + x^{52} + x^{51} + x^{49} + x^{47} + x^{43} + x^{42} + x^{38} + x^{36} + x^{32} + x^{30} + x^{29} \\
& + x^{28} + x^{27},
\end{aligned}$$

$$\begin{aligned}
p_3(x) &= x^{103} + x^{101} + x^{100} + x^{99} + x^{97} + x^{96} + x^{95} + x^{92} + x^{90} + x^{89} + x^{88} \\
&\quad + x^{87} + x^{85} + x^{84} + x^{83} + x^{81} + x^{80} + x^{79} + x^{77} + x^{76} + x^{75} + x^{73} \\
&\quad + x^{72} + x^{61} + x^{59} + x^{58} + x^{39} + x^{37} + x^{36} + x^{35} + x^{33} + x^{32} + x^{29} \\
&\quad + x^{27} + x^{26} + x^{21} + x^{19} + x^{18}, \\
p_6(x) &= x^{102} + x^{101} + x^{100} + x^{98} + x^{97} + x^{96} + x^{94} + x^{93} + x^{91} + x^{90} + x^{86} \\
&\quad + x^{85} + x^{83} + x^{82} + x^{76} + x^{75} + x^{73} + x^{72} + x^{66} + x^{65} + x^{64} + x^{56} \\
&\quad + x^{55} + x^{53} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} + x^{43} + x^{42} + x^{32} + x^{31} \\
&\quad + x^{29} + x^{27} + x^{25} + x^{23} + x^{22} + x^{20} + x^{19} + x^{17} + x^{15} + x^{13} + x^{12}, \\
p_9(x) &= x^{101} + x^{98} + x^{96} + x^{94} + x^{93} + x^{92} + x^{83} + x^{81} + x^{80} + x^{67} + x^{65} \\
&\quad + x^{64} + x^{63} + x^{61} + x^{60} + x^{59} + x^{56} + x^{55} + x^{54} + x^{53} + x^{50} + x^{48} \\
&\quad + x^{47} + x^{46} + x^{45} + x^{42} + x^{41} + x^{40} + x^{37} + x^{35} + x^{34} + x^{31} + x^{28} \\
&\quad + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{15} + x^{14} + x^9 + x^7 + x^6, \\
p_{12}(x) &= x^{100} + x^{99} + x^{97} + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{84} + x^{80} \\
&\quad + x^{79} + x^{77} + x^{76} + x^{72} + x^{71} + x^{69} + x^{67} + x^{65} + x^{64} + x^{52} + x^{51} \\
&\quad + x^{49} + x^{47} + x^{45} + x^{44} + x^{40} + x^{39} + x^{37} + x^{36} + x^{32} + x^{31} + x^{29} \\
&\quad + x^{28} + x^{24} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^{12} + x^8 + x^7 + x^5 \\
&\quad + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 1, 0, 0, 1, 0, 0, 1, 0, 0, 1, 1]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{104} + x^{96} + x^{92} + x^{88} + x^{82} + x^{74} + x^{72} + x^{68} + x^{66} + x^{60} \\
&\quad + x^{56} + x^{52} + x^{50} + x^{48} + x^{40} + x^{30}, \\
p_3(x) &= x^{102} + x^{96} + x^{94} + x^{92} + x^{82} + x^{74} + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} \\
&\quad + x^{52} + x^{50} + x^{38} + x^{36} + x^{34} + x^{32} + x^{28} + x^{26} + x^{24} + x^{22} + x^{12}, \\
p_6(x) &= x^{102} + x^{100} + x^{96} + x^{90} + x^{84} + x^{82} + x^{76} + x^{66} + x^{64} + x^{62} + x^{58} \\
&\quad + x^{56} + x^{52} + x^{50} + x^{48} + x^{42} + x^{40} + x^{38} + x^{34} + x^{32} + x^{22} + x^{18} \\
&\quad + x^{14} + x^{10} + x^8 + x^6 + x^2 + 1, \\
p_9(x) &= x^{100} + x^{94} + x^{88} + x^{84} + x^{80} + x^{78} + x^{66} + x^{64} + x^{62} + x^{58} + x^{52} \\
&\quad + x^{50} + x^{46} + x^{44} + x^{34} + x^{32} + x^{30} + x^{24} + x^{22} + x^{18} + x^{16} + x^{14} \\
&\quad + x^{12} + x^{10} + x^6 + x^4, \\
p_{12}(x) &= x^{100} + x^{98} + x^{96} + x^{68} + x^{66} + x^{64} + x^{52} + x^{50} + x^{48} + x^4 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{102} + x^{96} + x^{86} + x^{80} + x^{78} + x^{74} + x^{72} + x^{68} + x^{66} + x^{64} \\
&\quad + x^{58} + x^{54} + x^{52} + x^{50} + x^{44} + x^{42} + x^{36} + x^{34} + x^{30} + x^{24}, \\
p_3(x) &= x^{102} + x^{98} + x^{96} + x^{82} + x^{78} + x^{72} + x^{68} + x^{58} + x^{56} + x^{52} + x^{44}
\end{aligned}$$

$$\begin{aligned}
& + x^{40} + x^{32} + x^{26} + x^{22} + x^{20} + x^{16} + x^{14}, \\
p_6(x) &= x^{102} + x^{100} + x^{98} + x^{92} + x^{88} + x^{84} + x^{82} + x^{78} + x^{72} + x^{66} + x^{62} \\
& + x^{58} + x^{54} + x^{46} + x^{42} + x^{34} + x^{32} + x^{30} + x^{24} + x^{22} + x^{20} + x^{18} \\
& + x^{16} + x^6 + x^2 + 1, \\
p_9(x) &= x^{100} + x^{94} + x^{88} + x^{84} + x^{80} + x^{78} + x^{66} + x^{64} + x^{62} + x^{58} + x^{52} \\
& + x^{50} + x^{46} + x^{44} + x^{34} + x^{32} + x^{30} + x^{24} + x^{22} + x^{18} + x^{16} + x^{14} \\
& + x^{12} + x^{10} + x^6 + x^4, \\
p_{12}(x) &= x^{100} + x^{98} + x^{96} + x^{68} + x^{66} + x^{64} + x^{52} + x^{50} + x^{48} + x^4 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{102} + x^{101} + x^{100} + x^{96} + x^{95} + x^{92} + x^{90} + x^{89} + x^{86} + x^{84} \\
& + x^{83} + x^{82} + x^{81} + x^{79} + x^{77} + x^{70} + x^{69} + x^{66} + x^{64} + x^{59} + x^{58} \\
& + x^{54} + x^{52} + x^{46} + x^{45} + x^{44} + x^{41} + x^{40} + x^{38} + x^{37} + x^{35} + x^{32} \\
& + x^{31} + x^{29} + x^{28} + x^{27}, \\
p_3(x) &= x^{103} + x^{101} + x^{100} + x^{99} + x^{97} + x^{96} + x^{95} + x^{92} + x^{90} + x^{89} + x^{88} \\
& + x^{87} + x^{85} + x^{84} + x^{83} + x^{81} + x^{80} + x^{79} + x^{77} + x^{76} + x^{75} + x^{73} \\
& + x^{72} + x^{61} + x^{59} + x^{58} + x^{39} + x^{37} + x^{36} + x^{35} + x^{33} + x^{32} + x^{29} \\
& + x^{27} + x^{26} + x^{21} + x^{19} + x^{18}, \\
p_6(x) &= x^{102} + x^{101} + x^{100} + x^{98} + x^{97} + x^{96} + x^{94} + x^{93} + x^{91} + x^{90} + x^{86} \\
& + x^{85} + x^{83} + x^{82} + x^{76} + x^{75} + x^{73} + x^{72} + x^{66} + x^{65} + x^{64} + x^{56} \\
& + x^{55} + x^{53} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} + x^{43} + x^{42} + x^{32} + x^{31} \\
& + x^{29} + x^{27} + x^{25} + x^{23} + x^{22} + x^{20} + x^{19} + x^{17} + x^{15} + x^{13} + x^{12}, \\
p_9(x) &= x^{101} + x^{98} + x^{96} + x^{94} + x^{93} + x^{92} + x^{83} + x^{81} + x^{80} + x^{67} + x^{65} \\
& + x^{64} + x^{63} + x^{61} + x^{60} + x^{59} + x^{56} + x^{55} + x^{54} + x^{53} + x^{50} + x^{48} \\
& + x^{47} + x^{46} + x^{45} + x^{42} + x^{41} + x^{40} + x^{37} + x^{35} + x^{34} + x^{31} + x^{28} \\
& + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{15} + x^{14} + x^9 + x^7 + x^6, \\
p_{12}(x) &= x^{100} + x^{99} + x^{97} + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{84} + x^{80} \\
& + x^{79} + x^{77} + x^{76} + x^{72} + x^{71} + x^{69} + x^{67} + x^{65} + x^{64} + x^{52} + x^{51} \\
& + x^{49} + x^{47} + x^{45} + x^{44} + x^{40} + x^{39} + x^{37} + x^{36} + x^{32} + x^{31} + x^{29} \\
& + x^{28} + x^{24} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^{12} + x^8 + x^7 + x^5 \\
& + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 0, 1, 1, 1, 0, 0, 1, 1, 1, 1, 1, 0]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{102} + x^{101} + x^{100} + x^{96} + x^{95} + x^{92} + x^{90} + x^{89} + x^{86} + x^{84} \\
& + x^{83} + x^{82} + x^{81} + x^{79} + x^{77} + x^{70} + x^{69} + x^{66} + x^{64} + x^{59} + x^{58}
\end{aligned}$$

$$\begin{aligned}
& + x^{54} + x^{52} + x^{46} + x^{45} + x^{44} + x^{41} + x^{40} + x^{38} + x^{37} + x^{35} + x^{32} \\
& + x^{31} + x^{29} + x^{28} + x^{27}, \\
p_3(x) &= x^{103} + x^{101} + x^{100} + x^{99} + x^{97} + x^{96} + x^{95} + x^{92} + x^{90} + x^{89} + x^{88} \\
& + x^{87} + x^{85} + x^{84} + x^{83} + x^{81} + x^{80} + x^{79} + x^{77} + x^{76} + x^{75} + x^{73} \\
& + x^{72} + x^{61} + x^{59} + x^{58} + x^{39} + x^{37} + x^{36} + x^{35} + x^{33} + x^{32} + x^{29} \\
& + x^{27} + x^{26} + x^{21} + x^{19} + x^{18}, \\
p_6(x) &= x^{102} + x^{101} + x^{100} + x^{98} + x^{97} + x^{96} + x^{94} + x^{93} + x^{91} + x^{90} + x^{86} \\
& + x^{85} + x^{83} + x^{82} + x^{76} + x^{75} + x^{73} + x^{72} + x^{66} + x^{65} + x^{64} + x^{56} \\
& + x^{55} + x^{53} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} + x^{43} + x^{42} + x^{32} + x^{31} \\
& + x^{29} + x^{27} + x^{25} + x^{23} + x^{22} + x^{20} + x^{19} + x^{17} + x^{15} + x^{13} + x^{12}, \\
p_9(x) &= x^{101} + x^{98} + x^{96} + x^{94} + x^{93} + x^{92} + x^{83} + x^{81} + x^{80} + x^{67} + x^{65} \\
& + x^{64} + x^{63} + x^{61} + x^{60} + x^{59} + x^{56} + x^{55} + x^{54} + x^{53} + x^{50} + x^{48} \\
& + x^{47} + x^{46} + x^{45} + x^{42} + x^{41} + x^{40} + x^{37} + x^{35} + x^{34} + x^{31} + x^{28} \\
& + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{15} + x^{14} + x^9 + x^7 + x^6, \\
p_{12}(x) &= x^{100} + x^{99} + x^{97} + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{84} + x^{80} \\
& + x^{79} + x^{77} + x^{76} + x^{72} + x^{71} + x^{69} + x^{67} + x^{65} + x^{64} + x^{52} + x^{51} \\
& + x^{49} + x^{47} + x^{45} + x^{44} + x^{40} + x^{39} + x^{37} + x^{36} + x^{32} + x^{31} + x^{29} \\
& + x^{28} + x^{24} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^{12} + x^8 + x^7 + x^5 \\
& + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 0, 1, 1, 1, 0, 0, 1, 1, 1, 1, 1, 0]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{102} + x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} \\
& + x^{64} + x^{56} + x^{52} + x^{48} + x^{42} + x^{40} + x^{36} + x^{34} + x^{32} + x^{30}, \\
p_3(x) &= x^{82} + x^{80} + x^{78} + x^{74} + x^{72} + x^{64} + x^{62} + x^{58} + x^{56} + x^{52} + x^{50} \\
& + x^{46} + x^{44} + x^{42} + x^{28} + x^{22} + x^{20} + x^{16} + x^{14} + x^{12}, \\
p_6(x) &= x^{98} + x^{94} + x^{90} + x^{88} + x^{78} + x^{74} + x^{70} + x^{66} + x^{64} + x^{62} + x^{54} \\
& + x^{52} + x^{48} + x^{46} + x^{44} + x^{42} + x^{40} + x^{38} + x^{34} + x^{30} + x^{28} + x^{24} \\
& + x^{22} + x^{20} + x^{16} + x^{12} + x^{10} + 1, \\
p_9(x) &= x^{100} + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{82} + x^{74} + x^{70} + x^{58} + x^{56} \\
& + x^{54} + x^{52} + x^{50} + x^{44} + x^{40} + x^{38} + x^{36} + x^{30} + x^{26} + x^{20} + x^{18} \\
& + x^{14} + x^4, \\
p_{12}(x) &= x^{100} + x^{96} + x^{92} + x^{88} + x^{76} + x^{72} + x^{68} + x^{64} + x^{52} + x^{48} + x^{44} \\
& + x^{40} + x^{28} + x^{24} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 1, 0, 0, 0, 0, 0, 1, 0, 0, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{104} + x^{103} + x^{100} + x^{98} + x^{97} + x^{96} + x^{94} + x^{91} + x^{90} + x^{89} \\
&\quad + x^{87} + x^{86} + x^{83} + x^{78} + x^{75} + x^{74} + x^{71} + x^{68} + x^{67} + x^{66} + x^{64} \\
&\quad + x^{62} + x^{59} + x^{56} + x^{53} + x^{52} + x^{51} + x^{49} + x^{47} + x^{46} + x^{42} + x^{35} \\
&\quad + x^{34} + x^{33} + x^{32} + x^{31} + x^{28} + x^{26} + x^{25} + x^{24}, \\
p_3(x) &= x^{104} + x^{102} + x^{100} + x^{98} + x^{96} + x^{92} + x^{91} + x^{88} + x^{85} + x^{81} + x^{78} \\
&\quad + x^{76} + x^{73} + x^{71} + x^{69} + x^{68} + x^{62} + x^{60} + x^{56} + x^{55} + x^{53} + x^{51} \\
&\quad + x^{50} + x^{48} + x^{47} + x^{46} + x^{42} + x^{41} + x^{38} + x^{35} + x^{34} + x^{33} + x^{32} \\
&\quad + x^{29} + x^{26} + x^{25} + x^{23} + x^{22} + x^{21} + x^{18} + x^{17} + x^{16}, \\
p_6(x) &= x^{104} + x^{102} + x^{100} + x^{99} + x^{97} + x^{96} + x^{95} + x^{93} + x^{92} + x^{91} + x^{83} \\
&\quad + x^{80} + x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} + x^{69} + x^{65} + x^{64} \\
&\quad + x^{63} + x^{62} + x^{61} + x^{54} + x^{52} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} + x^{42} \\
&\quad + x^{41} + x^{39} + x^{36} + x^{34} + x^{33} + x^{32} + x^{30} + x^{27} + x^{26} + x^{25} + x^{24} \\
&\quad + x^{22} + x^{21} + x^{20} + x^{14} + x^{12} + x^{10} + x^9 + x^7 + x^5 + x^3 + x + 1, \\
p_9(x) &= x^{104} + x^{103} + x^{101} + x^{100} + x^{96} + x^{95} + x^{93} + x^{91} + x^{89} + x^{87} + x^{85} \\
&\quad + x^{84} + x^{80} + x^{79} + x^{77} + x^{75} + x^{73} + x^{72} + x^{56} + x^{55} + x^{53} + x^{52} \\
&\quad + x^{48} + x^{47} + x^{45} + x^{43} + x^{41} + x^{39} + x^{37} + x^{36} + x^{32} + x^{31} + x^{29} \\
&\quad + x^{27} + x^{25} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^{11} + x^9 + x^8, \\
p_{12}(x) &= x^{104} + x^{103} + x^{101} + x^{99} + x^{97} + x^{96} + x^{92} + x^{91} + x^{89} + x^{88} + x^{76} \\
&\quad + x^{75} + x^{73} + x^{71} + x^{69} + x^{67} + x^{65} + x^{64} + x^{56} + x^{55} + x^{53} + x^{51} \\
&\quad + x^{49} + x^{48} + x^{44} + x^{43} + x^{41} + x^{40} + x^{28} + x^{27} + x^{25} + x^{24} + x^{12} \\
&\quad + x^{11} + x^9 + x^7 + x^5 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 1, 1, 1, 0, 1, 0, 0, 1, 1, 0, 1]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{112} + x^{109} + x^{106} + x^{102} + x^{101} + x^{94} + x^{89} + x^{88} + x^{87} + x^{85} + x^{82} \\
&\quad + x^{79} + x^{76} + x^{74} + x^{72} + x^{71} + x^{69} + x^{65} + x^{64} + x^{63} + x^{62} + x^{57} \\
&\quad + x^{55} + x^{51} + x^{47} + x^{40} + x^{39} + x^{37} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} \\
&\quad + x^{29} + x^{27}, \\
p_3(x) &= x^{105} + x^{104} + x^{101} + x^{99} + x^{98} + x^{96} + x^{95} + x^{90} + x^{73} + x^{72} + x^{69} \\
&\quad + x^{67} + x^{66} + x^{64} + x^{63} + x^{58} + x^{41} + x^{40} + x^{37} + x^{35} + x^{34} + x^{33} \\
&\quad + x^{31} + x^{29} + x^{27} + x^{24} + x^{23} + x^{18}, \\
p_6(x) &= x^{106} + x^{104} + x^{96} + x^{82} + x^{80} + x^{72} + x^{70} + x^{68} + x^{66} + x^{64} + x^{60} \\
&\quad + x^{56} + x^{54} + x^{52} + x^{50} + x^{48} + x^{46} + x^{42} + x^{36} + x^{32} + x^{26} + x^{24} \\
&\quad + x^{22} + x^{20} + x^{16} + x^{12}, \\
p_9(x) &= x^{107} + x^{106} + x^{105} + x^{104} + x^{103} + x^{100} + x^{98} + x^{97} + x^{96} + x^{95}
\end{aligned}$$

$$\begin{aligned}
& + x^{94} + x^{92} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{84} + x^{82} + x^{81} + x^{80} \\
& + x^{79} + x^{78} + x^{76} + x^{75} + x^{70} + x^{59} + x^{58} + x^{57} + x^{56} + x^{55} + x^{52} \\
& + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{44} + x^{42} + x^{41} + x^{40} + x^{39} + x^{38} \\
& + x^{36} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{28} + x^{26} + x^{25} + x^{24} + x^{23} \\
& + x^{22} + x^{20} + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} + x^{12} + x^{11} + x^6, \\
p_{12}(x) = & x^{108} + x^{104} + x^{100} + x^{88} + x^{80} + x^{76} + x^{68} + x^{64} + x^{60} + x^{56} + x^{52} \\
& + x^{40} + x^{32} + x^{24} + x^{16} + x^{12} + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 1, 0, 0, 0, 0, 0, 0, 1, 0, 1, 1]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) = & x^{106} + x^{105} + x^{104} + x^{103} + x^{102} + x^{101} + x^{98} + x^{96} + x^{94} + x^{93} \\
& + x^{92} + x^{91} + x^{90} + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} + x^{82} + x^{81} + x^{80} \\
& + x^{79} + x^{78} + x^{77} + x^{76} + x^{75} + x^{66} + x^{65} + x^{64} + x^{61} + x^{60} + x^{58} \\
& + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{49} + x^{47} + x^{46} + x^{44} + x^{42} \\
& + x^{41} + x^{38} + x^{37} + x^{33} + x^{32} + x^{29} + x^{27}, \\
p_3(x) = & x^{105} + x^{104} + x^{100} + x^{99} + x^{98} + x^{97} + x^{96} + x^{94} + x^{93} + x^{91} + x^{90} \\
& + x^{89} + x^{87} + x^{85} + x^{83} + x^{81} + x^{79} + x^{77} + x^{75} + x^{72} + x^{71} + x^{69} \\
& + x^{68} + x^{66} + x^{64} + x^{63} + x^{62} + x^{58} + x^{41} + x^{40} + x^{36} + x^{35} + x^{34} \\
& + x^{30} + x^{29} + x^{28} + x^{24} + x^{23} + x^{22} + x^{18}, \\
p_6(x) = & x^{106} + x^{104} + x^{102} + x^{100} + x^{96} + x^{94} + x^{86} + x^{82} + x^{80} + x^{76} + x^{72} \\
& + x^{70} + x^{68} + x^{62} + x^{58} + x^{56} + x^{52} + x^{50} + x^{46} + x^{44} + x^{40} + x^{38} \\
& + x^{34} + x^{32} + x^{30} + x^{24} + x^{22} + x^{12}, \\
p_9(x) = & x^{107} + x^{106} + x^{105} + x^{104} + x^{102} + x^{101} + x^{99} + x^{98} + x^{97} + x^{94} \\
& + x^{92} + x^{89} + x^{88} + x^{85} + x^{83} + x^{82} + x^{81} + x^{78} + x^{76} + x^{75} + x^{74} \\
& + x^{70} + x^{59} + x^{58} + x^{57} + x^{56} + x^{54} + x^{53} + x^{51} + x^{50} + x^{49} + x^{46} \\
& + x^{44} + x^{41} + x^{40} + x^{37} + x^{35} + x^{34} + x^{33} + x^{30} + x^{28} + x^{25} + x^{24} \\
& + x^{21} + x^{19} + x^{18} + x^{17} + x^{14} + x^{12} + x^{11} + x^{10} + x^6, \\
p_{12}(x) = & x^{108} + x^{92} + x^{88} + x^{80} + x^{72} + x^{64} + x^{60} + x^{44} + x^{40} + x^{32} + x^{28} \\
& + x^{24} + x^{16} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 0, 1, 0, 1, 1, 0, 1, 1, 1, 1, 1, 1]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) = & x^{105} + x^{103} + x^{101} + x^{100} + x^{99} + x^{97} + x^{96} + x^{92} + x^{91} + x^{90} + x^{87} \\
& + x^{85} + x^{82} + x^{79} + x^{78} + x^{75} + x^{74} + x^{71} + x^{70} + x^{63} + x^{62} + x^{59} \\
& + x^{58} + x^{55} + x^{53} + x^{51} + x^{50} + x^{48} + x^{47} + x^{46} + x^{42} + x^{41} + x^{40} \\
& + x^{38} + x^{37} + x^{33} + x^{32} + x^{31} + x^{30}, \\
p_3(x) = & x^{104} + x^{101} + x^{100} + x^{99} + x^{98} + x^{97} + x^{96} + x^{95} + x^{93} + x^{91} + x^{87}
\end{aligned}$$

$$\begin{aligned}
& + x^{83} + x^{79} + x^{78} + x^{77} + x^{76} + x^{75} + x^{70} + x^{69} + x^{68} + x^{62} + x^{59} \\
& + x^{57} + x^{55} + x^{53} + x^{51} + x^{50} + x^{48} + x^{47} + x^{46} + x^{42} + x^{41} + x^{37} \\
& + x^{34} + x^{32} + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{24} + x^{23} + x^{22} \\
& + x^{21} + x^{20} + x^{19} + x^{18}, \\
p_6(x) &= x^{104} + x^{101} + x^{100} + x^{98} + x^{97} + x^{96} + x^{95} + x^{94} + x^{91} + x^{90} + x^{89} \\
& + x^{87} + x^{86} + x^{83} + x^{82} + x^{81} + x^{80} + x^{79} + x^{76} + x^{74} + x^{72} + x^{68} \\
& + x^{66} + x^{64} + x^{62} + x^{59} + x^{57} + x^{56} + x^{54} + x^{48} + x^{47} + x^{45} + x^{40} \\
& + x^{39} + x^{35} + x^{34} + x^{30} + x^{28} + x^{26} + x^{24} + x^{23} + x^{21} + x^{20} + x^{14} \\
& + x^{11} + x^{10} + x^8 + x^7 + x^5 + x^3 + x + 1, \\
p_9(x) &= x^{104} + x^{103} + x^{101} + x^{100} + x^{96} + x^{95} + x^{93} + x^{91} + x^{89} + x^{87} + x^{85} \\
& + x^{84} + x^{80} + x^{79} + x^{77} + x^{75} + x^{73} + x^{72} + x^{56} + x^{55} + x^{53} + x^{52} \\
& + x^{48} + x^{47} + x^{45} + x^{43} + x^{41} + x^{39} + x^{37} + x^{36} + x^{32} + x^{31} + x^{29} \\
& + x^{27} + x^{25} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^{11} + x^9 + x^8, \\
p_{12}(x) &= x^{104} + x^{103} + x^{101} + x^{99} + x^{97} + x^{96} + x^{92} + x^{91} + x^{89} + x^{88} + x^{76} \\
& + x^{75} + x^{73} + x^{71} + x^{69} + x^{67} + x^{65} + x^{64} + x^{56} + x^{55} + x^{53} + x^{51} \\
& + x^{49} + x^{48} + x^{44} + x^{43} + x^{41} + x^{40} + x^{28} + x^{27} + x^{25} + x^{24} + x^{12} \\
& + x^{11} + x^9 + x^7 + x^5 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 0, 1, 0, 0, 0, 1, 1, 1]$.

For $\phi(W^\circ, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{104} + x^{103} + x^{100} + x^{98} + x^{97} + x^{96} + x^{94} + x^{91} + x^{90} + x^{89} \\
& + x^{87} + x^{86} + x^{83} + x^{78} + x^{75} + x^{74} + x^{71} + x^{68} + x^{67} + x^{66} + x^{64} \\
& + x^{62} + x^{59} + x^{56} + x^{53} + x^{52} + x^{51} + x^{49} + x^{47} + x^{46} + x^{42} + x^{35} \\
& + x^{34} + x^{33} + x^{32} + x^{31} + x^{28} + x^{26} + x^{25} + x^{24}, \\
p_3(x) &= x^{104} + x^{102} + x^{100} + x^{98} + x^{96} + x^{92} + x^{91} + x^{88} + x^{85} + x^{81} + x^{78} \\
& + x^{76} + x^{73} + x^{71} + x^{69} + x^{68} + x^{62} + x^{60} + x^{56} + x^{55} + x^{53} + x^{51} \\
& + x^{50} + x^{48} + x^{47} + x^{46} + x^{42} + x^{41} + x^{38} + x^{35} + x^{34} + x^{33} + x^{32} \\
& + x^{29} + x^{26} + x^{25} + x^{23} + x^{22} + x^{21} + x^{18} + x^{17} + x^{16}, \\
p_6(x) &= x^{104} + x^{102} + x^{100} + x^{99} + x^{97} + x^{96} + x^{95} + x^{93} + x^{92} + x^{91} + x^{83} \\
& + x^{80} + x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} + x^{69} + x^{65} + x^{64} \\
& + x^{63} + x^{62} + x^{61} + x^{54} + x^{52} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} + x^{42} \\
& + x^{41} + x^{39} + x^{36} + x^{34} + x^{33} + x^{32} + x^{30} + x^{27} + x^{26} + x^{25} + x^{24} \\
& + x^{22} + x^{21} + x^{20} + x^{14} + x^{12} + x^{10} + x^9 + x^7 + x^5 + x^3 + x + 1, \\
p_9(x) &= x^{104} + x^{103} + x^{101} + x^{100} + x^{96} + x^{95} + x^{93} + x^{91} + x^{89} + x^{87} + x^{85} \\
& + x^{84} + x^{80} + x^{79} + x^{77} + x^{75} + x^{73} + x^{72} + x^{56} + x^{55} + x^{53} + x^{52} \\
& + x^{48} + x^{47} + x^{45} + x^{43} + x^{41} + x^{39} + x^{37} + x^{36} + x^{32} + x^{31} + x^{29}
\end{aligned}$$

$$\begin{aligned}
& + x^{27} + x^{25} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^{11} + x^9 + x^8, \\
p_{12}(x) = & x^{104} + x^{103} + x^{101} + x^{99} + x^{97} + x^{96} + x^{92} + x^{91} + x^{89} + x^{88} + x^{76} \\
& + x^{75} + x^{73} + x^{71} + x^{69} + x^{67} + x^{65} + x^{64} + x^{56} + x^{55} + x^{53} + x^{51} \\
& + x^{49} + x^{48} + x^{44} + x^{43} + x^{41} + x^{40} + x^{28} + x^{27} + x^{25} + x^{24} + x^{12} \\
& + x^{11} + x^9 + x^7 + x^5 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 1, 1, 1, 0, 1, 0, 0, 1, 1, 0, 1]$.

For $\phi(W^o, 0, 1)$:

$$\begin{aligned}
p_0(x) = & x^{106} + x^{105} + x^{104} + x^{103} + x^{102} + x^{101} + x^{98} + x^{96} + x^{94} + x^{93} \\
& + x^{92} + x^{91} + x^{90} + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} + x^{82} + x^{81} + x^{80} \\
& + x^{79} + x^{78} + x^{77} + x^{76} + x^{75} + x^{66} + x^{65} + x^{64} + x^{61} + x^{60} + x^{58} \\
& + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{49} + x^{47} + x^{46} + x^{44} + x^{42} \\
& + x^{41} + x^{38} + x^{37} + x^{33} + x^{32} + x^{29} + x^{27}, \\
p_3(x) = & x^{105} + x^{104} + x^{100} + x^{99} + x^{98} + x^{97} + x^{96} + x^{94} + x^{93} + x^{91} + x^{90} \\
& + x^{89} + x^{87} + x^{85} + x^{83} + x^{81} + x^{79} + x^{77} + x^{75} + x^{72} + x^{71} + x^{69} \\
& + x^{68} + x^{66} + x^{64} + x^{63} + x^{62} + x^{58} + x^{41} + x^{40} + x^{36} + x^{35} + x^{34} \\
& + x^{30} + x^{29} + x^{28} + x^{24} + x^{23} + x^{22} + x^{18}, \\
p_6(x) = & x^{106} + x^{104} + x^{102} + x^{100} + x^{96} + x^{94} + x^{86} + x^{82} + x^{80} + x^{76} + x^{72} \\
& + x^{70} + x^{68} + x^{62} + x^{58} + x^{56} + x^{52} + x^{50} + x^{46} + x^{44} + x^{40} + x^{38} \\
& + x^{34} + x^{32} + x^{30} + x^{24} + x^{22} + x^{12}, \\
p_9(x) = & x^{107} + x^{106} + x^{105} + x^{104} + x^{102} + x^{101} + x^{99} + x^{98} + x^{97} + x^{94} \\
& + x^{92} + x^{89} + x^{88} + x^{85} + x^{83} + x^{82} + x^{81} + x^{78} + x^{76} + x^{75} + x^{74} \\
& + x^{70} + x^{59} + x^{58} + x^{57} + x^{56} + x^{54} + x^{53} + x^{51} + x^{50} + x^{49} + x^{46} \\
& + x^{44} + x^{41} + x^{40} + x^{37} + x^{35} + x^{34} + x^{33} + x^{30} + x^{28} + x^{25} + x^{24} \\
& + x^{21} + x^{19} + x^{18} + x^{17} + x^{14} + x^{12} + x^{11} + x^{10} + x^6, \\
p_{12}(x) = & x^{108} + x^{92} + x^{88} + x^{80} + x^{72} + x^{64} + x^{60} + x^{44} + x^{40} + x^{32} + x^{28} \\
& + x^{24} + x^{16} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 0, 1, 0, 1, 1, 0, 1, 1, 1, 1, 1, 1]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned}
p_0(x) = & x^{112} + x^{109} + x^{106} + x^{102} + x^{101} + x^{94} + x^{89} + x^{88} + x^{87} + x^{85} + x^{82} \\
& + x^{79} + x^{76} + x^{74} + x^{72} + x^{71} + x^{69} + x^{65} + x^{64} + x^{63} + x^{62} + x^{57} \\
& + x^{55} + x^{51} + x^{47} + x^{40} + x^{39} + x^{37} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} \\
& + x^{29} + x^{27}, \\
p_3(x) = & x^{105} + x^{104} + x^{101} + x^{99} + x^{98} + x^{96} + x^{95} + x^{90} + x^{73} + x^{72} + x^{69} \\
& + x^{67} + x^{66} + x^{64} + x^{63} + x^{58} + x^{41} + x^{40} + x^{37} + x^{35} + x^{34} + x^{33} \\
& + x^{31} + x^{29} + x^{27} + x^{24} + x^{23} + x^{18},
\end{aligned}$$

$$p_6(x) = x^{106} + x^{104} + x^{96} + x^{82} + x^{80} + x^{72} + x^{70} + x^{68} + x^{66} + x^{64} + x^{60} \\ + x^{56} + x^{54} + x^{52} + x^{50} + x^{48} + x^{46} + x^{42} + x^{36} + x^{32} + x^{26} + x^{24} \\ + x^{22} + x^{20} + x^{16} + x^{12},$$

$$p_9(x) = x^{107} + x^{106} + x^{105} + x^{104} + x^{103} + x^{100} + x^{98} + x^{97} + x^{96} + x^{95} \\ + x^{94} + x^{92} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{84} + x^{82} + x^{81} + x^{80} \\ + x^{79} + x^{78} + x^{76} + x^{75} + x^{70} + x^{59} + x^{58} + x^{57} + x^{56} + x^{55} + x^{52} \\ + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{44} + x^{42} + x^{41} + x^{40} + x^{39} + x^{38} \\ + x^{36} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{28} + x^{26} + x^{25} + x^{24} + x^{23} \\ + x^{22} + x^{20} + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} + x^{12} + x^{11} + x^6,$$

$$p_{12}(x) = x^{108} + x^{104} + x^{100} + x^{88} + x^{80} + x^{76} + x^{68} + x^{64} + x^{60} + x^{56} + x^{52} \\ + x^{40} + x^{32} + x^{24} + x^{16} + x^{12} + x^4 + 1,$$

and the initial terms are $[0, 0, 0, 1, 0, 1, 0, 0, 0, 0, 0, 0, 1, 0, 1, 1]$.

For $\phi(W^o, 1, 1)$:

$$p_0(x) = x^{105} + x^{103} + x^{101} + x^{100} + x^{99} + x^{97} + x^{96} + x^{92} + x^{91} + x^{90} + x^{87} \\ + x^{85} + x^{82} + x^{79} + x^{78} + x^{75} + x^{74} + x^{71} + x^{70} + x^{63} + x^{62} + x^{59} \\ + x^{58} + x^{55} + x^{53} + x^{51} + x^{50} + x^{48} + x^{47} + x^{46} + x^{42} + x^{41} + x^{40} \\ + x^{38} + x^{37} + x^{33} + x^{32} + x^{31} + x^{30},$$

$$p_3(x) = x^{104} + x^{101} + x^{100} + x^{99} + x^{98} + x^{97} + x^{96} + x^{95} + x^{93} + x^{91} + x^{87} \\ + x^{83} + x^{79} + x^{78} + x^{77} + x^{76} + x^{75} + x^{70} + x^{69} + x^{68} + x^{62} + x^{59} \\ + x^{57} + x^{55} + x^{53} + x^{51} + x^{50} + x^{48} + x^{47} + x^{46} + x^{42} + x^{41} + x^{37} \\ + x^{34} + x^{32} + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{24} + x^{23} + x^{22} \\ + x^{21} + x^{20} + x^{19} + x^{18},$$

$$p_6(x) = x^{104} + x^{101} + x^{100} + x^{98} + x^{97} + x^{96} + x^{95} + x^{94} + x^{91} + x^{90} + x^{89} \\ + x^{87} + x^{86} + x^{83} + x^{82} + x^{81} + x^{80} + x^{79} + x^{76} + x^{74} + x^{72} + x^{68} \\ + x^{66} + x^{64} + x^{62} + x^{59} + x^{57} + x^{56} + x^{54} + x^{48} + x^{47} + x^{45} + x^{40} \\ + x^{39} + x^{35} + x^{34} + x^{30} + x^{28} + x^{26} + x^{24} + x^{23} + x^{21} + x^{20} + x^{14} \\ + x^{11} + x^{10} + x^8 + x^7 + x^5 + x^3 + x + 1,$$

$$p_9(x) = x^{104} + x^{103} + x^{101} + x^{100} + x^{96} + x^{95} + x^{93} + x^{91} + x^{89} + x^{87} + x^{85} \\ + x^{84} + x^{80} + x^{79} + x^{77} + x^{75} + x^{73} + x^{72} + x^{56} + x^{55} + x^{53} + x^{52} \\ + x^{48} + x^{47} + x^{45} + x^{43} + x^{41} + x^{39} + x^{37} + x^{36} + x^{32} + x^{31} + x^{29} \\ + x^{27} + x^{25} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^{11} + x^9 + x^8,$$

$$p_{12}(x) = x^{104} + x^{103} + x^{101} + x^{99} + x^{97} + x^{96} + x^{92} + x^{91} + x^{89} + x^{88} + x^{76} \\ + x^{75} + x^{73} + x^{71} + x^{69} + x^{67} + x^{65} + x^{64} + x^{56} + x^{55} + x^{53} + x^{51} \\ + x^{49} + x^{48} + x^{44} + x^{43} + x^{41} + x^{40} + x^{28} + x^{27} + x^{25} + x^{24} + x^{12} \\ + x^{11} + x^9 + x^7 + x^5 + x^3 + x + 1,$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 0, 1, 0, 0, 0, 1, 1, 1]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	148	[249, 250]	296	[396, 142]	444	[551, 160]	592	[605, 670]
1	[3, 4]	149	[251, 252]	297	[397, 43]	445	[189, 403]	593	[248, 671]
2	[5, 6]	150	[24, 102]	298	[323, 330]	446	[401, 170]	594	[672, 673]
3	[7, 8]	151	[253, 254]	299	[14, 398]	447	[330, 369]	595	[207, 609]
4	[9, 10]	152	[255, 256]	300	[399, 342]	448	[552, 328]	596	[674, 19]
5	[11, 12]	153	[257, 258]	301	[400, 317]	449	[381, 366]	597	[612, 675]
6	[13, 14]	154	[74, 229]	302	[401, 150]	450	[119, 192]	598	[498, 506]
7	[15, 16]	155	[244, 259]	303	[402, 150]	451	[553, 341]	599	[518, 676]
8	[17, 18]	156	[260, 261]	304	[57, 403]	452	[174, 344]	600	[677, 111]
9	[19, 20]	157	[234, 262]	305	[196, 369]	453	[554, 32]	601	[678, 679]
10	[21, 22]	158	[18, 223]	306	[404, 344]	454	[384, 152]	602	[43, 10]
11	[23, 24]	159	[263, 249]	307	[405, 172]	455	[555, 54]	603	[368, 59]
12	[25, 26]	160	[264, 265]	308	[136, 146]	456	[556, 557]	604	[680, 681]
13	[27, 28]	161	[252, 266]	309	[330, 59]	457	[558, 559]	605	[385, 155]
14	[29, 30]	162	[267, 244]	310	[406, 407]	458	[560, 14]	606	[593, 341]
15	[31, 32]	163	[268, 269]	311	[408, 187]	459	[541, 153]	607	[682, 336]
16	[33, 34]	164	[270, 82]	312	[314, 121]	460	[561, 562]	608	[683, 47]
17	[35, 36]	165	[271, 84]	313	[6, 409]	461	[563, 2]	609	[163, 186]
18	[37, 38]	166	[272, 273]	314	[410, 411]	462	[324, 360]	610	[130, 319]
19	[39, 40]	167	[274, 27]	315	[412, 413]	463	[564, 328]	611	[187, 389]
20	[41, 42]	168	[275, 75]	316	[414, 412]	464	[565, 333]	612	[128, 180]
21	[43, 44]	169	[276, 277]	317	[415, 74]	465	[360, 360]	613	[684, 587]
22	[45, 9]	170	[278, 279]	318	[416, 417]	466	[566, 407]	614	[547, 355]
23	[46, 47]	171	[280, 281]	319	[418, 263]	467	[567, 357]	615	[685, 36]
24	[48, 49]	172	[282, 283]	320	[419, 287]	468	[568, 195]	616	[686, 543]
25	[50, 51]	173	[284, 268]	321	[420, 421]	469	[540, 562]	617	[543, 548]
26	[52, 53]	174	[285, 77]	322	[422, 101]	470	[540, 543]	618	[687, 149]
27	[54, 55]	175	[286, 287]	323	[423, 6]	471	[569, 151]	619	[340, 337]
28	[56, 57]	176	[89, 288]	324	[424, 238]	472	[570, 557]	620	[594, 353]
29	[58, 59]	177	[93, 232]	325	[325, 325]	473	[571, 140]	621	[535, 53]
30	[60, 61]	178	[289, 290]	326	[425, 426]	474	[572, 387]	622	[395, 389]
31	[62, 63]	179	[291, 291]	327	[427, 428]	475	[375, 167]	623	[333, 543]
32	[64, 65]	180	[292, 293]	328	[429, 413]	476	[366, 162]	624	[333, 562]
33	[66, 67]	181	[294, 293]	329	[430, 113]	477	[573, 574]	625	[688, 195]
34	[68, 69]	182	[295, 216]	330	[431, 432]	478	[534, 389]	626	[399, 148]
35	[70, 71]	183	[296, 297]	331	[433, 224]	479	[575, 330]	627	[683, 192]
36	[72, 73]	184	[232, 298]	332	[428, 434]	480	[388, 188]	628	[689, 532]
37	[20, 74]	185	[299, 300]	333	[435, 436]	481	[576, 366]	629	[561, 543]
38	[4, 75]	186	[219, 292]	334	[437, 438]	482	[577, 353]	630	[347, 55]

39	[76, 27]	187	[301, 302]	335	[103, 439]	483	[47, 57]	631	[690, 130]
40	[63, 77]	188	[303, 304]	336	[440, 229]	484	[578, 48]	632	[534, 188]
41	[78, 79]	189	[305, 306]	337	[441, 431]	485	[579, 580]	633	[691, 183]
42	[80, 81]	190	[298, 21]	338	[442, 443]	486	[581, 329]	634	[567, 544]
43	[82, 83]	191	[307, 277]	339	[443, 116]	487	[582, 583]	635	[692, 363]
44	[84, 85]	192	[308, 96]	340	[256, 430]	488	[382, 33]	636	[390, 574]
45	[86, 87]	193	[105, 309]	341	[444, 445]	489	[565, 540]	637	[327, 591]
46	[88, 89]	194	[310, 230]	342	[446, 447]	490	[153, 139]	638	[562, 355]
47	[90, 91]	195	[311, 109]	343	[448, 449]	491	[362, 152]	639	[55, 167]
48	[92, 93]	196	[250, 312]	344	[450, 268]	492	[584, 318]	640	[573, 2]
49	[94, 95]	197	[313, 314]	345	[451, 452]	493	[191, 342]	641	[548, 333]
50	[96, 97]	198	[315, 190]	346	[453, 454]	494	[585, 374]	642	[359, 325]
51	[98, 99]	199	[316, 317]	347	[455, 274]	495	[154, 177]	643	[137, 10]
52	[100, 101]	200	[318, 319]	348	[246, 272]	496	[586, 587]	644	[693, 574]
53	[102, 103]	201	[320, 131]	349	[456, 259]	497	[588, 314]	645	[354, 548]
54	[104, 105]	202	[321, 322]	350	[457, 458]	498	[560, 163]	646	[694, 12]
55	[106, 107]	203	[323, 196]	351	[459, 460]	499	[589, 130]	647	[695, 591]
56	[67, 108]	204	[31, 41]	352	[461, 462]	500	[331, 363]	648	[184, 57]
57	[109, 110]	205	[324, 325]	353	[463, 300]	501	[590, 126]	649	[696, 347]
58	[111, 112]	206	[326, 54]	354	[464, 205]	502	[564, 591]	650	[697, 544]
59	[113, 4]	207	[55, 38]	355	[460, 465]	503	[319, 163]	651	[56, 176]
60	[114, 115]	208	[327, 328]	356	[466, 424]	504	[393, 362]	652	[690, 318]
61	[116, 117]	209	[329, 330]	357	[467, 112]	505	[592, 194]	653	[586, 698]
62	[118, 119]	210	[331, 183]	358	[468, 255]	506	[337, 329]	654	[355, 540]
63	[120, 121]	211	[332, 333]	359	[469, 211]	507	[163, 398]	655	[699, 153]
64	[122, 123]	212	[334, 165]	360	[238, 470]	508	[120, 61]	656	[138, 34]
65	[124, 9]	213	[146, 155]	361	[471, 94]	509	[157, 180]	657	[700, 698]
66	[125, 126]	214	[33, 139]	362	[472, 473]	510	[131, 14]	658	[701, 187]
67	[127, 128]	215	[335, 336]	363	[474, 423]	511	[57, 190]	659	[702, 542]
68	[129, 61]	216	[337, 338]	364	[475, 476]	512	[593, 337]	660	[686, 562]
69	[130, 131]	217	[339, 60]	365	[477, 272]	513	[314, 61]	661	[703, 559]
70	[132, 33]	218	[8, 128]	366	[304, 478]	514	[594, 583]	662	[54, 375]
71	[133, 134]	219	[319, 14]	367	[479, 446]	515	[170, 366]	663	[703, 322]
72	[135, 136]	220	[340, 341]	368	[309, 480]	516	[595, 530]	664	[150, 161]
73	[137, 44]	221	[160, 342]	369	[481, 475]	517	[538, 559]	665	[140, 158]
74	[138, 139]	222	[343, 144]	370	[482, 483]	518	[192, 176]	666	[546, 130]
75	[8, 140]	223	[36, 128]	371	[484, 475]	519	[596, 45]	667	[576, 161]
76	[141, 142]	224	[51, 344]	372	[485, 486]	520	[575, 196]	668	[704, 357]
77	[119, 47]	225	[345, 41]	373	[487, 479]	521	[597, 580]	669	[577, 583]
78	[143, 144]	226	[183, 134]	374	[488, 489]	522	[161, 53]	670	[545, 186]
79	[145, 146]	227	[346, 347]	375	[490, 491]	523	[598, 534]	671	[539, 146]
80	[147, 148]	228	[348, 10]	376	[492, 493]	524	[599, 60]	672	[680, 532]
81	[149, 150]	229	[349, 34]	377	[494, 22]	525	[600, 365]	673	[562, 548]
82	[151, 152]	230	[181, 134]	378	[495, 100]	526	[404, 175]	674	[705, 41]

83	[153, 34]	231	[350, 351]	379	[496, 291]	527	[146, 177]	675	[185, 398]
84	[154, 155]	232	[165, 43]	380	[497, 250]	528	[601, 195]	676	[380, 329]
85	[48, 146]	233	[341, 329]	381	[22, 498]	529	[602, 603]	677	[9, 44]
86	[156, 8]	234	[32, 40]	382	[499, 68]	530	[604, 262]	678	[581, 338]
87	[157, 158]	235	[352, 353]	383	[500, 245]	531	[480, 605]	679	[165, 9]
88	[159, 160]	236	[13, 163]	384	[501, 85]	532	[606, 298]	680	[432, 706]
89	[161, 162]	237	[345, 32]	385	[107, 283]	533	[449, 23]	681	[707, 108]
90	[1, 55]	238	[354, 355]	386	[502, 503]	534	[607, 608]	682	[665, 621]
91	[131, 163]	239	[356, 357]	387	[504, 434]	535	[609, 508]	683	[708, 117]
92	[164, 165]	240	[338, 196]	388	[505, 233]	536	[28, 610]	684	[269, 280]
93	[166, 167]	241	[358, 151]	389	[506, 507]	537	[611, 612]	685	[709, 710]
94	[168, 42]	242	[359, 360]	390	[508, 509]	538	[613, 614]	686	[673, 242]
95	[151, 169]	243	[361, 136]	391	[510, 286]	539	[615, 103]	687	[411, 711]
96	[170, 161]	244	[140, 180]	392	[87, 511]	540	[616, 617]	688	[77, 712]
97	[149, 170]	245	[362, 169]	393	[512, 513]	541	[618, 526]	689	[513, 677]
98	[171, 172]	246	[363, 134]	394	[514, 515]	542	[619, 498]	690	[233, 713]
99	[173, 131]	247	[364, 365]	395	[516, 69]	543	[434, 435]	691	[714, 295]
100	[52, 162]	248	[320, 319]	396	[517, 518]	544	[620, 480]	692	[715, 716]
101	[174, 175]	249	[341, 338]	397	[519, 21]	545	[621, 622]	693	[452, 602]
102	[47, 176]	250	[366, 53]	398	[520, 213]	546	[302, 418]	694	[216, 278]
103	[49, 177]	251	[367, 147]	399	[521, 256]	547	[623, 616]	695	[717, 642]
104	[178, 45]	252	[368, 369]	400	[73, 522]	548	[436, 624]	696	[718, 490]
105	[179, 180]	253	[370, 351]	401	[523, 304]	549	[625, 626]	697	[719, 469]
106	[181, 182]	254	[371, 55]	402	[524, 507]	550	[108, 450]	698	[720, 520]
107	[183, 182]	255	[372, 175]	403	[91, 207]	551	[503, 627]	699	[721, 611]
108	[184, 176]	256	[195, 192]	404	[525, 81]	552	[628, 629]	700	[716, 722]
109	[185, 186]	257	[373, 374]	405	[228, 299]	553	[409, 630]	701	[279, 723]
110	[187, 188]	258	[1, 375]	406	[526, 527]	554	[631, 632]	702	[413, 414]
111	[189, 190]	259	[136, 49]	407	[528, 267]	555	[633, 106]	703	[724, 464]
112	[191, 148]	260	[376, 362]	408	[483, 303]	556	[634, 510]	704	[725, 726]
113	[192, 57]	261	[377, 169]	409	[12, 150]	557	[635, 616]	705	[727, 80]
114	[193, 194]	262	[133, 182]	410	[529, 530]	558	[636, 623]	706	[179, 158]
115	[46, 192]	263	[150, 366]	411	[402, 170]	559	[637, 508]	707	[568, 119]
116	[195, 47]	264	[378, 379]	412	[315, 403]	560	[79, 520]	708	[728, 372]
117	[196, 59]	265	[380, 338]	413	[129, 121]	561	[462, 460]	709	[692, 183]
118	[99, 90]	266	[147, 342]	414	[37, 167]	562	[465, 638]	710	[32, 42]
119	[197, 198]	267	[381, 161]	415	[531, 532]	563	[632, 639]	711	[571, 128]
120	[199, 200]	268	[176, 190]	416	[533, 534]	564	[640, 641]	712	[127, 140]
121	[201, 89]	269	[51, 175]	417	[535, 162]	565	[642, 489]	713	[145, 49]
122	[202, 203]	270	[382, 153]	418	[124, 43]	566	[288, 643]	714	[729, 337]
123	[204, 205]	271	[383, 48]	419	[536, 147]	567	[644, 645]	715	[730, 12]
124	[206, 207]	272	[384, 169]	420	[537, 407]	568	[97, 308]	716	[60, 121]
125	[208, 209]	273	[168, 40]	421	[360, 325]	569	[646, 276]	717	[731, 698]
126	[210, 211]	274	[385, 177]	422	[538, 322]	570	[647, 648]	718	[358, 362]

127	[212, 213]	275	[386, 387]	423	[539, 49]	571	[649, 292]	719	[700, 587]
128	[71, 214]	276	[388, 389]	424	[332, 540]	572	[650, 651]	720	[730, 149]
129	[215, 216]	277	[12, 170]	425	[541, 33]	573	[266, 495]	721	[601, 119]
130	[217, 29]	278	[371, 375]	426	[41, 40]	574	[652, 481]	722	[49, 155]
131	[218, 219]	279	[338, 330]	427	[406, 542]	575	[293, 481]	723	[318, 131]
132	[220, 221]	280	[166, 38]	428	[543, 355]	576	[473, 267]	724	[732, 681]
133	[222, 223]	281	[58, 369]	429	[356, 544]	577	[653, 654]	725	[531, 681]
134	[224, 200]	282	[390, 2]	430	[397, 9]	578	[655, 656]	726	[325, 360]
135	[225, 226]	283	[39, 42]	431	[545, 398]	579	[213, 305]	727	[11, 149]
136	[227, 228]	284	[391, 51]	432	[372, 344]	580	[657, 273]	728	[203, 678]
137	[229, 230]	285	[392, 379]	433	[546, 318]	581	[658, 447]	729	[676, 442]
138	[231, 232]	286	[173, 319]	434	[547, 548]	582	[659, 660]	730	[723, 733]
139	[221, 233]	287	[14, 186]	435	[355, 333]	583	[661, 622]	731	[622, 734]
140	[16, 234]	288	[160, 148]	436	[548, 540]	584	[627, 662]	732	[493, 735]
141	[235, 236]	289	[393, 151]	437	[549, 363]	585	[663, 664]	733	[45, 43]
142	[237, 238]	290	[363, 182]	438	[349, 139]	586	[626, 665]	734	[348, 44]
143	[239, 240]	291	[377, 152]	439	[176, 403]	587	[666, 28]	735	[375, 38]
144	[241, 242]	292	[128, 158]	440	[537, 542]	588	[667, 201]		
145	[243, 244]	293	[347, 375]	441	[550, 372]	589	[610, 218]		
146	[245, 246]	294	[394, 123]	442	[36, 140]	590	[668, 667]		
147	[247, 248]	295	[395, 188]	443	[329, 196]	591	[669, 306]		

Output function $n \mapsto \tau(n)$:

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	106	1	212	1	318	1	424	0	530	1
1	0	107	0	213	1	319	1	425	1	531	0
2	0	108	0	214	1	320	1	426	1	532	1
3	0	109	1	215	0	321	0	427	1	533	1
4	1	110	0	216	0	322	0	428	0	534	1
5	0	111	1	217	0	323	1	429	1	535	0
6	1	112	1	218	0	324	0	430	0	536	1
7	0	113	1	219	1	325	0	431	0	537	0
8	0	114	1	220	0	326	1	432	1	538	0
9	1	115	0	221	1	327	1	433	0	539	1
10	0	116	0	222	0	328	1	434	0	540	1
11	0	117	1	223	1	329	0	435	0	541	1
12	1	118	0	224	0	330	0	436	1	542	0
13	1	119	1	225	1	331	0	437	1	543	0
14	1	120	1	226	0	332	0	438	0	544	1
15	0	121	1	227	1	333	0	439	0	545	0
16	1	122	0	228	1	334	1	440	0	546	0
17	0	123	0	229	0	335	0	441	0	547	0
18	1	124	1	230	1	336	0	442	1	548	1
19	1	125	1	231	1	337	0	443	0	549	1

20	1	126	0	232	0	338	1	444	1	550	0	656	1
21	0	127	1	233	1	339	0	445	1	551	1	657	1
22	1	128	0	234	0	340	0	446	0	552	0	658	1
23	0	129	0	235	1	341	1	447	0	553	1	659	0
24	0	130	0	236	1	342	0	448	0	554	1	660	1
25	1	131	0	237	1	343	0	449	1	555	0	661	1
26	1	132	0	238	1	344	1	450	1	556	0	662	1
27	1	133	0	239	1	345	1	451	1	557	1	663	1
28	1	134	0	240	1	346	1	452	0	558	1	664	0
29	1	135	1	241	0	347	0	453	1	559	1	665	1
30	1	136	1	242	1	348	1	454	0	560	0	666	0
31	0	137	0	243	0	349	0	455	0	561	0	667	0
32	0	138	1	244	1	350	1	456	0	562	1	668	0
33	1	139	1	245	1	351	1	457	1	563	1	669	0
34	0	140	1	246	1	352	1	458	0	564	0	670	0
35	0	141	1	247	0	353	0	459	1	565	1	671	1
36	1	142	1	248	1	354	1	460	0	566	1	672	1
37	1	143	1	249	1	355	0	461	1	567	0	673	1
38	1	144	0	250	1	356	1	462	0	568	0	674	0
39	1	145	0	251	0	357	0	463	0	569	0	675	1
40	1	146	1	252	0	358	0	464	1	570	1	676	0
41	1	147	0	253	0	359	1	465	1	571	0	677	1
42	0	148	1	254	1	360	1	466	1	572	1	678	1
43	0	149	0	255	1	361	0	467	0	573	0	679	0
44	1	150	0	256	0	362	1	468	0	574	1	680	1
45	1	151	0	257	0	363	1	469	1	575	0	681	0
46	0	152	1	258	0	364	0	470	1	576	0	682	1
47	0	153	0	259	1	365	0	471	0	577	0	683	1
48	0	154	1	260	1	366	1	472	1	578	1	684	0
49	0	155	1	261	1	367	0	473	0	579	1	685	1
50	1	156	1	262	0	368	0	474	1	580	1	686	1
51	0	157	0	263	0	369	0	475	0	581	1	687	1
52	1	158	1	264	1	370	0	476	1	582	0	688	1
53	0	159	0	265	0	371	1	477	0	583	1	689	0
54	1	160	1	266	0	372	1	478	1	584	1	690	1
55	1	161	0	267	1	373	0	479	0	585	1	691	0
56	1	162	1	268	0	374	0	480	0	586	0	692	1
57	1	163	0	269	0	375	0	481	0	587	0	693	0
58	1	164	0	270	0	376	1	482	0	588	0	694	0
59	1	165	0	271	0	377	1	483	0	589	0	695	1
60	1	166	0	272	0	378	1	484	1	590	0	696	0
61	0	167	0	273	0	379	0	485	1	591	0	697	1
62	0	168	0	274	0	380	0	486	1	592	0	698	1
63	1	169	0	275	0	381	1	487	0	593	1	699	1

64	0	170	1	276	0	382	0	488	0	594	1	700	1
65	1	171	0	277	1	383	0	489	1	595	1	701	1
66	1	172	1	278	1	384	0	490	0	596	0	702	0
67	1	173	0	279	1	385	0	491	1	597	0	703	1
68	0	174	0	280	0	386	0	492	1	598	0	704	0
69	0	175	0	281	1	387	1	493	1	599	1	705	0
70	0	176	0	282	1	388	0	494	1	600	1	706	1
71	0	177	0	283	1	389	0	495	1	601	1	707	0
72	1	178	1	284	0	390	1	496	0	602	0	708	1
73	0	179	1	285	0	391	0	497	0	603	0	709	1
74	1	180	0	286	0	392	0	498	0	604	1	710	0
75	0	181	1	287	1	393	1	499	0	605	0	711	0
76	1	182	1	288	1	394	1	500	0	606	1	712	1
77	1	183	0	289	1	395	1	501	0	607	1	713	0
78	1	184	0	290	1	396	0	502	0	608	1	714	0
79	0	185	1	291	1	397	0	503	1	609	0	715	1
80	0	186	1	292	0	398	0	504	1	610	0	716	1
81	0	187	0	293	0	399	0	505	0	611	0	717	1
82	0	188	1	294	1	400	0	506	0	612	0	718	0
83	0	189	1	295	1	401	0	507	0	613	0	719	1
84	1	190	1	296	0	402	1	508	1	614	0	720	1
85	0	191	1	297	0	403	0	509	0	615	1	721	1
86	1	192	1	298	1	404	1	510	0	616	1	722	0
87	0	193	1	299	1	405	1	511	1	617	0	723	1
88	0	194	1	300	0	406	1	512	1	618	1	724	1
89	0	195	0	301	0	407	1	513	0	619	0	725	0
90	0	196	1	302	0	408	0	514	1	620	1	726	0
91	0	197	1	303	1	409	1	515	1	621	0	727	0
92	0	198	0	304	1	410	0	516	1	622	1	728	1
93	0	199	1	305	1	411	1	517	0	623	0	729	0
94	0	200	1	306	1	412	0	518	1	624	0	730	1
95	0	201	1	307	1	413	0	519	0	625	1	731	1
96	1	202	0	308	1	414	1	520	0	626	0	732	1
97	0	203	1	309	0	415	0	521	0	627	1	733	1
98	0	204	0	310	1	416	1	522	0	628	0	734	1
99	0	205	0	311	0	417	0	523	0	629	0	735	0
100	1	206	1	312	0	418	1	524	1	630	0		
101	0	207	1	313	1	419	1	525	1	631	1		
102	0	208	1	314	0	420	0	526	1	632	1		
103	0	209	0	315	0	421	1	527	1	633	0		
104	1	210	0	316	1	422	0	528	1	634	0		
105	1	211	0	317	0	423	1	529	0	635	1		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE
Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA
Email address: `huyining@hust.edu.cn`