

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z^3 + z^2 + z, z^2 + 1)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z^3 + z^2 + z, z^2 + 1)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 07:42:58 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 23.2 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z^3 + z^2 + z, z^2 + 1)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$\begin{aligned} p_0(z) &= z^{15} + z^{14} + z^{13} + z^{10} + z^7 + z^6 + z + 1, \\ p_1(z) &= z^{18} + z^{17} + z^{13} + z^{10} + z^9 + z^8 + z^7 + z^6 + z^3 + z, \\ p_2(z) &= z^{20} + z^{14} + z^{12} + z^{10} + z^8 + z^6 + z^4 + z^2, \\ p_3(z) &= z^{18} + z^{17} + z^{13} + z^{10} + z^9 + z^8 + z^7 + z^6 + z^3 + z, \\ p_4(z) &= z^{16} + z^{15} + z^{13} + z^7 + z^4 + z^2 + z, \end{aligned}$$

and for $\text{CF}(b, a)$,

$$\begin{aligned} p_0(z) &= z^{15} + z^{14} + z^{13} + z^{12} + z^{10} + z^7 + z^6 + z^4 + z, \\ p_1(z) &= z^{18} + z^{17} + z^{13} + z^{10} + z^9 + z^8 + z^7 + z^6 + z^3 + z, \\ p_2(z) &= z^{20} + z^{14} + z^{12} + z^{10} + z^8 + z^6 + z^4 + z^2, \\ p_3(z) &= z^{18} + z^{17} + z^{13} + z^{10} + z^9 + z^8 + z^7 + z^6 + z^3 + z, \\ p_4(z) &= z^{16} + z^{15} + z^{13} + z^{12} + z^7 + z^2 + z + 1. \end{aligned}$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{t}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(125, 125, 125, 125, 125)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 450 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 450, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 550 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 550, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:10u] &= M^e[:5u] + x^u M^e[:4u] + x^{3u} M^e[:2u] + x^u M^e[:5u] + x^{2u} M^e[:4u] \\ &\quad + x^{4u} M^e[:2u] + x^{2u} M^e[:5u] + x^{3u} M^e[:4u] + x^{5u} M^e[:2u] \\ &\quad + x^{4u} M^e[:5u] + x^{5u} M^e[:4u] + x^{7u} M^e[:2u] + x^{5u} M^e[:5u] \\ &\quad + x^{8u} M^e[:2u] + x^{7u} M^e[:3u] + x^{9u} M^e[:u] \\ &\quad + (x^{5u} + x^{6u} + x^{7u} + x^{9u}) R^e, \\ W^e[:10u] &= W^e[:5u] + x^u W^e[:4u] + x^{3u} W^e[:2u] + x^u W^e[:5u] + x^{2u} W^e[:4u] \end{aligned}$$

$$\begin{aligned}
& + x^{4u}W^e[:2u] + x^{2u}W^e[:5u] + x^{3u}W^e[:4u] + x^{5u}W^e[:2u] \\
& + x^{4u}W^e[:5u] + x^{5u}W^e[:4u] + x^{7u}W^e[:2u] + x^{5u}W^e[:5u] \\
& + x^{8u}W^e[:2u] + x^{7u}W^e[:3u] + x^{9u}W^e[:u] \\
& + (x^{5u} + x^{6u} + x^{7u} + x^{9u})R^e.
\end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned}
M^o[:10u] &= M^o[:5u] + x^u M^o[:4u] + x^{3u} M^o[:2u] + x^u M^o[:5u] + x^{2u} M^o[:4u] \\
&+ x^{4u} M^o[:2u] + x^{2u} M^o[:5u] + x^{3u} M^o[:4u] + x^{5u} M^o[:2u] \\
&+ x^{4u} M^o[:5u] + x^{5u} M^o[:4u] + x^{7u} M^o[:2u] + x^{5u} M^o[:5u] \\
&+ x^{8u} M^o[:2u] + x^{7u} M^o[:3u] + x^{9u} M^o[:u] \\
&+ (x^{5u} + x^{6u} + x^{7u} + x^{9u})R^o, \\
W^o[:10u] &= W^o[:5u] + x^u W^o[:4u] + x^{3u} W^o[:2u] + x^u W^o[:5u] + x^{2u} W^o[:4u] \\
&+ x^{4u} W^o[:2u] + x^{2u} W^o[:5u] + x^{3u} W^o[:4u] + x^{5u} W^o[:2u] \\
&+ x^{4u} W^o[:5u] + x^{5u} W^o[:4u] + x^{7u} W^o[:2u] + x^{5u} W^o[:5u] \\
&+ x^{8u} W^o[:2u] + x^{7u} W^o[:3u] + x^{9u} W^o[:u] \\
&+ (x^{5u} + x^{6u} + x^{7u} + x^{9u})R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$\begin{aligned}
T[:10u] &= T[:5u] + x^u T[:4u] + x^{3u} T[:2u] + x^u T[:5u] + x^{2u} T[:4u] + x^{4u} T[:2u] \\
&+ x^{2u} T[:5u] + x^{3u} T[:4u] + x^{5u} T[:2u] + x^{4u} T[:5u] + x^{5u} T[:4u] \\
&+ x^{7u} T[:2u] + x^{5u} T[:5u] + x^{8u} T[:2u] + x^{7u} T[:3u] + x^{9u} T[:u].
\end{aligned}$$

The proof of the other 15 cases are similar. We break down the above identity into 5 parts:

$$\begin{aligned}
0 &= x^{5u}T[:u] + x^{3u}T[2u:3u] + x^uT[4u:5u] + T[5u:6u], \\
0 &= x^{5u}T[u:2u] + x^{4u}T[2u:3u] + x^{3u}T[3u:4u] + x^{2u}T[4u:5u] \\
&+ T[6u:7u], \\
0 &= x^{4u}T[3u:4u] + T[7u:8u], \\
0 &= x^{8u}T[:u] + x^{4u}T[4u:5u] + T[8u:9u], \\
0 &= x^{9u}T[:u] + x^{8u}T[u:2u] + x^{7u}T[2u:3u] + x^{5u}T[4u:5u] + T[9u:10u],
\end{aligned}$$

which can be rewritten as

$$(2.7) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[100w]_2] + T[[101w]_2],$$

$$(2.8) \quad 0 = T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[100w]_2] + T[[110w]_2],$$

$$(2.9) \quad 0 = T[[11w]_2] + T[[111w]_2],$$

$$(2.10) \quad 0 = T[[w]_2] + T[[100w]_2] + T[[1000w]_2],$$

$$(2.11) \quad 0 = T[[w]_2] + T[[1w]_2] + T[[10w]_2] + T[[100w]_2] + T[[1001w]_2],$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$(2.12) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[100w]_2] + T[[101w]_2],$$

$$(2.13) \quad 0 = T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[100w]_2] + T[[110w]_2],$$

$$(2.14) \quad 0 = T[[11w]_2] + T[[111w]_2],$$

$$(2.15) \quad 0 = T[[w]_2] + T[[100w]_2] + T[[1000w]_2],$$

$$(2.16) \quad 0 = T[[w]_2] + T[[1w]_2] + T[[10w]_2] + T[[100w]_2] + T[[1001w]_2],$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 673 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.16) can be written as

$$(2.17) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 101)),$$

$$0 = \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 100))$$

$$(2.18) \quad + \tau(A(s, 110)),$$

$$(2.19) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 111)),$$

$$(2.20) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 100)) + \tau(A(s, 1000)),$$

$$0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 100))$$

$$(2.21) \quad + \tau(A(s, 1001)),$$

for all $s \in E_{2k}$, and

$$(2.22) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 101)),$$

$$0 = \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 100))$$

$$(2.23) \quad + \tau(A(s, 110)),$$

$$(2.24) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 111)),$$

$$(2.25) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 100)) + \tau(A(s, 1000)),$$

$$0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 100))$$

$$(2.26) \quad + \tau(A(s, 1001)),$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{32}), E_{32}) = (A(i, 0^{18}), E_{18})$, so that we only have to verify that identities (2.17) through (2.26) hold for $2 \leq k \leq 16$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$M_{2k} = M^e[:5u] + x^u M^e[:4u] + x^{3u} M^e[:2u] + x^{5u} R^e,$$

$$W_{2k} = W^e[:5u] + x^u W^e[:4u] + x^{3u} W^e[:2u] + x^{5u} R^e.$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$M_{2k+1} = M^o[:5u] + x^u M^o[:4u] + x^{3u} M^o[:2u] + x^{5u} R^o,$$

$$W_{2k+1} = W^o[:5u] + x^u W^o[:4u] + x^{3u} W^o[:2u] + x^{5u} R^o.$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$\begin{aligned} M_{2k} \wedge W_{2k} &\Rightarrow M_{2k+1} \wedge W_{2k+1}, \\ M_{2k+1} \wedge W_{2k+1} &\Rightarrow M_{2k+2} \wedge W_{2k+2}. \end{aligned}$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$(2.27) \quad \begin{aligned} W_{2k} M_{2k} &= (W^e[:5v] + x^v W^e[:4v] + x^{3v} W^e[:2v] + x^{5v} R^e) \times (M^e[:5v] \\ &\quad + x^v M^e[:4v] + x^{3v} M^e[:2v] + x^{5v} R^e); \end{aligned}$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{10v} R^o$. Therefore we only need to prove that their difference is $O(x^{10v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{10v} , to

$$W^e[:10v] M^e[:10v] + x^{2v} W^e[:8v] M^e[:8v] + x^{6v} W^e[:4v] M^e[:4v].$$

For all $n \leq 10$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.27) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{10}, b_1, \dots, b_{10}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{10})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned} \lim_{n \rightarrow \infty} M_{2n,j,k} &= M_{j,k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1,j,k} &= M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} &= W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} &= W_{j,k}^o. \end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12}\phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e/M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$\begin{aligned} q_0(x) &= x^{20} + x^{19} + x^{14} + x^{13} + x^{10} + x^7 + x^6 + x^5, \\ q_1(x) &= x^{19} + x^{17} + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^7 + x^3 + x^2, \\ q_2(x) &= x^{18} + x^{16} + x^{14} + x^{12} + x^{10} + x^8 + x^6 + 1, \\ q_3(x) &= x^{19} + x^{17} + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^7 + x^3 + x^2, \\ q_4(x) &= x^{19} + x^{18} + x^{16} + x^{13} + x^7 + x^5 + x^4. \end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 156, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 156, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned} p_0(x) &= x^{102} + x^{98} + x^{92} + x^{86} + x^{82} + x^{80} + x^{76} + x^{74} + x^{68} + x^{62} + x^{58} \\ &\quad + x^{56} + x^{54} + x^{50} + x^{48} + x^{40} + x^{38} + x^{36} + x^{34} + x^{28} + x^{24}, \\ p_3(x) &= x^{94} + x^{92} + x^{90} + x^{86} + x^{82} + x^{80} + x^{76} + x^{74} + x^{70} + x^{68} + x^{56} \\ &\quad + x^{54} + x^{52} + x^{44} + x^{42} + x^{36} + x^{32} + x^{30} + x^{28} + x^{24} + x^{20} + x^{14}, \\ p_6(x) &= x^{98} + x^{92} + x^{84} + x^{82} + x^{76} + x^{74} + x^{72} + x^{70} + x^{68} + x^{66} + x^{62} \\ &\quad + x^{60} + x^{58} + x^{56} + x^{54} + x^{52} + x^{48} + x^{44} + x^{42} + x^{32} + x^{26} + x^{24} \\ &\quad + x^{22} + x^{20} + x^{18} + x^{16} + x^{10} + x^8 + x^2 + 1, \\ p_9(x) &= x^{100} + x^{96} + x^{94} + x^{92} + x^{88} + x^{86} + x^{82} + x^{78} + x^{76} + x^{74} + x^{72} \\ &\quad + x^{70} + x^{68} + x^{62} + x^{60} + x^{58} + x^{54} + x^{52} + x^{50} + x^{48} + x^{46} + x^{40} \\ &\quad + x^{34} + x^{32} + x^{22} + x^{18} + x^{16} + x^{12} + x^8 + x^4, \\ p_{12}(x) &= x^{100} + x^{98} + x^{96} + x^{84} + x^{82} + x^{80} + x^{68} + x^{66} + x^{64} + x^4 + x^2 + 1, \end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned} p_0(x) = & x^{105} + x^{104} + x^{103} + x^{102} + x^{101} + x^{99} + x^{97} + x^{95} + x^{94} + x^{93} + x^{92} \\ & + x^{90} + x^{89} + x^{85} + x^{84} + x^{82} + x^{80} + x^{79} + x^{78} + x^{77} + x^{76} + x^{74} \\ & + x^{72} + x^{70} + x^{68} + x^{67} + x^{65} + x^{59} + x^{55} + x^{48} + x^{47} + x^{46} + x^{43} \\ & + x^{41} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{31} + x^{30} + x^{28} + x^{27}, \end{aligned}$$

$$\begin{aligned} p_3(x) = & x^{103} + x^{102} + x^{101} + x^{99} + x^{97} + x^{94} + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} \\ & + x^{82} + x^{81} + x^{80} + x^{78} + x^{77} + x^{76} + x^{74} + x^{73} + x^{72} + x^{71} + x^{68} \\ & + x^{67} + x^{66} + x^{64} + x^{63} + x^{62} + x^{60} + x^{59} + x^{58} + x^{57} + x^{55} + x^{53} \\ & + x^{51} + x^{48} + x^{47} + x^{46} + x^{44} + x^{43} + x^{42} + x^{41} + x^{38} + x^{33} + x^{32} \\ & + x^{31} + x^{28} + x^{27} + x^{26} + x^{24} + x^{21} + x^{20} + x^{18}, \end{aligned}$$

$$\begin{aligned} p_6(x) = & x^{102} + x^{101} + x^{99} + x^{98} + x^{94} + x^{93} + x^{92} + x^{90} + x^{89} + x^{88} + x^{82} \\ & + x^{81} + x^{79} + x^{78} + x^{72} + x^{71} + x^{69} + x^{68} + x^{66} + x^{65} + x^{64} + x^{60} \\ & + x^{59} + x^{58} + x^{54} + x^{53} + x^{52} + x^{48} + x^{47} + x^{46} + x^{40} + x^{39} + x^{38} \\ & + x^{36} + x^{35} + x^{33} + x^{32} + x^{24} + x^{23} + x^{22} + x^{18} + x^{17} + x^{16} + x^{14} \\ & + x^{13} + x^{12}, \end{aligned}$$

$$\begin{aligned} p_9(x) = & x^{101} + x^{100} + x^{99} + x^{96} + x^{91} + x^{90} + x^{88} + x^{83} + x^{82} + x^{81} + x^{78} \\ & + x^{71} + x^{70} + x^{69} + x^{66} + x^{65} + x^{64} + x^{62} + x^{61} + x^{60} + x^{59} + x^{57} \\ & + x^{54} + x^{53} + x^{52} + x^{50} + x^{47} + x^{46} + x^{45} + x^{43} + x^{41} + x^{38} + x^{33} \\ & + x^{32} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} + x^{24} + x^{23} + x^{20} + x^{17} + x^{16} \\ & + x^{15} + x^{12} + x^{11} + x^{10} + x^9 + x^6, \end{aligned}$$

$$\begin{aligned} p_{12}(x) = & x^{100} + x^{99} + x^{97} + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{83} + x^{81} \\ & + x^{80} + x^{68} + x^{67} + x^{65} + x^{63} + x^{61} + x^{60} + x^{56} + x^{55} + x^{53} + x^{52} \\ & + x^{48} + x^{47} + x^{45} + x^{44} + x^{40} + x^{39} + x^{37} + x^{36} + x^{32} + x^{31} + x^{29} \\ & + x^{28} + x^{24} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^{12} + x^8 + x^7 + x^5 \\ & + x^3 + x + 1, \end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 1, 0, 1, 0, 0, 1, 0, 1, 1, 0, 0, 0]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned} p_0(x) = & x^{105} + x^{104} + x^{103} + x^{102} + x^{101} + x^{99} + x^{97} + x^{95} + x^{94} + x^{93} + x^{92} \\ & + x^{90} + x^{89} + x^{85} + x^{84} + x^{82} + x^{80} + x^{79} + x^{78} + x^{77} + x^{76} + x^{74} \\ & + x^{72} + x^{70} + x^{68} + x^{67} + x^{65} + x^{59} + x^{55} + x^{48} + x^{47} + x^{46} + x^{43} \\ & + x^{41} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{31} + x^{30} + x^{28} + x^{27}, \end{aligned}$$

$$\begin{aligned} p_3(x) = & x^{103} + x^{102} + x^{101} + x^{99} + x^{97} + x^{94} + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} \\ & + x^{82} + x^{81} + x^{80} + x^{78} + x^{77} + x^{76} + x^{74} + x^{73} + x^{72} + x^{71} + x^{68} \\ & + x^{67} + x^{66} + x^{64} + x^{63} + x^{62} + x^{60} + x^{59} + x^{58} + x^{57} + x^{55} + x^{53} \\ & + x^{51} + x^{48} + x^{47} + x^{46} + x^{44} + x^{43} + x^{42} + x^{41} + x^{38} + x^{33} + x^{32} \end{aligned}$$

$$\begin{aligned}
& + x^{31} + x^{28} + x^{27} + x^{26} + x^{24} + x^{21} + x^{20} + x^{18}, \\
p_6(x) &= x^{102} + x^{101} + x^{99} + x^{98} + x^{94} + x^{93} + x^{92} + x^{90} + x^{89} + x^{88} + x^{82} \\
& + x^{81} + x^{79} + x^{78} + x^{72} + x^{71} + x^{69} + x^{68} + x^{66} + x^{65} + x^{64} + x^{60} \\
& + x^{59} + x^{58} + x^{54} + x^{53} + x^{52} + x^{48} + x^{47} + x^{46} + x^{40} + x^{39} + x^{38} \\
& + x^{36} + x^{35} + x^{33} + x^{32} + x^{24} + x^{23} + x^{22} + x^{18} + x^{17} + x^{16} + x^{14} \\
& + x^{13} + x^{12}, \\
p_9(x) &= x^{101} + x^{100} + x^{99} + x^{96} + x^{91} + x^{90} + x^{88} + x^{83} + x^{82} + x^{81} + x^{78} \\
& + x^{71} + x^{70} + x^{69} + x^{66} + x^{65} + x^{64} + x^{62} + x^{61} + x^{60} + x^{59} + x^{57} \\
& + x^{54} + x^{53} + x^{52} + x^{50} + x^{47} + x^{46} + x^{45} + x^{43} + x^{41} + x^{38} + x^{33} \\
& + x^{32} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} + x^{24} + x^{23} + x^{20} + x^{17} + x^{16} \\
& + x^{15} + x^{12} + x^{11} + x^{10} + x^9 + x^6, \\
p_{12}(x) &= x^{100} + x^{99} + x^{97} + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{83} + x^{81} \\
& + x^{80} + x^{68} + x^{67} + x^{65} + x^{63} + x^{61} + x^{60} + x^{56} + x^{55} + x^{53} + x^{52} \\
& + x^{48} + x^{47} + x^{45} + x^{44} + x^{40} + x^{39} + x^{37} + x^{36} + x^{32} + x^{31} + x^{29} \\
& + x^{28} + x^{24} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^{12} + x^8 + x^7 + x^5 \\
& + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 1, 0, 1, 0, 0, 1, 0, 1, 1, 0, 0, 0]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{106} + x^{100} + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{86} + x^{82} + x^{80} \\
& + x^{74} + x^{70} + x^{68} + x^{46} + x^{44} + x^{42} + x^{40} + x^{34} + x^{32} + x^{30}, \\
p_3(x) &= x^{102} + x^{94} + x^{92} + x^{80} + x^{76} + x^{72} + x^{70} + x^{66} + x^{58} + x^{56} + x^{52} \\
& + x^{50} + x^{48} + x^{38} + x^{36} + x^{32} + x^{30} + x^{28} + x^{22} + x^{18} + x^{16} + x^{12}, \\
p_6(x) &= x^{102} + x^{100} + x^{98} + x^{96} + x^{94} + x^{92} + x^{88} + x^{86} + x^{82} + x^{78} + x^{72} \\
& + x^{70} + x^{62} + x^{60} + x^{58} + x^{56} + x^{52} + x^{48} + x^{46} + x^{42} + x^{40} + x^{38} \\
& + x^{36} + x^{34} + x^{30} + x^{28} + x^{18} + x^{16} + x^6 + 1, \\
p_9(x) &= x^{100} + x^{98} + x^{92} + x^{88} + x^{86} + x^{84} + x^{82} + x^{76} + x^{74} + x^{68} + x^{66} \\
& + x^{64} + x^{58} + x^{56} + x^{50} + x^{34} + x^{30} + x^{26} + x^{24} + x^{20} + x^{18} + x^{16} \\
& + x^{14} + x^{10} + x^6 + x^4, \\
p_{12}(x) &= x^{100} + x^{96} + x^{92} + x^{88} + x^{84} + x^{80} + x^{68} + x^{64} + x^{60} + x^{56} + x^{44} \\
& + x^{40} + x^{28} + x^{24} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 1, 0, 0, 0, 1, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{106} + x^{104} + x^{96} + x^{90} + x^{88} + x^{84} + x^{76} + x^{72} + x^{70} + x^{68} \\
& + x^{64} + x^{62} + x^{58} + x^{56} + x^{52} + x^{50} + x^{42} + x^{36} + x^{34} + x^{30} + x^{26} \\
& + x^{24},
\end{aligned}$$

$$\begin{aligned}
p_3(x) &= x^{102} + x^{98} + x^{92} + x^{90} + x^{88} + x^{84} + x^{82} + x^{80} + x^{74} + x^{70} + x^{68} \\
&\quad + x^{60} + x^{48} + x^{44} + x^{40} + x^{30} + x^{28} + x^{26} + x^{24} + x^{18} + x^{16} + x^{14}, \\
p_6(x) &= x^{102} + x^{100} + x^{90} + x^{86} + x^{84} + x^{78} + x^{74} + x^{72} + x^{70} + x^{68} + x^{66} \\
&\quad + x^{62} + x^{60} + x^{56} + x^{50} + x^{48} + x^{46} + x^{42} + x^{36} + x^{34} + x^{32} + x^{30} \\
&\quad + x^{26} + x^{24} + x^{22} + x^{18} + x^{16} + x^{14} + x^{12} + x^8 + x^6 + 1, \\
p_9(x) &= x^{100} + x^{98} + x^{92} + x^{88} + x^{86} + x^{84} + x^{82} + x^{76} + x^{74} + x^{68} + x^{66} \\
&\quad + x^{64} + x^{58} + x^{56} + x^{50} + x^{34} + x^{30} + x^{26} + x^{24} + x^{20} + x^{18} + x^{16} \\
&\quad + x^{14} + x^{10} + x^6 + x^4, \\
p_{12}(x) &= x^{100} + x^{96} + x^{92} + x^{88} + x^{84} + x^{80} + x^{68} + x^{64} + x^{60} + x^{56} + x^{44} \\
&\quad + x^{40} + x^{28} + x^{24} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 1, 0, 1, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{103} + x^{102} + x^{96} + x^{95} + x^{94} + x^{92} + x^{87} + x^{85} + x^{83} + x^{82} \\
&\quad + x^{73} + x^{71} + x^{69} + x^{63} + x^{62} + x^{61} + x^{60} + x^{57} + x^{56} + x^{55} + x^{53} \\
&\quad + x^{51} + x^{48} + x^{46} + x^{45} + x^{43} + x^{40} + x^{39} + x^{34} + x^{32} + x^{28} + x^{27}, \\
p_3(x) &= x^{103} + x^{102} + x^{101} + x^{99} + x^{97} + x^{94} + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} \\
&\quad + x^{82} + x^{81} + x^{80} + x^{78} + x^{77} + x^{76} + x^{74} + x^{73} + x^{72} + x^{71} + x^{68} \\
&\quad + x^{67} + x^{66} + x^{64} + x^{63} + x^{62} + x^{60} + x^{59} + x^{58} + x^{57} + x^{55} + x^{53} \\
&\quad + x^{51} + x^{48} + x^{47} + x^{46} + x^{44} + x^{43} + x^{42} + x^{41} + x^{38} + x^{33} + x^{32} \\
&\quad + x^{31} + x^{28} + x^{27} + x^{26} + x^{24} + x^{21} + x^{20} + x^{18}, \\
p_6(x) &= x^{102} + x^{101} + x^{99} + x^{98} + x^{94} + x^{93} + x^{92} + x^{90} + x^{89} + x^{88} + x^{82} \\
&\quad + x^{81} + x^{79} + x^{78} + x^{72} + x^{71} + x^{69} + x^{68} + x^{66} + x^{65} + x^{64} + x^{60} \\
&\quad + x^{59} + x^{58} + x^{54} + x^{53} + x^{52} + x^{48} + x^{47} + x^{46} + x^{40} + x^{39} + x^{38} \\
&\quad + x^{36} + x^{35} + x^{33} + x^{32} + x^{24} + x^{23} + x^{22} + x^{18} + x^{17} + x^{16} + x^{14} \\
&\quad + x^{13} + x^{12}, \\
p_9(x) &= x^{101} + x^{100} + x^{99} + x^{96} + x^{91} + x^{90} + x^{88} + x^{83} + x^{82} + x^{81} + x^{78} \\
&\quad + x^{71} + x^{70} + x^{69} + x^{66} + x^{65} + x^{64} + x^{62} + x^{61} + x^{60} + x^{59} + x^{57} \\
&\quad + x^{54} + x^{53} + x^{52} + x^{50} + x^{47} + x^{46} + x^{45} + x^{43} + x^{41} + x^{38} + x^{33} \\
&\quad + x^{32} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} + x^{24} + x^{23} + x^{20} + x^{17} + x^{16} \\
&\quad + x^{15} + x^{12} + x^{11} + x^{10} + x^9 + x^6, \\
p_{12}(x) &= x^{100} + x^{99} + x^{97} + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{83} + x^{81} \\
&\quad + x^{80} + x^{68} + x^{67} + x^{65} + x^{63} + x^{61} + x^{60} + x^{56} + x^{55} + x^{53} + x^{52} \\
&\quad + x^{48} + x^{47} + x^{45} + x^{44} + x^{40} + x^{39} + x^{37} + x^{36} + x^{32} + x^{31} + x^{29} \\
&\quad + x^{28} + x^{24} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^{12} + x^8 + x^7 + x^5 \\
&\quad + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 1, 0, 1, 1, 1, 0, 1, 0, 1, 1, 0, 1]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{103} + x^{102} + x^{96} + x^{95} + x^{94} + x^{92} + x^{87} + x^{85} + x^{83} + x^{82} \\
&\quad + x^{73} + x^{71} + x^{69} + x^{63} + x^{62} + x^{61} + x^{60} + x^{57} + x^{56} + x^{55} + x^{53} \\
&\quad + x^{51} + x^{48} + x^{46} + x^{45} + x^{43} + x^{40} + x^{39} + x^{34} + x^{32} + x^{28} + x^{27}, \\
p_3(x) &= x^{103} + x^{102} + x^{101} + x^{99} + x^{97} + x^{94} + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} \\
&\quad + x^{82} + x^{81} + x^{80} + x^{78} + x^{77} + x^{76} + x^{74} + x^{73} + x^{72} + x^{71} + x^{68} \\
&\quad + x^{67} + x^{66} + x^{64} + x^{63} + x^{62} + x^{60} + x^{59} + x^{58} + x^{57} + x^{55} + x^{53} \\
&\quad + x^{51} + x^{48} + x^{47} + x^{46} + x^{44} + x^{43} + x^{42} + x^{41} + x^{38} + x^{33} + x^{32} \\
&\quad + x^{31} + x^{28} + x^{27} + x^{26} + x^{24} + x^{21} + x^{20} + x^{18}, \\
p_6(x) &= x^{102} + x^{101} + x^{99} + x^{98} + x^{94} + x^{93} + x^{92} + x^{90} + x^{89} + x^{88} + x^{82} \\
&\quad + x^{81} + x^{79} + x^{78} + x^{72} + x^{71} + x^{69} + x^{68} + x^{66} + x^{65} + x^{64} + x^{60} \\
&\quad + x^{59} + x^{58} + x^{54} + x^{53} + x^{52} + x^{48} + x^{47} + x^{46} + x^{40} + x^{39} + x^{38} \\
&\quad + x^{36} + x^{35} + x^{33} + x^{32} + x^{24} + x^{23} + x^{22} + x^{18} + x^{17} + x^{16} + x^{14} \\
&\quad + x^{13} + x^{12}, \\
p_9(x) &= x^{101} + x^{100} + x^{99} + x^{96} + x^{91} + x^{90} + x^{88} + x^{83} + x^{82} + x^{81} + x^{78} \\
&\quad + x^{71} + x^{70} + x^{69} + x^{66} + x^{65} + x^{64} + x^{62} + x^{61} + x^{60} + x^{59} + x^{57} \\
&\quad + x^{54} + x^{53} + x^{52} + x^{50} + x^{47} + x^{46} + x^{45} + x^{43} + x^{41} + x^{38} + x^{33} \\
&\quad + x^{32} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} + x^{24} + x^{23} + x^{20} + x^{17} + x^{16} \\
&\quad + x^{15} + x^{12} + x^{11} + x^{10} + x^9 + x^6, \\
p_{12}(x) &= x^{100} + x^{99} + x^{97} + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{83} + x^{81} \\
&\quad + x^{80} + x^{68} + x^{67} + x^{65} + x^{63} + x^{61} + x^{60} + x^{56} + x^{55} + x^{53} + x^{52} \\
&\quad + x^{48} + x^{47} + x^{45} + x^{44} + x^{40} + x^{39} + x^{37} + x^{36} + x^{32} + x^{31} + x^{29} \\
&\quad + x^{28} + x^{24} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^{12} + x^8 + x^7 + x^5 \\
&\quad + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 1, 0, 1, 1, 1, 0, 1, 0, 1, 1, 0, 1]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{102} + x^{100} + x^{98} + x^{96} + x^{92} + x^{86} + x^{78} + x^{70} + x^{64} + x^{56} + x^{52} \\
&\quad + x^{48} + x^{46} + x^{44} + x^{42} + x^{40} + x^{38} + x^{36} + x^{30}, \\
p_3(x) &= x^{98} + x^{96} + x^{92} + x^{90} + x^{88} + x^{86} + x^{74} + x^{64} + x^{58} + x^{54} + x^{46} \\
&\quad + x^{38} + x^{36} + x^{34} + x^{32} + x^{30} + x^{24} + x^{20} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_6(x) &= x^{86} + x^{78} + x^{68} + x^{64} + x^{56} + x^{50} + x^{46} + x^{44} + x^{42} + x^{40} + x^{38} \\
&\quad + x^{34} + x^{32} + x^{22} + x^{20} + x^{16} + x^{14} + x^{12} + x^2 + 1, \\
p_9(x) &= x^{100} + x^{96} + x^{94} + x^{92} + x^{88} + x^{86} + x^{82} + x^{78} + x^{76} + x^{74} + x^{72} \\
&\quad + x^{70} + x^{68} + x^{62} + x^{60} + x^{58} + x^{54} + x^{52} + x^{50} + x^{48} + x^{46} + x^{40}
\end{aligned}$$

$$\begin{aligned}
& + x^{34} + x^{32} + x^{22} + x^{18} + x^{16} + x^{12} + x^8 + x^4, \\
p_{12}(x) &= x^{100} + x^{98} + x^{96} + x^{84} + x^{82} + x^{80} + x^{68} + x^{66} + x^{64} + x^4 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 1, 0, 1, 0, 1, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{104} + x^{102} + x^{101} + x^{100} + x^{98} + x^{95} + x^{91} + x^{90} + x^{89} + x^{85} \\
& + x^{81} + x^{78} + x^{74} + x^{73} + x^{71} + x^{67} + x^{66} + x^{65} + x^{61} + x^{60} + x^{59} \\
& + x^{57} + x^{55} + x^{54} + x^{50} + x^{49} + x^{48} + x^{47} + x^{45} + x^{43} + x^{41} + x^{37} \\
& + x^{36} + x^{33} + x^{31} + x^{30} + x^{29} + x^{26} + x^{25} + x^{24}, \\
p_3(x) &= x^{104} + x^{102} + x^{101} + x^{100} + x^{98} + x^{97} + x^{96} + x^{95} + x^{93} + x^{91} + x^{87} \\
& + x^{84} + x^{82} + x^{79} + x^{75} + x^{72} + x^{71} + x^{67} + x^{63} + x^{59} + x^{58} + x^{56} \\
& + x^{55} + x^{53} + x^{51} + x^{47} + x^{46} + x^{45} + x^{42} + x^{41} + x^{34} + x^{30} + x^{28} \\
& + x^{25} + x^{23} + x^{22} + x^{21} + x^{18} + x^{17} + x^{16}, \\
p_6(x) &= x^{104} + x^{102} + x^{101} + x^{100} + x^{99} + x^{97} + x^{94} + x^{93} + x^{89} + x^{88} + x^{87} \\
& + x^{85} + x^{79} + x^{78} + x^{76} + x^{75} + x^{73} + x^{72} + x^{70} + x^{66} + x^{65} + x^{63} \\
& + x^{60} + x^{59} + x^{57} + x^{54} + x^{53} + x^{52} + x^{49} + x^{47} + x^{45} + x^{43} + x^{42} \\
& + x^{40} + x^{38} + x^{36} + x^{29} + x^{28} + x^{27} + x^{24} + x^{23} + x^{21} + x^{20} + x^{19} \\
& + x^{18} + x^{16} + x^{13} + x^{10} + x^9 + x^7 + x^5 + x^3 + x + 1, \\
p_9(x) &= x^{104} + x^{103} + x^{101} + x^{99} + x^{97} + x^{96} + x^{92} + x^{91} + x^{89} + x^{88} + x^{72} \\
& + x^{71} + x^{69} + x^{67} + x^{65} + x^{64} + x^{60} + x^{59} + x^{57} + x^{55} + x^{53} + x^{51} \\
& + x^{49} + x^{48} + x^{44} + x^{43} + x^{41} + x^{39} + x^{37} + x^{35} + x^{33} + x^{32} + x^{28} \\
& + x^{27} + x^{25} + x^{23} + x^{21} + x^{19} + x^{17} + x^{16} + x^{12} + x^{11} + x^9 + x^8, \\
p_{12}(x) &= x^{104} + x^{103} + x^{101} + x^{100} + x^{96} + x^{95} + x^{93} + x^{91} + x^{89} + x^{87} + x^{85} \\
& + x^{83} + x^{81} + x^{80} + x^{72} + x^{71} + x^{69} + x^{68} + x^{64} + x^{63} + x^{61} + x^{59} \\
& + x^{57} + x^{56} + x^{52} + x^{51} + x^{49} + x^{47} + x^{45} + x^{43} + x^{41} + x^{40} + x^{36} \\
& + x^{35} + x^{33} + x^{31} + x^{29} + x^{27} + x^{25} + x^{24} + x^{20} + x^{19} + x^{17} + x^{15} \\
& + x^{13} + x^{11} + x^9 + x^7 + x^5 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 1, 0, 1, 0, 1, 0, 1, 1, 0, 0, 1]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{112} + x^{109} + x^{105} + x^{102} + x^{99} + x^{97} + x^{95} + x^{92} + x^{87} + x^{85} + x^{82} \\
& + x^{80} + x^{79} + x^{75} + x^{74} + x^{70} + x^{69} + x^{68} + x^{66} + x^{64} + x^{63} + x^{62} \\
& + x^{61} + x^{60} + x^{57} + x^{56} + x^{55} + x^{52} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} \\
& + x^{43} + x^{42} + x^{41} + x^{37} + x^{35} + x^{32} + x^{27}, \\
p_3(x) &= x^{105} + x^{101} + x^{100} + x^{99} + x^{97} + x^{95} + x^{94} + x^{92} + x^{91} + x^{88} + x^{86} \\
& + x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{73} + x^{72} + x^{70} + x^{69} + x^{67} \\
& + x^{66} + x^{64} + x^{63} + x^{61} + x^{60} + x^{58} + x^{55} + x^{54} + x^{53} + x^{48} + x^{47}
\end{aligned}$$

$$\begin{aligned}
& + x^{45} + x^{44} + x^{42} + x^{41} + x^{39} + x^{38} + x^{36} + x^{35} + x^{33} + x^{32} + x^{30} \\
& + x^{29} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{19} + x^{18}, \\
p_6(x) &= x^{106} + x^{102} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{82} + x^{78} + x^{76} \\
& + x^{72} + x^{70} + x^{64} + x^{60} + x^{56} + x^{52} + x^{48} + x^{46} + x^{44} + x^{42} + x^{40} \\
& + x^{34} + x^{30} + x^{24} + x^{20} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_9(x) &= x^{107} + x^{103} + x^{102} + x^{101} + x^{99} + x^{96} + x^{95} + x^{94} + x^{92} + x^{91} + x^{89} \\
& + x^{88} + x^{87} + x^{86} + x^{75} + x^{71} + x^{70} + x^{69} + x^{67} + x^{64} + x^{63} + x^{62} \\
& + x^{60} + x^{57} + x^{56} + x^{53} + x^{51} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} + x^{40} \\
& + x^{37} + x^{35} + x^{32} + x^{31} + x^{30} + x^{28} + x^{25} + x^{24} + x^{21} + x^{19} + x^{16} \\
& + x^{15} + x^{14} + x^{12} + x^{11} + x^9 + x^8 + x^7 + x^6, \\
p_{12}(x) &= x^{108} + x^{104} + x^{92} + x^{88} + x^{80} + x^{76} + x^{72} + x^{48} + x^{32} + x^{16} + x^{12} \\
& + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 1, 0, 1, 0, 1, 0, 1, 1, 1, 0, 0, 1]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{106} + x^{105} + x^{104} + x^{103} + x^{99} + x^{98} + x^{93} + x^{92} + x^{91} + x^{89} + x^{88} \\
& + x^{85} + x^{83} + x^{82} + x^{81} + x^{80} + x^{79} + x^{72} + x^{71} + x^{70} + x^{67} + x^{65} \\
& + x^{64} + x^{61} + x^{56} + x^{55} + x^{53} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{40} \\
& + x^{39} + x^{38} + x^{37} + x^{34} + x^{33} + x^{31} + x^{30} + x^{27}, \\
p_3(x) &= x^{105} + x^{100} + x^{99} + x^{97} + x^{96} + x^{94} + x^{91} + x^{90} + x^{73} + x^{68} + x^{67} \\
& + x^{64} + x^{62} + x^{60} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{48} + x^{46} + x^{44} \\
& + x^{42} + x^{41} + x^{40} + x^{38} + x^{35} + x^{34} + x^{33} + x^{28} + x^{27} + x^{25} + x^{24} \\
& + x^{22} + x^{19} + x^{18}, \\
p_6(x) &= x^{106} + x^{96} + x^{90} + x^{88} + x^{86} + x^{78} + x^{76} + x^{70} + x^{66} + x^{62} + x^{60} \\
& + x^{56} + x^{54} + x^{50} + x^{48} + x^{46} + x^{44} + x^{42} + x^{38} + x^{32} + x^{28} + x^{26} \\
& + x^{24} + x^{20} + x^{14} + x^{12}, \\
p_9(x) &= x^{107} + x^{102} + x^{101} + x^{99} + x^{98} + x^{97} + x^{96} + x^{95} + x^{93} + x^{90} + x^{89} \\
& + x^{88} + x^{87} + x^{86} + x^{75} + x^{70} + x^{69} + x^{67} + x^{66} + x^{65} + x^{64} + x^{63} \\
& + x^{61} + x^{59} + x^{58} + x^{57} + x^{56} + x^{55} + x^{53} + x^{51} + x^{50} + x^{49} + x^{48} \\
& + x^{47} + x^{45} + x^{43} + x^{42} + x^{41} + x^{40} + x^{39} + x^{37} + x^{35} + x^{34} + x^{33} \\
& + x^{32} + x^{31} + x^{29} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{21} + x^{19} + x^{18} \\
& + x^{17} + x^{16} + x^{15} + x^{13} + x^{10} + x^9 + x^8 + x^7 + x^6, \\
p_{12}(x) &= x^{108} + x^{96} + x^{84} + x^{80} + x^{76} + x^{64} + x^{60} + x^{52} + x^{44} + x^{36} + x^{28} \\
& + x^{20} + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 1, 0, 0, 0, 1, 0, 1, 0, 0, 1, 0, 1]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{100} + x^{97} + x^{93} + x^{92} + x^{91} + x^{90} + x^{88} + x^{87} + x^{84} + x^{83} \\
&\quad + x^{82} + x^{79} + x^{78} + x^{77} + x^{74} + x^{72} + x^{71} + x^{70} + x^{68} + x^{67} + x^{65} \\
&\quad + x^{64} + x^{62} + x^{60} + x^{58} + x^{55} + x^{53} + x^{50} + x^{48} + x^{47} + x^{46} + x^{44} \\
&\quad + x^{42} + x^{40} + x^{39} + x^{38} + x^{33} + x^{32} + x^{31} + x^{30}, \\
p_3(x) &= x^{104} + x^{98} + x^{97} + x^{96} + x^{95} + x^{94} + x^{92} + x^{91} + x^{88} + x^{85} + x^{84} \\
&\quad + x^{83} + x^{82} + x^{81} + x^{77} + x^{73} + x^{72} + x^{70} + x^{68} + x^{65} + x^{61} + x^{58} \\
&\quad + x^{57} + x^{55} + x^{53} + x^{51} + x^{48} + x^{46} + x^{43} + x^{42} + x^{40} + x^{38} + x^{37} \\
&\quad + x^{36} + x^{34} + x^{32} + x^{31} + x^{27} + x^{21} + x^{20} + x^{19} + x^{18}, \\
p_6(x) &= x^{104} + x^{99} + x^{98} + x^{96} + x^{92} + x^{90} + x^{88} + x^{84} + x^{82} + x^{81} + x^{80} \\
&\quad + x^{79} + x^{77} + x^{75} + x^{73} + x^{72} + x^{70} + x^{68} + x^{67} + x^{65} + x^{63} + x^{58} \\
&\quad + x^{57} + x^{49} + x^{48} + x^{46} + x^{45} + x^{43} + x^{42} + x^{40} + x^{37} + x^{36} + x^{35} \\
&\quad + x^{33} + x^{32} + x^{29} + x^{25} + x^{24} + x^{22} + x^{21} + x^{20} + x^{19} + x^{17} + x^{14} \\
&\quad + x^{11} + x^{10} + x^8 + x^7 + x^5 + x^3 + x + 1, \\
p_9(x) &= x^{104} + x^{103} + x^{101} + x^{99} + x^{97} + x^{96} + x^{92} + x^{91} + x^{89} + x^{88} + x^{72} \\
&\quad + x^{71} + x^{69} + x^{67} + x^{65} + x^{64} + x^{60} + x^{59} + x^{57} + x^{55} + x^{53} + x^{51} \\
&\quad + x^{49} + x^{48} + x^{44} + x^{43} + x^{41} + x^{39} + x^{37} + x^{35} + x^{33} + x^{32} + x^{28} \\
&\quad + x^{27} + x^{25} + x^{23} + x^{21} + x^{19} + x^{17} + x^{16} + x^{12} + x^{11} + x^9 + x^8, \\
p_{12}(x) &= x^{104} + x^{103} + x^{101} + x^{100} + x^{96} + x^{95} + x^{93} + x^{91} + x^{89} + x^{87} + x^{85} \\
&\quad + x^{83} + x^{81} + x^{80} + x^{72} + x^{71} + x^{69} + x^{68} + x^{64} + x^{63} + x^{61} + x^{59} \\
&\quad + x^{57} + x^{56} + x^{52} + x^{51} + x^{49} + x^{47} + x^{45} + x^{43} + x^{41} + x^{40} + x^{36} \\
&\quad + x^{35} + x^{33} + x^{31} + x^{29} + x^{27} + x^{25} + x^{24} + x^{20} + x^{19} + x^{17} + x^{15} \\
&\quad + x^{13} + x^{11} + x^9 + x^7 + x^5 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 0, 1, 0, 1, 1, 0, 1, 1]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{104} + x^{102} + x^{101} + x^{100} + x^{98} + x^{95} + x^{91} + x^{90} + x^{89} + x^{85} \\
&\quad + x^{81} + x^{78} + x^{74} + x^{73} + x^{71} + x^{67} + x^{66} + x^{65} + x^{61} + x^{60} + x^{59} \\
&\quad + x^{57} + x^{55} + x^{54} + x^{50} + x^{49} + x^{48} + x^{47} + x^{45} + x^{43} + x^{41} + x^{37} \\
&\quad + x^{36} + x^{33} + x^{31} + x^{30} + x^{29} + x^{26} + x^{25} + x^{24}, \\
p_3(x) &= x^{104} + x^{102} + x^{101} + x^{100} + x^{98} + x^{97} + x^{96} + x^{95} + x^{93} + x^{91} + x^{87} \\
&\quad + x^{84} + x^{82} + x^{79} + x^{75} + x^{72} + x^{71} + x^{67} + x^{63} + x^{59} + x^{58} + x^{56} \\
&\quad + x^{55} + x^{53} + x^{51} + x^{47} + x^{46} + x^{45} + x^{42} + x^{41} + x^{34} + x^{30} + x^{28} \\
&\quad + x^{25} + x^{23} + x^{22} + x^{21} + x^{18} + x^{17} + x^{16}, \\
p_6(x) &= x^{104} + x^{102} + x^{101} + x^{100} + x^{99} + x^{97} + x^{94} + x^{93} + x^{89} + x^{88} + x^{87} \\
&\quad + x^{85} + x^{79} + x^{78} + x^{76} + x^{75} + x^{73} + x^{72} + x^{70} + x^{66} + x^{65} + x^{63}
\end{aligned}$$

$$\begin{aligned}
& + x^{60} + x^{59} + x^{57} + x^{54} + x^{53} + x^{52} + x^{49} + x^{47} + x^{45} + x^{43} + x^{42} \\
& + x^{40} + x^{38} + x^{36} + x^{29} + x^{28} + x^{27} + x^{24} + x^{23} + x^{21} + x^{20} + x^{19} \\
& + x^{18} + x^{16} + x^{13} + x^{10} + x^9 + x^7 + x^5 + x^3 + x + 1, \\
p_9(x) &= x^{104} + x^{103} + x^{101} + x^{99} + x^{97} + x^{96} + x^{92} + x^{91} + x^{89} + x^{88} + x^{72} \\
& + x^{71} + x^{69} + x^{67} + x^{65} + x^{64} + x^{60} + x^{59} + x^{57} + x^{55} + x^{53} + x^{51} \\
& + x^{49} + x^{48} + x^{44} + x^{43} + x^{41} + x^{39} + x^{37} + x^{35} + x^{33} + x^{32} + x^{28} \\
& + x^{27} + x^{25} + x^{23} + x^{21} + x^{19} + x^{17} + x^{16} + x^{12} + x^{11} + x^9 + x^8, \\
p_{12}(x) &= x^{104} + x^{103} + x^{101} + x^{100} + x^{96} + x^{95} + x^{93} + x^{91} + x^{89} + x^{87} + x^{85} \\
& + x^{83} + x^{81} + x^{80} + x^{72} + x^{71} + x^{69} + x^{68} + x^{64} + x^{63} + x^{61} + x^{59} \\
& + x^{57} + x^{56} + x^{52} + x^{51} + x^{49} + x^{47} + x^{45} + x^{43} + x^{41} + x^{40} + x^{36} \\
& + x^{35} + x^{33} + x^{31} + x^{29} + x^{27} + x^{25} + x^{24} + x^{20} + x^{19} + x^{17} + x^{15} \\
& + x^{13} + x^{11} + x^9 + x^7 + x^5 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 1, 0, 1, 0, 1, 1, 0, 0, 1]$.

For $\phi(W^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{106} + x^{105} + x^{104} + x^{103} + x^{99} + x^{98} + x^{93} + x^{92} + x^{91} + x^{89} + x^{88} \\
& + x^{85} + x^{83} + x^{82} + x^{81} + x^{80} + x^{79} + x^{72} + x^{71} + x^{70} + x^{67} + x^{65} \\
& + x^{64} + x^{61} + x^{56} + x^{55} + x^{53} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{40} \\
& + x^{39} + x^{38} + x^{37} + x^{34} + x^{33} + x^{31} + x^{30} + x^{27}, \\
p_3(x) &= x^{105} + x^{100} + x^{99} + x^{97} + x^{96} + x^{94} + x^{91} + x^{90} + x^{73} + x^{68} + x^{67} \\
& + x^{64} + x^{62} + x^{60} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{48} + x^{46} + x^{44} \\
& + x^{42} + x^{41} + x^{40} + x^{38} + x^{35} + x^{34} + x^{33} + x^{28} + x^{27} + x^{25} + x^{24} \\
& + x^{22} + x^{19} + x^{18}, \\
p_6(x) &= x^{106} + x^{96} + x^{90} + x^{88} + x^{86} + x^{78} + x^{76} + x^{70} + x^{66} + x^{62} + x^{60} \\
& + x^{56} + x^{54} + x^{50} + x^{48} + x^{46} + x^{44} + x^{42} + x^{38} + x^{32} + x^{28} + x^{26} \\
& + x^{24} + x^{20} + x^{14} + x^{12}, \\
p_9(x) &= x^{107} + x^{102} + x^{101} + x^{99} + x^{98} + x^{97} + x^{96} + x^{95} + x^{93} + x^{90} + x^{89} \\
& + x^{88} + x^{87} + x^{86} + x^{75} + x^{70} + x^{69} + x^{67} + x^{66} + x^{65} + x^{64} + x^{63} \\
& + x^{61} + x^{59} + x^{58} + x^{57} + x^{56} + x^{55} + x^{53} + x^{51} + x^{50} + x^{49} + x^{48} \\
& + x^{47} + x^{45} + x^{43} + x^{42} + x^{41} + x^{40} + x^{39} + x^{37} + x^{35} + x^{34} + x^{33} \\
& + x^{32} + x^{31} + x^{29} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{21} + x^{19} + x^{18} \\
& + x^{17} + x^{16} + x^{15} + x^{13} + x^{10} + x^9 + x^8 + x^7 + x^6, \\
p_{12}(x) &= x^{108} + x^{96} + x^{84} + x^{80} + x^{76} + x^{64} + x^{60} + x^{52} + x^{44} + x^{36} + x^{28} \\
& + x^{20} + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 1, 0, 0, 0, 1, 0, 1, 0, 0, 1, 0, 1]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{112} + x^{109} + x^{105} + x^{102} + x^{99} + x^{97} + x^{95} + x^{92} + x^{87} + x^{85} + x^{82} \\
&\quad + x^{80} + x^{79} + x^{75} + x^{74} + x^{70} + x^{69} + x^{68} + x^{66} + x^{64} + x^{63} + x^{62} \\
&\quad + x^{61} + x^{60} + x^{57} + x^{56} + x^{55} + x^{52} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} \\
&\quad + x^{43} + x^{42} + x^{41} + x^{37} + x^{35} + x^{32} + x^{27}, \\
p_3(x) &= x^{105} + x^{101} + x^{100} + x^{99} + x^{97} + x^{95} + x^{94} + x^{92} + x^{91} + x^{88} + x^{86} \\
&\quad + x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{73} + x^{72} + x^{70} + x^{69} + x^{67} \\
&\quad + x^{66} + x^{64} + x^{63} + x^{61} + x^{60} + x^{58} + x^{55} + x^{54} + x^{53} + x^{48} + x^{47} \\
&\quad + x^{45} + x^{44} + x^{42} + x^{41} + x^{39} + x^{38} + x^{36} + x^{35} + x^{33} + x^{32} + x^{30} \\
&\quad + x^{29} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{19} + x^{18}, \\
p_6(x) &= x^{106} + x^{102} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{82} + x^{78} + x^{76} \\
&\quad + x^{72} + x^{70} + x^{64} + x^{60} + x^{56} + x^{52} + x^{48} + x^{46} + x^{44} + x^{42} + x^{40} \\
&\quad + x^{34} + x^{30} + x^{24} + x^{20} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_9(x) &= x^{107} + x^{103} + x^{102} + x^{101} + x^{99} + x^{96} + x^{95} + x^{94} + x^{92} + x^{91} + x^{89} \\
&\quad + x^{88} + x^{87} + x^{86} + x^{75} + x^{71} + x^{70} + x^{69} + x^{67} + x^{64} + x^{63} + x^{62} \\
&\quad + x^{60} + x^{57} + x^{56} + x^{53} + x^{51} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} + x^{40} \\
&\quad + x^{37} + x^{35} + x^{32} + x^{31} + x^{30} + x^{28} + x^{25} + x^{24} + x^{21} + x^{19} + x^{16} \\
&\quad + x^{15} + x^{14} + x^{12} + x^{11} + x^9 + x^8 + x^7 + x^6, \\
p_{12}(x) &= x^{108} + x^{104} + x^{92} + x^{88} + x^{80} + x^{76} + x^{72} + x^{48} + x^{32} + x^{16} + x^{12} \\
&\quad + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 1, 0, 1, 0, 1, 0, 1, 1, 1, 0, 0, 1]$.

For $\phi(W^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{105} + x^{100} + x^{97} + x^{93} + x^{92} + x^{91} + x^{90} + x^{88} + x^{87} + x^{84} + x^{83} \\
&\quad + x^{82} + x^{79} + x^{78} + x^{77} + x^{74} + x^{72} + x^{71} + x^{70} + x^{68} + x^{67} + x^{65} \\
&\quad + x^{64} + x^{62} + x^{60} + x^{58} + x^{55} + x^{53} + x^{50} + x^{48} + x^{47} + x^{46} + x^{44} \\
&\quad + x^{42} + x^{40} + x^{39} + x^{38} + x^{33} + x^{32} + x^{31} + x^{30}, \\
p_3(x) &= x^{104} + x^{98} + x^{97} + x^{96} + x^{95} + x^{94} + x^{92} + x^{91} + x^{88} + x^{85} + x^{84} \\
&\quad + x^{83} + x^{82} + x^{81} + x^{77} + x^{73} + x^{72} + x^{70} + x^{68} + x^{65} + x^{61} + x^{58} \\
&\quad + x^{57} + x^{55} + x^{53} + x^{51} + x^{48} + x^{46} + x^{43} + x^{42} + x^{40} + x^{38} + x^{37} \\
&\quad + x^{36} + x^{34} + x^{32} + x^{31} + x^{27} + x^{21} + x^{20} + x^{19} + x^{18}, \\
p_6(x) &= x^{104} + x^{99} + x^{98} + x^{96} + x^{92} + x^{90} + x^{88} + x^{84} + x^{82} + x^{81} + x^{80} \\
&\quad + x^{79} + x^{77} + x^{75} + x^{73} + x^{72} + x^{70} + x^{68} + x^{67} + x^{65} + x^{63} + x^{58} \\
&\quad + x^{57} + x^{49} + x^{48} + x^{46} + x^{45} + x^{43} + x^{42} + x^{40} + x^{37} + x^{36} + x^{35} \\
&\quad + x^{33} + x^{32} + x^{29} + x^{25} + x^{24} + x^{22} + x^{21} + x^{20} + x^{19} + x^{17} + x^{14} \\
&\quad + x^{11} + x^{10} + x^8 + x^7 + x^5 + x^3 + x + 1,
\end{aligned}$$

$$\begin{aligned}
p_9(x) &= x^{104} + x^{103} + x^{101} + x^{99} + x^{97} + x^{96} + x^{92} + x^{91} + x^{89} + x^{88} + x^{72} \\
&\quad + x^{71} + x^{69} + x^{67} + x^{65} + x^{64} + x^{60} + x^{59} + x^{57} + x^{55} + x^{53} + x^{51} \\
&\quad + x^{49} + x^{48} + x^{44} + x^{43} + x^{41} + x^{39} + x^{37} + x^{35} + x^{33} + x^{32} + x^{28} \\
&\quad + x^{27} + x^{25} + x^{23} + x^{21} + x^{19} + x^{17} + x^{16} + x^{12} + x^{11} + x^9 + x^8, \\
p_{12}(x) &= x^{104} + x^{103} + x^{101} + x^{100} + x^{96} + x^{95} + x^{93} + x^{91} + x^{89} + x^{87} + x^{85} \\
&\quad + x^{83} + x^{81} + x^{80} + x^{72} + x^{71} + x^{69} + x^{68} + x^{64} + x^{63} + x^{61} + x^{59} \\
&\quad + x^{57} + x^{56} + x^{52} + x^{51} + x^{49} + x^{47} + x^{45} + x^{43} + x^{41} + x^{40} + x^{36} \\
&\quad + x^{35} + x^{33} + x^{31} + x^{29} + x^{27} + x^{25} + x^{24} + x^{20} + x^{19} + x^{17} + x^{15} \\
&\quad + x^{13} + x^{11} + x^9 + x^7 + x^5 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 0, 1, 0, 1, 1, 0, 1, 1]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	135	[101, 21]	270	[16, 207]	405	[516, 517]	540	[107, 21]
1	[3, 4]	136	[214, 215]	271	[368, 369]	406	[502, 270]	541	[605, 248]
2	[5, 6]	137	[216, 217]	272	[370, 16]	407	[518, 519]	542	[606, 217]
3	[7, 8]	138	[218, 219]	273	[371, 372]	408	[36, 111]	543	[587, 418]
4	[9, 10]	139	[220, 221]	274	[102, 373]	409	[299, 348]	544	[391, 607]
5	[11, 12]	140	[92, 222]	275	[374, 375]	410	[306, 288]	545	[566, 608]
6	[13, 14]	141	[223, 224]	276	[376, 377]	411	[496, 266]	546	[252, 242]
7	[15, 16]	142	[225, 226]	277	[378, 187]	412	[153, 117]	547	[609, 208]
8	[17, 18]	143	[227, 228]	278	[379, 170]	413	[320, 41]	548	[610, 221]
9	[19, 20]	144	[229, 230]	279	[4, 24]	414	[520, 318]	549	[77, 389]
10	[21, 22]	145	[231, 232]	280	[259, 380]	415	[521, 154]	550	[591, 81]
11	[23, 24]	146	[96, 107]	281	[381, 382]	416	[522, 523]	551	[440, 611]
12	[25, 26]	147	[20, 97]	282	[218, 173]	417	[524, 525]	552	[612, 607]
13	[27, 28]	148	[233, 234]	283	[383, 384]	418	[266, 136]	553	[613, 461]
14	[29, 30]	149	[235, 236]	284	[385, 386]	419	[109, 266]	554	[97, 66]
15	[31, 32]	150	[237, 238]	285	[224, 259]	420	[478, 348]	555	[450, 88]
16	[33, 34]	151	[239, 240]	286	[387, 191]	421	[526, 318]	556	[369, 86]
17	[35, 36]	152	[241, 181]	287	[388, 203]	422	[44, 34]	557	[614, 63]
18	[12, 37]	153	[180, 242]	288	[389, 390]	423	[527, 139]	558	[558, 558]
19	[38, 39]	154	[201, 243]	289	[26, 391]	424	[528, 45]	559	[615, 202]
20	[40, 41]	155	[82, 240]	290	[392, 384]	425	[521, 148]	560	[595, 570]
21	[42, 43]	156	[244, 245]	291	[393, 394]	426	[307, 59]	561	[616, 612]
22	[36, 44]	157	[246, 66]	292	[395, 396]	427	[358, 487]	562	[617, 519]
23	[45, 46]	158	[247, 183]	293	[397, 398]	428	[529, 268]	563	[618, 324]
24	[47, 48]	159	[248, 74]	294	[399, 400]	429	[530, 48]	564	[8, 303]
25	[49, 50]	160	[249, 250]	295	[401, 175]	430	[490, 142]	565	[619, 312]
26	[51, 52]	161	[251, 252]	296	[23, 402]	431	[531, 284]	566	[620, 137]

27	[53, 54]	162	[253, 83]	297	[403, 192]	432	[532, 35]	567	[264, 309]
28	[13, 55]	163	[219, 254]	298	[404, 82]	433	[533, 515]	568	[278, 129]
29	[56, 57]	164	[255, 256]	299	[405, 406]	434	[321, 34]	569	[537, 354]
30	[58, 59]	165	[235, 257]	300	[407, 408]	435	[530, 282]	570	[357, 537]
31	[60, 61]	166	[258, 259]	301	[409, 410]	436	[145, 308]	571	[621, 355]
32	[62, 63]	167	[260, 261]	302	[411, 368]	437	[486, 143]	572	[622, 113]
33	[64, 65]	168	[262, 247]	303	[412, 413]	438	[534, 301]	573	[304, 266]
34	[66, 67]	169	[263, 264]	304	[414, 214]	439	[535, 509]	574	[623, 498]
35	[68, 69]	170	[265, 266]	305	[225, 415]	440	[536, 537]	575	[624, 625]
36	[63, 70]	171	[267, 141]	306	[416, 195]	441	[538, 342]	576	[626, 627]
37	[24, 71]	172	[9, 39]	307	[417, 418]	442	[539, 320]	577	[507, 147]
38	[72, 73]	173	[268, 8]	308	[61, 419]	443	[540, 525]	578	[628, 124]
39	[74, 75]	174	[269, 131]	309	[199, 92]	444	[303, 271]	579	[629, 126]
40	[76, 17]	175	[270, 271]	310	[361, 420]	445	[541, 129]	580	[345, 310]
41	[77, 78]	176	[272, 273]	311	[421, 422]	446	[542, 2]	581	[630, 517]
42	[79, 80]	177	[274, 275]	312	[423, 250]	447	[543, 281]	582	[351, 46]
43	[81, 82]	178	[276, 131]	313	[385, 72]	448	[38, 10]	583	[290, 46]
44	[83, 84]	179	[277, 278]	314	[424, 425]	449	[544, 545]	584	[631, 58]
45	[85, 29]	180	[136, 39]	315	[426, 427]	450	[546, 264]	585	[322, 154]
46	[65, 86]	181	[279, 280]	316	[428, 429]	451	[504, 143]	586	[632, 167]
47	[87, 88]	182	[281, 282]	317	[98, 430]	452	[536, 358]	587	[633, 109]
48	[89, 90]	183	[276, 37]	318	[431, 209]	453	[297, 308]	588	[118, 129]
49	[91, 92]	184	[159, 136]	319	[432, 406]	454	[547, 287]	589	[634, 2]
50	[93, 94]	185	[283, 284]	320	[433, 394]	455	[548, 32]	590	[635, 545]
51	[95, 96]	186	[268, 285]	321	[434, 435]	456	[116, 296]	591	[269, 37]
52	[97, 98]	187	[132, 153]	322	[436, 437]	457	[549, 306]	592	[46, 55]
53	[99, 100]	188	[35, 122]	323	[438, 193]	458	[550, 290]	593	[636, 152]
54	[96, 101]	189	[286, 50]	324	[439, 440]	459	[551, 552]	594	[561, 558]
55	[80, 102]	190	[287, 288]	325	[204, 183]	460	[354, 344]	595	[637, 488]
56	[103, 104]	191	[131, 289]	326	[441, 201]	461	[552, 552]	596	[638, 162]
57	[82, 105]	192	[109, 159]	327	[442, 412]	462	[541, 119]	597	[639, 294]
58	[106, 89]	193	[290, 43]	328	[208, 64]	463	[553, 350]	598	[640, 334]
59	[107, 19]	194	[291, 7]	329	[443, 61]	464	[554, 523]	599	[641, 355]
60	[108, 109]	195	[292, 38]	330	[444, 445]	465	[488, 358]	600	[320, 142]
61	[110, 111]	196	[293, 294]	331	[446, 206]	466	[555, 152]	601	[534, 310]
62	[112, 113]	197	[295, 36]	332	[447, 448]	467	[47, 282]	602	[552, 558]
63	[114, 115]	198	[125, 296]	333	[449, 172]	468	[556, 299]	603	[560, 354]
64	[116, 117]	199	[297, 54]	334	[450, 451]	469	[139, 52]	604	[642, 137]
65	[118, 119]	200	[298, 299]	335	[409, 452]	470	[557, 162]	605	[643, 495]
66	[120, 121]	201	[300, 288]	336	[364, 453]	471	[344, 358]	606	[644, 627]
67	[122, 111]	202	[121, 301]	337	[454, 233]	472	[551, 558]	607	[344, 537]
68	[123, 124]	203	[302, 303]	338	[455, 456]	473	[343, 488]	608	[40, 142]
69	[125, 117]	204	[304, 159]	339	[457, 409]	474	[559, 329]	609	[325, 116]
70	[126, 127]	205	[305, 306]	340	[428, 218]	475	[560, 487]	610	[645, 268]

71	[46, 14]	206	[307, 140]	341	[399, 422]	476	[561, 552]	611	[637, 344]
72	[111, 128]	207	[32, 308]	342	[458, 438]	477	[203, 247]	612	[353, 487]
73	[124, 129]	208	[309, 310]	343	[459, 452]	478	[562, 77]	613	[510, 52]
74	[130, 131]	209	[311, 122]	344	[460, 461]	479	[563, 218]	614	[646, 126]
75	[132, 116]	210	[312, 147]	345	[462, 107]	480	[466, 564]	615	[292, 136]
76	[133, 134]	211	[313, 314]	346	[463, 366]	481	[565, 186]	616	[487, 344]
77	[135, 136]	212	[315, 316]	347	[464, 225]	482	[566, 408]	617	[208, 368]
78	[137, 132]	213	[42, 46]	348	[247, 444]	483	[22, 97]	618	[647, 70]
79	[138, 139]	214	[317, 296]	349	[234, 465]	484	[361, 476]	619	[74, 230]
80	[58, 140]	215	[318, 48]	350	[466, 467]	485	[567, 207]	620	[648, 382]
81	[141, 142]	216	[319, 320]	351	[468, 469]	486	[568, 389]	621	[70, 199]
82	[37, 143]	217	[321, 128]	352	[470, 96]	487	[465, 569]	622	[244, 469]
83	[144, 10]	218	[285, 270]	353	[471, 472]	488	[570, 465]	623	[251, 180]
84	[145, 54]	219	[322, 148]	354	[473, 373]	489	[571, 224]	624	[649, 69]
85	[146, 58]	220	[323, 324]	355	[474, 398]	490	[572, 573]	625	[599, 650]
86	[147, 148]	221	[325, 153]	356	[177, 363]	491	[187, 28]	626	[26, 612]
87	[149, 150]	222	[153, 296]	357	[475, 473]	492	[458, 192]	627	[378, 27]
88	[137, 115]	223	[326, 161]	358	[476, 460]	493	[574, 233]	628	[651, 203]
89	[151, 116]	224	[327, 285]	359	[12, 131]	494	[575, 377]	629	[652, 215]
90	[152, 115]	225	[122, 44]	360	[477, 478]	495	[576, 577]	630	[425, 23]
91	[115, 153]	226	[7, 285]	361	[479, 59]	496	[578, 72]	631	[61, 601]
92	[127, 154]	227	[306, 328]	362	[480, 145]	497	[237, 456]	632	[6, 18]
93	[155, 156]	228	[329, 52]	363	[303, 280]	498	[579, 580]	633	[653, 197]
94	[157, 44]	229	[330, 280]	364	[481, 304]	499	[581, 187]	634	[654, 181]
95	[158, 156]	230	[53, 308]	365	[482, 278]	500	[80, 473]	635	[655, 558]
96	[159, 38]	231	[331, 134]	366	[330, 271]	501	[470, 462]	636	[424, 3]
97	[43, 55]	232	[332, 8]	367	[483, 329]	502	[78, 582]	637	[656, 476]
98	[44, 128]	233	[329, 163]	368	[337, 147]	503	[372, 74]	638	[657, 232]
99	[160, 161]	234	[287, 328]	369	[266, 38]	504	[375, 415]	639	[658, 361]
100	[162, 122]	235	[333, 334]	370	[484, 336]	505	[402, 71]	640	[659, 214]
101	[162, 36]	236	[50, 59]	371	[485, 130]	506	[583, 84]	641	[66, 430]
102	[139, 163]	237	[335, 336]	372	[486, 289]	507	[584, 236]	642	[660, 209]
103	[164, 165]	238	[337, 127]	373	[487, 488]	508	[212, 448]	643	[439, 227]
104	[115, 116]	239	[338, 115]	374	[489, 7]	509	[565, 585]	644	[227, 611]
105	[111, 34]	240	[339, 309]	375	[490, 41]	510	[586, 564]	645	[579, 573]
106	[166, 167]	241	[340, 281]	376	[491, 478]	511	[201, 472]	646	[386, 73]
107	[168, 14]	242	[278, 119]	377	[478, 57]	512	[587, 588]	647	[131, 143]
108	[169, 170]	243	[299, 57]	378	[492, 35]	513	[374, 225]	648	[661, 130]
109	[171, 172]	244	[341, 342]	379	[493, 150]	514	[589, 409]	649	[662, 501]
110	[173, 174]	245	[343, 344]	380	[285, 303]	515	[590, 591]	650	[168, 55]
111	[175, 81]	246	[295, 122]	381	[494, 495]	516	[592, 210]	651	[663, 304]
112	[176, 80]	247	[345, 301]	382	[496, 159]	517	[176, 475]	652	[312, 127]
113	[177, 178]	248	[152, 132]	383	[497, 498]	518	[389, 582]	653	[664, 45]
114	[179, 180]	249	[346, 273]	384	[499, 328]	519	[589, 459]	654	[665, 316]

115	[3, 23]	250	[347, 348]	385	[500, 501]	520	[593, 89]	655	[347, 57]
116	[181, 182]	251	[349, 350]	386	[339, 121]	521	[429, 219]	656	[358, 354]
117	[183, 184]	252	[351, 43]	387	[502, 303]	522	[219, 174]	657	[666, 12]
118	[185, 186]	253	[352, 145]	388	[503, 165]	523	[575, 594]	658	[667, 625]
119	[187, 188]	254	[270, 280]	389	[504, 289]	524	[92, 396]	659	[668, 512]
120	[189, 190]	255	[121, 310]	390	[136, 10]	525	[574, 595]	660	[669, 312]
121	[182, 191]	256	[264, 121]	391	[50, 140]	526	[596, 94]	661	[577, 413]
122	[192, 193]	257	[353, 354]	392	[505, 287]	527	[89, 437]	662	[29, 603]
123	[194, 195]	258	[147, 154]	393	[506, 290]	528	[368, 65]	663	[371, 248]
124	[196, 197]	259	[355, 309]	394	[338, 132]	529	[5, 17]	664	[259, 435]
125	[198, 199]	260	[356, 314]	395	[332, 285]	530	[597, 3]	665	[420, 460]
126	[200, 201]	261	[357, 358]	396	[507, 127]	531	[598, 29]	666	[183, 445]
127	[73, 202]	262	[318, 282]	397	[508, 509]	532	[599, 100]	667	[670, 83]
128	[70, 91]	263	[359, 182]	398	[510, 163]	533	[260, 190]	668	[233, 570]
129	[203, 204]	264	[360, 361]	399	[511, 512]	534	[600, 601]	669	[21, 20]
130	[205, 206]	265	[362, 363]	400	[120, 309]	535	[576, 412]	670	[671, 275]
131	[207, 208]	266	[170, 256]	401	[513, 141]	536	[602, 603]	671	[672, 569]
132	[209, 210]	267	[364, 104]	402	[8, 270]	537	[569, 427]	672	[499, 288]
133	[211, 26]	268	[365, 366]	403	[514, 515]	538	[590, 175]		
134	[212, 213]	269	[367, 227]	404	[157, 111]	539	[604, 77]		

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	97	1	194	1	291	1	388	1	485	0
1	0	98	0	195	1	292	1	389	0	486	1
2	0	99	0	196	0	293	0	390	0	487	0
3	0	100	0	197	0	294	0	391	0	488	0
4	1	101	0	198	1	295	0	392	1	489	0
5	0	102	0	199	1	296	0	393	1	490	0
6	0	103	0	200	0	297	1	394	1	491	1
7	0	104	0	201	0	298	0	395	1	492	0
8	1	105	1	202	0	299	0	396	1	493	1
9	1	106	1	203	0	300	0	397	0	494	0
10	0	107	1	204	0	301	0	398	0	495	1
11	0	108	0	205	1	302	0	399	0	496	0
12	0	109	1	206	0	303	0	400	1	497	0
13	0	110	1	207	1	304	0	401	0	498	1
14	0	111	1	208	1	305	1	402	1	499	1
15	0	112	1	209	1	306	0	403	1	500	1
16	1	113	0	210	1	307	0	404	0	501	0
17	1	114	0	211	1	308	1	405	0	502	1
18	0	115	0	212	0	309	1	406	1	503	1
19	1	116	1	213	0	310	1	407	0	504	0
20	1	117	1	214	0	311	1	408	0	505	1

21	0	118	0	215	1	312	1	409	0	506	1	603	0
22	0	119	1	216	1	313	1	410	0	507	1	604	0
23	0	120	1	217	0	314	0	411	0	508	0	605	1
24	0	121	0	218	0	315	0	412	0	509	1	606	0
25	0	122	1	219	0	316	0	413	0	510	0	607	1
26	1	123	1	220	0	317	0	414	0	511	0	608	1
27	0	124	0	221	0	318	1	415	1	512	1	609	0
28	0	125	1	222	0	319	1	416	0	513	0	610	1
29	0	126	0	223	1	320	0	417	0	514	1	611	0
30	1	127	0	224	0	321	0	418	1	515	1	612	1
31	0	128	0	225	1	322	0	419	1	516	0	613	0
32	1	129	0	226	0	323	0	420	1	517	1	614	0
33	1	130	1	227	0	324	1	421	1	518	0	615	1
34	1	131	1	228	1	325	0	422	0	519	1	616	0
35	1	132	1	229	0	326	1	423	1	520	0	617	1
36	0	133	1	230	0	327	0	424	0	521	1	618	1
37	0	134	0	231	0	328	1	425	1	522	0	619	1
38	1	135	0	232	1	329	1	426	0	523	0	620	1
39	1	136	0	233	1	330	0	427	0	524	0	621	0
40	1	137	1	234	1	331	0	428	0	525	1	622	0
41	0	138	0	235	0	332	1	429	1	526	1	623	1
42	0	139	0	236	0	333	0	430	0	527	1	624	0
43	1	140	0	237	0	334	1	431	1	528	0	625	1
44	0	141	1	238	0	335	0	432	1	529	0	626	1
45	0	142	1	239	1	336	1	433	0	530	1	627	0
46	0	143	0	240	0	337	0	434	0	531	1	628	0
47	0	144	0	241	0	338	1	435	1	532	1	629	1
48	1	145	0	242	1	339	0	436	0	533	0	630	1
49	0	146	0	243	0	340	0	437	1	534	0	631	1
50	0	147	1	244	0	341	0	438	0	535	1	632	0
51	1	148	1	245	1	342	0	439	1	536	1	633	1
52	1	149	0	246	0	343	1	440	1	537	1	634	1
53	0	150	0	247	1	344	1	441	1	538	1	635	1
54	0	151	1	248	0	345	1	442	0	539	0	636	0
55	1	152	0	249	0	346	0	443	1	540	1	637	0
56	0	153	0	250	1	347	1	444	0	541	1	638	1
57	0	154	0	251	1	348	1	445	1	542	0	639	1
58	1	155	0	252	1	349	1	446	0	543	1	640	1
59	1	156	0	253	0	350	1	447	1	544	0	641	1
60	0	157	0	254	1	351	1	448	1	545	1	642	0
61	1	158	1	255	0	352	0	449	0	546	1	643	1
62	1	159	0	256	0	353	1	450	1	547	0	644	0
63	0	160	0	257	1	354	1	451	0	548	1	645	1
64	1	161	1	258	1	355	1	452	1	549	0	646	0

65	0	162	0	259	1	356	0	453	1	550	0	647	1
66	1	163	0	260	0	357	0	454	0	551	1	648	1
67	1	164	0	261	0	358	0	455	1	552	1	649	0
68	1	165	0	262	1	359	0	456	1	553	0	650	1
69	1	166	1	263	0	360	0	457	0	554	1	651	0
70	0	167	0	264	0	361	1	458	0	555	1	652	1
71	0	168	1	265	1	362	1	459	1	556	1	653	1
72	1	169	0	266	1	363	0	460	1	557	0	654	1
73	0	170	1	267	1	364	1	461	1	558	0	655	1
74	1	171	1	268	1	365	1	462	1	559	1	656	0
75	1	172	1	269	0	366	0	463	0	560	0	657	1
76	1	173	1	270	1	367	0	464	1	561	0	658	1
77	0	174	0	271	0	368	0	465	0	562	1	659	1
78	1	175	1	272	1	369	1	466	1	563	1	660	0
79	0	176	1	273	0	370	1	467	0	564	1	661	1
80	1	177	0	274	0	371	0	468	1	565	1	662	0
81	1	178	1	275	0	372	1	469	0	566	1	663	0
82	0	179	0	276	1	373	0	470	0	567	0	664	1
83	0	180	0	277	0	374	0	471	1	568	1	665	1
84	0	181	1	278	1	375	0	472	1	569	1	666	1
85	0	182	0	279	1	376	1	473	1	570	0	667	1
86	1	183	1	280	1	377	1	474	1	571	0	668	1
87	0	184	0	281	0	378	0	475	0	572	0	669	0
88	1	185	0	282	0	379	1	476	0	573	0	670	1
89	1	186	1	283	0	380	0	477	0	574	1	671	1
90	0	187	1	284	1	381	0	478	1	575	0	672	1
91	0	188	1	285	0	382	0	479	1	576	1		
92	0	189	1	286	1	383	0	480	1	577	1		
93	0	190	1	287	1	384	1	481	1	578	0		
94	0	191	1	288	0	385	1	482	1	579	1		
95	1	192	1	289	1	386	0	483	0	580	1		
96	0	193	1	290	1	387	1	484	1	581	1		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE
Email address: guoniu.han@unistra.fr

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA
Email address: huyining@hust.edu.cn