

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z^2, z^4 + z^2 + z)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z^2, z^4 + z^2 + z)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 09:51:08 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 21.2 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z^2, z^4 + z^2 + z)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$\begin{aligned} p_0(z) &= z^{14} + z^{11} + z^6 + z^5 + z^4 + z + 1, \\ p_1(z) &= z^{18} + z^{16} + z^{13} + z^{10} + z^8 + z^7 + z^3 + z^2, \\ p_2(z) &= z^{20} + z^{16} + z^8 + z^6 + z^4, \\ p_3(z) &= z^{18} + z^{16} + z^{13} + z^{10} + z^8 + z^7 + z^3 + z^2, \\ p_4(z) &= z^{16} + z^{14} + z^{11} + z^5 + z, \end{aligned}$$

and for $\text{CF}(b, a)$,

$$\begin{aligned} p_0(z) &= z^{14} + z^{12} + z^{11} + z^6 + z^5 + z^4 + z, \\ p_1(z) &= z^{18} + z^{16} + z^{13} + z^{10} + z^8 + z^7 + z^3 + z^2, \\ p_2(z) &= z^{20} + z^{16} + z^8 + z^6 + z^4, \\ p_3(z) &= z^{18} + z^{16} + z^{13} + z^{10} + z^8 + z^7 + z^3 + z^2, \\ p_4(z) &= z^{16} + z^{14} + z^{12} + z^{11} + z^5 + z + 1. \end{aligned}$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{t}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(150, 150, 150, 150, 150)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 540 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 540, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 660 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 660, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:12u] &= M^e[:6u] + x^{2u} M^e[:4u] + x^{3u} M^e[:3u] + x^{4u} M^e[:2u] + x^{2u} M^e[:6u] \\ &\quad + x^{4u} M^e[:4u] + x^{5u} M^e[:3u] + x^{6u} M^e[:2u] + x^{3u} M^e[:6u] \\ &\quad + x^{5u} M^e[:4u] + x^{6u} M^e[:3u] + x^{7u} M^e[:2u] + x^{6u} M^e[:6u] \\ &\quad + x^{8u} M^e[:4u] + x^{10u} M^e[:2u] + (x^{6u} + x^{8u} + x^{9u}) R^e, \\ W^e[:12u] &= W^e[:6u] + x^{2u} W^e[:4u] + x^{3u} W^e[:3u] + x^{4u} W^e[:2u] + x^{2u} W^e[:6u] \\ &\quad + x^{4u} W^e[:4u] + x^{5u} W^e[:3u] + x^{6u} W^e[:2u] + x^{3u} W^e[:6u] \end{aligned}$$

$$\begin{aligned}
& + x^{5u}W^e[:4u] + x^{6u}W^e[:3u] + x^{7u}W^e[:2u] + x^{6u}W^e[:6u] \\
& + x^{8u}W^e[:4u] + x^{10u}W^e[:2u] + (x^{6u} + x^{8u} + x^{9u})R^e.
\end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned}
M^o[:12u] &= M^o[:6u] + x^{2u}M^o[:4u] + x^{3u}M^o[:3u] + x^{4u}M^o[:2u] + x^{2u}M^o[:6u] \\
&+ x^{4u}M^o[:4u] + x^{5u}M^o[:3u] + x^{6u}M^o[:2u] + x^{3u}M^o[:6u] \\
&+ x^{5u}M^o[:4u] + x^{6u}M^o[:3u] + x^{7u}M^o[:2u] + x^{6u}M^o[:6u] \\
&+ x^{8u}M^o[:4u] + x^{10u}M^o[:2u] + (x^{6u} + x^{8u} + x^{9u})R^o, \\
W^o[:12u] &= W^o[:6u] + x^{2u}W^o[:4u] + x^{3u}W^o[:3u] + x^{4u}W^o[:2u] + x^{2u}W^o[:6u] \\
&+ x^{4u}W^o[:4u] + x^{5u}W^o[:3u] + x^{6u}W^o[:2u] + x^{3u}W^o[:6u] \\
&+ x^{5u}W^o[:4u] + x^{6u}W^o[:3u] + x^{7u}W^o[:2u] + x^{6u}W^o[:6u] \\
&+ x^{8u}W^o[:4u] + x^{10u}W^o[:2u] + (x^{6u} + x^{8u} + x^{9u})R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$\begin{aligned}
T[:12u] &= T[:6u] + x^{2u}T[:4u] + x^{3u}T[:3u] + x^{4u}T[:2u] + x^{2u}T[:6u] + x^{4u}T[:4u] \\
&+ x^{5u}T[:3u] + x^{6u}T[:2u] + x^{3u}T[:6u] + x^{5u}T[:4u] + x^{6u}T[:3u] \\
&+ x^{7u}T[:2u] + x^{6u}T[:6u] + x^{8u}T[:4u] + x^{10u}T[:2u].
\end{aligned}$$

The proof of the other 15 cases are similar. We break down the above identity into 6 parts:

$$\begin{aligned}
0 &= x^{6u}T[:u] + x^{4u}T[2u:3u] + x^{3u}T[3u:4u] + x^{2u}T[4u:5u] + T[6u:7u], \\
0 &= x^{7u}T[:u] + x^{6u}T[u:2u] + x^{4u}T[3u:4u] + x^{3u}T[4u:5u] \\
&+ x^{2u}T[5u:6u] + T[7u:8u], \\
0 &= x^{8u}T[:u] + x^{7u}T[u:2u] + x^{5u}T[3u:4u] + x^{3u}T[5u:6u] + T[8u:9u], \\
0 &= x^{8u}T[u:2u] + x^{6u}T[3u:4u] + T[9u:10u], \\
0 &= x^{10u}T[:u] + x^{8u}T[2u:3u] + x^{6u}T[4u:5u] + T[10u:11u], \\
0 &= x^{10u}T[u:2u] + x^{8u}T[3u:4u] + x^{6u}T[5u:6u] + T[11u:12u],
\end{aligned}$$

which can be rewritten as

$$(2.7) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[11w]_2] + T[[100w]_2] + T[[110w]_2],$$

$$0 = T[[w]_2] + T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[101w]_2]$$

$$(2.8) \quad + T[[111w]_2],$$

$$(2.9) \quad 0 = T[[w]_2] + T[[1w]_2] + T[[11w]_2] + T[[101w]_2] + T[[1000w]_2],$$

$$(2.10) \quad 0 = T[[1w]_2] + T[[11w]_2] + T[[1001w]_2],$$

$$(2.11) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[100w]_2] + T[[1010w]_2],$$

$$(2.12) \quad 0 = T[[1w]_2] + T[[11w]_2] + T[[101w]_2] + T[[1011w]_2],$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$(2.13) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[11w]_2] + T[[100w]_2] + T[[110w]_2],$$

$$0 = T[[w]_2] + T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[101w]_2]$$

$$(2.14) \quad + T[[111w]_2],$$

$$(2.15) \quad 0 = T[[w]_2] + T[[1w]_2] + T[[11w]_2] + T[[101w]_2] + T[[1000w]_2],$$

$$(2.16) \quad 0 = T[[1w]_2] + T[[11w]_2] + T[[1001w]_2],$$

$$(2.17) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[100w]_2] + T[[1010w]_2],$$

$$(2.18) \quad 0 = T[[1w]_2] + T[[11w]_2] + T[[101w]_2] + T[[1011w]_2],$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 1044 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.18) can be written as

$$(2.19) \quad \begin{aligned} 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 100)) \\ &\quad + \tau(A(s, 110)), \end{aligned}$$

$$(2.20) \quad \begin{aligned} 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) \\ &\quad + \tau(A(s, 101)) + \tau(A(s, 111)), \end{aligned}$$

$$(2.21) \quad \begin{aligned} 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 101)) \\ &\quad + \tau(A(s, 1000)), \end{aligned}$$

$$(2.22) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 1001)),$$

$$(2.23) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 1010)),$$

$$(2.24) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 101)) + \tau(A(s, 1011)),$$

for all $s \in E_{2k}$, and

$$(2.25) \quad \begin{aligned} 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 100)) \\ &\quad + \tau(A(s, 110)), \end{aligned}$$

$$(2.26) \quad \begin{aligned} 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) \\ &\quad + \tau(A(s, 101)) + \tau(A(s, 111)), \end{aligned}$$

$$(2.27) \quad \begin{aligned} 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 101)) \\ &\quad + \tau(A(s, 1000)), \end{aligned}$$

$$(2.28) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 1001)),$$

$$(2.29) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 1010)),$$

$$(2.30) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 101)) + \tau(A(s, 1011)),$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{22}), E_{22}) = (A(i, 0^{18}), E_{18})$, so that we only have to verify that identities (2.19) through (2.30) hold for $2 \leq k \leq 11$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$\begin{aligned} M_{2k} &= M^e[:6u] + x^{2u}M^e[:4u] + x^{3u}M^e[:3u] + x^{4u}M^e[:2u] + x^{6u}R^e, \\ W_{2k} &= W^e[:6u] + x^{2u}W^e[:4u] + x^{3u}W^e[:3u] + x^{4u}W^e[:2u] + x^{6u}R^e. \end{aligned}$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$\begin{aligned} M_{2k+1} &= M^o[:6u] + x^{2u}M^o[:4u] + x^{3u}M^o[:3u] + x^{4u}M^o[:2u] + x^{6u}R^o, \\ W_{2k+1} &= W^o[:6u] + x^{2u}W^o[:4u] + x^{3u}W^o[:3u] + x^{4u}W^o[:2u] + x^{6u}R^o. \end{aligned}$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$\begin{aligned} M_{2k} \wedge W_{2k} &\Rightarrow M_{2k+1} \wedge W_{2k+1}, \\ M_{2k+1} \wedge W_{2k+1} &\Rightarrow M_{2k+2} \wedge W_{2k+2}. \end{aligned}$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$\begin{aligned} W_{2k}M_{2k} &= (W^e[:6v] + x^{2v}W^e[:4v] + x^{3v}W^e[:3v] + x^{4v}W^e[:2v] + x^{6v}R^e \\ &\quad) \times (M^e[:6v] + x^{2v}M^e[:4v] + x^{3v}M^e[:3v] + x^{4v}M^e[:2v] + x^{6v}R^e \\ (2.31) \quad &); \end{aligned}$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{12v}R^o$. Therefore we only need to prove that their difference is $O(x^{12v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{12v} , to

$$\begin{aligned} W^e[:12v]M^e[:12v] &+ x^{4v}W^e[:8v]M^e[:8v] + x^{6v}W^e[:6v]M^e[:6v] \\ &+ x^{8v}W^e[:4v]M^e[:4v]. \end{aligned}$$

For all $n \leq 12$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.31) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{12}, b_1, \dots, b_{12}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{12})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned}\lim_{n \rightarrow \infty} M_{2n, j, k} &= M_{j, k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1, j, k} &= M_{j, k}^o, \\ \lim_{n \rightarrow \infty} W_{2n, j, k} &= W_{j, k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1, j, k} &= W_{j, k}^o.\end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12} \phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e/M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$\begin{aligned}q_0(x) &= x^{20} + x^{19} + x^{16} + x^{15} + x^{14} + x^9 + x^6, \\ q_1(x) &= x^{18} + x^{17} + x^{13} + x^{12} + x^{10} + x^7 + x^4 + x^2, \\ q_2(x) &= x^{16} + x^{14} + x^{12} + x^4 + 1, \\ q_3(x) &= x^{18} + x^{17} + x^{13} + x^{12} + x^{10} + x^7 + x^4 + x^2, \\ q_4(x) &= x^{19} + x^{15} + x^9 + x^6 + x^4.\end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 186, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 186, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned}p_0(x) &= x^{114} + x^{106} + x^{98} + x^{94} + x^{90} + x^{88} + x^{84} + x^{78} + x^{74} + x^{72} + x^{68} \\ &\quad + x^{66} + x^{62} + x^{54} + x^{48} + x^{46} + x^{44} + x^{42} + x^{36} + x^{34} + x^{32} + x^{28} \\ &\quad + x^{24},\end{aligned}$$

$$\begin{aligned}
p_3(x) &= x^{106} + x^{102} + x^{98} + x^{86} + x^{84} + x^{80} + x^{72} + x^{68} + x^{64} + x^{56} + x^{50} \\
&\quad + x^{46} + x^{44} + x^{42} + x^{40} + x^{34} + x^{32} + x^{22}, \\
p_6(x) &= x^{106} + x^{98} + x^{92} + x^{90} + x^{84} + x^{80} + x^{78} + x^{72} + x^{68} + x^{66} + x^{62} \\
&\quad + x^{60} + x^{54} + x^{52} + x^{50} + x^{48} + x^{40} + x^{36} + x^{32} + x^{28} + x^{26} + x^{18} \\
&\quad + x^{16} + x^{14} + x^4 + 1, \\
p_9(x) &= x^{104} + x^{100} + x^{98} + x^{88} + x^{84} + x^{78} + x^{74} + x^{72} + x^{70} + x^{62} + x^{60} \\
&\quad + x^{56} + x^{50} + x^{48} + x^{44} + x^{42} + x^{34} + x^{32} + x^{30} + x^{28} + x^{26} + x^{24} \\
&\quad + x^{14} + x^4, \\
p_{12}(x) &= x^{104} + x^{96} + x^{80} + x^{72} + x^{64} + x^{48} + x^{24} + x^{16} + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{105} + x^{104} + x^{103} + x^{100} + x^{99} + x^{96} + x^{95} + x^{93} + x^{90} + x^{89} \\
&\quad + x^{85} + x^{83} + x^{77} + x^{75} + x^{74} + x^{73} + x^{71} + x^{68} + x^{67} + x^{63} + x^{59} \\
&\quad + x^{57} + x^{53} + x^{51} + x^{50} + x^{48} + x^{43} + x^{41} + x^{39} + x^{30}, \\
p_3(x) &= x^{101} + x^{99} + x^{98} + x^{97} + x^{96} + x^{94} + x^{89} + x^{86} + x^{83} + x^{81} + x^{80} \\
&\quad + x^{78} + x^{77} + x^{75} + x^{74} + x^{72} + x^{69} + x^{66} + x^{65} + x^{62} + x^{61} + x^{58} \\
&\quad + x^{37} + x^{35} + x^{34} + x^{33} + x^{32} + x^{30} + x^{25} + x^{22} + x^{21} + x^{18}, \\
p_6(x) &= x^{99} + x^{98} + x^{97} + x^{94} + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} + x^{82} + x^{81} \\
&\quad + x^{80} + x^{78} + x^{75} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{66} + x^{65} + x^{64} \\
&\quad + x^{62} + x^{59} + x^{58} + x^{57} + x^{55} + x^{52} + x^{51} + x^{50} + x^{48} + x^{45} + x^{44} \\
&\quad + x^{42} + x^{39} + x^{38} + x^{36} + x^{35} + x^{34} + x^{32} + x^{27} + x^{26} + x^{25} + x^{22} \\
&\quad + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12}, \\
p_9(x) &= x^{97} + x^{94} + x^{91} + x^{88} + x^{87} + x^{85} + x^{84} + x^{83} + x^{82} + x^{80} + x^{77} \\
&\quad + x^{75} + x^{74} + x^{72} + x^{71} + x^{68} + x^{59} + x^{56} + x^{53} + x^{50} + x^{47} + x^{44} \\
&\quad + x^{37} + x^{34} + x^{33} + x^{30} + x^{29} + x^{27} + x^{26} + x^{25} + x^{24} + x^{22} + x^{21} \\
&\quad + x^{19} + x^{18} + x^{17} + x^{16} + x^{14} + x^9 + x^6, \\
p_{12}(x) &= x^{95} + x^{94} + x^{92} + x^{91} + x^{90} + x^{88} + x^{83} + x^{82} + x^{80} + x^{63} + x^{62} \\
&\quad + x^{60} + x^{59} + x^{58} + x^{56} + x^{51} + x^{50} + x^{48} + x^{15} + x^{14} + x^{12} + x^{11} \\
&\quad + x^{10} + x^8 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 1, 1, 0, 1, 1]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{105} + x^{104} + x^{103} + x^{100} + x^{99} + x^{96} + x^{95} + x^{93} + x^{90} + x^{89} \\
&\quad + x^{85} + x^{83} + x^{77} + x^{75} + x^{74} + x^{73} + x^{71} + x^{68} + x^{67} + x^{63} + x^{59} \\
&\quad + x^{57} + x^{53} + x^{51} + x^{50} + x^{48} + x^{43} + x^{41} + x^{39} + x^{30}, \\
p_3(x) &= x^{101} + x^{99} + x^{98} + x^{97} + x^{96} + x^{94} + x^{89} + x^{86} + x^{83} + x^{81} + x^{80}
\end{aligned}$$

$$\begin{aligned}
& + x^{78} + x^{77} + x^{75} + x^{74} + x^{72} + x^{69} + x^{66} + x^{65} + x^{62} + x^{61} + x^{58} \\
& + x^{37} + x^{35} + x^{34} + x^{33} + x^{32} + x^{30} + x^{25} + x^{22} + x^{21} + x^{18}, \\
p_6(x) = & x^{99} + x^{98} + x^{97} + x^{94} + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} + x^{82} + x^{81} \\
& + x^{80} + x^{78} + x^{75} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{66} + x^{65} + x^{64} \\
& + x^{62} + x^{59} + x^{58} + x^{57} + x^{55} + x^{52} + x^{51} + x^{50} + x^{48} + x^{45} + x^{44} \\
& + x^{42} + x^{39} + x^{38} + x^{36} + x^{35} + x^{34} + x^{32} + x^{27} + x^{26} + x^{25} + x^{22} \\
& + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12}, \\
p_9(x) = & x^{97} + x^{94} + x^{91} + x^{88} + x^{87} + x^{85} + x^{84} + x^{83} + x^{82} + x^{80} + x^{77} \\
& + x^{75} + x^{74} + x^{72} + x^{71} + x^{68} + x^{59} + x^{56} + x^{53} + x^{50} + x^{47} + x^{44} \\
& + x^{37} + x^{34} + x^{33} + x^{30} + x^{29} + x^{27} + x^{26} + x^{25} + x^{24} + x^{22} + x^{21} \\
& + x^{19} + x^{18} + x^{17} + x^{16} + x^{14} + x^9 + x^6, \\
p_{12}(x) = & x^{95} + x^{94} + x^{92} + x^{91} + x^{90} + x^{88} + x^{83} + x^{82} + x^{80} + x^{63} + x^{62} \\
& + x^{60} + x^{59} + x^{58} + x^{56} + x^{51} + x^{50} + x^{48} + x^{15} + x^{14} + x^{12} + x^{11} \\
& + x^{10} + x^8 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 0, 1, 0, 1, 1, 1, 0, 1, 1]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) = & x^{102} + x^{96} + x^{92} + x^{88} + x^{82} + x^{74} + x^{72} + x^{70} + x^{64} + x^{62} + x^{58} \\
& + x^{56} + x^{54} + x^{52} + x^{46} + x^{40} + x^{36}, \\
p_3(x) = & x^{90} + x^{88} + x^{86} + x^{82} + x^{72} + x^{70} + x^{68} + x^{62} + x^{48} + x^{36} + x^{34} \\
& + x^{28} + x^{26} + x^{22} + x^{18} + x^{12}, \\
p_6(x) = & x^{90} + x^{88} + x^{80} + x^{74} + x^{72} + x^{64} + x^{62} + x^{58} + x^{48} + x^{42} + x^{34} \\
& + x^{30} + x^{24} + x^{22} + x^{18} + x^{10} + x^6 + 1, \\
p_9(x) = & x^{86} + x^{84} + x^{82} + x^{80} + x^{72} + x^{70} + x^{68} + x^{66} + x^{64} + x^{58} + x^{56} \\
& + x^{54} + x^{50} + x^{48} + x^{46} + x^{40} + x^{38} + x^{34} + x^{28} + x^{18} + x^{14} + x^{10} \\
& + x^8 + x^4, \\
p_{12}(x) = & x^{86} + x^{84} + x^{80} + x^{54} + x^{52} + x^{48} + x^6 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) = & x^{102} + x^{96} + x^{94} + x^{86} + x^{80} + x^{78} + x^{76} + x^{74} + x^{68} + x^{66} + x^{64} \\
& + x^{62} + x^{60} + x^{56} + x^{52} + x^{48} + x^{46} + x^{40} + x^{38} + x^{36} + x^{32} + x^{30} \\
& + x^{24}, \\
p_3(x) = & x^{90} + x^{88} + x^{86} + x^{78} + x^{76} + x^{70} + x^{68} + x^{58} + x^{56} + x^{52} + x^{50} \\
& + x^{48} + x^{44} + x^{38} + x^{36} + x^{34} + x^{32} + x^{28} + x^{22} + x^{20}, \\
p_6(x) = & x^{90} + x^{88} + x^{82} + x^{80} + x^{68} + x^{64} + x^{58} + x^{54} + x^{52} + x^{50} + x^{46} \\
& + x^{42} + x^{40} + x^{38} + x^{30} + x^{28} + x^{26} + x^{24} + x^{16} + x^{14} + x^{10} + x^8
\end{aligned}$$

$$\begin{aligned}
& + x^6 + 1, \\
p_9(x) &= x^{86} + x^{84} + x^{82} + x^{80} + x^{72} + x^{70} + x^{68} + x^{66} + x^{64} + x^{58} + x^{56} \\
& + x^{54} + x^{50} + x^{48} + x^{46} + x^{40} + x^{38} + x^{34} + x^{28} + x^{18} + x^{14} + x^{10} \\
& + x^8 + x^4, \\
p_{12}(x) &= x^{86} + x^{84} + x^{80} + x^{54} + x^{52} + x^{48} + x^6 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{103} + x^{99} + x^{96} + x^{95} + x^{93} + x^{92} + x^{91} + x^{89} + x^{87} + x^{83} \\
& + x^{82} + x^{77} + x^{76} + x^{71} + x^{69} + x^{63} + x^{61} + x^{60} + x^{59} + x^{56} + x^{52} \\
& + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{40} + x^{38} \\
& + x^{36} + x^{35} + x^{32} + x^{30}, \\
p_3(x) &= x^{101} + x^{99} + x^{98} + x^{97} + x^{96} + x^{94} + x^{89} + x^{86} + x^{83} + x^{81} + x^{80} \\
& + x^{78} + x^{77} + x^{75} + x^{74} + x^{72} + x^{69} + x^{66} + x^{65} + x^{62} + x^{61} + x^{58} \\
& + x^{37} + x^{35} + x^{34} + x^{33} + x^{32} + x^{30} + x^{25} + x^{22} + x^{21} + x^{18}, \\
p_6(x) &= x^{99} + x^{98} + x^{97} + x^{94} + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} + x^{82} + x^{81} \\
& + x^{80} + x^{78} + x^{75} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{66} + x^{65} + x^{64} \\
& + x^{62} + x^{59} + x^{58} + x^{57} + x^{55} + x^{52} + x^{51} + x^{50} + x^{48} + x^{45} + x^{44} \\
& + x^{42} + x^{39} + x^{38} + x^{36} + x^{35} + x^{34} + x^{32} + x^{27} + x^{26} + x^{25} + x^{22} \\
& + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12}, \\
p_9(x) &= x^{97} + x^{94} + x^{91} + x^{88} + x^{87} + x^{85} + x^{84} + x^{83} + x^{82} + x^{80} + x^{77} \\
& + x^{75} + x^{74} + x^{72} + x^{71} + x^{68} + x^{59} + x^{56} + x^{53} + x^{50} + x^{47} + x^{44} \\
& + x^{37} + x^{34} + x^{33} + x^{30} + x^{29} + x^{27} + x^{26} + x^{25} + x^{24} + x^{22} + x^{21} \\
& + x^{19} + x^{18} + x^{17} + x^{16} + x^{14} + x^9 + x^6, \\
p_{12}(x) &= x^{95} + x^{94} + x^{92} + x^{91} + x^{90} + x^{88} + x^{83} + x^{82} + x^{80} + x^{63} + x^{62} \\
& + x^{60} + x^{59} + x^{58} + x^{56} + x^{51} + x^{50} + x^{48} + x^{15} + x^{14} + x^{12} + x^{11} \\
& + x^{10} + x^8 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 1, 1, 0, 0, 0, 0, 1, 1, 1]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{103} + x^{99} + x^{96} + x^{95} + x^{93} + x^{92} + x^{91} + x^{89} + x^{87} + x^{83} \\
& + x^{82} + x^{77} + x^{76} + x^{71} + x^{69} + x^{63} + x^{61} + x^{60} + x^{59} + x^{56} + x^{52} \\
& + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{40} + x^{38} \\
& + x^{36} + x^{35} + x^{32} + x^{30}, \\
p_3(x) &= x^{101} + x^{99} + x^{98} + x^{97} + x^{96} + x^{94} + x^{89} + x^{86} + x^{83} + x^{81} + x^{80} \\
& + x^{78} + x^{77} + x^{75} + x^{74} + x^{72} + x^{69} + x^{66} + x^{65} + x^{62} + x^{61} + x^{58} \\
& + x^{37} + x^{35} + x^{34} + x^{33} + x^{32} + x^{30} + x^{25} + x^{22} + x^{21} + x^{18},
\end{aligned}$$

$$\begin{aligned}
p_6(x) &= x^{99} + x^{98} + x^{97} + x^{94} + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} + x^{82} + x^{81} \\
&\quad + x^{80} + x^{78} + x^{75} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{66} + x^{65} + x^{64} \\
&\quad + x^{62} + x^{59} + x^{58} + x^{57} + x^{55} + x^{52} + x^{51} + x^{50} + x^{48} + x^{45} + x^{44} \\
&\quad + x^{42} + x^{39} + x^{38} + x^{36} + x^{35} + x^{34} + x^{32} + x^{27} + x^{26} + x^{25} + x^{22} \\
&\quad + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12}, \\
p_9(x) &= x^{97} + x^{94} + x^{91} + x^{88} + x^{87} + x^{85} + x^{84} + x^{83} + x^{82} + x^{80} + x^{77} \\
&\quad + x^{75} + x^{74} + x^{72} + x^{71} + x^{68} + x^{59} + x^{56} + x^{53} + x^{50} + x^{47} + x^{44} \\
&\quad + x^{37} + x^{34} + x^{33} + x^{30} + x^{29} + x^{27} + x^{26} + x^{25} + x^{24} + x^{22} + x^{21} \\
&\quad + x^{19} + x^{18} + x^{17} + x^{16} + x^{14} + x^9 + x^6, \\
p_{12}(x) &= x^{95} + x^{94} + x^{92} + x^{91} + x^{90} + x^{88} + x^{83} + x^{82} + x^{80} + x^{63} + x^{62} \\
&\quad + x^{60} + x^{59} + x^{58} + x^{56} + x^{51} + x^{50} + x^{48} + x^{15} + x^{14} + x^{12} + x^{11} \\
&\quad + x^{10} + x^8 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 1, 1, 0, 0, 0, 0, 0, 1, 1, 1]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{114} + x^{108} + x^{106} + x^{104} + x^{102} + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} \\
&\quad + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} + x^{70} + x^{66} + x^{60} + x^{56} + x^{50} + x^{44} \\
&\quad + x^{42} + x^{40} + x^{36}, \\
p_3(x) &= x^{106} + x^{102} + x^{100} + x^{90} + x^{84} + x^{82} + x^{78} + x^{70} + x^{60} + x^{56} + x^{52} \\
&\quad + x^{46} + x^{42} + x^{40} + x^{38} + x^{36} + x^{16} + x^{12}, \\
p_6(x) &= x^{106} + x^{100} + x^{96} + x^{88} + x^{86} + x^{82} + x^{76} + x^{70} + x^{66} + x^{64} + x^{62} \\
&\quad + x^{56} + x^{54} + x^{40} + x^{38} + x^{34} + x^{26} + x^{24} + x^{22} + x^{18} + x^{16} + x^{14} \\
&\quad + x^{12} + x^8 + x^4 + 1, \\
p_9(x) &= x^{104} + x^{100} + x^{98} + x^{88} + x^{84} + x^{78} + x^{74} + x^{72} + x^{70} + x^{62} + x^{60} \\
&\quad + x^{56} + x^{50} + x^{48} + x^{44} + x^{42} + x^{34} + x^{32} + x^{30} + x^{28} + x^{26} + x^{24} \\
&\quad + x^{14} + x^4, \\
p_{12}(x) &= x^{104} + x^{96} + x^{80} + x^{72} + x^{64} + x^{48} + x^{24} + x^{16} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{105} + x^{101} + x^{100} + x^{98} + x^{95} + x^{93} + x^{91} + x^{90} + x^{89} + x^{87} \\
&\quad + x^{85} + x^{84} + x^{82} + x^{77} + x^{76} + x^{73} + x^{70} + x^{69} + x^{68} + x^{67} + x^{65} \\
&\quad + x^{63} + x^{62} + x^{61} + x^{59} + x^{58} + x^{57} + x^{55} + x^{53} + x^{51} + x^{50} + x^{46} \\
&\quad + x^{45} + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{30} + x^{27} + x^{26} + x^{24}, \\
p_3(x) &= x^{103} + x^{99} + x^{97} + x^{95} + x^{93} + x^{89} + x^{88} + x^{86} + x^{84} + x^{83} + x^{81} \\
&\quad + x^{76} + x^{71} + x^{69} + x^{62} + x^{61} + x^{60} + x^{58} + x^{55} + x^{54} + x^{52} + x^{49} \\
&\quad + x^{48} + x^{47} + x^{44} + x^{43} + x^{42} + x^{40} + x^{39} + x^{37} + x^{36} + x^{33} + x^{32}
\end{aligned}$$

$$\begin{aligned}
& + x^{30} + x^{29} + x^{28} + x^{22} + x^{19} + x^{18} + x^{16}, \\
p_6(x) = & x^{103} + x^{99} + x^{97} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{90} + x^{86} + x^{84} \\
& + x^{83} + x^{82} + x^{81} + x^{79} + x^{78} + x^{77} + x^{76} + x^{74} + x^{72} + x^{71} + x^{69} \\
& + x^{68} + x^{67} + x^{65} + x^{63} + x^{62} + x^{61} + x^{60} + x^{57} + x^{56} + x^{49} + x^{47} \\
& + x^{45} + x^{43} + x^{40} + x^{39} + x^{36} + x^{35} + x^{32} + x^{30} + x^{29} + x^{25} + x^{24} \\
& + x^{22} + x^{21} + x^{20} + x^{15} + x^{12} + x^3 + x^2 + 1, \\
p_9(x) = & x^{103} + x^{102} + x^{100} + x^{91} + x^{90} + x^{88} + x^{71} + x^{70} + x^{68} + x^{59} + x^{58} \\
& + x^{56} + x^{23} + x^{22} + x^{20} + x^{11} + x^{10} + x^8, \\
p_{12}(x) = & x^{103} + x^{102} + x^{100} + x^{95} + x^{94} + x^{92} + x^{83} + x^{82} + x^{80} + x^{71} + x^{70} \\
& + x^{68} + x^{63} + x^{62} + x^{60} + x^{51} + x^{50} + x^{48} + x^{23} + x^{22} + x^{20} + x^{15} \\
& + x^{14} + x^{12} + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 1, 0, 0, 1, 0, 0, 1, 0, 1, 1]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) = & x^{108} + x^{106} + x^{104} + x^{103} + x^{102} + x^{101} + x^{100} + x^{99} + x^{98} + x^{97} \\
& + x^{94} + x^{93} + x^{92} + x^{89} + x^{88} + x^{87} + x^{84} + x^{82} + x^{81} + x^{80} + x^{79} \\
& + x^{77} + x^{76} + x^{75} + x^{64} + x^{62} + x^{58} + x^{57} + x^{52} + x^{51} + x^{46} + x^{43} \\
& + x^{41} + x^{40} + x^{33} + x^{32} + x^{30}, \\
p_3(x) = & x^{94} + x^{93} + x^{92} + x^{91} + x^{90} + x^{88} + x^{87} + x^{86} + x^{84} + x^{82} + x^{78} \\
& + x^{77} + x^{76} + x^{75} + x^{74} + x^{72} + x^{71} + x^{69} + x^{67} + x^{64} + x^{63} + x^{62} \\
& + x^{60} + x^{58} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{24} + x^{23} + x^{22} + x^{20} \\
& + x^{18}, \\
p_6(x) = & x^{96} + x^{94} + x^{86} + x^{82} + x^{78} + x^{72} + x^{70} + x^{66} + x^{62} + x^{56} + x^{54} \\
& + x^{52} + x^{48} + x^{42} + x^{36} + x^{32} + x^{24} + x^{22} + x^{16} + x^{12}, \\
p_9(x) = & x^{98} + x^{97} + x^{94} + x^{91} + x^{88} + x^{86} + x^{66} + x^{65} + x^{62} + x^{59} + x^{56} \\
& + x^{54} + x^{18} + x^{17} + x^{14} + x^{11} + x^8 + x^6, \\
p_{12}(x) = & x^{100} + x^{92} + x^{80} + x^{68} + x^{60} + x^{48} + x^{20} + x^{12} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 0, 0]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) = & x^{114} + x^{111} + x^{109} + x^{108} + x^{107} + x^{106} + x^{104} + x^{101} + x^{99} + x^{97} \\
& + x^{95} + x^{92} + x^{89} + x^{88} + x^{87} + x^{86} + x^{81} + x^{79} + x^{76} + x^{75} + x^{71} \\
& + x^{70} + x^{69} + x^{67} + x^{65} + x^{61} + x^{60} + x^{58} + x^{57} + x^{56} + x^{54} + x^{52} \\
& + x^{51} + x^{48} + x^{47} + x^{45} + x^{44} + x^{41} + x^{40} + x^{38} + x^{37} + x^{36} + x^{34} \\
& + x^{33} + x^{30}, \\
p_3(x) = & x^{106} + x^{105} + x^{104} + x^{103} + x^{101} + x^{95} + x^{94} + x^{93} + x^{91} + x^{90} + x^{89} \\
& + x^{86} + x^{85} + x^{84} + x^{81} + x^{80} + x^{78} + x^{75} + x^{72} + x^{69} + x^{68} + x^{67}
\end{aligned}$$

$$\begin{aligned}
& + x^{66} + x^{64} + x^{63} + x^{62} + x^{60} + x^{58} + x^{42} + x^{41} + x^{40} + x^{39} + x^{37} \\
& + x^{31} + x^{30} + x^{29} + x^{27} + x^{24} + x^{23} + x^{22} + x^{20} + x^{18}, \\
p_6(x) &= x^{108} + x^{106} + x^{104} + x^{102} + x^{98} + x^{96} + x^{94} + x^{84} + x^{80} + x^{78} + x^{72} \\
& + x^{68} + x^{52} + x^{50} + x^{42} + x^{40} + x^{34} + x^{30} + x^{28} + x^{24} + x^{22} + x^{20} \\
& + x^{16} + x^{12}, \\
p_9(x) &= x^{110} + x^{109} + x^{105} + x^{103} + x^{102} + x^{100} + x^{99} + x^{97} + x^{96} + x^{91} \\
& + x^{88} + x^{86} + x^{78} + x^{77} + x^{73} + x^{71} + x^{70} + x^{68} + x^{67} + x^{65} + x^{64} \\
& + x^{59} + x^{56} + x^{54} + x^{30} + x^{29} + x^{25} + x^{23} + x^{22} + x^{20} + x^{19} + x^{17} \\
& + x^{16} + x^{11} + x^8 + x^6, \\
p_{12}(x) &= x^{112} + x^{108} + x^{104} + x^{88} + x^{76} + x^{72} + x^{56} + x^{48} + x^{32} + x^{28} + x^{24} \\
& + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 1, 1, 0, 0, 1, 0, 0, 1, 1, 1]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{104} + x^{100} + x^{99} + x^{96} + x^{95} + x^{94} + x^{91} + x^{90} + x^{84} + x^{82} \\
& + x^{81} + x^{80} + x^{79} + x^{78} + x^{77} + x^{76} + x^{73} + x^{71} + x^{68} + x^{67} + x^{66} \\
& + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} + x^{57} + x^{53} + x^{52} + x^{51} + x^{47} + x^{46} \\
& + x^{45} + x^{42} + x^{39} + x^{36}, \\
p_3(x) &= x^{103} + x^{98} + x^{93} + x^{92} + x^{89} + x^{88} + x^{87} + x^{83} + x^{80} + x^{79} + x^{75} \\
& + x^{74} + x^{73} + x^{71} + x^{70} + x^{69} + x^{67} + x^{66} + x^{64} + x^{63} + x^{61} + x^{59} \\
& + x^{56} + x^{55} + x^{54} + x^{52} + x^{49} + x^{48} + x^{47} + x^{44} + x^{43} + x^{42} + x^{40} \\
& + x^{39} + x^{37} + x^{36} + x^{35} + x^{34} + x^{32} + x^{31} + x^{30} + x^{29} + x^{23} + x^{20}, \\
p_6(x) &= x^{103} + x^{98} + x^{94} + x^{93} + x^{89} + x^{87} + x^{86} + x^{85} + x^{84} + x^{82} + x^{79} \\
& + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} + x^{71} + x^{70} + x^{63} + x^{61} + x^{60} + x^{59} \\
& + x^{58} + x^{56} + x^{55} + x^{52} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{44} + x^{43} \\
& + x^{42} + x^{40} + x^{39} + x^{36} + x^{34} + x^{31} + x^{29} + x^{28} + x^{27} + x^{26} + x^{24} \\
& + x^{23} + x^{22} + x^{21} + x^{14} + x^{11} + x^{10} + x^8 + x^3 + x^2 + 1, \\
p_9(x) &= x^{103} + x^{102} + x^{100} + x^{91} + x^{90} + x^{88} + x^{71} + x^{70} + x^{68} + x^{59} + x^{58} \\
& + x^{56} + x^{23} + x^{22} + x^{20} + x^{11} + x^{10} + x^8, \\
p_{12}(x) &= x^{103} + x^{102} + x^{100} + x^{95} + x^{94} + x^{92} + x^{83} + x^{82} + x^{80} + x^{71} + x^{70} \\
& + x^{68} + x^{63} + x^{62} + x^{60} + x^{51} + x^{50} + x^{48} + x^{23} + x^{22} + x^{20} + x^{15} \\
& + x^{14} + x^{12} + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 1, 1, 0, 0, 0, 0, 0, 1]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{105} + x^{101} + x^{100} + x^{98} + x^{95} + x^{93} + x^{91} + x^{90} + x^{89} + x^{87} \\
& + x^{85} + x^{84} + x^{82} + x^{77} + x^{76} + x^{73} + x^{70} + x^{69} + x^{68} + x^{67} + x^{65}
\end{aligned}$$

$$\begin{aligned}
& + x^{63} + x^{62} + x^{61} + x^{59} + x^{58} + x^{57} + x^{55} + x^{53} + x^{51} + x^{50} + x^{46} \\
& + x^{45} + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{30} + x^{27} + x^{26} + x^{24}, \\
p_3(x) &= x^{103} + x^{99} + x^{97} + x^{95} + x^{93} + x^{89} + x^{88} + x^{86} + x^{84} + x^{83} + x^{81} \\
& + x^{76} + x^{71} + x^{69} + x^{62} + x^{61} + x^{60} + x^{58} + x^{55} + x^{54} + x^{52} + x^{49} \\
& + x^{48} + x^{47} + x^{44} + x^{43} + x^{42} + x^{40} + x^{39} + x^{37} + x^{36} + x^{33} + x^{32} \\
& + x^{30} + x^{29} + x^{28} + x^{22} + x^{19} + x^{18} + x^{16}, \\
p_6(x) &= x^{103} + x^{99} + x^{97} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{90} + x^{86} + x^{84} \\
& + x^{83} + x^{82} + x^{81} + x^{79} + x^{78} + x^{77} + x^{76} + x^{74} + x^{72} + x^{71} + x^{69} \\
& + x^{68} + x^{67} + x^{65} + x^{63} + x^{62} + x^{61} + x^{60} + x^{57} + x^{56} + x^{49} + x^{47} \\
& + x^{45} + x^{43} + x^{40} + x^{39} + x^{36} + x^{35} + x^{32} + x^{30} + x^{29} + x^{25} + x^{24} \\
& + x^{22} + x^{21} + x^{20} + x^{15} + x^{12} + x^3 + x^2 + 1, \\
p_9(x) &= x^{103} + x^{102} + x^{100} + x^{91} + x^{90} + x^{88} + x^{71} + x^{70} + x^{68} + x^{59} + x^{58} \\
& + x^{56} + x^{23} + x^{22} + x^{20} + x^{11} + x^{10} + x^8, \\
p_{12}(x) &= x^{103} + x^{102} + x^{100} + x^{95} + x^{94} + x^{92} + x^{83} + x^{82} + x^{80} + x^{71} + x^{70} \\
& + x^{68} + x^{63} + x^{62} + x^{60} + x^{51} + x^{50} + x^{48} + x^{23} + x^{22} + x^{20} + x^{15} \\
& + x^{14} + x^{12} + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 1, 0, 0, 1, 0, 0, 1, 0, 1, 1]$.

For $\phi(W^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{114} + x^{111} + x^{109} + x^{108} + x^{107} + x^{106} + x^{104} + x^{101} + x^{99} + x^{97} \\
& + x^{95} + x^{92} + x^{89} + x^{88} + x^{87} + x^{86} + x^{81} + x^{79} + x^{76} + x^{75} + x^{71} \\
& + x^{70} + x^{69} + x^{67} + x^{65} + x^{61} + x^{60} + x^{58} + x^{57} + x^{56} + x^{54} + x^{52} \\
& + x^{51} + x^{48} + x^{47} + x^{45} + x^{44} + x^{41} + x^{40} + x^{38} + x^{37} + x^{36} + x^{34} \\
& + x^{33} + x^{30}, \\
p_3(x) &= x^{106} + x^{105} + x^{104} + x^{103} + x^{101} + x^{95} + x^{94} + x^{93} + x^{91} + x^{90} + x^{89} \\
& + x^{86} + x^{85} + x^{84} + x^{81} + x^{80} + x^{78} + x^{75} + x^{72} + x^{69} + x^{68} + x^{67} \\
& + x^{66} + x^{64} + x^{63} + x^{62} + x^{60} + x^{58} + x^{42} + x^{41} + x^{40} + x^{39} + x^{37} \\
& + x^{31} + x^{30} + x^{29} + x^{27} + x^{24} + x^{23} + x^{22} + x^{20} + x^{18}, \\
p_6(x) &= x^{108} + x^{106} + x^{104} + x^{102} + x^{98} + x^{96} + x^{94} + x^{84} + x^{80} + x^{78} + x^{72} \\
& + x^{68} + x^{52} + x^{50} + x^{42} + x^{40} + x^{34} + x^{30} + x^{28} + x^{24} + x^{22} + x^{20} \\
& + x^{16} + x^{12}, \\
p_9(x) &= x^{110} + x^{109} + x^{105} + x^{103} + x^{102} + x^{100} + x^{99} + x^{97} + x^{96} + x^{91} \\
& + x^{88} + x^{86} + x^{78} + x^{77} + x^{73} + x^{71} + x^{70} + x^{68} + x^{67} + x^{65} + x^{64} \\
& + x^{59} + x^{56} + x^{54} + x^{30} + x^{29} + x^{25} + x^{23} + x^{22} + x^{20} + x^{19} + x^{17} \\
& + x^{16} + x^{11} + x^8 + x^6, \\
p_{12}(x) &= x^{112} + x^{108} + x^{104} + x^{88} + x^{76} + x^{72} + x^{56} + x^{48} + x^{32} + x^{28} + x^{24}
\end{aligned}$$

$$+ x^8 + 1,$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 1, 1, 0, 0, 1, 0, 0, 1, 1, 1]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned} p_0(x) = & x^{108} + x^{106} + x^{104} + x^{103} + x^{102} + x^{101} + x^{100} + x^{99} + x^{98} + x^{97} \\ & + x^{94} + x^{93} + x^{92} + x^{89} + x^{88} + x^{87} + x^{84} + x^{82} + x^{81} + x^{80} + x^{79} \\ & + x^{77} + x^{76} + x^{75} + x^{64} + x^{62} + x^{58} + x^{57} + x^{52} + x^{51} + x^{46} + x^{43} \\ & + x^{41} + x^{40} + x^{33} + x^{32} + x^{30}, \end{aligned}$$

$$\begin{aligned} p_3(x) = & x^{94} + x^{93} + x^{92} + x^{91} + x^{90} + x^{88} + x^{87} + x^{86} + x^{84} + x^{82} + x^{78} \\ & + x^{77} + x^{76} + x^{75} + x^{74} + x^{72} + x^{71} + x^{69} + x^{67} + x^{64} + x^{63} + x^{62} \\ & + x^{60} + x^{58} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{24} + x^{23} + x^{22} + x^{20} \\ & + x^{18}, \end{aligned}$$

$$\begin{aligned} p_6(x) = & x^{96} + x^{94} + x^{86} + x^{82} + x^{78} + x^{72} + x^{70} + x^{66} + x^{62} + x^{56} + x^{54} \\ & + x^{52} + x^{48} + x^{42} + x^{36} + x^{32} + x^{24} + x^{22} + x^{16} + x^{12}, \end{aligned}$$

$$\begin{aligned} p_9(x) = & x^{98} + x^{97} + x^{94} + x^{91} + x^{88} + x^{86} + x^{66} + x^{65} + x^{62} + x^{59} + x^{56} \\ & + x^{54} + x^{18} + x^{17} + x^{14} + x^{11} + x^8 + x^6, \end{aligned}$$

$$p_{12}(x) = x^{100} + x^{92} + x^{80} + x^{68} + x^{60} + x^{48} + x^{20} + x^{12} + 1,$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 0, 0]$.

For $\phi(W^o, 1, 1)$:

$$\begin{aligned} p_0(x) = & x^{108} + x^{104} + x^{100} + x^{99} + x^{96} + x^{95} + x^{94} + x^{91} + x^{90} + x^{84} + x^{82} \\ & + x^{81} + x^{80} + x^{79} + x^{78} + x^{77} + x^{76} + x^{73} + x^{71} + x^{68} + x^{67} + x^{66} \\ & + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} + x^{57} + x^{53} + x^{52} + x^{51} + x^{47} + x^{46} \\ & + x^{45} + x^{42} + x^{39} + x^{36}, \end{aligned}$$

$$\begin{aligned} p_3(x) = & x^{103} + x^{98} + x^{93} + x^{92} + x^{89} + x^{88} + x^{87} + x^{83} + x^{80} + x^{79} + x^{75} \\ & + x^{74} + x^{73} + x^{71} + x^{70} + x^{69} + x^{67} + x^{66} + x^{64} + x^{63} + x^{61} + x^{59} \\ & + x^{56} + x^{55} + x^{54} + x^{52} + x^{49} + x^{48} + x^{47} + x^{44} + x^{43} + x^{42} + x^{40} \\ & + x^{39} + x^{37} + x^{36} + x^{35} + x^{34} + x^{32} + x^{31} + x^{30} + x^{29} + x^{23} + x^{20}, \end{aligned}$$

$$\begin{aligned} p_6(x) = & x^{103} + x^{98} + x^{94} + x^{93} + x^{89} + x^{87} + x^{86} + x^{85} + x^{84} + x^{82} + x^{79} \\ & + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} + x^{71} + x^{70} + x^{63} + x^{61} + x^{60} + x^{59} \\ & + x^{58} + x^{56} + x^{55} + x^{52} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{44} + x^{43} \\ & + x^{42} + x^{40} + x^{39} + x^{36} + x^{34} + x^{31} + x^{29} + x^{28} + x^{27} + x^{26} + x^{24} \\ & + x^{23} + x^{22} + x^{21} + x^{14} + x^{11} + x^{10} + x^8 + x^3 + x^2 + 1, \end{aligned}$$

$$\begin{aligned} p_9(x) = & x^{103} + x^{102} + x^{100} + x^{91} + x^{90} + x^{88} + x^{71} + x^{70} + x^{68} + x^{59} + x^{58} \\ & + x^{56} + x^{23} + x^{22} + x^{20} + x^{11} + x^{10} + x^8, \end{aligned}$$

$$\begin{aligned} p_{12}(x) = & x^{103} + x^{102} + x^{100} + x^{95} + x^{94} + x^{92} + x^{83} + x^{82} + x^{80} + x^{71} + x^{70} \\ & + x^{68} + x^{63} + x^{62} + x^{60} + x^{51} + x^{50} + x^{48} + x^{23} + x^{22} + x^{20} + x^{15} \end{aligned}$$

$$+ x^{14} + x^{12} + x^3 + x^2 + 1,$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 1, 1, 0, 0, 0, 0, 0, 1]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^e$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	262	[147, 161]	524	[728, 131]	786	[909, 594]
1	[3, 4]	263	[414, 415]	525	[363, 159]	787	[573, 685]
2	[5, 6]	264	[138, 177]	526	[729, 730]	788	[910, 308]
3	[7, 8]	265	[416, 40]	527	[731, 49]	789	[862, 250]
4	[9, 10]	266	[417, 389]	528	[732, 733]	790	[492, 336]
5	[11, 12]	267	[418, 2]	529	[734, 428]	791	[911, 239]
6	[13, 14]	268	[137, 396]	530	[132, 472]	792	[912, 584]
7	[15, 16]	269	[53, 408]	531	[170, 344]	793	[913, 550]
8	[17, 18]	270	[419, 40]	532	[446, 735]	794	[249, 644]
9	[19, 20]	271	[134, 409]	533	[383, 736]	795	[914, 915]
10	[21, 22]	272	[420, 421]	534	[737, 404]	796	[916, 853]
11	[23, 24]	273	[422, 423]	535	[738, 726]	797	[506, 917]
12	[25, 26]	274	[424, 425]	536	[454, 120]	798	[918, 919]
13	[27, 28]	275	[426, 363]	537	[718, 55]	799	[617, 592]
14	[29, 30]	276	[427, 428]	538	[383, 709]	800	[920, 622]
15	[31, 32]	277	[14, 398]	539	[739, 8]	801	[110, 509]
16	[33, 34]	278	[165, 429]	540	[456, 437]	802	[92, 531]
17	[35, 36]	279	[374, 430]	541	[371, 38]	803	[921, 922]
18	[37, 38]	280	[140, 431]	542	[373, 740]	804	[923, 917]
19	[39, 40]	281	[432, 433]	543	[741, 402]	805	[924, 925]
20	[41, 42]	282	[434, 395]	544	[742, 397]	806	[926, 927]
21	[43, 44]	283	[435, 436]	545	[743, 373]	807	[928, 618]
22	[45, 46]	284	[126, 437]	546	[744, 124]	808	[818, 928]
23	[47, 46]	285	[432, 388]	547	[729, 399]	809	[929, 335]
24	[48, 49]	286	[374, 438]	548	[745, 475]	810	[930, 931]
25	[12, 46]	287	[439, 179]	549	[159, 358]	811	[932, 933]
26	[50, 51]	288	[440, 170]	550	[746, 360]	812	[934, 935]
27	[52, 53]	289	[441, 145]	551	[747, 128]	813	[936, 58]
28	[54, 55]	290	[35, 365]	552	[748, 372]	814	[763, 178]
29	[56, 40]	291	[149, 358]	553	[749, 393]	815	[161, 718]
30	[57, 58]	292	[442, 400]	554	[750, 439]	816	[418, 722]
31	[59, 60]	293	[443, 444]	555	[751, 752]	817	[788, 765]
32	[61, 62]	294	[445, 446]	556	[753, 451]	818	[728, 346]
33	[63, 64]	295	[12, 133]	557	[189, 754]	819	[13, 397]
34	[65, 66]	296	[14, 151]	558	[755, 458]	820	[784, 443]
35	[67, 68]	297	[447, 184]	559	[756, 53]	821	[811, 12]
36	[69, 70]	298	[448, 377]	560	[345, 131]	822	[805, 341]

37	[71, 72]	299	[172, 365]	561	[757, 51]	823	[937, 761]
38	[73, 74]	300	[162, 449]	562	[732, 758]	824	[776, 399]
39	[75, 76]	301	[420, 44]	563	[759, 168]	825	[397, 151]
40	[77, 78]	302	[168, 445]	564	[483, 196]	826	[443, 707]
41	[79, 80]	303	[450, 451]	565	[166, 446]	827	[361, 770]
42	[81, 69]	304	[452, 453]	566	[760, 388]	828	[453, 162]
43	[82, 83]	305	[454, 455]	567	[711, 761]	829	[53, 405]
44	[84, 85]	306	[157, 369]	568	[762, 126]	830	[938, 449]
45	[86, 87]	307	[150, 398]	569	[763, 439]	831	[939, 340]
46	[88, 89]	308	[159, 188]	570	[198, 136]	832	[368, 158]
47	[90, 18]	309	[456, 186]	571	[482, 194]	833	[130, 435]
48	[91, 92]	310	[378, 457]	572	[387, 433]	834	[798, 156]
49	[93, 94]	311	[113, 451]	573	[396, 417]	835	[730, 138]
50	[95, 96]	312	[458, 459]	574	[445, 167]	836	[356, 777]
51	[97, 98]	313	[129, 460]	575	[427, 155]	837	[940, 156]
52	[99, 100]	314	[415, 461]	576	[50, 118]	838	[469, 116]
53	[101, 102]	315	[462, 368]	577	[193, 473]	839	[790, 372]
54	[103, 104]	316	[463, 130]	578	[49, 764]	840	[463, 460]
55	[105, 106]	317	[184, 128]	579	[753, 765]	841	[178, 808]
56	[107, 108]	318	[444, 464]	580	[766, 434]	842	[941, 449]
57	[109, 110]	319	[465, 136]	581	[426, 148]	843	[942, 733]
58	[96, 111]	320	[466, 467]	582	[767, 431]	844	[769, 362]
59	[112, 113]	321	[186, 468]	583	[391, 358]	845	[460, 356]
60	[114, 34]	322	[469, 470]	584	[353, 768]	846	[341, 143]
61	[115, 116]	323	[471, 472]	585	[769, 770]	847	[770, 755]
62	[117, 118]	324	[152, 473]	586	[697, 117]	848	[716, 457]
63	[119, 120]	325	[400, 344]	587	[181, 736]	849	[375, 943]
64	[121, 122]	326	[126, 186]	588	[771, 168]	850	[936, 198]
65	[123, 124]	327	[415, 474]	589	[772, 371]	851	[944, 400]
66	[125, 126]	328	[339, 475]	590	[773, 470]	852	[945, 753]
67	[127, 128]	329	[476, 449]	591	[442, 170]	853	[942, 758]
68	[129, 130]	330	[359, 477]	592	[774, 775]	854	[419, 806]
69	[131, 132]	331	[367, 478]	593	[772, 37]	855	[937, 712]
70	[45, 133]	332	[395, 434]	594	[776, 730]	856	[946, 128]
71	[134, 135]	333	[479, 433]	595	[734, 155]	857	[947, 13]
72	[136, 137]	334	[480, 481]	596	[435, 777]	858	[367, 789]
73	[138, 139]	335	[136, 194]	597	[778, 439]	859	[948, 415]
74	[140, 141]	336	[197, 198]	598	[779, 363]	860	[947, 742]
75	[142, 143]	337	[58, 482]	599	[747, 185]	861	[949, 165]
76	[144, 145]	338	[396, 483]	600	[740, 430]	862	[746, 477]
77	[146, 147]	339	[484, 485]	601	[748, 38]	863	[724, 707]
78	[148, 149]	340	[217, 486]	602	[780, 768]	864	[950, 935]
79	[150, 151]	341	[271, 487]	603	[192, 118]	865	[951, 439]
80	[152, 153]	342	[488, 330]	604	[781, 777]	866	[437, 468]

81	[11, 45]	343	[489, 490]	605	[448, 10]	867	[762, 456]
82	[154, 155]	344	[298, 317]	606	[782, 365]	868	[476, 163]
83	[48, 156]	345	[491, 492]	607	[783, 753]	869	[952, 155]
84	[157, 158]	346	[493, 494]	608	[774, 720]	870	[953, 184]
85	[148, 159]	347	[495, 496]	609	[752, 173]	871	[741, 429]
86	[160, 161]	348	[284, 497]	610	[784, 724]	872	[710, 120]
87	[162, 163]	349	[498, 499]	611	[399, 138]	873	[745, 340]
88	[164, 165]	350	[275, 500]	612	[785, 786]	874	[406, 42]
89	[166, 167]	351	[501, 502]	613	[113, 765]	875	[39, 806]
90	[168, 166]	352	[234, 503]	614	[787, 136]	876	[954, 767]
91	[169, 170]	353	[504, 235]	615	[41, 407]	877	[955, 805]
92	[114, 171]	354	[505, 506]	616	[788, 451]	878	[787, 482]
93	[172, 36]	355	[507, 508]	617	[182, 772]	879	[52, 404]
94	[173, 174]	356	[258, 509]	618	[346, 471]	880	[115, 470]
95	[175, 135]	357	[510, 511]	619	[422, 373]	881	[49, 802]
96	[58, 136]	358	[512, 513]	620	[8, 478]	882	[944, 170]
97	[176, 177]	359	[514, 515]	621	[8, 789]	883	[800, 767]
98	[178, 179]	360	[516, 517]	622	[779, 148]	884	[410, 956]
99	[180, 181]	361	[518, 519]	623	[790, 38]	885	[957, 443]
100	[182, 183]	362	[70, 520]	624	[355, 160]	886	[958, 143]
101	[184, 185]	363	[521, 522]	625	[370, 117]	887	[471, 352]
102	[186, 187]	364	[523, 524]	626	[347, 455]	888	[959, 415]
103	[149, 188]	365	[525, 526]	627	[195, 417]	889	[716, 379]
104	[161, 54]	366	[527, 528]	628	[740, 438]	890	[190, 425]
105	[46, 189]	367	[529, 530]	629	[467, 474]	891	[738, 459]
106	[190, 191]	368	[531, 532]	630	[730, 176]	892	[960, 956]
107	[192, 51]	369	[524, 533]	631	[133, 189]	893	[743, 423]
108	[193, 153]	370	[534, 535]	632	[791, 32]	894	[961, 46]
109	[194, 195]	371	[536, 109]	633	[144, 706]	895	[953, 747]
110	[196, 197]	372	[537, 538]	634	[119, 455]	896	[962, 126]
111	[57, 198]	373	[539, 540]	635	[792, 165]	897	[963, 32]
112	[199, 108]	374	[541, 542]	636	[780, 354]	898	[385, 383]
113	[200, 201]	375	[543, 316]	637	[164, 413]	899	[964, 802]
114	[202, 29]	376	[544, 545]	638	[713, 718]	900	[437, 187]
115	[203, 204]	377	[546, 547]	639	[423, 740]	901	[349, 799]
116	[205, 90]	378	[548, 549]	640	[739, 367]	902	[965, 719]
117	[206, 207]	379	[550, 551]	641	[423, 374]	903	[966, 434]
118	[208, 209]	380	[243, 487]	642	[793, 378]	904	[721, 409]
119	[210, 211]	381	[552, 553]	643	[760, 433]	905	[967, 425]
120	[212, 213]	382	[554, 555]	644	[390, 754]	906	[955, 752]
121	[214, 215]	383	[556, 557]	645	[794, 350]	907	[949, 413]
122	[216, 217]	384	[558, 311]	646	[795, 376]	908	[343, 401]
123	[218, 219]	385	[559, 560]	647	[356, 436]	909	[453, 476]
124	[220, 221]	386	[326, 101]	648	[766, 395]	910	[785, 968]

125	[66, 222]	387	[561, 562]	649	[796, 703]	911	[969, 378]
126	[223, 224]	388	[563, 205]	650	[737, 53]	912	[969, 716]
127	[225, 226]	389	[30, 564]	651	[446, 384]	913	[447, 747]
128	[227, 228]	390	[18, 565]	652	[357, 188]	914	[695, 401]
129	[229, 230]	391	[230, 243]	653	[759, 797]	915	[970, 453]
130	[231, 232]	392	[566, 536]	654	[742, 14]	916	[705, 151]
131	[233, 234]	393	[567, 568]	655	[798, 49]	917	[173, 143]
132	[235, 236]	394	[569, 286]	656	[724, 444]	918	[971, 8]
133	[24, 237]	395	[570, 502]	657	[33, 171]	919	[392, 810]
134	[238, 239]	396	[511, 571]	658	[156, 764]	920	[462, 157]
135	[240, 241]	397	[572, 573]	659	[713, 54]	921	[972, 719]
136	[242, 243]	398	[251, 220]	660	[755, 738]	922	[973, 697]
137	[244, 245]	399	[219, 574]	661	[170, 401]	923	[974, 701]
138	[246, 247]	400	[575, 576]	662	[414, 467]	924	[951, 178]
139	[248, 249]	401	[577, 578]	663	[403, 772]	925	[707, 704]
140	[250, 251]	402	[80, 579]	664	[794, 799]	926	[771, 797]
141	[252, 253]	403	[580, 501]	665	[800, 140]	927	[752, 341]
142	[254, 110]	404	[579, 512]	666	[801, 195]	928	[719, 775]
143	[255, 256]	405	[581, 582]	667	[698, 738]	929	[796, 122]
144	[257, 258]	406	[583, 584]	668	[156, 802]	930	[960, 411]
145	[259, 25]	407	[585, 586]	669	[803, 53]	931	[797, 445]
146	[260, 261]	408	[100, 587]	670	[696, 370]	932	[975, 161]
147	[262, 103]	409	[588, 589]	671	[167, 735]	933	[783, 113]
148	[263, 264]	410	[590, 591]	672	[698, 458]	934	[976, 922]
149	[265, 266]	411	[592, 593]	673	[32, 191]	935	[654, 977]
150	[267, 268]	412	[594, 62]	674	[804, 429]	936	[266, 242]
151	[28, 269]	413	[595, 596]	675	[751, 805]	937	[978, 979]
152	[270, 271]	414	[597, 598]	676	[125, 456]	938	[980, 111]
153	[272, 273]	415	[599, 600]	677	[56, 806]	939	[981, 252]
154	[274, 275]	416	[601, 602]	678	[767, 141]	940	[982, 215]
155	[78, 262]	417	[509, 336]	679	[123, 807]	941	[515, 338]
156	[276, 277]	418	[603, 16]	680	[147, 713]	942	[983, 929]
157	[278, 279]	419	[604, 605]	681	[439, 808]	943	[241, 86]
158	[68, 280]	420	[606, 607]	682	[131, 471]	944	[984, 577]
159	[281, 282]	421	[608, 609]	683	[723, 443]	945	[985, 602]
160	[22, 283]	422	[610, 226]	684	[416, 806]	946	[986, 868]
161	[261, 284]	423	[591, 611]	685	[482, 137]	947	[987, 572]
162	[285, 244]	424	[612, 222]	686	[744, 807]	948	[988, 989]
163	[286, 287]	425	[60, 613]	687	[362, 755]	949	[990, 80]
164	[288, 289]	426	[614, 615]	688	[32, 425]	950	[991, 581]
165	[290, 291]	427	[616, 617]	689	[809, 777]	951	[992, 993]
166	[292, 293]	428	[618, 619]	690	[749, 810]	952	[994, 995]
167	[291, 294]	429	[4, 620]	691	[757, 118]	953	[996, 211]
168	[295, 296]	430	[540, 621]	692	[811, 45]	954	[997, 485]

169	[297, 298]	431	[622, 84]	693	[183, 371]	955	[998, 305]
170	[299, 300]	432	[623, 550]	694	[195, 483]	956	[306, 999]
171	[301, 302]	433	[624, 625]	695	[812, 520]	957	[273, 549]
172	[303, 304]	434	[434, 434]	696	[813, 95]	958	[64, 337]
173	[305, 242]	435	[626, 627]	697	[814, 97]	959	[1000, 663]
174	[279, 306]	436	[628, 629]	698	[519, 815]	960	[1001, 1002]
175	[307, 60]	437	[62, 630]	699	[816, 434]	961	[687, 530]
176	[308, 309]	438	[631, 556]	700	[817, 818]	962	[893, 329]
177	[309, 310]	439	[551, 73]	701	[819, 820]	963	[1003, 843]
178	[311, 312]	440	[632, 633]	702	[487, 627]	964	[1004, 103]
179	[313, 314]	441	[634, 510]	703	[821, 822]	965	[1005, 204]
180	[315, 316]	442	[635, 636]	704	[542, 599]	966	[627, 570]
181	[317, 318]	443	[637, 638]	705	[334, 571]	967	[1006, 887]
182	[319, 71]	444	[549, 639]	706	[823, 824]	968	[6, 295]
183	[320, 321]	445	[640, 641]	707	[825, 826]	969	[1007, 562]
184	[322, 323]	446	[296, 631]	708	[827, 828]	970	[1008, 684]
185	[324, 325]	447	[642, 227]	709	[560, 829]	971	[1009, 553]
186	[222, 326]	448	[643, 285]	710	[830, 324]	972	[1010, 675]
187	[224, 278]	449	[644, 645]	711	[831, 223]	973	[1011, 980]
188	[264, 327]	450	[646, 647]	712	[832, 833]	974	[1012, 877]
189	[26, 105]	451	[605, 498]	713	[834, 835]	975	[977, 94]
190	[328, 329]	452	[648, 649]	714	[526, 836]	976	[450, 765]
191	[330, 331]	453	[650, 651]	715	[837, 657]	977	[797, 166]
192	[20, 332]	454	[652, 227]	716	[838, 836]	978	[1013, 470]
193	[333, 334]	455	[653, 654]	717	[839, 298]	979	[715, 378]
194	[111, 335]	456	[655, 656]	718	[277, 558]	980	[717, 708]
195	[282, 268]	457	[657, 658]	719	[325, 208]	981	[1014, 478]
196	[268, 332]	458	[490, 659]	720	[840, 841]	982	[793, 716]
197	[336, 337]	459	[660, 661]	721	[842, 843]	983	[479, 388]
198	[332, 338]	460	[662, 628]	722	[844, 845]	984	[940, 49]
199	[31, 190]	461	[663, 664]	723	[568, 846]	985	[1015, 747]
200	[339, 340]	462	[665, 68]	724	[83, 667]	986	[1016, 968]
201	[341, 174]	463	[666, 626]	725	[847, 277]	987	[801, 396]
202	[342, 135]	464	[667, 668]	726	[639, 848]	988	[1017, 368]
203	[343, 344]	465	[571, 244]	727	[849, 825]	989	[1018, 13]
204	[345, 346]	466	[669, 670]	728	[850, 677]	990	[112, 753]
205	[346, 132]	467	[613, 671]	729	[517, 647]	991	[127, 185]
206	[347, 120]	468	[672, 673]	730	[851, 248]	992	[1019, 181]
207	[196, 57]	469	[674, 675]	731	[852, 853]	993	[452, 394]
208	[54, 348]	470	[85, 676]	732	[854, 265]	994	[1020, 457]
209	[349, 350]	471	[677, 570]	733	[855, 847]	995	[973, 370]
210	[351, 352]	472	[600, 678]	734	[856, 857]	996	[971, 367]
211	[353, 354]	473	[679, 680]	735	[641, 858]	997	[1021, 349]
212	[355, 147]	474	[598, 681]	736	[316, 832]	998	[966, 395]

213	[130, 356]	475	[682, 683]	737	[859, 860]	999	[394, 476]
214	[357, 358]	476	[684, 685]	738	[576, 672]	1000	[1022, 794]
215	[359, 360]	477	[686, 687]	739	[861, 862]	1001	[1023, 340]
216	[361, 362]	478	[16, 688]	740	[226, 863]	1002	[963, 190]
217	[363, 149]	479	[689, 690]	741	[864, 296]	1003	[440, 400]
218	[364, 365]	480	[691, 633]	742	[865, 866]	1004	[700, 1024]
219	[366, 367]	481	[692, 693]	743	[867, 868]	1005	[1022, 349]
220	[368, 369]	482	[337, 511]	744	[869, 870]	1006	[795, 943]
221	[370, 50]	483	[245, 694]	745	[871, 622]	1007	[791, 190]
222	[371, 372]	484	[695, 344]	746	[872, 206]	1008	[465, 482]
223	[1, 165]	485	[696, 697]	747	[873, 541]	1009	[1015, 184]
224	[373, 374]	486	[362, 698]	748	[874, 694]	1010	[1017, 157]
225	[375, 376]	487	[483, 389]	749	[875, 816]	1011	[702, 396]
226	[117, 51]	488	[699, 352]	750	[876, 877]	1012	[946, 185]
227	[9, 377]	489	[700, 701]	751	[878, 267]	1013	[1025, 1026]
228	[378, 379]	490	[37, 372]	752	[879, 255]	1014	[1027, 26]
229	[380, 198]	491	[702, 195]	753	[880, 246]	1015	[1028, 496]
230	[381, 2]	492	[121, 703]	754	[237, 881]	1016	[1029, 989]
231	[382, 383]	493	[466, 415]	755	[882, 660]	1017	[1030, 304]
232	[167, 384]	494	[444, 704]	756	[883, 581]	1018	[1031, 254]
233	[385, 181]	495	[705, 398]	757	[649, 564]	1019	[1032, 915]
234	[189, 386]	496	[441, 706]	758	[884, 610]	1020	[1033, 846]
235	[387, 388]	497	[413, 429]	759	[885, 292]	1021	[1034, 857]
236	[389, 57]	498	[413, 402]	760	[886, 657]	1022	[1035, 617]
237	[46, 390]	499	[707, 464]	761	[513, 544]	1023	[1036, 1037]
238	[391, 188]	500	[467, 461]	762	[683, 887]	1024	[828, 1038]
239	[392, 393]	501	[480, 708]	763	[888, 313]	1025	[1039, 478]
240	[146, 160]	502	[417, 196]	764	[215, 889]	1026	[970, 394]
241	[394, 162]	503	[181, 709]	765	[108, 890]	1027	[950, 1040]
242	[395, 395]	504	[710, 455]	766	[335, 236]	1028	[945, 113]
243	[389, 197]	505	[711, 712]	767	[661, 891]	1029	[804, 402]
244	[137, 195]	506	[160, 713]	768	[892, 893]	1030	[972, 774]
245	[194, 396]	507	[714, 443]	769	[894, 895]	1031	[380, 58]
246	[397, 398]	508	[715, 716]	770	[680, 490]	1032	[1021, 794]
247	[399, 176]	509	[197, 58]	771	[896, 897]	1033	[1016, 786]
248	[133, 390]	510	[717, 481]	772	[898, 537]	1034	[954, 140]
249	[400, 401]	511	[198, 482]	773	[899, 840]	1035	[965, 774]
250	[165, 402]	512	[718, 348]	774	[497, 900]	1036	[1041, 802]
251	[176, 139]	513	[719, 720]	775	[204, 901]	1037	[1018, 742]
252	[403, 183]	514	[721, 135]	776	[676, 308]	1038	[770, 698]
253	[404, 405]	515	[381, 722]	777	[557, 608]	1039	[1042, 87]
254	[406, 407]	516	[43, 421]	778	[902, 818]	1040	[999, 867]
255	[390, 386]	517	[723, 724]	779	[903, 281]	1041	[1043, 283]
256	[404, 408]	518	[725, 161]	780	[904, 874]	1042	[974, 1024]

257	[342, 409]	519	[366, 8]	781	[615, 245]	1043	[934, 1040]
258	[175, 409]	520	[132, 352]	782	[905, 906]		
259	[410, 411]	521	[382, 181]	783	[907, 605]		
260	[412, 126]	522	[458, 726]	784	[820, 825]		
261	[1, 413]	523	[727, 457]	785	[908, 663]		

Output function $n \mapsto \tau(n)$:

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	175	1	350	1	525	1	700	1	875	0
1	0	176	1	351	0	526	1	701	0	876	1
2	0	177	1	352	1	527	1	702	1	877	0
3	0	178	0	353	1	528	1	703	1	878	1
4	0	179	1	354	1	529	0	704	0	879	0
5	0	180	0	355	1	530	0	705	0	880	1
6	0	181	0	356	1	531	0	706	0	881	0
7	0	182	0	357	1	532	1	707	0	882	0
8	1	183	1	358	1	533	1	708	0	883	0
9	0	184	0	359	0	534	1	709	1	884	1
10	1	185	1	360	1	535	1	710	1	885	0
11	0	186	1	361	0	536	1	711	1	886	1
12	0	187	0	362	1	537	1	712	0	887	1
13	0	188	0	363	1	538	1	713	1	888	0
14	1	189	1	364	1	539	0	714	1	889	0
15	0	190	0	365	1	540	1	715	0	890	0
16	0	191	0	366	1	541	1	716	0	891	1
17	1	192	1	367	0	542	0	717	1	892	0
18	0	193	0	368	0	543	1	718	1	893	1
19	0	194	1	369	0	544	1	719	1	894	1
20	1	195	0	370	1	545	1	720	0	895	1
21	1	196	0	371	1	546	0	721	0	896	1
22	1	197	0	372	1	547	1	722	1	897	1
23	0	198	1	373	0	548	1	723	1	898	0
24	0	199	0	374	1	549	1	724	0	899	1
25	0	200	0	375	1	550	1	725	0	900	0
26	1	201	0	376	1	551	1	726	1	901	0
27	0	202	1	377	0	552	0	727	1	902	0
28	0	203	1	378	1	553	0	728	0	903	0
29	1	204	1	379	1	554	1	729	1	904	0
30	1	205	1	380	1	555	1	730	0	905	0
31	0	206	0	381	0	556	1	731	1	906	0
32	1	207	0	382	1	557	1	732	1	907	0
33	0	208	0	383	1	558	0	733	0	908	1
34	1	209	0	384	0	559	0	734	0	909	1
35	1	210	0	385	0	560	1	735	1	910	1

36	0	211	1	386	0	561	0	736	0	911	1
37	0	212	1	387	0	562	1	737	1	912	1
38	0	213	1	388	0	563	0	738	1	913	0
39	0	214	1	389	1	564	1	739	0	914	0
40	0	215	0	390	0	565	1	740	0	915	0
41	1	216	0	391	0	566	1	741	1	916	0
42	0	217	1	392	1	567	1	742	1	917	1
43	1	218	1	393	1	568	1	743	1	918	1
44	1	219	1	394	0	569	0	744	0	919	1
45	1	220	0	395	1	570	1	745	1	920	0
46	1	221	1	396	1	571	0	746	1	921	1
47	0	222	1	397	0	572	0	747	1	922	1
48	0	223	0	398	1	573	1	748	0	923	0
49	0	224	0	399	1	574	0	749	0	924	1
50	1	225	1	400	1	575	1	750	1	925	0
51	1	226	0	401	0	576	1	751	1	926	1
52	0	227	0	402	1	577	0	752	0	927	0
53	0	228	1	403	1	578	0	753	1	928	1
54	0	229	1	404	1	579	1	754	1	929	0
55	1	230	0	405	1	580	1	755	0	930	0
56	1	231	1	406	0	581	1	756	0	931	1
57	1	232	0	407	1	582	0	757	0	932	1
58	0	233	0	408	0	583	0	758	1	933	0
59	0	234	1	409	1	584	1	759	0	934	0
60	1	235	0	410	1	585	1	760	1	935	1
61	1	236	1	411	0	586	0	761	1	936	0
62	0	237	1	412	0	587	0	762	1	937	0
63	0	238	0	413	0	588	1	763	0	938	1
64	1	239	1	414	0	589	0	764	0	939	1
65	1	240	0	415	1	590	1	765	0	940	0
66	0	241	0	416	0	591	1	766	1	941	0
67	1	242	1	417	0	592	0	767	0	942	0
68	1	243	1	418	1	593	0	768	0	943	0
69	0	244	0	419	1	594	0	769	1	944	0
70	1	245	1	420	0	595	0	770	0	945	1
71	0	246	0	421	0	596	0	771	1	946	0
72	1	247	1	422	0	597	0	772	0	947	0
73	0	248	0	423	1	598	0	773	1	948	1
74	1	249	1	424	1	599	1	774	0	949	0
75	0	250	1	425	1	600	0	775	1	950	1
76	1	251	1	426	1	601	0	776	0	951	1
77	0	252	1	427	1	602	0	777	1	952	0
78	0	253	1	428	1	603	1	778	0	953	1
79	1	254	0	429	0	604	1	779	0	954	1

80	1	255	0	430	1	605	1	780	0	955	0
81	0	256	1	431	0	606	0	781	1	956	1
82	1	257	1	432	1	607	0	782	0	957	0
83	0	258	1	433	1	608	0	783	0	958	1
84	1	259	1	434	0	609	0	784	0	959	0
85	0	260	0	435	0	610	0	785	1	960	0
86	1	261	0	436	0	611	1	786	1	961	1
87	1	262	0	437	0	612	1	787	1	962	1
88	1	263	0	438	0	613	0	788	1	963	1
89	1	264	0	439	1	614	1	789	1	964	1
90	0	265	0	440	1	615	1	790	1	965	0
91	0	266	0	441	0	616	1	791	1	966	0
92	1	267	1	442	1	617	0	792	1	967	0
93	0	268	0	443	1	618	1	793	0	968	0
94	1	269	0	444	1	619	0	794	1	969	1
95	1	270	1	445	0	620	1	795	0	970	0
96	0	271	0	446	1	621	1	796	0	971	1
97	1	272	0	447	0	622	0	797	1	972	1
98	0	273	0	448	1	623	1	798	1	973	1
99	0	274	1	449	0	624	1	799	0	974	0
100	0	275	1	450	0	625	1	800	0	975	1
101	0	276	1	451	1	626	0	801	0	976	0
102	1	277	1	452	1	627	0	802	1	977	1
103	0	278	1	453	1	628	0	803	1	978	0
104	0	279	1	454	1	629	0	804	0	979	0
105	1	280	1	455	0	630	0	805	1	980	1
106	0	281	1	456	1	631	0	806	1	981	1
107	1	282	0	457	0	632	1	807	1	982	0
108	0	283	0	458	0	633	1	808	0	983	0
109	1	284	0	459	0	634	0	809	0	984	0
110	0	285	1	460	0	635	1	810	0	985	1
111	1	286	1	461	1	636	0	811	1	986	0
112	0	287	1	462	0	637	1	812	0	987	0
113	0	288	1	463	0	638	1	813	0	988	1
114	1	289	0	464	1	639	1	814	0	989	1
115	1	290	1	465	0	640	0	815	0	990	0
116	1	291	0	466	1	641	1	816	1	991	1
117	0	292	1	467	0	642	0	817	1	992	1
118	0	293	1	468	1	643	1	818	0	993	1
119	0	294	0	469	0	644	0	819	0	994	0
120	1	295	0	470	0	645	1	820	0	995	1
121	1	296	1	471	1	646	0	821	1	996	1
122	0	297	0	472	0	647	1	822	1	997	1
123	1	298	1	473	1	648	1	823	0	998	0

124	0	299	0	474	0	649	0	824	0	999	0
125	0	300	1	475	0	650	1	825	0	1000	0
126	0	301	0	476	0	651	1	826	1	1001	0
127	1	302	0	477	0	652	1	827	0	1002	1
128	0	303	0	478	0	653	0	828	1	1003	1
129	1	304	1	479	0	654	1	829	0	1004	1
130	1	305	1	480	0	655	1	830	1	1005	0
131	0	306	1	481	1	656	0	831	1	1006	0
132	0	307	1	482	0	657	0	832	0	1007	1
133	0	308	1	483	1	658	1	833	1	1008	0
134	0	309	1	484	0	659	1	834	1	1009	1
135	0	310	1	485	0	660	0	835	0	1010	1
136	1	311	0	486	1	661	0	836	1	1011	1
137	0	312	0	487	1	662	0	837	0	1012	0
138	0	313	1	488	1	663	1	838	0	1013	0
139	0	314	1	489	1	664	1	839	1	1014	1
140	1	315	0	490	0	665	0	840	0	1015	1
141	1	316	0	491	1	666	0	841	0	1016	0
142	0	317	0	492	1	667	1	842	0	1017	1
143	0	318	1	493	1	668	1	843	0	1018	1
144	1	319	0	494	1	669	1	844	1	1019	1
145	1	320	1	495	0	670	0	845	0	1020	0
146	0	321	1	496	0	671	0	846	0	1021	1
147	0	322	0	497	0	672	1	847	0	1022	0
148	0	323	1	498	0	673	1	848	0	1023	0
149	0	324	1	499	0	674	0	849	1	1024	1
150	1	325	1	500	0	675	1	850	0	1025	0
151	0	326	0	501	0	676	0	851	0	1026	0
152	1	327	1	502	0	677	1	852	1	1027	1
153	0	328	0	503	0	678	0	853	0	1028	1
154	1	329	0	504	1	679	1	854	1	1029	0
155	0	330	0	505	1	680	0	855	0	1030	1
156	1	331	0	506	1	681	1	856	0	1031	1
157	1	332	1	507	1	682	0	857	0	1032	1
158	1	333	0	508	0	683	1	858	0	1033	0
159	1	334	0	509	0	684	0	859	1	1034	1
160	1	335	1	510	1	685	0	860	0	1035	0
161	0	336	0	511	1	686	0	861	0	1036	0
162	1	337	0	512	1	687	1	862	1	1037	1
163	1	338	1	513	1	688	1	863	0	1038	0
164	1	339	0	514	0	689	0	864	1	1039	0
165	1	340	1	515	0	690	0	865	1	1040	0
166	1	341	0	516	1	691	0	866	0	1041	0
167	0	342	1	517	1	692	1	867	1	1042	0

168	0	343	1	518	0	693	1	868	0	1043	0
169	0	344	1	519	1	694	0	869	0		
170	0	345	1	520	0	695	0	870	1		
171	0	346	1	521	1	696	0	871	1		
172	0	347	0	522	0	697	0	872	1		
173	1	348	0	523	1	698	1	873	1		
174	1	349	0	524	0	699	1	874	0		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE
Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA
Email address: `huyining@hust.edu.cn`