

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z^5 + z^3 + z^2, z)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z^5 + z^3 + z^2, z)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 11:27:02 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 21.2 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z^5 + z^3 + z^2, z)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$\begin{aligned} p_0(z) &= z^{14} + z^{11} + z^9 + z^7 + z^6 + z^4 + z^3 + z + 1, \\ p_1(z) &= z^{19} + z^{17} + z^{15} + z^{12} + z^{11} + z^{10} + z^9 + z^8 + z^4 + z^2, \\ p_2(z) &= z^{20} + z^{18} + z^{12} + z^8 + z^4, \\ p_3(z) &= z^{19} + z^{17} + z^{15} + z^{12} + z^{11} + z^{10} + z^9 + z^8 + z^4 + z^2, \\ p_4(z) &= z^{18} + z^{16} + z^{14} + z^{11} + z^9 + z^8 + z^7 + z^6 + z^4 + z^3 + z, \end{aligned}$$

and for $\text{CF}(b, a)$,

$$\begin{aligned} p_0(z) &= z^{16} + z^{14} + z^{11} + z^9 + z^8 + z^7 + z^6 + z^3 + z, \\ p_1(z) &= z^{19} + z^{17} + z^{15} + z^{12} + z^{11} + z^{10} + z^9 + z^8 + z^4 + z^2, \\ p_2(z) &= z^{20} + z^{18} + z^{12} + z^8 + z^4, \\ p_3(z) &= z^{19} + z^{17} + z^{15} + z^{12} + z^{11} + z^{10} + z^9 + z^8 + z^4 + z^2, \\ p_4(z) &= z^{18} + z^{14} + z^{11} + z^9 + z^7 + z^6 + z^3 + z + 1. \end{aligned}$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{t}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(150, 150, 150, 150, 150)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 540 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 540, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 660 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 660, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:12u] &= M^e[:6u] + x^{3u} M^e[:3u] + x^{5u} M^e[:u] + x^{3u} M^e[:6u] + x^{6u} M^e[:3u] \\ &\quad + x^{8u} M^e[:u] + x^{5u} M^e[:6u] + x^{8u} M^e[:3u] + x^{10u} M^e[:u] \\ &\quad + x^{6u} M^e[:6u] + x^{9u} M^e[:3u] + x^{7u} M^e[:5u] + x^{10u} M^e[:2u] \\ &\quad + x^{8u} M^e[:4u] + x^{11u} M^e[:u] + (x^{6u} + x^{9u} + x^{11u}) R^e, \\ W^e[:12u] &= W^e[:6u] + x^{3u} W^e[:3u] + x^{5u} W^e[:u] + x^{3u} W^e[:6u] + x^{6u} W^e[:3u] \\ &\quad + x^{8u} W^e[:u] + x^{5u} W^e[:6u] + x^{8u} W^e[:3u] + x^{10u} W^e[:u] \end{aligned}$$

$$\begin{aligned}
& + x^{6u}W^e[:6u] + x^{9u}W^e[:3u] + x^{7u}W^e[:5u] + x^{10u}W^e[:2u] \\
& + x^{8u}W^e[:4u] + x^{11u}W^e[:u] + (x^{6u} + x^{9u} + x^{11u})R^e.
\end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned}
M^o[:12u] &= M^o[:6u] + x^{3u}M^o[:3u] + x^{5u}M^o[:u] + x^{3u}M^o[:6u] + x^{6u}M^o[:3u] \\
&+ x^{8u}M^o[:u] + x^{5u}M^o[:6u] + x^{8u}M^o[:3u] + x^{10u}M^o[:u] \\
&+ x^{6u}M^o[:6u] + x^{9u}M^o[:3u] + x^{7u}M^o[:5u] + x^{10u}M^o[:2u] \\
&+ x^{8u}M^o[:4u] + x^{11u}M^o[:u] + (x^{6u} + x^{9u} + x^{11u})R^o, \\
W^o[:12u] &= W^o[:6u] + x^{3u}W^o[:3u] + x^{5u}W^o[:u] + x^{3u}W^o[:6u] + x^{6u}W^o[:3u] \\
&+ x^{8u}W^o[:u] + x^{5u}W^o[:6u] + x^{8u}W^o[:3u] + x^{10u}W^o[:u] \\
&+ x^{6u}W^o[:6u] + x^{9u}W^o[:3u] + x^{7u}W^o[:5u] + x^{10u}W^o[:2u] \\
&+ x^{8u}W^o[:4u] + x^{11u}W^o[:u] + (x^{6u} + x^{9u} + x^{11u})R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$\begin{aligned}
T[:12u] &= T[:6u] + x^{3u}T[:3u] + x^{5u}T[:u] + x^{3u}T[:6u] + x^{6u}T[:3u] + x^{8u}T[:u] \\
&+ x^{5u}T[:6u] + x^{8u}T[:3u] + x^{10u}T[:u] + x^{6u}T[:6u] + x^{9u}T[:3u] \\
&+ x^{7u}T[:5u] + x^{10u}T[:2u] + x^{8u}T[:4u] + x^{11u}T[:u].
\end{aligned}$$

The proof of the other 15 cases are similar. We break down the above identity into 6 parts:

$$\begin{aligned}
0 &= x^{5u}T[u:2u] + x^{3u}T[3u:4u] + T[6u:7u], \\
0 &= x^{7u}T[:u] + x^{5u}T[2u:3u] + x^{3u}T[4u:5u] + T[7u:8u], \\
0 &= x^{8u}T[:u] + x^{7u}T[u:2u] + x^{5u}T[3u:4u] + x^{3u}T[5u:6u] + T[8u:9u], \\
0 &= x^{9u}T[:u] + x^{7u}T[2u:3u] + x^{6u}T[3u:4u] + x^{5u}T[4u:5u] \\
&+ T[9u:10u], \\
0 &= x^{9u}T[u:2u] + x^{7u}T[3u:4u] + x^{6u}T[4u:5u] + x^{5u}T[5u:6u] \\
&+ T[10u:11u], \\
0 &= x^{11u}T[:u] + x^{10u}T[u:2u] + x^{9u}T[2u:3u] + x^{8u}T[3u:4u] \\
&+ x^{7u}T[4u:5u] + x^{6u}T[5u:6u] + T[11u:12u],
\end{aligned}$$

which can be rewritten as

$$(2.7) \quad 0 = T[[1w]_2] + T[[11w]_2] + T[[110w]_2],$$

$$(2.8) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[100w]_2] + T[[111w]_2],$$

$$(2.9) \quad 0 = T[[w]_2] + T[[1w]_2] + T[[11w]_2] + T[[101w]_2] + T[[1000w]_2],$$

$$(2.10) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[11w]_2] + T[[100w]_2] + T[[1001w]_2],$$

$$(2.11) \quad 0 = T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[101w]_2] + T[[1010w]_2],$$

$$0 = T[[w]_2] + T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[100w]_2]$$

$$(2.12) \quad + T[[101w]_2] + T[[1011w]_2],$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$(2.13) \quad 0 = T[[1w]_2] + T[[11w]_2] + T[[110w]_2],$$

$$(2.14) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[100w]_2] + T[[111w]_2],$$

$$(2.15) \quad 0 = T[[w]_2] + T[[1w]_2] + T[[11w]_2] + T[[101w]_2] + T[[1000w]_2],$$

$$(2.16) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[11w]_2] + T[[100w]_2] + T[[1001w]_2],$$

$$(2.17) \quad 0 = T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[101w]_2] + T[[1010w]_2],$$

$$0 = T[[w]_2] + T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[100w]_2]$$

$$(2.18) \quad + T[[101w]_2] + T[[1011w]_2],$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 923 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.18) can be written as

$$(2.19) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 110)),$$

$$(2.20) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 111)),$$

$$0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 101))$$

$$(2.21) \quad + \tau(A(s, 1000)),$$

$$0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 100))$$

$$(2.22) \quad + \tau(A(s, 1001)),$$

$$0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 101))$$

$$(2.23) \quad + \tau(A(s, 1010)),$$

$$0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 100))$$

$$(2.24) \quad + \tau(A(s, 101)) + \tau(A(s, 1011)),$$

for all $s \in E_{2k}$, and

$$(2.25) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 110)),$$

$$(2.26) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 111)),$$

$$0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 101))$$

$$(2.27) \quad + \tau(A(s, 1000)),$$

$$0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 100))$$

$$(2.28) \quad + \tau(A(s, 1001)),$$

$$0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 101))$$

$$(2.29) \quad + \tau(A(s, 1010)),$$

$$0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 100))$$

$$(2.30) \quad + \tau(A(s, 101)) + \tau(A(s, 1011)),$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{18}), E_{18}) = (A(i, 0^{16}), E_{16})$, so that we only have to verify that identities (2.19) through (2.30) hold for $2 \leq k \leq 9$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$\begin{aligned} M_{2k} &= M^e[:6u] + x^{3u}M^e[:3u] + x^{5u}M^e[:u] + x^{6u}R^e, \\ W_{2k} &= W^e[:6u] + x^{3u}W^e[:3u] + x^{5u}W^e[:u] + x^{6u}R^e. \end{aligned}$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$\begin{aligned} M_{2k+1} &= M^o[:6u] + x^{3u}M^o[:3u] + x^{5u}M^o[:u] + x^{6u}R^o, \\ W_{2k+1} &= W^o[:6u] + x^{3u}W^o[:3u] + x^{5u}W^o[:u] + x^{6u}R^o. \end{aligned}$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$\begin{aligned} M_{2k} \wedge W_{2k} &\Rightarrow M_{2k+1} \wedge W_{2k+1}, \\ M_{2k+1} \wedge W_{2k+1} &\Rightarrow M_{2k+2} \wedge W_{2k+2}. \end{aligned}$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$\begin{aligned} (2.31) \quad W_{2k}M_{2k} &= (W^e[:6v] + x^{3v}W^e[:3v] + x^{5v}W^e[:v] + x^{6v}R^e) \times (M^e[:6v] \\ &\quad + x^{3v}M^e[:3v] + x^{5v}M^e[:v] + x^{6v}R^e); \end{aligned}$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{12v}R^o$. Therefore we only need to prove that their difference is $O(x^{12v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{12v} , to

$$W^e[:12v]M^e[:12v] + x^{6v}W^e[:6v]M^e[:6v] + x^{10v}W^e[:2v]M^e[:2v].$$

For all $n \leq 12$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.31) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{12}, b_1, \dots, b_{12}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{12})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned}\lim_{n \rightarrow \infty} M_{2n,j,k} &= M_{j,k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1,j,k} &= M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} &= W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} &= W_{j,k}^o.\end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12} \phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e/M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$\begin{aligned}q_0(x) &= x^{20} + x^{19} + x^{17} + x^{16} + x^{14} + x^{13} + x^{11} + x^9 + x^6, \\ q_1(x) &= x^{18} + x^{16} + x^{12} + x^{11} + x^{10} + x^9 + x^8 + x^5 + x^3 + x, \\ q_2(x) &= x^{16} + x^{12} + x^8 + x^2 + 1, \\ q_3(x) &= x^{18} + x^{16} + x^{12} + x^{11} + x^{10} + x^9 + x^8 + x^5 + x^3 + x, \\ q_4(x) &= x^{19} + x^{17} + x^{16} + x^{14} + x^{13} + x^{12} + x^{11} + x^9 + x^6 + x^4 + x^2.\end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 186, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 186, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned}p_0(x) &= x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{82} + x^{78} + x^{76} + x^{72} + x^{68} + x^{62} \\ &\quad + x^{58} + x^{54} + x^{50} + x^{48} + x^{44} + x^{36} + x^{32} + x^{30} + x^{26} + x^{24} + x^{22} \\ &\quad + x^{20} + x^{18} + x^{12},\end{aligned}$$

$$\begin{aligned}
p_3(x) &= x^{88} + x^{84} + x^{82} + x^{76} + x^{72} + x^{66} + x^{62} + x^{60} + x^{58} + x^{50} + x^{46} \\
&\quad + x^{42} + x^{40} + x^{38} + x^{34} + x^{28} + x^{26} + x^{24} + x^{20} + x^{18} + x^{14} + x^{12} \\
&\quad + x^{10} + x^8, \\
p_6(x) &= x^{88} + x^{80} + x^{78} + x^{76} + x^{70} + x^{68} + x^{62} + x^{60} + x^{58} + x^{56} + x^{52} \\
&\quad + x^{46} + x^{32} + x^{30} + x^{22} + x^{18} + x^{12} + x^8 + x^2 + 1, \\
p_9(x) &= x^{86} + x^{84} + x^{82} + x^{76} + x^{74} + x^{72} + x^{70} + x^{68} + x^{64} + x^{54} + x^{52} \\
&\quad + x^{50} + x^{44} + x^{42} + x^{32} + x^{30} + x^{28} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} \\
&\quad + x^{12} + x^8 + x^4 + x^2, \\
p_{12}(x) &= x^{86} + x^{84} + x^{80} + x^{70} + x^{68} + x^{64} + x^{38} + x^{36} + x^{32} + x^{22} + x^{20} \\
&\quad + x^{16} + x^6 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 1, 0, 1, 0, 0, 0, 0, 0, 1, 0, 0, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{106} + x^{105} + x^{97} + x^{95} + x^{94} + x^{93} + x^{90} + x^{86} + x^{85} + x^{84} \\
&\quad + x^{82} + x^{81} + x^{79} + x^{78} + x^{77} + x^{76} + x^{75} + x^{74} + x^{72} + x^{70} + x^{69} \\
&\quad + x^{68} + x^{65} + x^{64} + x^{63} + x^{62} + x^{61} + x^{58} + x^{57} + x^{56} + x^{55} + x^{49} \\
&\quad + x^{46} + x^{45} + x^{40} + x^{38} + x^{36} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{28} \\
&\quad + x^{24}, \\
p_3(x) &= x^{101} + x^{100} + x^{99} + x^{96} + x^{95} + x^{92} + x^{91} + x^{89} + x^{87} + x^{86} + x^{84} \\
&\quad + x^{81} + x^{69} + x^{68} + x^{67} + x^{64} + x^{63} + x^{60} + x^{59} + x^{57} + x^{55} + x^{54} \\
&\quad + x^{52} + x^{49} + x^{37} + x^{36} + x^{35} + x^{32} + x^{31} + x^{29} + x^{25} + x^{24} + x^{22} \\
&\quad + x^{19} + x^{15} + x^{14} + x^{12} + x^9, \\
p_6(x) &= x^{99} + x^{98} + x^{96} + x^{91} + x^{90} + x^{88} + x^{85} + x^{84} + x^{83} + x^{80} + x^{77} \\
&\quad + x^{76} + x^{74} + x^{69} + x^{68} + x^{66} + x^{63} + x^{62} + x^{60} + x^{59} + x^{58} + x^{56} \\
&\quad + x^{55} + x^{54} + x^{52} + x^{51} + x^{50} + x^{49} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} \\
&\quad + x^{40} + x^{39} + x^{37} + x^{35} + x^{32} + x^{31} + x^{30} + x^{28} + x^{27} + x^{26} + x^{25} \\
&\quad + x^{23} + x^{21} + x^{18} + x^{17} + x^{16} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8 + x^6, \\
p_9(x) &= x^{97} + x^{96} + x^{95} + x^{93} + x^{89} + x^{88} + x^{87} + x^{85} + x^{81} + x^{80} + x^{78} \\
&\quad + x^{75} + x^{69} + x^{68} + x^{67} + x^{64} + x^{63} + x^{61} + x^{57} + x^{56} + x^{55} + x^{53} \\
&\quad + x^{51} + x^{50} + x^{48} + x^{47} + x^{46} + x^{42} + x^{41} + x^{39} + x^{33} + x^{32} + x^{31} \\
&\quad + x^{28} + x^{26} + x^{23} + x^{19} + x^{18} + x^{17} + x^{14} + x^{12} + x^{11} + x^{10} + x^9 \\
&\quad + x^8 + x^7 + x^6 + x^3, \\
p_{12}(x) &= x^{95} + x^{94} + x^{92} + x^{91} + x^{90} + x^{88} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} \\
&\quad + x^{76} + x^{75} + x^{74} + x^{72} + x^{67} + x^{66} + x^{64} + x^{47} + x^{46} + x^{44} + x^{43} \\
&\quad + x^{42} + x^{40} + x^{35} + x^{34} + x^{32} + x^{31} + x^{30} + x^{28} + x^{27} + x^{26} + x^{24} \\
&\quad + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} + x^8 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 0, 0, 1, 1, 1, 0, 0, 0, 1, 0]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{106} + x^{105} + x^{97} + x^{95} + x^{94} + x^{93} + x^{90} + x^{86} + x^{85} + x^{84} \\
&\quad + x^{82} + x^{81} + x^{79} + x^{78} + x^{77} + x^{76} + x^{75} + x^{74} + x^{72} + x^{70} + x^{69} \\
&\quad + x^{68} + x^{65} + x^{64} + x^{63} + x^{62} + x^{61} + x^{58} + x^{57} + x^{56} + x^{55} + x^{49} \\
&\quad + x^{46} + x^{45} + x^{40} + x^{38} + x^{36} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{28} \\
&\quad + x^{24}, \\
p_3(x) &= x^{101} + x^{100} + x^{99} + x^{96} + x^{95} + x^{92} + x^{91} + x^{89} + x^{87} + x^{86} + x^{84} \\
&\quad + x^{81} + x^{69} + x^{68} + x^{67} + x^{64} + x^{63} + x^{60} + x^{59} + x^{57} + x^{55} + x^{54} \\
&\quad + x^{52} + x^{49} + x^{37} + x^{36} + x^{35} + x^{32} + x^{31} + x^{29} + x^{25} + x^{24} + x^{22} \\
&\quad + x^{19} + x^{15} + x^{14} + x^{12} + x^9, \\
p_6(x) &= x^{99} + x^{98} + x^{96} + x^{91} + x^{90} + x^{88} + x^{85} + x^{84} + x^{83} + x^{80} + x^{77} \\
&\quad + x^{76} + x^{74} + x^{69} + x^{68} + x^{66} + x^{63} + x^{62} + x^{60} + x^{59} + x^{58} + x^{56} \\
&\quad + x^{55} + x^{54} + x^{52} + x^{51} + x^{50} + x^{49} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} \\
&\quad + x^{40} + x^{39} + x^{37} + x^{35} + x^{32} + x^{31} + x^{30} + x^{28} + x^{27} + x^{26} + x^{25} \\
&\quad + x^{23} + x^{21} + x^{18} + x^{17} + x^{16} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8 + x^6, \\
p_9(x) &= x^{97} + x^{96} + x^{95} + x^{93} + x^{89} + x^{88} + x^{87} + x^{85} + x^{81} + x^{80} + x^{78} \\
&\quad + x^{75} + x^{69} + x^{68} + x^{67} + x^{64} + x^{63} + x^{61} + x^{57} + x^{56} + x^{55} + x^{53} \\
&\quad + x^{51} + x^{50} + x^{48} + x^{47} + x^{46} + x^{42} + x^{41} + x^{39} + x^{33} + x^{32} + x^{31} \\
&\quad + x^{28} + x^{26} + x^{23} + x^{19} + x^{18} + x^{17} + x^{14} + x^{12} + x^{11} + x^{10} + x^9 \\
&\quad + x^8 + x^7 + x^6 + x^3, \\
p_{12}(x) &= x^{95} + x^{94} + x^{92} + x^{91} + x^{90} + x^{88} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} \\
&\quad + x^{76} + x^{75} + x^{74} + x^{72} + x^{67} + x^{66} + x^{64} + x^{47} + x^{46} + x^{44} + x^{43} \\
&\quad + x^{42} + x^{40} + x^{35} + x^{34} + x^{32} + x^{31} + x^{30} + x^{28} + x^{27} + x^{26} + x^{24} \\
&\quad + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} + x^8 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 0, 0, 1, 1, 1, 0, 0, 0, 1, 0]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{120} + x^{118} + x^{116} + x^{112} + x^{110} + x^{108} + x^{100} + x^{98} + x^{96} + x^{94} \\
&\quad + x^{92} + x^{86} + x^{84} + x^{82} + x^{78} + x^{76} + x^{74} + x^{72} + x^{70} + x^{66} + x^{64} \\
&\quad + x^{62} + x^{54} + x^{52} + x^{50} + x^{48} + x^{46} + x^{42} + x^{36}, \\
p_3(x) &= x^{108} + x^{106} + x^{100} + x^{94} + x^{90} + x^{86} + x^{84} + x^{82} + x^{80} + x^{76} + x^{74} \\
&\quad + x^{68} + x^{62} + x^{58} + x^{48} + x^{38} + x^{34} + x^{18} + x^{16} + x^{14} + x^8 + x^6, \\
p_6(x) &= x^{108} + x^{106} + x^{104} + x^{102} + x^{100} + x^{98} + x^{96} + x^{94} + x^{88} + x^{86} + x^{84} \\
&\quad + x^{82} + x^{78} + x^{74} + x^{72} + x^{68} + x^{66} + x^{60} + x^{58} + x^{54} + x^{48} + x^{44} \\
&\quad + x^{30} + x^{20} + x^{18} + x^{16} + x^{12} + x^6 + x^2 + 1,
\end{aligned}$$

$$\begin{aligned}
p_9(x) &= x^{104} + x^{100} + x^{96} + x^{88} + x^{86} + x^{82} + x^{74} + x^{68} + x^{58} + x^{56} + x^{44} \\
&\quad + x^{42} + x^{40} + x^{38} + x^{34} + x^{32} + x^{30} + x^{28} + x^{26} + x^{24} + x^{22} + x^{20} \\
&\quad + x^{14} + x^{12} + x^8 + x^6 + x^4 + x^2, \\
p_{12}(x) &= x^{104} + x^{96} + x^{88} + x^{64} + x^{56} + x^{48} + x^{40} + x^{24} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{120} + x^{118} + x^{116} + x^{110} + x^{104} + x^{102} + x^{94} + x^{90} + x^{88} + x^{84} \\
&\quad + x^{80} + x^{78} + x^{76} + x^{74} + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} + x^{60} + x^{54} \\
&\quad + x^{52} + x^{50} + x^{48} + x^{40} + x^{34} + x^{30} + x^{28} + x^{26} + x^{20} + x^{12}, \\
p_3(x) &= x^{108} + x^{106} + x^{96} + x^{94} + x^{92} + x^{90} + x^{84} + x^{78} + x^{74} + x^{68} + x^{66} \\
&\quad + x^{64} + x^{60} + x^{58} + x^{52} + x^{50} + x^{48} + x^{46} + x^{44} + x^{40} + x^{34} + x^{32} \\
&\quad + x^{30} + x^{26} + x^{20} + x^{16} + x^{14} + x^8, \\
p_6(x) &= x^{108} + x^{106} + x^{104} + x^{102} + x^{98} + x^{96} + x^{94} + x^{92} + x^{88} + x^{84} + x^{76} \\
&\quad + x^{74} + x^{72} + x^{62} + x^{58} + x^{54} + x^{50} + x^{48} + x^{46} + x^{38} + x^{36} + x^{26} \\
&\quad + x^{16} + x^4 + x^2 + 1, \\
p_9(x) &= x^{104} + x^{100} + x^{96} + x^{88} + x^{86} + x^{82} + x^{74} + x^{68} + x^{58} + x^{56} + x^{44} \\
&\quad + x^{42} + x^{40} + x^{38} + x^{34} + x^{32} + x^{30} + x^{28} + x^{26} + x^{24} + x^{22} + x^{20} \\
&\quad + x^{14} + x^{12} + x^8 + x^6 + x^4 + x^2, \\
p_{12}(x) &= x^{104} + x^{96} + x^{88} + x^{64} + x^{56} + x^{48} + x^{40} + x^{24} + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{106} + x^{104} + x^{103} + x^{102} + x^{101} + x^{99} + x^{97} + x^{96} + x^{94} \\
&\quad + x^{93} + x^{92} + x^{91} + x^{87} + x^{84} + x^{83} + x^{82} + x^{81} + x^{79} + x^{77} + x^{76} \\
&\quad + x^{75} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{66} + x^{65} + x^{63} + x^{60} + x^{58} \\
&\quad + x^{56} + x^{53} + x^{52} + x^{49} + x^{48} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{39} \\
&\quad + x^{38} + x^{36} + x^{31} + x^{28} + x^{27} + x^{26} + x^{25} + x^{22} + x^{21} + x^{18}, \\
p_3(x) &= x^{101} + x^{100} + x^{99} + x^{96} + x^{95} + x^{92} + x^{91} + x^{89} + x^{87} + x^{86} + x^{84} \\
&\quad + x^{81} + x^{69} + x^{68} + x^{67} + x^{64} + x^{63} + x^{60} + x^{59} + x^{57} + x^{55} + x^{54} \\
&\quad + x^{52} + x^{49} + x^{37} + x^{36} + x^{35} + x^{32} + x^{31} + x^{29} + x^{25} + x^{24} + x^{22} \\
&\quad + x^{19} + x^{15} + x^{14} + x^{12} + x^9, \\
p_6(x) &= x^{99} + x^{98} + x^{96} + x^{91} + x^{90} + x^{88} + x^{85} + x^{84} + x^{83} + x^{80} + x^{77} \\
&\quad + x^{76} + x^{74} + x^{69} + x^{68} + x^{66} + x^{63} + x^{62} + x^{60} + x^{59} + x^{58} + x^{56} \\
&\quad + x^{55} + x^{54} + x^{52} + x^{51} + x^{50} + x^{49} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} \\
&\quad + x^{40} + x^{39} + x^{37} + x^{35} + x^{32} + x^{31} + x^{30} + x^{28} + x^{27} + x^{26} + x^{25} \\
&\quad + x^{23} + x^{21} + x^{18} + x^{17} + x^{16} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8 + x^6,
\end{aligned}$$

$$\begin{aligned}
p_9(x) &= x^{97} + x^{96} + x^{95} + x^{93} + x^{89} + x^{88} + x^{87} + x^{85} + x^{81} + x^{80} + x^{78} \\
&\quad + x^{75} + x^{69} + x^{68} + x^{67} + x^{64} + x^{63} + x^{61} + x^{57} + x^{56} + x^{55} + x^{53} \\
&\quad + x^{51} + x^{50} + x^{48} + x^{47} + x^{46} + x^{42} + x^{41} + x^{39} + x^{33} + x^{32} + x^{31} \\
&\quad + x^{28} + x^{26} + x^{23} + x^{19} + x^{18} + x^{17} + x^{14} + x^{12} + x^{11} + x^{10} + x^9 \\
&\quad + x^8 + x^7 + x^6 + x^3, \\
p_{12}(x) &= x^{95} + x^{94} + x^{92} + x^{91} + x^{90} + x^{88} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} \\
&\quad + x^{76} + x^{75} + x^{74} + x^{72} + x^{67} + x^{66} + x^{64} + x^{47} + x^{46} + x^{44} + x^{43} \\
&\quad + x^{42} + x^{40} + x^{35} + x^{34} + x^{32} + x^{31} + x^{30} + x^{28} + x^{27} + x^{26} + x^{24} \\
&\quad + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} + x^8 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 0, 0, 1, 0, 1, 0, 1, 1, 1, 0, 1, 0, 1]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{106} + x^{104} + x^{103} + x^{102} + x^{101} + x^{99} + x^{97} + x^{96} + x^{94} \\
&\quad + x^{93} + x^{92} + x^{91} + x^{87} + x^{84} + x^{83} + x^{82} + x^{81} + x^{79} + x^{77} + x^{76} \\
&\quad + x^{75} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{66} + x^{65} + x^{63} + x^{60} + x^{58} \\
&\quad + x^{56} + x^{53} + x^{52} + x^{49} + x^{48} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{39} \\
&\quad + x^{38} + x^{36} + x^{31} + x^{28} + x^{27} + x^{26} + x^{25} + x^{22} + x^{21} + x^{18}, \\
p_3(x) &= x^{101} + x^{100} + x^{99} + x^{96} + x^{95} + x^{92} + x^{91} + x^{89} + x^{87} + x^{86} + x^{84} \\
&\quad + x^{81} + x^{69} + x^{68} + x^{67} + x^{64} + x^{63} + x^{60} + x^{59} + x^{57} + x^{55} + x^{54} \\
&\quad + x^{52} + x^{49} + x^{37} + x^{36} + x^{35} + x^{32} + x^{31} + x^{29} + x^{25} + x^{24} + x^{22} \\
&\quad + x^{19} + x^{15} + x^{14} + x^{12} + x^9, \\
p_6(x) &= x^{99} + x^{98} + x^{96} + x^{91} + x^{90} + x^{88} + x^{85} + x^{84} + x^{83} + x^{80} + x^{77} \\
&\quad + x^{76} + x^{74} + x^{69} + x^{68} + x^{66} + x^{63} + x^{62} + x^{60} + x^{59} + x^{58} + x^{56} \\
&\quad + x^{55} + x^{54} + x^{52} + x^{51} + x^{50} + x^{49} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} \\
&\quad + x^{40} + x^{39} + x^{37} + x^{35} + x^{32} + x^{31} + x^{30} + x^{28} + x^{27} + x^{26} + x^{25} \\
&\quad + x^{23} + x^{21} + x^{18} + x^{17} + x^{16} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8 + x^6, \\
p_9(x) &= x^{97} + x^{96} + x^{95} + x^{93} + x^{89} + x^{88} + x^{87} + x^{85} + x^{81} + x^{80} + x^{78} \\
&\quad + x^{75} + x^{69} + x^{68} + x^{67} + x^{64} + x^{63} + x^{61} + x^{57} + x^{56} + x^{55} + x^{53} \\
&\quad + x^{51} + x^{50} + x^{48} + x^{47} + x^{46} + x^{42} + x^{41} + x^{39} + x^{33} + x^{32} + x^{31} \\
&\quad + x^{28} + x^{26} + x^{23} + x^{19} + x^{18} + x^{17} + x^{14} + x^{12} + x^{11} + x^{10} + x^9 \\
&\quad + x^8 + x^7 + x^6 + x^3, \\
p_{12}(x) &= x^{95} + x^{94} + x^{92} + x^{91} + x^{90} + x^{88} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} \\
&\quad + x^{76} + x^{75} + x^{74} + x^{72} + x^{67} + x^{66} + x^{64} + x^{47} + x^{46} + x^{44} + x^{43} \\
&\quad + x^{42} + x^{40} + x^{35} + x^{34} + x^{32} + x^{31} + x^{30} + x^{28} + x^{27} + x^{26} + x^{24} \\
&\quad + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} + x^8 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 0, 0, 1, 0, 1, 0, 1, 1, 1, 0, 1, 0, 1]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{96} + x^{94} + x^{92} + x^{80} + x^{76} + x^{74} + x^{72} + x^{68} + x^{66} + x^{64} + x^{62} \\
&\quad + x^{60} + x^{52} + x^{50} + x^{48} + x^{46} + x^{38} + x^{30} + x^{24}, \\
p_3(x) &= x^{88} + x^{84} + x^{80} + x^{78} + x^{76} + x^{70} + x^{62} + x^{60} + x^{56} + x^{52} + x^{48} \\
&\quad + x^{44} + x^{38} + x^{30} + x^{24} + x^{14} + x^8 + x^6, \\
p_6(x) &= x^{88} + x^{82} + x^{78} + x^{70} + x^{66} + x^{64} + x^{62} + x^{60} + x^{54} + x^{52} + x^{48} \\
&\quad + x^{46} + x^{44} + x^{40} + x^{38} + x^{34} + x^{28} + x^{24} + x^{22} + x^{18} + x^{16} + x^{12} \\
&\quad + x^6 + x^4 + x^2 + 1, \\
p_9(x) &= x^{86} + x^{84} + x^{82} + x^{76} + x^{74} + x^{72} + x^{70} + x^{68} + x^{64} + x^{54} + x^{52} \\
&\quad + x^{50} + x^{44} + x^{42} + x^{32} + x^{30} + x^{28} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} \\
&\quad + x^{12} + x^8 + x^4 + x^2, \\
p_{12}(x) &= x^{86} + x^{84} + x^{80} + x^{70} + x^{68} + x^{64} + x^{38} + x^{36} + x^{32} + x^{22} + x^{20} \\
&\quad + x^{16} + x^6 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 0, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{106} + x^{105} + x^{104} + x^{103} + x^{100} + x^{99} + x^{96} + x^{95} + x^{93} \\
&\quad + x^{92} + x^{89} + x^{86} + x^{85} + x^{83} + x^{82} + x^{78} + x^{77} + x^{71} + x^{70} + x^{68} \\
&\quad + x^{66} + x^{65} + x^{64} + x^{63} + x^{62} + x^{58} + x^{57} + x^{52} + x^{48} + x^{46} + x^{44} \\
&\quad + x^{43} + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{34} + x^{32} + x^{31} + x^{28} \\
&\quad + x^{27} + x^{22} + x^{21} + x^{19} + x^{18} + x^{17} + x^{15} + x^{12}, \\
p_3(x) &= x^{103} + x^{100} + x^{98} + x^{94} + x^{93} + x^{92} + x^{90} + x^{88} + x^{86} + x^{79} + x^{78} \\
&\quad + x^{76} + x^{71} + x^{69} + x^{67} + x^{66} + x^{65} + x^{61} + x^{60} + x^{59} + x^{57} + x^{56} \\
&\quad + x^{55} + x^{54} + x^{52} + x^{51} + x^{50} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} + x^{40} \\
&\quad + x^{35} + x^{33} + x^{30} + x^{26} + x^{25} + x^{22} + x^{21} + x^{20} + x^{19} + x^{15} + x^{13} \\
&\quad + x^{11} + x^8, \\
p_6(x) &= x^{103} + x^{100} + x^{98} + x^{93} + x^{92} + x^{91} + x^{90} + x^{87} + x^{85} + x^{83} + x^{82} \\
&\quad + x^{77} + x^{76} + x^{75} + x^{71} + x^{69} + x^{67} + x^{66} + x^{65} + x^{62} + x^{61} + x^{60} \\
&\quad + x^{59} + x^{58} + x^{57} + x^{52} + x^{51} + x^{49} + x^{48} + x^{46} + x^{45} + x^{43} + x^{38} \\
&\quad + x^{37} + x^{36} + x^{33} + x^{32} + x^{29} + x^{26} + x^{24} + x^{23} + x^{17} + x^{15} + x^{14} \\
&\quad + x^{13} + x^{12} + x^{11} + x^{10} + x^9 + x^7 + x^4 + x^3 + x^2 + 1, \\
p_9(x) &= x^{103} + x^{102} + x^{100} + x^{99} + x^{98} + x^{96} + x^{95} + x^{94} + x^{92} + x^{83} + x^{82} \\
&\quad + x^{80} + x^{79} + x^{78} + x^{76} + x^{71} + x^{70} + x^{68} + x^{55} + x^{54} + x^{52} + x^{51} \\
&\quad + x^{50} + x^{48} + x^{47} + x^{46} + x^{44} + x^{35} + x^{34} + x^{32} + x^{31} + x^{30} + x^{28} \\
&\quad + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12} + x^7 + x^6 + x^4, \\
p_{12}(x) &= x^{103} + x^{102} + x^{100} + x^{99} + x^{98} + x^{96} + x^{91} + x^{90} + x^{88} + x^{75} + x^{74}
\end{aligned}$$

$$\begin{aligned}
& + x^{72} + x^{71} + x^{70} + x^{68} + x^{67} + x^{66} + x^{64} + x^{55} + x^{54} + x^{52} + x^{51} \\
& + x^{50} + x^{48} + x^{43} + x^{42} + x^{40} + x^{27} + x^{26} + x^{24} + x^{11} + x^{10} + x^8 \\
& + x^7 + x^6 + x^4 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 0, 0, 1, 0, 1, 1, 0, 1, 0, 1, 0, 0]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{120} + x^{118} + x^{115} + x^{113} + x^{111} + x^{103} + x^{102} + x^{101} + x^{96} + x^{94} \\
&+ x^{91} + x^{88} + x^{83} + x^{81} + x^{77} + x^{75} + x^{74} + x^{72} + x^{68} + x^{65} + x^{64} \\
&+ x^{57} + x^{56} + x^{55} + x^{53} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} \\
&+ x^{43} + x^{42} + x^{36} + x^{35} + x^{33} + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} + x^{24}, \\
p_3(x) &= x^{106} + x^{104} + x^{102} + x^{99} + x^{97} + x^{96} + x^{95} + x^{94} + x^{92} + x^{89} + x^{88} \\
&+ x^{87} + x^{85} + x^{81} + x^{74} + x^{72} + x^{70} + x^{67} + x^{65} + x^{64} + x^{63} + x^{62} \\
&+ x^{60} + x^{57} + x^{56} + x^{55} + x^{53} + x^{49} + x^{42} + x^{40} + x^{38} + x^{35} + x^{34} \\
&+ x^{33} + x^{31} + x^{28} + x^{27} + x^{22} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^9, \\
p_6(x) &= x^{108} + x^{104} + x^{100} + x^{94} + x^{92} + x^{90} + x^{86} + x^{80} + x^{78} + x^{72} + x^{66} \\
&+ x^{60} + x^{58} + x^{52} + x^{46} + x^{38} + x^{36} + x^{32} + x^{24} + x^{22} + x^{20} + x^{18} \\
&+ x^{10} + x^6, \\
p_9(x) &= x^{110} + x^{108} + x^{104} + x^{103} + x^{101} + x^{97} + x^{96} + x^{92} + x^{90} + x^{89} + x^{88} \\
&+ x^{85} + x^{83} + x^{81} + x^{80} + x^{78} + x^{74} + x^{73} + x^{71} + x^{67} + x^{62} + x^{60} \\
&+ x^{56} + x^{55} + x^{53} + x^{49} + x^{48} + x^{44} + x^{42} + x^{41} + x^{40} + x^{37} + x^{35} \\
&+ x^{33} + x^{32} + x^{28} + x^{26} + x^{25} + x^{24} + x^{21} + x^{19} + x^{17} + x^{16} + x^{14} \\
&+ x^{10} + x^9 + x^7 + x^3, \\
p_{12}(x) &= x^{112} + x^{104} + x^{88} + x^{84} + x^{68} + x^{56} + x^{40} + x^{36} + x^{32} + x^{24} + x^{20} \\
&+ x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 0, 0, 1, 0, 1, 1, 1, 0, 0, 0]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{102} + x^{99} + x^{97} + x^{96} + x^{95} + x^{93} + x^{92} + x^{90} + x^{87} + x^{86} + x^{84} \\
&+ x^{83} + x^{82} + x^{81} + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} + x^{72} + x^{63} + x^{61} \\
&+ x^{60} + x^{58} + x^{55} + x^{54} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} + x^{43} \\
&+ x^{40} + x^{39} + x^{37} + x^{36} + x^{33} + x^{32} + x^{30} + x^{27} + x^{25} + x^{24} + x^{23} \\
&+ x^{18}, \\
p_3(x) &= x^{94} + x^{92} + x^{88} + x^{87} + x^{85} + x^{81} + x^{62} + x^{60} + x^{56} + x^{55} + x^{53} \\
&+ x^{49} + x^{30} + x^{28} + x^{24} + x^{23} + x^{22} + x^{21} + x^{20} + x^{17} + x^{16} + x^{15} \\
&+ x^{13} + x^9, \\
p_6(x) &= x^{96} + x^{88} + x^{82} + x^{80} + x^{74} + x^{66} + x^{60} + x^{56} + x^{52} + x^{48} + x^{46} \\
&+ x^{42} + x^{38} + x^{36} + x^{34} + x^{32} + x^{28} + x^{24} + x^{22} + x^{20} + x^{18} + x^{14}
\end{aligned}$$

$$\begin{aligned}
& + x^{10} + x^6, \\
p_9(x) &= x^{98} + x^{96} + x^{94} + x^{91} + x^{90} + x^{89} + x^{87} + x^{83} + x^{82} + x^{80} + x^{78} \\
& + x^{75} + x^{74} + x^{73} + x^{71} + x^{67} + x^{50} + x^{48} + x^{46} + x^{43} + x^{42} + x^{41} \\
& + x^{39} + x^{35} + x^{34} + x^{32} + x^{30} + x^{27} + x^{26} + x^{25} + x^{23} + x^{19} + x^{18} \\
& + x^{16} + x^{14} + x^{11} + x^{10} + x^9 + x^7 + x^3, \\
p_{12}(x) &= x^{100} + x^{96} + x^{88} + x^{72} + x^{68} + x^{64} + x^{52} + x^{48} + x^{40} + x^{24} + x^8 + x^4 \\
& + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 1, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 1]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{106} + x^{102} + x^{99} + x^{98} + x^{96} + x^{94} + x^{92} + x^{84} + x^{83} + x^{81} \\
& + x^{79} + x^{78} + x^{77} + x^{76} + x^{74} + x^{73} + x^{72} + x^{71} + x^{68} + x^{66} + x^{64} \\
& + x^{63} + x^{61} + x^{60} + x^{59} + x^{57} + x^{55} + x^{53} + x^{47} + x^{45} + x^{43} + x^{42} \\
& + x^{35} + x^{30}, \\
p_3(x) &= x^{103} + x^{100} + x^{99} + x^{96} + x^{95} + x^{93} + x^{91} + x^{86} + x^{85} + x^{84} + x^{83} \\
& + x^{80} + x^{79} + x^{78} + x^{76} + x^{71} + x^{69} + x^{65} + x^{64} + x^{63} + x^{62} + x^{61} \\
& + x^{58} + x^{57} + x^{55} + x^{54} + x^{53} + x^{50} + x^{47} + x^{46} + x^{44} + x^{41} + x^{40} \\
& + x^{34} + x^{33} + x^{32} + x^{31} + x^{28} + x^{26} + x^{25} + x^{23} + x^{20} + x^{19} + x^{18} \\
& + x^{15} + x^{12}, \\
p_6(x) &= x^{103} + x^{100} + x^{99} + x^{96} + x^{95} + x^{94} + x^{93} + x^{91} + x^{90} + x^{86} + x^{82} \\
& + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} + x^{74} + x^{71} + x^{68} + x^{66} + x^{65} + x^{64} \\
& + x^{63} + x^{61} + x^{59} + x^{58} + x^{57} + x^{55} + x^{54} + x^{50} + x^{48} + x^{47} + x^{46} \\
& + x^{43} + x^{42} + x^{41} + x^{40} + x^{35} + x^{33} + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} \\
& + x^{25} + x^{24} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} + x^{15} + x^{10} + x^3 + x^2 + 1, \\
p_9(x) &= x^{103} + x^{102} + x^{100} + x^{99} + x^{98} + x^{96} + x^{95} + x^{94} + x^{92} + x^{83} + x^{82} \\
& + x^{80} + x^{79} + x^{78} + x^{76} + x^{71} + x^{70} + x^{68} + x^{55} + x^{54} + x^{52} + x^{51} \\
& + x^{50} + x^{48} + x^{47} + x^{46} + x^{44} + x^{35} + x^{34} + x^{32} + x^{31} + x^{30} + x^{28} \\
& + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12} + x^7 + x^6 + x^4, \\
p_{12}(x) &= x^{103} + x^{102} + x^{100} + x^{99} + x^{98} + x^{96} + x^{91} + x^{90} + x^{88} + x^{75} + x^{74} \\
& + x^{72} + x^{71} + x^{70} + x^{68} + x^{67} + x^{66} + x^{64} + x^{55} + x^{54} + x^{52} + x^{51} \\
& + x^{50} + x^{48} + x^{43} + x^{42} + x^{40} + x^{27} + x^{26} + x^{24} + x^{11} + x^{10} + x^8 \\
& + x^7 + x^6 + x^4 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 0, 1, 0, 1, 1, 0]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{106} + x^{105} + x^{104} + x^{103} + x^{100} + x^{99} + x^{96} + x^{95} + x^{93} \\
& + x^{92} + x^{89} + x^{86} + x^{85} + x^{83} + x^{82} + x^{78} + x^{77} + x^{71} + x^{70} + x^{68}
\end{aligned}$$

$$\begin{aligned}
& + x^{66} + x^{65} + x^{64} + x^{63} + x^{62} + x^{58} + x^{57} + x^{52} + x^{48} + x^{46} + x^{44} \\
& + x^{43} + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{34} + x^{32} + x^{31} + x^{28} \\
& + x^{27} + x^{22} + x^{21} + x^{19} + x^{18} + x^{17} + x^{15} + x^{12}, \\
p_3(x) = & x^{103} + x^{100} + x^{98} + x^{94} + x^{93} + x^{92} + x^{90} + x^{88} + x^{86} + x^{79} + x^{78} \\
& + x^{76} + x^{71} + x^{69} + x^{67} + x^{66} + x^{65} + x^{61} + x^{60} + x^{59} + x^{57} + x^{56} \\
& + x^{55} + x^{54} + x^{52} + x^{51} + x^{50} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} + x^{40} \\
& + x^{35} + x^{33} + x^{30} + x^{26} + x^{25} + x^{22} + x^{21} + x^{20} + x^{19} + x^{15} + x^{13} \\
& + x^{11} + x^8, \\
p_6(x) = & x^{103} + x^{100} + x^{98} + x^{93} + x^{92} + x^{91} + x^{90} + x^{87} + x^{85} + x^{83} + x^{82} \\
& + x^{77} + x^{76} + x^{75} + x^{71} + x^{69} + x^{67} + x^{66} + x^{65} + x^{62} + x^{61} + x^{60} \\
& + x^{59} + x^{58} + x^{57} + x^{52} + x^{51} + x^{49} + x^{48} + x^{46} + x^{45} + x^{43} + x^{38} \\
& + x^{37} + x^{36} + x^{33} + x^{32} + x^{29} + x^{26} + x^{24} + x^{23} + x^{17} + x^{15} + x^{14} \\
& + x^{13} + x^{12} + x^{11} + x^{10} + x^9 + x^7 + x^4 + x^3 + x^2 + 1, \\
p_9(x) = & x^{103} + x^{102} + x^{100} + x^{99} + x^{98} + x^{96} + x^{95} + x^{94} + x^{92} + x^{83} + x^{82} \\
& + x^{80} + x^{79} + x^{78} + x^{76} + x^{71} + x^{70} + x^{68} + x^{55} + x^{54} + x^{52} + x^{51} \\
& + x^{50} + x^{48} + x^{47} + x^{46} + x^{44} + x^{35} + x^{34} + x^{32} + x^{31} + x^{30} + x^{28} \\
& + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12} + x^7 + x^6 + x^4, \\
p_{12}(x) = & x^{103} + x^{102} + x^{100} + x^{99} + x^{98} + x^{96} + x^{91} + x^{90} + x^{88} + x^{75} + x^{74} \\
& + x^{72} + x^{71} + x^{70} + x^{68} + x^{67} + x^{66} + x^{64} + x^{55} + x^{54} + x^{52} + x^{51} \\
& + x^{50} + x^{48} + x^{43} + x^{42} + x^{40} + x^{27} + x^{26} + x^{24} + x^{11} + x^{10} + x^8 \\
& + x^7 + x^6 + x^4 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 0, 0, 1, 0, 1, 1, 0, 1, 0, 1, 0, 0]$.

For $\phi(W^o, 0, 1)$:

$$\begin{aligned}
p_0(x) = & x^{102} + x^{99} + x^{97} + x^{96} + x^{95} + x^{93} + x^{92} + x^{90} + x^{87} + x^{86} + x^{84} \\
& + x^{83} + x^{82} + x^{81} + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} + x^{72} + x^{63} + x^{61} \\
& + x^{60} + x^{58} + x^{55} + x^{54} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} + x^{43} \\
& + x^{40} + x^{39} + x^{37} + x^{36} + x^{33} + x^{32} + x^{30} + x^{27} + x^{25} + x^{24} + x^{23} \\
& + x^{18}, \\
p_3(x) = & x^{94} + x^{92} + x^{88} + x^{87} + x^{85} + x^{81} + x^{62} + x^{60} + x^{56} + x^{55} + x^{53} \\
& + x^{49} + x^{30} + x^{28} + x^{24} + x^{23} + x^{22} + x^{21} + x^{20} + x^{17} + x^{16} + x^{15} \\
& + x^{13} + x^9, \\
p_6(x) = & x^{96} + x^{88} + x^{82} + x^{80} + x^{74} + x^{66} + x^{60} + x^{56} + x^{52} + x^{48} + x^{46} \\
& + x^{42} + x^{38} + x^{36} + x^{34} + x^{32} + x^{28} + x^{24} + x^{22} + x^{20} + x^{18} + x^{14} \\
& + x^{10} + x^6, \\
p_9(x) = & x^{98} + x^{96} + x^{94} + x^{91} + x^{90} + x^{89} + x^{87} + x^{83} + x^{82} + x^{80} + x^{78}
\end{aligned}$$

$$\begin{aligned}
& + x^{75} + x^{74} + x^{73} + x^{71} + x^{67} + x^{50} + x^{48} + x^{46} + x^{43} + x^{42} + x^{41} \\
& + x^{39} + x^{35} + x^{34} + x^{32} + x^{30} + x^{27} + x^{26} + x^{25} + x^{23} + x^{19} + x^{18} \\
& + x^{16} + x^{14} + x^{11} + x^{10} + x^9 + x^7 + x^3, \\
p_{12}(x) &= x^{100} + x^{96} + x^{88} + x^{72} + x^{68} + x^{64} + x^{52} + x^{48} + x^{40} + x^{24} + x^8 + x^4 \\
& + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 1, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 1]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{120} + x^{118} + x^{115} + x^{113} + x^{111} + x^{103} + x^{102} + x^{101} + x^{96} + x^{94} \\
& + x^{91} + x^{88} + x^{83} + x^{81} + x^{77} + x^{75} + x^{74} + x^{72} + x^{68} + x^{65} + x^{64} \\
& + x^{57} + x^{56} + x^{55} + x^{53} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} \\
& + x^{43} + x^{42} + x^{36} + x^{35} + x^{33} + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} + x^{24}, \\
p_3(x) &= x^{106} + x^{104} + x^{102} + x^{99} + x^{97} + x^{96} + x^{95} + x^{94} + x^{92} + x^{89} + x^{88} \\
& + x^{87} + x^{85} + x^{81} + x^{74} + x^{72} + x^{70} + x^{67} + x^{65} + x^{64} + x^{63} + x^{62} \\
& + x^{60} + x^{57} + x^{56} + x^{55} + x^{53} + x^{49} + x^{42} + x^{40} + x^{38} + x^{35} + x^{34} \\
& + x^{33} + x^{31} + x^{28} + x^{27} + x^{22} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^9, \\
p_6(x) &= x^{108} + x^{104} + x^{100} + x^{94} + x^{92} + x^{90} + x^{86} + x^{80} + x^{78} + x^{72} + x^{66} \\
& + x^{60} + x^{58} + x^{52} + x^{46} + x^{38} + x^{36} + x^{32} + x^{24} + x^{22} + x^{20} + x^{18} \\
& + x^{10} + x^6, \\
p_9(x) &= x^{110} + x^{108} + x^{104} + x^{103} + x^{101} + x^{97} + x^{96} + x^{92} + x^{90} + x^{89} + x^{88} \\
& + x^{85} + x^{83} + x^{81} + x^{80} + x^{78} + x^{74} + x^{73} + x^{71} + x^{67} + x^{62} + x^{60} \\
& + x^{56} + x^{55} + x^{53} + x^{49} + x^{48} + x^{44} + x^{42} + x^{41} + x^{40} + x^{37} + x^{35} \\
& + x^{33} + x^{32} + x^{28} + x^{26} + x^{25} + x^{24} + x^{21} + x^{19} + x^{17} + x^{16} + x^{14} \\
& + x^{10} + x^9 + x^7 + x^3, \\
p_{12}(x) &= x^{112} + x^{104} + x^{88} + x^{84} + x^{68} + x^{56} + x^{40} + x^{36} + x^{32} + x^{24} + x^{20} \\
& + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 0, 0, 1, 0, 1, 1, 1, 0, 0, 0]$.

For $\phi(W^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{106} + x^{102} + x^{99} + x^{98} + x^{96} + x^{94} + x^{92} + x^{84} + x^{83} + x^{81} \\
& + x^{79} + x^{78} + x^{77} + x^{76} + x^{74} + x^{73} + x^{72} + x^{71} + x^{68} + x^{66} + x^{64} \\
& + x^{63} + x^{61} + x^{60} + x^{59} + x^{57} + x^{55} + x^{53} + x^{47} + x^{45} + x^{43} + x^{42} \\
& + x^{35} + x^{30}, \\
p_3(x) &= x^{103} + x^{100} + x^{99} + x^{96} + x^{95} + x^{93} + x^{91} + x^{86} + x^{85} + x^{84} + x^{83} \\
& + x^{80} + x^{79} + x^{78} + x^{76} + x^{71} + x^{69} + x^{65} + x^{64} + x^{63} + x^{62} + x^{61} \\
& + x^{58} + x^{57} + x^{55} + x^{54} + x^{53} + x^{50} + x^{47} + x^{46} + x^{44} + x^{41} + x^{40} \\
& + x^{34} + x^{33} + x^{32} + x^{31} + x^{28} + x^{26} + x^{25} + x^{23} + x^{20} + x^{19} + x^{18}
\end{aligned}$$

$$\begin{aligned}
& + x^{15} + x^{12}, \\
p_6(x) &= x^{103} + x^{100} + x^{99} + x^{96} + x^{95} + x^{94} + x^{93} + x^{91} + x^{90} + x^{86} + x^{82} \\
& + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} + x^{74} + x^{71} + x^{68} + x^{66} + x^{65} + x^{64} \\
& + x^{63} + x^{61} + x^{59} + x^{58} + x^{57} + x^{55} + x^{54} + x^{50} + x^{48} + x^{47} + x^{46} \\
& + x^{43} + x^{42} + x^{41} + x^{40} + x^{35} + x^{33} + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} \\
& + x^{25} + x^{24} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} + x^{15} + x^{10} + x^3 + x^2 + 1, \\
p_9(x) &= x^{103} + x^{102} + x^{100} + x^{99} + x^{98} + x^{96} + x^{95} + x^{94} + x^{92} + x^{83} + x^{82} \\
& + x^{80} + x^{79} + x^{78} + x^{76} + x^{71} + x^{70} + x^{68} + x^{55} + x^{54} + x^{52} + x^{51} \\
& + x^{50} + x^{48} + x^{47} + x^{46} + x^{44} + x^{35} + x^{34} + x^{32} + x^{31} + x^{30} + x^{28} \\
& + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12} + x^7 + x^6 + x^4, \\
p_{12}(x) &= x^{103} + x^{102} + x^{100} + x^{99} + x^{98} + x^{96} + x^{91} + x^{90} + x^{88} + x^{75} + x^{74} \\
& + x^{72} + x^{71} + x^{70} + x^{68} + x^{67} + x^{66} + x^{64} + x^{55} + x^{54} + x^{52} + x^{51} \\
& + x^{50} + x^{48} + x^{43} + x^{42} + x^{40} + x^{27} + x^{26} + x^{24} + x^{11} + x^{10} + x^8 \\
& + x^7 + x^6 + x^4 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 0, 1, 0, 1, 1, 0]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	185	[309, 237]	370	[512, 513]	555	[694, 39]	740	[718, 671]
1	[3, 4]	186	[310, 311]	371	[514, 200]	556	[416, 399]	741	[834, 644]
2	[5, 6]	187	[312, 313]	372	[515, 277]	557	[695, 413]	742	[650, 435]
3	[7, 8]	188	[314, 315]	373	[516, 517]	558	[52, 681]	743	[678, 385]
4	[9, 10]	189	[316, 102]	374	[518, 23]	559	[444, 14]	744	[55, 682]
5	[11, 12]	190	[317, 95]	375	[519, 520]	560	[130, 399]	745	[698, 346]
6	[13, 14]	191	[318, 319]	376	[328, 521]	561	[397, 643]	746	[447, 702]
7	[15, 16]	192	[320, 321]	377	[522, 270]	562	[696, 190]	747	[835, 362]
8	[17, 18]	193	[322, 323]	378	[523, 87]	563	[642, 412]	748	[836, 423]
9	[19, 20]	194	[245, 324]	379	[524, 258]	564	[164, 693]	749	[693, 386]
10	[21, 22]	195	[325, 326]	380	[525, 526]	565	[139, 353]	750	[388, 410]
11	[23, 24]	196	[327, 328]	381	[527, 528]	566	[691, 121]	751	[726, 192]
12	[25, 26]	197	[329, 330]	382	[529, 530]	567	[697, 649]	752	[145, 445]
13	[27, 28]	198	[147, 331]	383	[531, 532]	568	[698, 161]	753	[357, 175]
14	[29, 30]	199	[167, 332]	384	[509, 533]	569	[430, 641]	754	[837, 838]
15	[31, 32]	200	[167, 147]	385	[277, 534]	570	[1, 699]	755	[839, 160]
16	[33, 34]	201	[117, 166]	386	[535, 536]	571	[145, 404]	756	[840, 434]
17	[8, 35]	202	[49, 167]	387	[76, 537]	572	[425, 663]	757	[841, 730]
18	[36, 37]	203	[333, 332]	388	[538, 73]	573	[1, 674]	758	[14, 362]
19	[38, 39]	204	[147, 132]	389	[539, 523]	574	[355, 135]	759	[440, 730]
20	[40, 41]	205	[332, 331]	390	[68, 540]	575	[420, 39]	760	[338, 644]

21	[42, 43]	206	[48, 166]	391	[513, 541]	576	[664, 131]	761	[694, 59]
22	[44, 45]	207	[334, 335]	392	[542, 480]	577	[182, 653]	762	[679, 11]
23	[46, 47]	208	[336, 127]	393	[543, 544]	578	[700, 39]	763	[428, 666]
24	[48, 49]	209	[337, 43]	394	[520, 545]	579	[701, 696]	764	[842, 50]
25	[50, 51]	210	[338, 339]	395	[546, 547]	580	[134, 352]	765	[123, 362]
26	[52, 53]	211	[340, 341]	396	[90, 548]	581	[639, 150]	766	[843, 344]
27	[54, 41]	212	[342, 343]	397	[549, 550]	582	[655, 702]	767	[692, 844]
28	[55, 56]	213	[33, 344]	398	[551, 552]	583	[342, 703]	768	[674, 711]
29	[57, 58]	214	[122, 121]	399	[498, 505]	584	[704, 168]	769	[845, 50]
30	[59, 60]	215	[345, 151]	400	[553, 554]	585	[705, 349]	770	[846, 703]
31	[61, 62]	216	[346, 347]	401	[555, 87]	586	[706, 55]	771	[673, 367]
32	[63, 64]	217	[348, 349]	402	[556, 557]	587	[419, 158]	772	[676, 10]
33	[65, 66]	218	[341, 350]	403	[558, 559]	588	[173, 361]	773	[349, 414]
34	[67, 68]	219	[351, 124]	404	[560, 561]	589	[414, 454]	774	[38, 59]
35	[69, 70]	220	[341, 352]	405	[280, 562]	590	[707, 708]	775	[709, 426]
36	[71, 72]	221	[353, 354]	406	[563, 564]	591	[688, 660]	776	[847, 401]
37	[73, 74]	222	[355, 44]	407	[565, 482]	592	[137, 150]	777	[644, 371]
38	[75, 76]	223	[118, 120]	408	[566, 567]	593	[365, 331]	778	[848, 134]
39	[77, 78]	224	[119, 48]	409	[568, 569]	594	[709, 663]	779	[834, 339]
40	[79, 80]	225	[356, 357]	410	[570, 571]	595	[710, 711]	780	[849, 167]
41	[81, 82]	226	[358, 154]	411	[572, 497]	596	[712, 160]	781	[850, 851]
42	[83, 84]	227	[179, 359]	412	[573, 574]	597	[713, 192]	782	[706, 406]
43	[85, 86]	228	[360, 361]	413	[575, 531]	598	[714, 636]	783	[632, 346]
44	[87, 88]	229	[351, 362]	414	[576, 205]	599	[715, 375]	784	[372, 359]
45	[89, 90]	230	[363, 364]	415	[286, 577]	600	[699, 675]	785	[140, 433]
46	[91, 92]	231	[365, 132]	416	[212, 28]	601	[162, 184]	786	[680, 196]
47	[26, 93]	232	[366, 357]	417	[578, 579]	602	[716, 413]	787	[847, 367]
48	[64, 94]	233	[367, 368]	418	[18, 290]	603	[50, 638]	788	[852, 652]
49	[95, 96]	234	[369, 370]	419	[72, 580]	604	[11, 128]	789	[648, 853]
50	[97, 98]	235	[371, 183]	420	[581, 582]	605	[442, 709]	790	[693, 334]
51	[99, 100]	236	[339, 371]	421	[583, 324]	606	[51, 342]	791	[854, 55]
52	[101, 61]	237	[345, 145]	422	[584, 585]	607	[685, 717]	792	[855, 166]
53	[102, 103]	238	[171, 149]	423	[586, 587]	608	[190, 53]	793	[856, 58]
54	[104, 105]	239	[331, 118]	424	[588, 589]	609	[718, 377]	794	[400, 658]
55	[106, 25]	240	[372, 180]	425	[590, 587]	610	[719, 336]	795	[356, 174]
56	[107, 108]	241	[153, 373]	426	[591, 592]	611	[667, 720]	796	[857, 55]
57	[109, 110]	242	[374, 375]	427	[593, 238]	612	[687, 721]	797	[858, 696]
58	[111, 112]	243	[376, 377]	428	[594, 109]	613	[383, 45]	798	[660, 13]
59	[113, 114]	244	[378, 379]	429	[595, 596]	614	[394, 669]	799	[859, 158]
60	[115, 116]	245	[54, 366]	430	[597, 598]	615	[722, 122]	800	[860, 453]
61	[117, 49]	246	[380, 376]	431	[599, 600]	616	[723, 396]	801	[861, 862]
62	[118, 119]	247	[37, 157]	432	[601, 602]	617	[695, 36]	802	[722, 121]
63	[32, 120]	248	[348, 381]	433	[603, 604]	618	[451, 724]	803	[831, 717]
64	[121, 122]	249	[363, 382]	434	[605, 606]	619	[386, 725]	804	[841, 392]

65	[123, 124]	250	[166, 333]	435	[607, 590]	620	[705, 381]	805	[863, 371]
66	[125, 126]	251	[333, 147]	436	[228, 608]	621	[726, 410]	806	[146, 332]
67	[127, 128]	252	[383, 384]	437	[609, 610]	622	[727, 359]	807	[152, 127]
68	[129, 130]	253	[9, 345]	438	[611, 612]	623	[728, 662]	808	[833, 724]
69	[46, 131]	254	[127, 12]	439	[613, 542]	624	[729, 172]	809	[696, 52]
70	[132, 118]	255	[385, 386]	440	[614, 212]	625	[151, 445]	810	[637, 119]
71	[133, 134]	256	[32, 119]	441	[615, 213]	626	[391, 730]	811	[837, 708]
72	[135, 45]	257	[39, 387]	442	[616, 617]	627	[443, 426]	812	[713, 410]
73	[136, 137]	258	[189, 52]	443	[618, 619]	628	[334, 725]	813	[843, 34]
74	[43, 138]	259	[388, 192]	444	[620, 499]	629	[646, 406]	814	[697, 853]
75	[139, 140]	260	[195, 389]	445	[22, 89]	630	[386, 335]	815	[704, 43]
76	[141, 142]	261	[374, 390]	446	[621, 329]	631	[432, 34]	816	[707, 838]
77	[143, 144]	262	[391, 392]	447	[622, 461]	632	[458, 476]	817	[864, 721]
78	[10, 145]	263	[393, 394]	448	[623, 614]	633	[585, 532]	818	[865, 331]
79	[146, 147]	264	[385, 334]	449	[624, 475]	634	[731, 284]	819	[866, 2]
80	[148, 149]	265	[395, 396]	450	[625, 626]	635	[732, 76]	820	[867, 48]
81	[8, 150]	266	[397, 398]	451	[627, 628]	636	[733, 734]	821	[868, 851]
82	[10, 151]	267	[57, 399]	452	[629, 630]	637	[96, 198]	822	[396, 140]
83	[152, 11]	268	[400, 186]	453	[631, 250]	638	[735, 275]	823	[378, 724]
84	[153, 154]	269	[339, 182]	454	[528, 67]	639	[736, 502]	824	[710, 675]
85	[143, 155]	270	[336, 11]	455	[132, 32]	640	[737, 482]	825	[852, 403]
86	[36, 156]	271	[401, 368]	456	[44, 384]	641	[738, 739]	826	[177, 844]
87	[157, 158]	272	[402, 403]	457	[169, 188]	642	[740, 741]	827	[869, 690]
88	[39, 60]	273	[119, 117]	458	[632, 161]	643	[742, 297]	828	[842, 452]
89	[43, 159]	274	[404, 405]	459	[423, 633]	644	[308, 743]	829	[661, 353]
90	[160, 161]	275	[406, 56]	460	[634, 190]	645	[587, 744]	830	[870, 585]
91	[162, 158]	276	[407, 134]	461	[635, 636]	646	[745, 746]	831	[871, 514]
92	[163, 164]	277	[408, 137]	462	[637, 120]	647	[88, 527]	832	[872, 101]
93	[51, 165]	278	[409, 168]	463	[41, 357]	648	[747, 748]	833	[734, 229]
94	[120, 48]	279	[165, 343]	464	[452, 638]	649	[530, 749]	834	[873, 874]
95	[121, 121]	280	[168, 159]	465	[639, 35]	650	[750, 551]	835	[545, 266]
96	[166, 167]	281	[332, 132]	466	[640, 641]	651	[751, 588]	836	[875, 755]
97	[42, 168]	282	[331, 32]	467	[642, 434]	652	[307, 752]	837	[876, 474]
98	[14, 124]	283	[191, 410]	468	[126, 444]	653	[464, 753]	838	[877, 463]
99	[136, 8]	284	[367, 355]	469	[419, 184]	654	[754, 755]	839	[878, 879]
100	[169, 170]	285	[411, 412]	470	[446, 643]	655	[756, 234]	840	[880, 217]
101	[171, 172]	286	[413, 156]	471	[644, 182]	656	[757, 456]	841	[881, 483]
102	[173, 129]	287	[414, 415]	472	[633, 645]	657	[758, 111]	842	[882, 883]
103	[174, 175]	288	[416, 58]	473	[646, 55]	658	[241, 558]	843	[884, 885]
104	[176, 120]	289	[417, 164]	474	[645, 647]	659	[759, 760]	844	[604, 886]
105	[177, 178]	290	[35, 418]	475	[148, 172]	660	[761, 29]	845	[887, 735]
106	[179, 180]	291	[37, 419]	476	[413, 37]	661	[762, 603]	846	[279, 257]
107	[181, 142]	292	[420, 59]	477	[161, 347]	662	[302, 763]	847	[888, 889]
108	[182, 183]	293	[150, 418]	478	[176, 119]	663	[764, 236]	848	[890, 598]

109	[157, 184]	294	[49, 333]	479	[648, 649]	664	[765, 524]	849	[273, 24]
110	[185, 186]	295	[421, 384]	480	[160, 346]	665	[517, 219]	850	[891, 776]
111	[187, 188]	296	[422, 423]	481	[126, 13]	666	[544, 731]	851	[608, 892]
112	[189, 190]	297	[150, 424]	482	[650, 370]	667	[766, 767]	852	[893, 894]
113	[191, 192]	298	[368, 44]	483	[135, 384]	668	[574, 768]	853	[785, 895]
114	[193, 194]	299	[425, 426]	484	[651, 364]	669	[769, 762]	854	[896, 107]
115	[195, 196]	300	[427, 396]	485	[357, 197]	670	[770, 771]	855	[239, 256]
116	[174, 197]	301	[393, 428]	486	[439, 652]	671	[772, 490]	856	[541, 499]
117	[198, 199]	302	[129, 57]	487	[371, 653]	672	[532, 773]	857	[897, 898]
118	[200, 201]	303	[429, 412]	488	[408, 8]	673	[774, 508]	858	[899, 900]
119	[62, 202]	304	[430, 431]	489	[651, 382]	674	[775, 267]	859	[628, 100]
120	[203, 204]	305	[432, 344]	490	[381, 453]	675	[776, 777]	860	[809, 313]
121	[205, 206]	306	[120, 117]	491	[402, 652]	676	[778, 779]	861	[901, 898]
122	[122, 122]	307	[353, 433]	492	[654, 144]	677	[780, 781]	862	[902, 594]
123	[207, 74]	308	[137, 35]	493	[655, 448]	678	[782, 535]	863	[829, 78]
124	[110, 208]	309	[411, 434]	494	[380, 656]	679	[783, 215]	864	[626, 903]
125	[209, 210]	310	[369, 435]	495	[633, 657]	680	[784, 529]	865	[455, 306]
126	[211, 212]	311	[346, 436]	496	[133, 341]	681	[86, 785]	866	[904, 905]
127	[213, 214]	312	[437, 180]	497	[40, 366]	682	[786, 254]	867	[294, 61]
128	[215, 216]	313	[401, 355]	498	[185, 658]	683	[612, 98]	868	[906, 907]
129	[217, 218]	314	[141, 438]	499	[187, 170]	684	[787, 736]	869	[323, 509]
130	[219, 220]	315	[35, 424]	500	[381, 414]	685	[788, 789]	870	[683, 721]
131	[221, 222]	316	[41, 174]	501	[659, 144]	686	[790, 627]	871	[729, 149]
132	[223, 224]	317	[439, 403]	502	[660, 444]	687	[739, 469]	872	[670, 47]
133	[225, 226]	318	[440, 392]	503	[181, 438]	688	[791, 27]	873	[908, 147]
134	[227, 228]	319	[441, 336]	504	[161, 436]	689	[792, 631]	874	[909, 2]
135	[229, 230]	320	[442, 443]	505	[366, 174]	690	[257, 316]	875	[857, 406]
136	[231, 69]	321	[444, 351]	506	[193, 633]	691	[70, 250]	876	[910, 708]
137	[232, 233]	322	[409, 43]	507	[340, 134]	692	[793, 764]	877	[845, 452]
138	[234, 235]	323	[445, 405]	508	[427, 661]	693	[300, 794]	878	[908, 332]
139	[236, 237]	324	[446, 398]	509	[59, 387]	694	[795, 115]	879	[850, 911]
140	[238, 239]	325	[429, 434]	510	[654, 155]	695	[796, 797]	880	[665, 669]
141	[240, 241]	326	[447, 448]	511	[640, 431]	696	[592, 798]	881	[656, 671]
142	[242, 243]	327	[449, 450]	512	[449, 662]	697	[799, 769]	882	[337, 168]
143	[244, 245]	328	[451, 379]	513	[443, 663]	698	[777, 468]	883	[441, 679]
144	[246, 247]	329	[452, 51]	514	[664, 47]	699	[243, 583]	884	[912, 672]
145	[248, 249]	330	[453, 454]	515	[665, 666]	700	[800, 801]	885	[836, 193]
146	[250, 251]	331	[251, 203]	516	[667, 668]	701	[802, 317]	886	[638, 165]
147	[214, 63]	332	[281, 455]	517	[428, 669]	702	[803, 804]	887	[854, 406]
148	[252, 253]	333	[256, 223]	518	[670, 131]	703	[100, 17]	888	[848, 341]
149	[254, 255]	334	[456, 457]	519	[151, 404]	704	[805, 234]	889	[719, 679]
150	[16, 256]	335	[457, 458]	520	[376, 671]	705	[806, 576]	890	[860, 414]
151	[20, 257]	336	[208, 459]	521	[645, 672]	706	[807, 786]	891	[856, 399]
152	[258, 25]	337	[460, 461]	522	[673, 401]	707	[808, 560]	892	[361, 130]

153	[259, 260]	338	[462, 305]	523	[674, 675]	708	[66, 809]	893	[913, 725]
154	[261, 262]	339	[463, 464]	524	[676, 345]	709	[804, 758]	894	[422, 193]
155	[263, 264]	340	[465, 466]	525	[677, 41]	710	[600, 531]	895	[156, 419]
156	[265, 266]	341	[467, 468]	526	[163, 678]	711	[4, 81]	896	[863, 182]
157	[267, 268]	342	[469, 470]	527	[679, 127]	712	[810, 272]	897	[634, 52]
158	[30, 269]	343	[268, 471]	528	[360, 129]	713	[811, 797]	898	[914, 862]
159	[84, 5]	344	[315, 472]	529	[680, 389]	714	[812, 801]	899	[865, 132]
160	[270, 271]	345	[473, 474]	530	[190, 681]	715	[813, 814]	900	[868, 911]
161	[272, 273]	346	[475, 251]	531	[657, 647]	716	[815, 73]	901	[727, 180]
162	[274, 275]	347	[476, 477]	532	[168, 138]	717	[222, 816]	902	[832, 668]
163	[276, 277]	348	[478, 479]	533	[661, 140]	718	[817, 279]	903	[445, 690]
164	[278, 279]	349	[480, 481]	534	[134, 350]	719	[818, 819]	904	[835, 124]
165	[98, 280]	350	[482, 221]	535	[130, 58]	720	[749, 618]	905	[915, 360]
166	[204, 281]	351	[483, 484]	536	[406, 682]	721	[253, 783]	906	[421, 45]
167	[199, 282]	352	[226, 485]	537	[140, 354]	722	[94, 205]	907	[916, 360]
168	[283, 284]	353	[486, 62]	538	[683, 684]	723	[820, 821]	908	[206, 273]
169	[285, 286]	354	[237, 487]	539	[685, 686]	724	[771, 232]	909	[917, 522]
170	[260, 287]	355	[488, 489]	540	[687, 684]	725	[794, 822]	910	[262, 918]
171	[288, 289]	356	[490, 329]	541	[657, 672]	726	[823, 265]	911	[537, 919]
172	[290, 291]	357	[491, 294]	542	[688, 126]	727	[824, 579]	912	[474, 218]
173	[292, 207]	358	[492, 493]	543	[689, 349]	728	[825, 826]	913	[630, 534]
174	[80, 198]	359	[494, 495]	544	[125, 660]	729	[827, 787]	914	[920, 107]
175	[82, 293]	360	[496, 219]	545	[404, 690]	730	[828, 829]	915	[921, 596]
176	[24, 294]	361	[497, 498]	546	[691, 122]	731	[349, 453]	916	[922, 217]
177	[295, 296]	362	[499, 500]	547	[692, 178]	732	[830, 155]	917	[859, 184]
178	[297, 298]	363	[501, 502]	548	[164, 385]	733	[831, 686]	918	[165, 703]
179	[299, 300]	364	[503, 504]	549	[659, 155]	734	[656, 377]	919	[194, 645]
180	[301, 302]	365	[306, 200]	550	[678, 693]	735	[395, 661]	920	[840, 412]
181	[303, 304]	366	[505, 506]	551	[358, 373]	736	[396, 353]	921	[700, 59]
182	[305, 306]	367	[507, 274]	552	[453, 415]	737	[830, 144]	922	[407, 341]
183	[78, 307]	368	[508, 509]	553	[437, 359]	738	[832, 720]		
184	[74, 308]	369	[510, 511]	554	[423, 194]	739	[833, 379]		

Output function $n \mapsto \tau(n)$:

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	132	1	264	1	396	1	528	0	660	0	792	0
1	0	133	0	265	1	397	1	529	0	661	0	793	0
2	1	134	0	266	1	398	1	530	0	662	1	794	1
3	0	135	1	267	0	399	0	531	0	663	1	795	0
4	0	136	0	268	1	400	1	532	1	664	0	796	1
5	1	137	1	269	0	401	0	533	0	665	0	797	1
6	1	138	1	270	1	402	1	534	0	666	1	798	0
7	0	139	0	271	0	403	1	535	1	667	1	799	0
8	0	140	1	272	1	404	1	536	1	668	1	800	1

9	0	141	0	273	1	405	1	537	1	669	0	801	1
10	0	142	0	274	1	406	1	538	0	670	0	802	0
11	1	143	0	275	1	407	0	539	1	671	1	803	0
12	0	144	1	276	0	408	1	540	0	672	1	804	0
13	1	145	1	277	1	409	1	541	0	673	0	805	0
14	0	146	0	278	1	410	0	542	0	674	0	806	0
15	0	147	0	279	0	411	0	543	0	675	1	807	0
16	0	148	0	280	1	412	0	544	1	676	1	808	0
17	0	149	0	281	1	413	1	545	1	677	1	809	1
18	0	150	0	282	0	414	0	546	1	678	0	810	0
19	0	151	0	283	1	415	1	547	0	679	0	811	1
20	0	152	0	284	1	416	1	548	1	680	0	812	1
21	0	153	0	285	0	417	1	549	1	681	0	813	1
22	0	154	0	286	1	418	0	550	0	682	0	814	0
23	1	155	0	287	0	419	1	551	1	683	0	815	0
24	1	156	1	288	1	420	1	552	1	684	1	816	0
25	0	157	0	289	1	421	1	553	1	685	1	817	1
26	1	158	1	290	1	422	0	554	0	686	0	818	1
27	1	159	0	291	0	423	0	555	0	687	0	819	1
28	0	160	1	292	1	424	1	556	1	688	0	820	1
29	0	161	1	293	0	425	0	557	1	689	0	821	1
30	1	162	1	294	1	426	0	558	1	690	0	822	1
31	0	163	0	295	1	427	0	559	0	691	1	823	0
32	0	164	1	296	0	428	0	560	1	692	0	824	1
33	0	165	0	297	0	429	1	561	1	693	0	825	1
34	0	166	0	298	0	430	1	562	1	694	0	826	1
35	1	167	1	299	0	431	1	563	1	695	1	827	0
36	0	168	1	300	0	432	1	564	1	696	1	828	1
37	0	169	0	301	0	433	0	565	0	697	0	829	0
38	0	170	1	302	1	434	1	566	1	698	1	830	0
39	0	171	1	303	1	435	1	567	0	699	1	831	0
40	0	172	1	304	1	436	0	568	1	700	1	832	0
41	0	173	1	305	1	437	1	569	1	701	0	833	0
42	0	174	0	306	0	438	1	570	0	702	0	834	1
43	0	175	0	307	0	439	0	571	1	703	0	835	1
44	0	176	1	308	1	440	1	572	0	704	0	836	1
45	0	177	1	309	0	441	0	573	0	705	0	837	1
46	1	178	0	310	1	442	1	574	1	706	0	838	0
47	1	179	0	311	0	443	1	575	1	707	0	839	1
48	1	180	0	312	1	444	0	576	0	708	1	840	0
49	1	181	1	313	0	445	0	577	1	709	0	841	0
50	0	182	1	314	0	446	0	578	1	710	1	842	1
51	0	183	0	315	1	447	1	579	0	711	0	843	1
52	1	184	0	316	0	448	1	580	0	712	0	844	1

53	1	185	0	317	0	449	0	581	1	713	1	845	0
54	1	186	1	318	1	450	0	582	0	714	1	846	0
55	0	187	1	319	0	451	1	583	1	715	1	847	1
56	1	188	0	320	1	452	1	584	0	716	0	848	1
57	0	189	0	321	0	453	1	585	0	717	1	849	1
58	1	190	0	322	1	454	0	586	0	718	1	850	0
59	1	191	1	323	0	455	1	587	1	719	1	851	0
60	1	192	1	324	0	456	0	588	1	720	0	852	1
61	0	193	1	325	1	457	0	589	0	721	0	853	1
62	1	194	1	326	1	458	0	590	0	722	0	854	0
63	0	195	1	327	0	459	0	591	0	723	1	855	0
64	1	196	0	328	1	460	1	592	1	724	0	856	0
65	0	197	1	329	1	461	0	593	0	725	1	857	1
66	1	198	0	330	1	462	0	594	0	726	0	858	1
67	0	199	1	331	0	463	0	595	1	727	1	859	0
68	1	200	1	332	1	464	1	596	0	728	1	860	1
69	1	201	0	333	0	465	1	597	1	729	0	861	1
70	1	202	1	334	0	466	0	598	1	730	1	862	0
71	0	203	0	335	0	467	1	599	1	731	1	863	0
72	1	204	0	336	1	468	1	600	1	732	0	864	1
73	0	205	1	337	1	469	1	601	1	733	0	865	1
74	0	206	1	338	0	470	0	602	0	734	0	866	1
75	0	207	0	339	0	471	1	603	0	735	1	867	1
76	0	208	1	340	1	472	0	604	1	736	1	868	1
77	0	209	1	341	1	473	1	605	1	737	0	869	0
78	0	210	0	342	1	474	1	606	0	738	0	870	0
79	0	211	1	343	1	475	0	607	1	739	0	871	0
80	0	212	1	344	1	476	1	608	0	740	1	872	0
81	0	213	0	345	1	477	1	609	1	741	1	873	1
82	0	214	0	346	0	478	1	610	1	742	0	874	0
83	0	215	1	347	1	479	1	611	1	743	0	875	1
84	0	216	0	348	1	480	1	612	0	744	0	876	1
85	0	217	1	349	1	481	1	613	0	745	1	877	0
86	0	218	1	350	0	482	0	614	1	746	1	878	1
87	0	219	1	351	1	483	1	615	0	747	1	879	0
88	0	220	1	352	1	484	0	616	1	748	1	880	0
89	0	221	0	353	0	485	1	617	1	749	0	881	0
90	1	222	1	354	1	486	0	618	1	750	0	882	1
91	1	223	1	355	1	487	0	619	1	751	0	883	0
92	0	224	1	356	0	488	1	620	0	752	1	884	1
93	0	225	0	357	1	489	0	621	0	753	1	885	1
94	0	226	1	358	1	490	0	622	1	754	1	886	1
95	1	227	0	359	1	491	1	623	1	755	1	887	0
96	0	228	0	360	0	492	1	624	0	756	0	888	1

97	0	229	1	361	0	493	0	625	0	757	0	889	1
98	0	230	1	362	1	494	1	626	1	758	0	890	1
99	0	231	0	363	1	495	0	627	1	759	1	891	0
100	0	232	1	364	1	496	0	628	0	760	0	892	0
101	1	233	1	365	0	497	0	629	1	761	0	893	1
102	1	234	1	366	1	498	0	630	1	762	0	894	0
103	0	235	0	367	1	499	1	631	1	763	0	895	1
104	1	236	0	368	0	500	0	632	0	764	1	896	0
105	1	237	1	369	1	501	1	633	0	765	0	897	1
106	0	238	1	370	0	502	0	634	1	766	1	898	0
107	1	239	0	371	0	503	1	635	0	767	0	899	1
108	1	240	0	372	0	504	1	636	0	768	0	900	1
109	0	241	0	373	1	505	1	637	0	769	0	901	1
110	0	242	0	374	0	506	1	638	1	770	0	902	0
111	1	243	1	375	0	507	1	639	1	771	0	903	0
112	0	244	0	376	1	508	0	640	0	772	1	904	1
113	1	245	1	377	0	509	1	641	0	773	1	905	1
114	1	246	1	378	0	510	1	642	1	774	0	906	1
115	1	247	0	379	1	511	0	643	0	775	0	907	0
116	0	248	1	380	1	512	0	644	1	776	1	908	1
117	0	249	1	381	0	513	1	645	1	777	1	909	0
118	1	250	0	382	0	514	0	646	1	778	1	910	1
119	1	251	0	383	0	515	0	647	0	779	1	911	1
120	0	252	0	384	1	516	1	648	1	780	1	912	1
121	1	253	0	385	1	517	0	649	0	781	0	913	1
122	0	254	0	386	1	518	0	650	0	782	0	914	0
123	0	255	1	387	0	519	0	651	0	783	0	915	1
124	0	256	0	388	0	520	1	652	0	784	0	916	0
125	1	257	0	389	1	521	1	653	1	785	1	917	0
126	1	258	0	390	1	522	0	654	1	786	0	918	0
127	0	259	0	391	1	523	0	655	0	787	1	919	1
128	1	260	1	392	0	524	1	656	0	788	1	920	0
129	1	261	0	393	0	525	1	657	0	789	1	921	1
130	1	262	1	394	1	526	0	658	0	790	0	922	0
131	0	263	0	395	1	527	0	659	1	791	0		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE

Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA

Email address: `huyining@hust.edu.cn`