

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z, z^5 + z^4 + z^3 + z)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z, z^5 + z^4 + z^3 + z)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 15:46:58 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 17.9 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z, z^5 + z^4 + z^3 + z)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$\begin{aligned} p_0(z) &= z^{14} + z^{12} + z^{11} + z^8 + z^6 + z^5 + z^4 + z^3 + z^2 + 1, \\ p_1(z) &= z^{17} + z^{15} + z^{12} + z^7 + z^6 + z^5 + z^4 + z^3, \\ p_2(z) &= z^{18} + z^{16} + z^{14} + z^{12} + z^{10} + z^6 + z^4 + z^2, \\ p_3(z) &= z^{17} + z^{15} + z^{12} + z^7 + z^6 + z^5 + z^4 + z^3, \\ p_4(z) &= z^{16} + z^{11} + z^{10} + z^8 + z^6 + z^5 + z^3 + z^2 + 1, \end{aligned}$$

and for $\text{CF}(b, a)$,

$$\begin{aligned} p_0(z) &= z^{12} + z^{11} + z^{10} + z^8 + z^5 + z^4 + z^3 + z^2 + 1, \\ p_1(z) &= z^{17} + z^{15} + z^{12} + z^7 + z^6 + z^5 + z^4 + z^3, \\ p_2(z) &= z^{18} + z^{16} + z^{14} + z^{12} + z^{10} + z^6 + z^4 + z^2, \\ p_3(z) &= z^{17} + z^{15} + z^{12} + z^7 + z^6 + z^5 + z^4 + z^3, \\ p_4(z) &= z^{16} + z^{14} + z^{11} + z^8 + z^5 + z^3 + z^2 + 1. \end{aligned}$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{t}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(150, 150, 150, 150, 150)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 540 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 540, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 660 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 660, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:12u] &= M^e[:6u] + x^u M^e[:5u] + x^{3u} M^e[:3u] + x^{4u} M^e[:2u] + x^{5u} M^e[:u] \\ &\quad + x^u M^e[:6u] + x^{2u} M^e[:5u] + x^{4u} M^e[:3u] + x^{5u} M^e[:2u] \\ &\quad + x^{6u} M^e[:u] + x^{2u} M^e[:6u] + x^{3u} M^e[:5u] + x^{5u} M^e[:3u] \\ &\quad + x^{6u} M^e[:2u] + x^{7u} M^e[:u] + x^{5u} M^e[:6u] + x^{6u} M^e[:5u] \\ &\quad + x^{8u} M^e[:3u] + x^{9u} M^e[:2u] + x^{10u} M^e[:u] + x^{7u} M^e[:5u] \\ &\quad + x^{8u} M^e[:4u] + x^{10u} M^e[:2u] + (x^{6u} + x^{7u} + x^{8u} + x^{11u}) R^e, \end{aligned}$$

$$\begin{aligned}
W^e[:12u] &= W^e[:6u] + x^u W^e[:5u] + x^{3u} W^e[:3u] + x^{4u} W^e[:2u] + x^{5u} W^e[:u] \\
&\quad + x^u W^e[:6u] + x^{2u} W^e[:5u] + x^{4u} W^e[:3u] + x^{5u} W^e[:2u] \\
&\quad + x^{6u} W^e[:u] + x^{2u} W^e[:6u] + x^{3u} W^e[:5u] + x^{5u} W^e[:3u] \\
&\quad + x^{6u} W^e[:2u] + x^{7u} W^e[:u] + x^{5u} W^e[:6u] + x^{6u} W^e[:5u] \\
&\quad + x^{8u} W^e[:3u] + x^{9u} W^e[:2u] + x^{10u} W^e[:u] + x^{7u} W^e[:5u] \\
&\quad + x^{8u} W^e[:4u] + x^{10u} W^e[:2u] + (x^{6u} + x^{7u} + x^{8u} + x^{11u}) R^e.
\end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned}
M^o[:12u] &= M^o[:6u] + x^u M^o[:5u] + x^{3u} M^o[:3u] + x^{4u} M^o[:2u] + x^{5u} M^o[:u] \\
&\quad + x^u M^o[:6u] + x^{2u} M^o[:5u] + x^{4u} M^o[:3u] + x^{5u} M^o[:2u] \\
&\quad + x^{6u} M^o[:u] + x^{2u} M^o[:6u] + x^{3u} M^o[:5u] + x^{5u} M^o[:3u] \\
&\quad + x^{6u} M^o[:2u] + x^{7u} M^o[:u] + x^{5u} M^o[:6u] + x^{6u} M^o[:5u] \\
&\quad + x^{8u} M^o[:3u] + x^{9u} M^o[:2u] + x^{10u} M^o[:u] + x^{7u} M^o[:5u] \\
&\quad + x^{8u} M^o[:4u] + x^{10u} M^o[:2u] + (x^{6u} + x^{7u} + x^{8u} + x^{11u}) R^o, \\
W^o[:12u] &= W^o[:6u] + x^u W^o[:5u] + x^{3u} W^o[:3u] + x^{4u} W^o[:2u] + x^{5u} W^o[:u] \\
&\quad + x^u W^o[:6u] + x^{2u} W^o[:5u] + x^{4u} W^o[:3u] + x^{5u} W^o[:2u] \\
&\quad + x^{6u} W^o[:u] + x^{2u} W^o[:6u] + x^{3u} W^o[:5u] + x^{5u} W^o[:3u] \\
&\quad + x^{6u} W^o[:2u] + x^{7u} W^o[:u] + x^{5u} W^o[:6u] + x^{6u} W^o[:5u] \\
&\quad + x^{8u} W^o[:3u] + x^{9u} W^o[:2u] + x^{10u} W^o[:u] + x^{7u} W^o[:5u] \\
&\quad + x^{8u} W^o[:4u] + x^{10u} W^o[:2u] + (x^{6u} + x^{7u} + x^{8u} + x^{11u}) R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$\begin{aligned}
T[:12u] &= T[:6u] + x^u T[:5u] + x^{3u} T[:3u] + x^{4u} T[:2u] + x^{5u} T[:u] + x^u T[:6u] \\
&\quad + x^{2u} T[:5u] + x^{4u} T[:3u] + x^{5u} T[:2u] + x^{6u} T[:u] + x^{2u} T[:6u] \\
&\quad + x^{3u} T[:5u] + x^{5u} T[:3u] + x^{6u} T[:2u] + x^{7u} T[:u] + x^{5u} T[:6u] \\
&\quad + x^{6u} T[:5u] + x^{8u} T[:3u] + x^{9u} T[:2u] + x^{10u} T[:u] + x^{7u} T[:5u] \\
&\quad + x^{8u} T[:4u] + x^{10u} T[:2u].
\end{aligned}$$

The proof of the other 15 cases are similar. We break down the above identity into 6 parts:

$$\begin{aligned}
0 &= x^{6u} T[:u] + x^{5u} T[u:2u] + x^{4u} T[2u:3u] + x^{3u} T[3u:4u] + x^u T[5u:6u] \\
&\quad + T[6u:7u], \\
0 &= x^{3u} T[4u:5u] + x^{2u} T[5u:6u] + T[7u:8u], \\
0 &= x^{7u} T[u:2u] + x^{6u} T[2u:3u] + x^{5u} T[3u:4u] + T[8u:9u], \\
0 &= x^{9u} T[:u] + x^{7u} T[2u:3u] + x^{6u} T[3u:4u] + x^{5u} T[4u:5u] \\
&\quad + T[9u:10u],
\end{aligned}$$

$$\begin{aligned}
0 &= x^{9u}T[u:2u] + x^{7u}T[3u:4u] + x^{6u}T[4u:5u] + x^{5u}T[5u:6u] \\
&\quad + T[10u:11u], \\
0 &= x^{10u}T[u:2u] + x^{8u}T[3u:4u] + x^{7u}T[4u:5u] + T[11u:12u],
\end{aligned}$$

which can be rewritten as

$$\begin{aligned}
(2.7) \quad 0 &= T[[w]_2] + T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[101w]_2] \\
&\quad + T[[110w]_2], \\
(2.8) \quad 0 &= T[[100w]_2] + T[[101w]_2] + T[[111w]_2], \\
(2.9) \quad 0 &= T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[1000w]_2], \\
(2.10) \quad 0 &= T[[w]_2] + T[[10w]_2] + T[[11w]_2] + T[[100w]_2] + T[[1001w]_2], \\
(2.11) \quad 0 &= T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[101w]_2] + T[[1010w]_2], \\
(2.12) \quad 0 &= T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[1011w]_2],
\end{aligned}$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$\begin{aligned}
(2.13) \quad 0 &= T[[w]_2] + T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[101w]_2] \\
&\quad + T[[110w]_2], \\
(2.14) \quad 0 &= T[[100w]_2] + T[[101w]_2] + T[[111w]_2], \\
(2.15) \quad 0 &= T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[1000w]_2], \\
(2.16) \quad 0 &= T[[w]_2] + T[[10w]_2] + T[[11w]_2] + T[[100w]_2] + T[[1001w]_2], \\
(2.17) \quad 0 &= T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[101w]_2] + T[[1010w]_2], \\
(2.18) \quad 0 &= T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[1011w]_2],
\end{aligned}$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 961 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.18) can be written as

$$\begin{aligned}
(2.19) \quad 0 &= \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 101)) \\
&\quad + \tau(A(s, 110)), \\
(2.20) \quad 0 &= \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 111)), \\
(2.21) \quad 0 &= \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 1000)), \\
&\quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 100)) \\
(2.22) \quad &\quad + \tau(A(s, 1001)), \\
&\quad 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 101)) \\
(2.23) \quad &\quad + \tau(A(s, 1010)), \\
(2.24) \quad 0 &= \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 1011)),
\end{aligned}$$

for all $s \in E_{2k}$, and

$$0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 101))$$

$$\begin{aligned}
(2.25) \quad & + \tau(A(s, 110)), \\
(2.26) \quad & 0 = \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 111)), \\
(2.27) \quad & 0 = \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 1000)), \\
& 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 100)) \\
(2.28) \quad & + \tau(A(s, 1001)), \\
& 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 101)) \\
(2.29) \quad & + \tau(A(s, 1010)), \\
(2.30) \quad & 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 1011)),
\end{aligned}$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{30}), E_{30}) = (A(i, 0^{18}), E_{18})$, so that we only have to verify that identities (2.19) through (2.30) hold for $2 \leq k \leq 15$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$\begin{aligned}
M_{2k} &= M^e[:6u] + x^u M^e[:5u] + x^{3u} M^e[:3u] + x^{4u} M^e[:2u] + x^{5u} M^e[:u] \\
&\quad + x^{6u} R^e, \\
W_{2k} &= W^e[:6u] + x^u W^e[:5u] + x^{3u} W^e[:3u] + x^{4u} W^e[:2u] + x^{5u} W^e[:u] \\
&\quad + x^{6u} R^e.
\end{aligned}$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$\begin{aligned}
M_{2k+1} &= M^o[:6u] + x^u M^o[:5u] + x^{3u} M^o[:3u] + x^{4u} M^o[:2u] + x^{5u} M^o[:u] \\
&\quad + x^{6u} R^o, \\
W_{2k+1} &= W^o[:6u] + x^u W^o[:5u] + x^{3u} W^o[:3u] + x^{4u} W^o[:2u] + x^{5u} W^o[:u] \\
&\quad + x^{6u} R^o.
\end{aligned}$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$\begin{aligned}
M_{2k} \wedge W_{2k} &\Rightarrow M_{2k+1} \wedge W_{2k+1}, \\
M_{2k+1} \wedge W_{2k+1} &\Rightarrow M_{2k+2} \wedge W_{2k+2}.
\end{aligned}$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$\begin{aligned}
(2.31) \quad W_{2k} M_{2k} &= (W^e[:6v] + x^v W^e[:5v] + x^{3v} W^e[:3v] + x^{4v} W^e[:2v] + x^{5v} W^e[:v] \\
&\quad + x^{6v} R^e) \times (M^e[:6v] + x^v M^e[:5v] + x^{3v} M^e[:3v] + x^{4v} M^e[:2v] \\
&\quad + x^{5v} M^e[:v] + x^{6v} R^e);
\end{aligned}$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{12v} R^o$. Therefore we only need to prove that their difference is

$O(x^{12v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{12v} , to

$$W^e[:12v]M^e[:12v] + x^{2v}W^e[:10v]M^e[:10v] + x^{6v}W^e[:6v]M^e[:6v] \\ + x^{8v}W^e[:4v]M^e[:4v] + x^{10v}W^e[:2v]M^e[:2v].$$

For all $n \leq 12$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$X := x^v, \\ a_n := W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n := M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c := R^e.$$

Using the notation introduced above, we can represent the expressions *lhs* (2.31) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{12}, b_1, \dots, b_{12}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{12})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\lim_{n \rightarrow \infty} M_{2n,j,k} = M_{j,k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1,j,k} = M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} = W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} = W_{j,k}^o.$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12}\phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e/M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$q_0(x) = x^{18} + x^{16} + x^{15} + x^{14} + x^{13} + x^{12} + x^{10} + x^7 + x^6 + x^4, \\ q_1(x) = x^{15} + x^{14} + x^{13} + x^{12} + x^{11} + x^6 + x^3 + x, \\ q_2(x) = x^{16} + x^{14} + x^{12} + x^8 + x^6 + x^4 + x^2 + 1, \\ q_3(x) = x^{15} + x^{14} + x^{13} + x^{12} + x^{11} + x^6 + x^3 + x, \\ q_4(x) = x^{18} + x^{16} + x^{15} + x^{13} + x^{12} + x^{10} + x^8 + x^7 + x^2.$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 186, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 186, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned} p_0(x) = & x^{108} + x^{104} + x^{102} + x^{100} + x^{98} + x^{96} + x^{94} + x^{88} + x^{82} + x^{80} + x^{78} \\ & + x^{72} + x^{70} + x^{64} + x^{56} + x^{52} + x^{46} + x^{44} + x^{42} + x^{40} + x^{38} + x^{36} \\ & + x^{34} + x^{28} + x^{24} + x^{22} + x^{12}, \end{aligned}$$

$$\begin{aligned} p_3(x) = & x^{98} + x^{96} + x^{94} + x^{90} + x^{88} + x^{80} + x^{70} + x^{66} + x^{62} + x^{60} + x^{58} \\ & + x^{52} + x^{46} + x^{42} + x^{40} + x^{38} + x^{32} + x^{28} + x^{26} + x^{22} + x^{18} + x^{16} \\ & + x^{14} + x^8, \end{aligned}$$

$$\begin{aligned} p_6(x) = & x^{100} + x^{98} + x^{96} + x^{94} + x^{82} + x^{80} + x^{78} + x^{74} + x^{72} + x^{68} + x^{64} \\ & + x^{60} + x^{58} + x^{56} + x^{48} + x^{44} + x^{32} + x^{30} + x^{26} + x^{10} + x^8 + x^4 + x^2 \\ & + 1, \end{aligned}$$

$$\begin{aligned} p_9(x) = & x^{94} + x^{90} + x^{88} + x^{82} + x^{74} + x^{72} + x^{68} + x^{66} + x^{60} + x^{54} + x^{52} \\ & + x^{42} + x^{40} + x^{38} + x^{36} + x^{32} + x^{30} + x^{28} + x^{24} + x^{20} + x^{18} + x^{14} \\ & + x^{12} + x^{10} + x^8 + x^6 + x^4 + x^2, \end{aligned}$$

$$p_{12}(x) = x^{96} + x^{72} + x^{56} + x^{48} + x^{32} + x^{16} + x^8 + 1,$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned} p_0(x) = & x^{96} + x^{94} + x^{93} + x^{92} + x^{89} + x^{88} + x^{86} + x^{85} + x^{83} + x^{78} + x^{74} \\ & + x^{73} + x^{72} + x^{63} + x^{60} + x^{59} + x^{57} + x^{51} + x^{50} + x^{49} + x^{48} + x^{45} \\ & + x^{44} + x^{42} + x^{40} + x^{38} + x^{36} + x^{34} + x^{32} + x^{31} + x^{27} + x^{24} + x^{22} \\ & + x^{19} + x^{18}, \end{aligned}$$

$$\begin{aligned} p_3(x) = & x^{75} + x^{74} + x^{72} + x^{70} + x^{69} + x^{67} + x^{66} + x^{64} + x^{62} + x^{60} + x^{58} \\ & + x^{57} + x^{51} + x^{50} + x^{48} + x^{46} + x^{45} + x^{37} + x^{36} + x^{34} + x^{33} + x^{29} \\ & + x^{28} + x^{26} + x^{25} + x^{21} + x^{20} + x^{19} + x^{17} + x^{16} + x^{14} + x^{12} + x^{10} \\ & + x^9, \end{aligned}$$

$$p_6(x) = x^{78} + x^{75} + x^{73} + x^{72} + x^{68} + x^{66} + x^{65} + x^{62} + x^{61} + x^{58} + x^{57}$$

$$\begin{aligned}
& + x^{56} + x^{48} + x^{46} + x^{45} + x^{44} + x^{42} + x^{40} + x^{39} + x^{36} + x^{35} + x^{31} \\
& + x^{30} + x^{29} + x^{28} + x^{27} + x^{25} + x^{21} + x^{20} + x^{19} + x^{17} + x^{16} + x^{10} \\
& + x^8 + x^7 + x^6, \\
p_9(x) &= x^{81} + x^{80} + x^{79} + x^{77} + x^{76} + x^{74} + x^{72} + x^{71} + x^{69} + x^{68} + x^{66} \\
& + x^{64} + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{49} + x^{43} \\
& + x^{42} + x^{40} + x^{38} + x^{36} + x^{35} + x^{33} + x^{32} + x^{31} + x^{29} + x^{28} + x^{26} \\
& + x^{25} + x^{21} + x^{20} + x^{19} + x^{17} + x^{16} + x^{15} + x^7 + x^6 + x^4 + x^3, \\
p_{12}(x) &= x^{84} + x^{82} + x^{81} + x^{80} + x^{76} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{60} \\
& + x^{58} + x^{57} + x^{54} + x^{53} + x^{50} + x^{49} + x^{48} + x^{20} + x^{18} + x^{17} + x^{16} \\
& + x^{12} + x^{10} + x^9 + x^6 + x^5 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 0, 0, 1, 0, 1, 1, 0, 1, 0, 1, 1, 0, 0]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{96} + x^{94} + x^{93} + x^{92} + x^{89} + x^{88} + x^{86} + x^{85} + x^{83} + x^{78} + x^{74} \\
& + x^{73} + x^{72} + x^{63} + x^{60} + x^{59} + x^{57} + x^{51} + x^{50} + x^{49} + x^{48} + x^{45} \\
& + x^{44} + x^{42} + x^{40} + x^{38} + x^{36} + x^{34} + x^{32} + x^{31} + x^{27} + x^{24} + x^{22} \\
& + x^{19} + x^{18}, \\
p_3(x) &= x^{75} + x^{74} + x^{72} + x^{70} + x^{69} + x^{67} + x^{66} + x^{64} + x^{62} + x^{60} + x^{58} \\
& + x^{57} + x^{51} + x^{50} + x^{48} + x^{46} + x^{45} + x^{37} + x^{36} + x^{34} + x^{33} + x^{29} \\
& + x^{28} + x^{26} + x^{25} + x^{21} + x^{20} + x^{19} + x^{17} + x^{16} + x^{14} + x^{12} + x^{10} \\
& + x^9, \\
p_6(x) &= x^{78} + x^{75} + x^{73} + x^{72} + x^{68} + x^{66} + x^{65} + x^{62} + x^{61} + x^{58} + x^{57} \\
& + x^{56} + x^{48} + x^{46} + x^{45} + x^{44} + x^{42} + x^{40} + x^{39} + x^{36} + x^{35} + x^{31} \\
& + x^{30} + x^{29} + x^{28} + x^{27} + x^{25} + x^{21} + x^{20} + x^{19} + x^{17} + x^{16} + x^{10} \\
& + x^8 + x^7 + x^6, \\
p_9(x) &= x^{81} + x^{80} + x^{79} + x^{77} + x^{76} + x^{74} + x^{72} + x^{71} + x^{69} + x^{68} + x^{66} \\
& + x^{64} + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{49} + x^{43} \\
& + x^{42} + x^{40} + x^{38} + x^{36} + x^{35} + x^{33} + x^{32} + x^{31} + x^{29} + x^{28} + x^{26} \\
& + x^{25} + x^{21} + x^{20} + x^{19} + x^{17} + x^{16} + x^{15} + x^7 + x^6 + x^4 + x^3, \\
p_{12}(x) &= x^{84} + x^{82} + x^{81} + x^{80} + x^{76} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{60} \\
& + x^{58} + x^{57} + x^{54} + x^{53} + x^{50} + x^{49} + x^{48} + x^{20} + x^{18} + x^{17} + x^{16} \\
& + x^{12} + x^{10} + x^9 + x^6 + x^5 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 0, 0, 1, 0, 1, 1, 0, 1, 0, 1, 1, 0, 0]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{84} + x^{74} + x^{72} + x^{70} + x^{68} + x^{66} + x^{60} + x^{56} + x^{54} + x^{48} + x^{46} \\
& + x^{42} + x^{40} + x^{38} + x^{36} + x^{34} + x^{32} + x^{26} + x^{24},
\end{aligned}$$

$$\begin{aligned}
p_3(x) &= x^{74} + x^{72} + x^{66} + x^{62} + x^{34} + x^{32} + x^{24} + x^{22} + x^{16} + x^{14} + x^{10} + x^6, \\
p_6(x) &= x^{76} + x^{74} + x^{70} + x^{62} + x^{60} + x^{58} + x^{50} + x^{44} + x^{40} + x^{38} + x^{36} \\
&\quad + x^{34} + x^{24} + x^{18} + x^8 + 1, \\
p_9(x) &= x^{70} + x^{58} + x^{56} + x^{52} + x^{48} + x^{44} + x^{40} + x^{38} + x^{32} + x^{24} + x^{22} \\
&\quad + x^{20} + x^{18} + x^{14} + x^{10} + x^8 + x^6 + x^2, \\
p_{12}(x) &= x^{72} + x^{68} + x^{66} + x^{64} + x^{56} + x^{52} + x^{50} + x^{48} + x^8 + x^4 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{84} + x^{76} + x^{74} + x^{72} + x^{68} + x^{62} + x^{60} + x^{58} + x^{54} + x^{50} + x^{46} \\
&\quad + x^{44} + x^{42} + x^{40} + x^{38} + x^{36} + x^{34} + x^{30} + x^{26} + x^{22} + x^{18} + x^{14} \\
&\quad + x^{12}, \\
p_3(x) &= x^{74} + x^{72} + x^{64} + x^{62} + x^{60} + x^{56} + x^{52} + x^{48} + x^{46} + x^{34} + x^{32} \\
&\quad + x^{30} + x^{28} + x^{26} + x^{24} + x^{22} + x^{18} + x^8, \\
p_6(x) &= x^{76} + x^{74} + x^{70} + x^{68} + x^{66} + x^{64} + x^{60} + x^{54} + x^{48} + x^{40} + x^{38} \\
&\quad + x^{36} + x^{34} + x^{32} + x^{30} + x^{20} + x^{10} + x^8 + x^4 + 1, \\
p_9(x) &= x^{70} + x^{58} + x^{56} + x^{52} + x^{48} + x^{44} + x^{40} + x^{38} + x^{32} + x^{24} + x^{22} \\
&\quad + x^{20} + x^{18} + x^{14} + x^{10} + x^8 + x^6 + x^2, \\
p_{12}(x) &= x^{72} + x^{68} + x^{66} + x^{64} + x^{56} + x^{52} + x^{50} + x^{48} + x^8 + x^4 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 1, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{96} + x^{94} + x^{93} + x^{92} + x^{89} + x^{88} + x^{85} + x^{82} + x^{81} + x^{80} + x^{79} \\
&\quad + x^{77} + x^{76} + x^{75} + x^{74} + x^{69} + x^{66} + x^{65} + x^{64} + x^{63} + x^{62} + x^{59} \\
&\quad + x^{56} + x^{54} + x^{53} + x^{51} + x^{44} + x^{43} + x^{42} + x^{39} + x^{32} + x^{31} + x^{30} \\
&\quad + x^{29} + x^{28} + x^{26} + x^{24}, \\
p_3(x) &= x^{75} + x^{74} + x^{72} + x^{70} + x^{69} + x^{67} + x^{66} + x^{64} + x^{62} + x^{60} + x^{58} \\
&\quad + x^{57} + x^{51} + x^{50} + x^{48} + x^{46} + x^{45} + x^{37} + x^{36} + x^{34} + x^{33} + x^{29} \\
&\quad + x^{28} + x^{26} + x^{25} + x^{21} + x^{20} + x^{19} + x^{17} + x^{16} + x^{14} + x^{12} + x^{10} \\
&\quad + x^9, \\
p_6(x) &= x^{78} + x^{75} + x^{73} + x^{72} + x^{68} + x^{66} + x^{65} + x^{62} + x^{61} + x^{58} + x^{57} \\
&\quad + x^{56} + x^{48} + x^{46} + x^{45} + x^{44} + x^{42} + x^{40} + x^{39} + x^{36} + x^{35} + x^{31} \\
&\quad + x^{30} + x^{29} + x^{28} + x^{27} + x^{25} + x^{21} + x^{20} + x^{19} + x^{17} + x^{16} + x^{10} \\
&\quad + x^8 + x^7 + x^6, \\
p_9(x) &= x^{81} + x^{80} + x^{79} + x^{77} + x^{76} + x^{74} + x^{72} + x^{71} + x^{69} + x^{68} + x^{66} \\
&\quad + x^{64} + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{49} + x^{43} \\
&\quad + x^{42} + x^{40} + x^{38} + x^{36} + x^{35} + x^{33} + x^{32} + x^{31} + x^{29} + x^{28} + x^{26}
\end{aligned}$$

$$\begin{aligned}
& + x^{25} + x^{21} + x^{20} + x^{19} + x^{17} + x^{16} + x^{15} + x^7 + x^6 + x^4 + x^3, \\
p_{12}(x) = & x^{84} + x^{82} + x^{81} + x^{80} + x^{76} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{60} \\
& + x^{58} + x^{57} + x^{54} + x^{53} + x^{50} + x^{49} + x^{48} + x^{20} + x^{18} + x^{17} + x^{16} \\
& + x^{12} + x^{10} + x^9 + x^6 + x^5 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 0, 1, 0, 0, 1, 0, 0, 1]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) = & x^{96} + x^{94} + x^{93} + x^{92} + x^{89} + x^{88} + x^{85} + x^{82} + x^{81} + x^{80} + x^{79} \\
& + x^{77} + x^{76} + x^{75} + x^{74} + x^{69} + x^{66} + x^{65} + x^{64} + x^{63} + x^{62} + x^{59} \\
& + x^{56} + x^{54} + x^{53} + x^{51} + x^{44} + x^{43} + x^{42} + x^{39} + x^{32} + x^{31} + x^{30} \\
& + x^{29} + x^{28} + x^{26} + x^{24}, \\
p_3(x) = & x^{75} + x^{74} + x^{72} + x^{70} + x^{69} + x^{67} + x^{66} + x^{64} + x^{62} + x^{60} + x^{58} \\
& + x^{57} + x^{51} + x^{50} + x^{48} + x^{46} + x^{45} + x^{37} + x^{36} + x^{34} + x^{33} + x^{29} \\
& + x^{28} + x^{26} + x^{25} + x^{21} + x^{20} + x^{19} + x^{17} + x^{16} + x^{14} + x^{12} + x^{10} \\
& + x^9, \\
p_6(x) = & x^{78} + x^{75} + x^{73} + x^{72} + x^{68} + x^{66} + x^{65} + x^{62} + x^{61} + x^{58} + x^{57} \\
& + x^{56} + x^{48} + x^{46} + x^{45} + x^{44} + x^{42} + x^{40} + x^{39} + x^{36} + x^{35} + x^{31} \\
& + x^{30} + x^{29} + x^{28} + x^{27} + x^{25} + x^{21} + x^{20} + x^{19} + x^{17} + x^{16} + x^{10} \\
& + x^8 + x^7 + x^6, \\
p_9(x) = & x^{81} + x^{80} + x^{79} + x^{77} + x^{76} + x^{74} + x^{72} + x^{71} + x^{69} + x^{68} + x^{66} \\
& + x^{64} + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{49} + x^{43} \\
& + x^{42} + x^{40} + x^{38} + x^{36} + x^{35} + x^{33} + x^{32} + x^{31} + x^{29} + x^{28} + x^{26} \\
& + x^{25} + x^{21} + x^{20} + x^{19} + x^{17} + x^{16} + x^{15} + x^7 + x^6 + x^4 + x^3, \\
p_{12}(x) = & x^{84} + x^{82} + x^{81} + x^{80} + x^{76} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{60} \\
& + x^{58} + x^{57} + x^{54} + x^{53} + x^{50} + x^{49} + x^{48} + x^{20} + x^{18} + x^{17} + x^{16} \\
& + x^{12} + x^{10} + x^9 + x^6 + x^5 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 0, 1, 0, 0, 1, 0, 0, 1]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) = & x^{108} + x^{104} + x^{102} + x^{98} + x^{94} + x^{86} + x^{80} + x^{74} + x^{64} + x^{62} + x^{56} \\
& + x^{54} + x^{52} + x^{50} + x^{46} + x^{44} + x^{42} + x^{38} + x^{36}, \\
p_3(x) = & x^{98} + x^{96} + x^{94} + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{70} \\
& + x^{68} + x^{66} + x^{64} + x^{60} + x^{56} + x^{50} + x^{44} + x^{40} + x^{38} + x^{36} + x^{34} \\
& + x^{32} + x^{22} + x^{20} + x^{18} + x^8 + x^6, \\
p_6(x) = & x^{100} + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{86} + x^{76} + x^{62} + x^{56} + x^{52} \\
& + x^{50} + x^{46} + x^{42} + x^{40} + x^{34} + x^{30} + x^{24} + x^{20} + x^{16} + x^{14} + x^{10} \\
& + x^8 + x^6 + x^2 + 1,
\end{aligned}$$

$$\begin{aligned}
p_9(x) &= x^{94} + x^{90} + x^{88} + x^{82} + x^{74} + x^{72} + x^{68} + x^{66} + x^{60} + x^{54} + x^{52} \\
&\quad + x^{42} + x^{40} + x^{38} + x^{36} + x^{32} + x^{30} + x^{28} + x^{24} + x^{20} + x^{18} + x^{14} \\
&\quad + x^{12} + x^{10} + x^8 + x^6 + x^4 + x^2, \\
p_{12}(x) &= x^{96} + x^{72} + x^{56} + x^{48} + x^{32} + x^{16} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{96} + x^{94} + x^{93} + x^{90} + x^{89} + x^{87} + x^{86} + x^{85} + x^{83} + x^{82} + x^{81} \\
&\quad + x^{77} + x^{75} + x^{74} + x^{73} + x^{72} + x^{68} + x^{67} + x^{66} + x^{65} + x^{63} + x^{58} \\
&\quad + x^{57} + x^{56} + x^{55} + x^{53} + x^{52} + x^{51} + x^{49} + x^{47} + x^{45} + x^{44} + x^{42} \\
&\quad + x^{41} + x^{40} + x^{39} + x^{35} + x^{31} + x^{26} + x^{25} + x^{22} + x^{21} + x^{15} + x^{13} \\
&\quad + x^{12}, \\
p_3(x) &= x^{84} + x^{82} + x^{81} + x^{80} + x^{75} + x^{72} + x^{70} + x^{69} + x^{67} + x^{66} + x^{65} \\
&\quad + x^{62} + x^{54} + x^{50} + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} + x^{42} + x^{40} + x^{39} \\
&\quad + x^{37} + x^{36} + x^{35} + x^{33} + x^{32} + x^{29} + x^{28} + x^{22} + x^{21} + x^{15} + x^{14} \\
&\quad + x^{11} + x^9 + x^8, \\
p_6(x) &= x^{88} + x^{86} + x^{85} + x^{82} + x^{81} + x^{79} + x^{78} + x^{77} + x^{74} + x^{73} + x^{70} \\
&\quad + x^{69} + x^{68} + x^{67} + x^{65} + x^{62} + x^{61} + x^{59} + x^{56} + x^{53} + x^{52} + x^{50} \\
&\quad + x^{48} + x^{47} + x^{44} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{32} \\
&\quad + x^{30} + x^{26} + x^{23} + x^{22} + x^{16} + x^{15} + x^{14} + x^{12} + x^8 + x^7 + x^6 + x^4 \\
&\quad + x^2 + x + 1, \\
p_9(x) &= x^{80} + x^{78} + x^{77} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{64} + x^{62} + x^{61} \\
&\quad + x^{58} + x^{57} + x^{54} + x^{53} + x^{52} + x^{16} + x^{14} + x^{13} + x^{10} + x^9 + x^6 + x^5 \\
&\quad + x^4, \\
p_{12}(x) &= x^{84} + x^{82} + x^{81} + x^{78} + x^{77} + x^{76} + x^{64} + x^{62} + x^{61} + x^{60} + x^{52} \\
&\quad + x^{50} + x^{49} + x^{48} + x^{20} + x^{18} + x^{17} + x^{14} + x^{13} + x^{12} + x^4 + x^2 + x \\
&\quad + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 0, 0, 1, 1, 0, 0, 0, 1, 0, 1, 1, 0]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{92} + x^{86} + x^{85} + x^{82} + x^{81} + x^{77} + x^{74} + x^{68} + x^{67} + x^{66} + x^{65} \\
&\quad + x^{63} + x^{61} + x^{60} + x^{58} + x^{56} + x^{53} + x^{51} + x^{49} + x^{48} + x^{47} + x^{46} \\
&\quad + x^{44} + x^{41} + x^{37} + x^{31} + x^{30} + x^{29} + x^{21} + x^{18}, \\
p_3(x) &= x^{71} + x^{70} + x^{66} + x^{64} + x^{62} + x^{57} + x^{47} + x^{46} + x^{42} + x^{40} + x^{39} \\
&\quad + x^{34} + x^{33} + x^{32} + x^{31} + x^{26} + x^{25} + x^{24} + x^{23} + x^{18} + x^{17} + x^{16} \\
&\quad + x^{14} + x^9, \\
p_6(x) &= x^{74} + x^{72} + x^{64} + x^{60} + x^{56} + x^{44} + x^{38} + x^{34} + x^{30} + x^{28} + x^{26}
\end{aligned}$$

$$\begin{aligned}
& + x^{24} + x^{20} + x^{18} + x^{16} + x^6, \\
p_9(x) &= x^{77} + x^{76} + x^{75} + x^{74} + x^{72} + x^{67} + x^{61} + x^{60} + x^{59} + x^{58} + x^{56} \\
& + x^{51} + x^{13} + x^{12} + x^{11} + x^{10} + x^8 + x^3, \\
p_{12}(x) &= x^{80} + x^{76} + x^{60} + x^{48} + x^{16} + x^{12} + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 1, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 1]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{102} + x^{101} + x^{100} + x^{97} + x^{96} + x^{90} + x^{88} + x^{86} + x^{85} + x^{83} \\
& + x^{80} + x^{79} + x^{78} + x^{77} + x^{76} + x^{75} + x^{70} + x^{68} + x^{66} + x^{65} + x^{64} \\
& + x^{62} + x^{57} + x^{56} + x^{55} + x^{53} + x^{49} + x^{48} + x^{42} + x^{40} + x^{39} + x^{35} \\
& + x^{34} + x^{32} + x^{28} + x^{27} + x^{25} + x^{24}, \\
p_3(x) &= x^{87} + x^{86} + x^{82} + x^{80} + x^{79} + x^{75} + x^{73} + x^{72} + x^{71} + x^{70} + x^{68} \\
& + x^{65} + x^{64} + x^{63} + x^{61} + x^{58} + x^{57} + x^{56} + x^{54} + x^{51} + x^{50} + x^{49} \\
& + x^{47} + x^{44} + x^{43} + x^{42} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} \\
& + x^{33} + x^{32} + x^{29} + x^{28} + x^{27} + x^{25} + x^{23} + x^{21} + x^{20} + x^{16} + x^{14} \\
& + x^{13} + x^9, \\
p_6(x) &= x^{90} + x^{88} + x^{82} + x^{78} + x^{74} + x^{72} + x^{64} + x^{60} + x^{56} + x^{54} + x^{52} \\
& + x^{50} + x^{48} + x^{42} + x^{40} + x^{38} + x^{32} + x^{28} + x^{24} + x^{18} + x^{16} + x^{14} \\
& + x^{10} + x^6, \\
p_9(x) &= x^{93} + x^{92} + x^{91} + x^{90} + x^{88} + x^{85} + x^{84} + x^{82} + x^{81} + x^{79} + x^{78} \\
& + x^{76} + x^{75} + x^{71} + x^{69} + x^{68} + x^{67} + x^{66} + x^{65} + x^{63} + x^{62} + x^{61} \\
& + x^{58} + x^{56} + x^{55} + x^{51} + x^{29} + x^{28} + x^{27} + x^{26} + x^{24} + x^{21} + x^{20} \\
& + x^{18} + x^{17} + x^{15} + x^{14} + x^{13} + x^{10} + x^8 + x^7 + x^3, \\
p_{12}(x) &= x^{96} + x^{92} + x^{88} + x^{68} + x^{60} + x^{56} + x^{52} + x^{48} + x^{32} + x^{28} + x^{24} \\
& + x^{16} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 0, 0, 1, 0, 1, 1, 0, 1]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{96} + x^{94} + x^{93} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{82} + x^{81} + x^{80} \\
& + x^{79} + x^{78} + x^{77} + x^{75} + x^{73} + x^{72} + x^{70} + x^{69} + x^{62} + x^{59} + x^{55} \\
& + x^{54} + x^{51} + x^{50} + x^{49} + x^{48} + x^{43} + x^{42} + x^{39} + x^{36} + x^{34} + x^{33} \\
& + x^{32} + x^{30}, \\
p_3(x) &= x^{84} + x^{82} + x^{81} + x^{80} + x^{76} + x^{75} + x^{73} + x^{71} + x^{70} + x^{67} + x^{66} \\
& + x^{64} + x^{63} + x^{61} + x^{60} + x^{59} + x^{57} + x^{56} + x^{54} + x^{52} + x^{50} + x^{42} \\
& + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{30} + x^{29} + x^{28} + x^{27} + x^{25} + x^{24} \\
& + x^{21} + x^{20} + x^{19} + x^{13} + x^{12}, \\
p_6(x) &= x^{88} + x^{86} + x^{85} + x^{82} + x^{81} + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} + x^{74}
\end{aligned}$$

$$\begin{aligned}
& + x^{72} + x^{70} + x^{69} + x^{67} + x^{66} + x^{64} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} \\
& + x^{57} + x^{56} + x^{54} + x^{52} + x^{49} + x^{47} + x^{41} + x^{36} + x^{34} + x^{31} + x^{30} \\
& + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{20} + x^{19} + x^{18} + x^{15} + x^{13} + x^{10} \\
& + x^8 + x^6 + x^5 + x^2 + x + 1, \\
p_9(x) &= x^{80} + x^{78} + x^{77} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{64} + x^{62} + x^{61} \\
& + x^{58} + x^{57} + x^{54} + x^{53} + x^{52} + x^{16} + x^{14} + x^{13} + x^{10} + x^9 + x^6 + x^5 \\
& + x^4, \\
p_{12}(x) &= x^{84} + x^{82} + x^{81} + x^{78} + x^{77} + x^{76} + x^{64} + x^{62} + x^{61} + x^{60} + x^{52} \\
& + x^{50} + x^{49} + x^{48} + x^{20} + x^{18} + x^{17} + x^{14} + x^{13} + x^{12} + x^4 + x^2 + x \\
& + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 1, 1, 0, 0, 1, 1, 1, 1, 0]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{96} + x^{94} + x^{93} + x^{90} + x^{89} + x^{87} + x^{86} + x^{85} + x^{83} + x^{82} + x^{81} \\
& + x^{77} + x^{75} + x^{74} + x^{73} + x^{72} + x^{68} + x^{67} + x^{66} + x^{65} + x^{63} + x^{58} \\
& + x^{57} + x^{56} + x^{55} + x^{53} + x^{52} + x^{51} + x^{49} + x^{47} + x^{45} + x^{44} + x^{42} \\
& + x^{41} + x^{40} + x^{39} + x^{35} + x^{31} + x^{26} + x^{25} + x^{22} + x^{21} + x^{15} + x^{13} \\
& + x^{12}, \\
p_3(x) &= x^{84} + x^{82} + x^{81} + x^{80} + x^{75} + x^{72} + x^{70} + x^{69} + x^{67} + x^{66} + x^{65} \\
& + x^{62} + x^{54} + x^{50} + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} + x^{42} + x^{40} + x^{39} \\
& + x^{37} + x^{36} + x^{35} + x^{33} + x^{32} + x^{29} + x^{28} + x^{22} + x^{21} + x^{15} + x^{14} \\
& + x^{11} + x^9 + x^8, \\
p_6(x) &= x^{88} + x^{86} + x^{85} + x^{82} + x^{81} + x^{79} + x^{78} + x^{77} + x^{74} + x^{73} + x^{70} \\
& + x^{69} + x^{68} + x^{67} + x^{65} + x^{62} + x^{61} + x^{59} + x^{56} + x^{53} + x^{52} + x^{50} \\
& + x^{48} + x^{47} + x^{44} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{32} \\
& + x^{30} + x^{26} + x^{23} + x^{22} + x^{16} + x^{15} + x^{14} + x^{12} + x^8 + x^7 + x^6 + x^4 \\
& + x^2 + x + 1, \\
p_9(x) &= x^{80} + x^{78} + x^{77} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{64} + x^{62} + x^{61} \\
& + x^{58} + x^{57} + x^{54} + x^{53} + x^{52} + x^{16} + x^{14} + x^{13} + x^{10} + x^9 + x^6 + x^5 \\
& + x^4, \\
p_{12}(x) &= x^{84} + x^{82} + x^{81} + x^{78} + x^{77} + x^{76} + x^{64} + x^{62} + x^{61} + x^{60} + x^{52} \\
& + x^{50} + x^{49} + x^{48} + x^{20} + x^{18} + x^{17} + x^{14} + x^{13} + x^{12} + x^4 + x^2 + x \\
& + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 0, 0, 1, 1, 0, 0, 0, 1, 0, 1, 1, 0]$.

For $\phi(W^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{108} + x^{102} + x^{101} + x^{100} + x^{97} + x^{96} + x^{90} + x^{88} + x^{86} + x^{85} + x^{83} \\
& + x^{80} + x^{79} + x^{78} + x^{77} + x^{76} + x^{75} + x^{70} + x^{68} + x^{66} + x^{65} + x^{64}
\end{aligned}$$

$$\begin{aligned}
& + x^{62} + x^{57} + x^{56} + x^{55} + x^{53} + x^{49} + x^{48} + x^{42} + x^{40} + x^{39} + x^{35} \\
& + x^{34} + x^{32} + x^{28} + x^{27} + x^{25} + x^{24}, \\
p_3(x) &= x^{87} + x^{86} + x^{82} + x^{80} + x^{79} + x^{75} + x^{73} + x^{72} + x^{71} + x^{70} + x^{68} \\
& + x^{65} + x^{64} + x^{63} + x^{61} + x^{58} + x^{57} + x^{56} + x^{54} + x^{51} + x^{50} + x^{49} \\
& + x^{47} + x^{44} + x^{43} + x^{42} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} \\
& + x^{33} + x^{32} + x^{29} + x^{28} + x^{27} + x^{25} + x^{23} + x^{21} + x^{20} + x^{16} + x^{14} \\
& + x^{13} + x^9, \\
p_6(x) &= x^{90} + x^{88} + x^{82} + x^{78} + x^{74} + x^{72} + x^{64} + x^{60} + x^{56} + x^{54} + x^{52} \\
& + x^{50} + x^{48} + x^{42} + x^{40} + x^{38} + x^{32} + x^{28} + x^{24} + x^{18} + x^{16} + x^{14} \\
& + x^{10} + x^6, \\
p_9(x) &= x^{93} + x^{92} + x^{91} + x^{90} + x^{88} + x^{85} + x^{84} + x^{82} + x^{81} + x^{79} + x^{78} \\
& + x^{76} + x^{75} + x^{71} + x^{69} + x^{68} + x^{67} + x^{66} + x^{65} + x^{63} + x^{62} + x^{61} \\
& + x^{58} + x^{56} + x^{55} + x^{51} + x^{29} + x^{28} + x^{27} + x^{26} + x^{24} + x^{21} + x^{20} \\
& + x^{18} + x^{17} + x^{15} + x^{14} + x^{13} + x^{10} + x^8 + x^7 + x^3, \\
p_{12}(x) &= x^{96} + x^{92} + x^{88} + x^{68} + x^{60} + x^{56} + x^{52} + x^{48} + x^{32} + x^{28} + x^{24} \\
& + x^{16} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 0, 0, 1, 0, 1, 1, 0, 1]$.

For $\phi(W^\circ, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{92} + x^{86} + x^{85} + x^{82} + x^{81} + x^{77} + x^{74} + x^{68} + x^{67} + x^{66} + x^{65} \\
& + x^{63} + x^{61} + x^{60} + x^{58} + x^{56} + x^{53} + x^{51} + x^{49} + x^{48} + x^{47} + x^{46} \\
& + x^{44} + x^{41} + x^{37} + x^{31} + x^{30} + x^{29} + x^{21} + x^{18}, \\
p_3(x) &= x^{71} + x^{70} + x^{66} + x^{64} + x^{62} + x^{57} + x^{47} + x^{46} + x^{42} + x^{40} + x^{39} \\
& + x^{34} + x^{33} + x^{32} + x^{31} + x^{26} + x^{25} + x^{24} + x^{23} + x^{18} + x^{17} + x^{16} \\
& + x^{14} + x^9, \\
p_6(x) &= x^{74} + x^{72} + x^{64} + x^{60} + x^{56} + x^{44} + x^{38} + x^{34} + x^{30} + x^{28} + x^{26} \\
& + x^{24} + x^{20} + x^{18} + x^{16} + x^6, \\
p_9(x) &= x^{77} + x^{76} + x^{75} + x^{74} + x^{72} + x^{67} + x^{61} + x^{60} + x^{59} + x^{58} + x^{56} \\
& + x^{51} + x^{13} + x^{12} + x^{11} + x^{10} + x^8 + x^3, \\
p_{12}(x) &= x^{80} + x^{76} + x^{60} + x^{48} + x^{16} + x^{12} + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 1, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1]$.

For $\phi(W^\circ, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{96} + x^{94} + x^{93} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{82} + x^{81} + x^{80} \\
& + x^{79} + x^{78} + x^{77} + x^{75} + x^{73} + x^{72} + x^{70} + x^{69} + x^{62} + x^{59} + x^{55} \\
& + x^{54} + x^{51} + x^{50} + x^{49} + x^{48} + x^{43} + x^{42} + x^{39} + x^{36} + x^{34} + x^{33} \\
& + x^{32} + x^{30},
\end{aligned}$$

$$\begin{aligned}
p_3(x) &= x^{84} + x^{82} + x^{81} + x^{80} + x^{76} + x^{75} + x^{73} + x^{71} + x^{70} + x^{67} + x^{66} \\
&\quad + x^{64} + x^{63} + x^{61} + x^{60} + x^{59} + x^{57} + x^{56} + x^{54} + x^{52} + x^{50} + x^{42} \\
&\quad + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{30} + x^{29} + x^{28} + x^{27} + x^{25} + x^{24} \\
&\quad + x^{21} + x^{20} + x^{19} + x^{13} + x^{12}, \\
p_6(x) &= x^{88} + x^{86} + x^{85} + x^{82} + x^{81} + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} + x^{74} \\
&\quad + x^{72} + x^{70} + x^{69} + x^{67} + x^{66} + x^{64} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} \\
&\quad + x^{57} + x^{56} + x^{54} + x^{52} + x^{49} + x^{47} + x^{41} + x^{36} + x^{34} + x^{31} + x^{30} \\
&\quad + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{20} + x^{19} + x^{18} + x^{15} + x^{13} + x^{10} \\
&\quad + x^8 + x^6 + x^5 + x^2 + x + 1, \\
p_9(x) &= x^{80} + x^{78} + x^{77} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{64} + x^{62} + x^{61} \\
&\quad + x^{58} + x^{57} + x^{54} + x^{53} + x^{52} + x^{16} + x^{14} + x^{13} + x^{10} + x^9 + x^6 + x^5 \\
&\quad + x^4, \\
p_{12}(x) &= x^{84} + x^{82} + x^{81} + x^{78} + x^{77} + x^{76} + x^{64} + x^{62} + x^{61} + x^{60} + x^{52} \\
&\quad + x^{50} + x^{49} + x^{48} + x^{20} + x^{18} + x^{17} + x^{14} + x^{13} + x^{12} + x^4 + x^2 + x \\
&\quad + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 1, 1, 0, 0, 1, 1, 1, 0]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	193	[327, 328]	386	[95, 568]	579	[165, 415]	772	[844, 383]
1	[3, 4]	194	[329, 236]	387	[569, 570]	580	[714, 404]	773	[845, 37]
2	[5, 6]	195	[330, 331]	388	[571, 264]	581	[715, 716]	774	[846, 59]
3	[7, 8]	196	[328, 238]	389	[572, 566]	582	[378, 46]	775	[847, 384]
4	[9, 10]	197	[331, 332]	390	[63, 276]	583	[717, 123]	776	[848, 714]
5	[11, 12]	198	[333, 226]	391	[573, 251]	584	[498, 515]	777	[761, 716]
6	[13, 14]	199	[272, 259]	392	[557, 257]	585	[718, 517]	778	[849, 723]
7	[15, 16]	200	[334, 335]	393	[574, 575]	586	[681, 391]	779	[523, 118]
8	[17, 18]	201	[336, 337]	394	[576, 577]	587	[719, 662]	780	[850, 188]
9	[19, 20]	202	[338, 105]	395	[578, 573]	588	[720, 721]	781	[851, 121]
10	[21, 22]	203	[339, 237]	396	[87, 579]	589	[722, 714]	782	[852, 155]
11	[23, 24]	204	[340, 96]	397	[89, 529]	590	[426, 450]	783	[482, 461]
12	[25, 26]	205	[260, 246]	398	[580, 547]	591	[145, 486]	784	[711, 517]
13	[27, 28]	206	[341, 342]	399	[300, 70]	592	[10, 723]	785	[853, 141]
14	[29, 30]	207	[343, 65]	400	[85, 578]	593	[724, 8]	786	[189, 10]
15	[31, 32]	208	[344, 76]	401	[581, 229]	594	[725, 392]	787	[854, 518]
16	[33, 1]	209	[81, 88]	402	[332, 283]	595	[43, 420]	788	[163, 495]
17	[34, 35]	210	[245, 345]	403	[582, 252]	596	[516, 726]	789	[855, 397]
18	[36, 37]	211	[79, 320]	404	[278, 561]	597	[727, 726]	790	[856, 41]
19	[38, 39]	212	[346, 95]	405	[583, 270]	598	[501, 165]	791	[384, 195]

20	[40, 41]	213	[347, 348]	406	[542, 542]	599	[728, 694]	792	[857, 189]
21	[42, 43]	214	[349, 350]	407	[584, 334]	600	[729, 471]	793	[450, 671]
22	[44, 45]	215	[351, 352]	408	[585, 336]	601	[730, 358]	794	[713, 31]
23	[46, 47]	216	[353, 354]	409	[586, 321]	602	[512, 406]	795	[476, 382]
24	[48, 49]	217	[141, 355]	410	[544, 587]	603	[53, 523]	796	[193, 492]
25	[50, 51]	218	[356, 7]	411	[568, 25]	604	[731, 505]	797	[858, 408]
26	[52, 53]	219	[357, 358]	412	[588, 589]	605	[732, 199]	798	[859, 136]
27	[54, 55]	220	[359, 48]	413	[590, 91]	606	[39, 722]	799	[860, 402]
28	[56, 57]	221	[360, 361]	414	[591, 105]	607	[733, 161]	800	[861, 209]
29	[58, 59]	222	[362, 123]	415	[293, 553]	608	[734, 129]	801	[507, 58]
30	[60, 47]	223	[363, 364]	416	[294, 592]	609	[430, 154]	802	[862, 396]
31	[6, 61]	224	[365, 366]	417	[593, 568]	610	[155, 174]	803	[683, 173]
32	[62, 63]	225	[133, 367]	418	[530, 230]	611	[735, 486]	804	[863, 184]
33	[64, 65]	226	[368, 369]	419	[231, 67]	612	[736, 705]	805	[157, 662]
34	[66, 67]	227	[370, 127]	420	[110, 581]	613	[404, 704]	806	[676, 510]
35	[68, 69]	228	[371, 372]	421	[594, 255]	614	[737, 359]	807	[864, 416]
36	[70, 71]	229	[203, 55]	422	[595, 259]	615	[738, 457]	808	[865, 516]
37	[72, 73]	230	[373, 154]	423	[596, 597]	616	[428, 739]	809	[143, 350]
38	[74, 75]	231	[374, 197]	424	[598, 28]	617	[690, 740]	810	[866, 367]
39	[76, 77]	232	[375, 376]	425	[599, 217]	618	[478, 705]	811	[673, 149]
40	[78, 79]	233	[377, 378]	426	[600, 327]	619	[741, 49]	812	[393, 395]
41	[80, 81]	234	[379, 380]	427	[601, 88]	620	[469, 458]	813	[680, 428]
42	[82, 83]	235	[381, 382]	428	[589, 562]	621	[191, 489]	814	[867, 478]
43	[84, 85]	236	[383, 384]	429	[602, 287]	622	[390, 742]	815	[2, 163]
44	[86, 87]	237	[385, 386]	430	[234, 279]	623	[743, 180]	816	[868, 42]
45	[88, 89]	238	[387, 121]	431	[603, 565]	624	[744, 420]	817	[41, 208]
46	[90, 91]	239	[388, 160]	432	[561, 243]	625	[386, 451]	818	[869, 143]
47	[92, 17]	240	[389, 390]	433	[604, 600]	626	[467, 468]	819	[870, 722]
48	[93, 21]	241	[391, 392]	434	[345, 303]	627	[49, 352]	820	[871, 467]
49	[94, 95]	242	[210, 153]	435	[605, 606]	628	[32, 683]	821	[358, 142]
50	[96, 97]	243	[369, 393]	436	[607, 113]	629	[173, 380]	822	[872, 515]
51	[98, 99]	244	[394, 395]	437	[101, 286]	630	[211, 40]	823	[873, 210]
52	[100, 101]	245	[396, 397]	438	[608, 29]	631	[745, 200]	824	[874, 139]
53	[102, 15]	246	[398, 399]	439	[256, 266]	632	[746, 387]	825	[679, 198]
54	[103, 104]	247	[400, 401]	440	[609, 80]	633	[747, 453]	826	[169, 7]
55	[105, 106]	248	[402, 126]	441	[610, 238]	634	[443, 180]	827	[120, 371]
56	[107, 108]	249	[403, 404]	442	[611, 310]	635	[688, 177]	828	[419, 452]
57	[109, 110]	250	[45, 396]	443	[269, 312]	636	[748, 739]	829	[875, 401]
58	[111, 112]	251	[405, 406]	444	[612, 333]	637	[416, 437]	830	[876, 364]
59	[113, 114]	252	[407, 408]	445	[65, 597]	638	[459, 685]	831	[877, 711]
60	[115, 116]	253	[409, 410]	446	[613, 614]	639	[749, 357]	832	[878, 32]
61	[117, 118]	254	[411, 412]	447	[615, 537]	640	[495, 147]	833	[879, 53]
62	[119, 120]	255	[413, 414]	448	[258, 323]	641	[750, 167]	834	[700, 376]
63	[121, 122]	256	[392, 348]	449	[616, 316]	642	[751, 419]	835	[525, 669]

64	[123, 124]	257	[415, 416]	450	[274, 555]	643	[726, 128]	836	[880, 500]
65	[125, 126]	258	[417, 407]	451	[606, 588]	644	[752, 415]	837	[399, 456]
66	[122, 127]	259	[418, 419]	452	[325, 111]	645	[753, 372]	838	[47, 45]
67	[128, 129]	260	[420, 400]	453	[617, 339]	646	[754, 489]	839	[881, 355]
68	[130, 131]	261	[421, 140]	454	[30, 618]	647	[755, 666]	840	[364, 666]
69	[132, 133]	262	[422, 142]	455	[619, 562]	648	[382, 362]	841	[882, 99]
70	[134, 52]	263	[197, 158]	456	[620, 82]	649	[131, 448]	842	[883, 79]
71	[135, 136]	264	[423, 424]	457	[104, 621]	650	[756, 50]	843	[884, 570]
72	[137, 138]	265	[425, 426]	458	[622, 344]	651	[757, 159]	844	[885, 533]
73	[59, 139]	266	[427, 428]	459	[540, 316]	652	[758, 211]	845	[886, 106]
74	[140, 141]	267	[429, 430]	460	[623, 253]	653	[759, 393]	846	[887, 251]
75	[142, 143]	268	[431, 432]	461	[342, 535]	654	[760, 761]	847	[888, 298]
76	[144, 145]	269	[433, 434]	462	[624, 617]	655	[348, 679]	848	[889, 303]
77	[146, 147]	270	[435, 371]	463	[625, 332]	656	[762, 158]	849	[890, 111]
78	[148, 149]	271	[171, 188]	464	[592, 626]	657	[763, 434]	850	[891, 320]
79	[150, 151]	272	[436, 437]	465	[627, 267]	658	[764, 504]	851	[892, 97]
80	[152, 153]	273	[438, 439]	466	[527, 569]	659	[765, 712]	852	[893, 274]
81	[154, 155]	274	[440, 40]	467	[16, 628]	660	[665, 366]	853	[894, 74]
82	[156, 157]	275	[441, 130]	468	[18, 324]	661	[766, 110]	854	[895, 258]
83	[158, 159]	276	[442, 443]	469	[290, 94]	662	[220, 293]	855	[896, 25]
84	[160, 161]	277	[444, 445]	470	[565, 574]	663	[767, 551]	856	[897, 780]
85	[162, 163]	278	[446, 198]	471	[315, 547]	664	[768, 584]	857	[898, 532]
86	[164, 165]	279	[447, 448]	472	[629, 624]	665	[618, 564]	858	[899, 246]
87	[166, 119]	280	[380, 432]	473	[597, 249]	666	[628, 233]	859	[900, 311]
88	[153, 167]	281	[185, 430]	474	[630, 235]	667	[769, 574]	860	[901, 325]
89	[168, 169]	282	[449, 450]	475	[631, 284]	668	[770, 622]	861	[902, 331]
90	[170, 171]	283	[451, 411]	476	[106, 62]	669	[83, 273]	862	[903, 221]
91	[172, 173]	284	[452, 453]	477	[632, 585]	670	[771, 279]	863	[904, 581]
92	[14, 160]	285	[454, 38]	478	[537, 330]	671	[654, 772]	864	[905, 335]
93	[174, 175]	286	[455, 46]	479	[633, 578]	672	[773, 345]	865	[906, 544]
94	[176, 177]	287	[456, 36]	480	[277, 634]	673	[321, 241]	866	[907, 237]
95	[178, 50]	288	[55, 457]	481	[635, 598]	674	[774, 72]	867	[908, 636]
96	[179, 174]	289	[458, 459]	482	[551, 624]	675	[775, 545]	868	[909, 84]
97	[180, 181]	290	[460, 456]	483	[570, 622]	676	[99, 647]	869	[910, 604]
98	[182, 183]	291	[461, 462]	484	[587, 636]	677	[776, 654]	870	[911, 645]
99	[184, 185]	292	[463, 464]	485	[637, 617]	678	[777, 3]	871	[912, 336]
100	[181, 186]	293	[465, 466]	486	[262, 74]	679	[319, 272]	872	[913, 77]
101	[187, 178]	294	[8, 467]	487	[638, 343]	680	[108, 263]	873	[914, 256]
102	[188, 189]	295	[468, 469]	488	[252, 585]	681	[579, 557]	874	[915, 344]
103	[190, 191]	296	[159, 470]	489	[323, 598]	682	[778, 100]	875	[916, 68]
104	[192, 193]	297	[439, 471]	490	[639, 614]	683	[61, 92]	876	[917, 290]
105	[194, 195]	298	[472, 128]	491	[640, 250]	684	[779, 327]	877	[918, 230]
106	[196, 42]	299	[149, 473]	492	[305, 72]	685	[780, 549]	878	[919, 277]
107	[186, 197]	300	[205, 135]	493	[641, 334]	686	[781, 62]	879	[920, 218]

108	[198, 199]	301	[474, 461]	494	[642, 241]	687	[782, 220]	880	[921, 234]
109	[200, 201]	302	[475, 391]	495	[289, 78]	688	[621, 342]	881	[922, 247]
110	[202, 203]	303	[37, 476]	496	[643, 231]	689	[783, 536]	882	[207, 514]
111	[204, 205]	304	[477, 451]	497	[644, 223]	690	[647, 780]	883	[175, 761]
112	[206, 207]	305	[448, 478]	498	[218, 645]	691	[784, 254]	884	[129, 390]
113	[208, 209]	306	[479, 480]	499	[270, 301]	692	[785, 592]	885	[490, 151]
114	[136, 210]	307	[481, 482]	500	[549, 102]	693	[786, 245]	886	[697, 119]
115	[139, 211]	308	[127, 184]	501	[545, 255]	694	[566, 620]	887	[488, 407]
116	[212, 124]	309	[483, 484]	502	[646, 647]	695	[787, 114]	888	[723, 688]
117	[213, 214]	310	[485, 452]	503	[249, 215]	696	[788, 278]	889	[923, 175]
118	[215, 216]	311	[486, 454]	504	[67, 308]	697	[614, 219]	890	[924, 38]
119	[217, 218]	312	[487, 488]	505	[648, 221]	698	[789, 324]	891	[685, 499]
120	[219, 220]	313	[434, 426]	506	[649, 102]	699	[790, 263]	892	[432, 363]
121	[221, 222]	314	[489, 490]	507	[71, 113]	700	[313, 214]	893	[504, 676]
122	[97, 223]	315	[491, 470]	508	[650, 4]	701	[791, 579]	894	[462, 35]
123	[224, 225]	316	[492, 196]	509	[651, 530]	702	[792, 620]	895	[925, 483]
124	[226, 227]	317	[493, 135]	510	[652, 282]	703	[793, 302]	896	[500, 52]
125	[228, 229]	318	[494, 495]	511	[653, 648]	704	[266, 639]	897	[518, 512]
126	[230, 231]	319	[496, 418]	512	[24, 654]	705	[636, 300]	898	[742, 439]
127	[22, 232]	320	[497, 498]	513	[655, 652]	706	[794, 280]	899	[926, 362]
128	[233, 234]	321	[499, 500]	514	[634, 96]	707	[795, 219]	900	[199, 57]
129	[235, 236]	322	[1, 501]	515	[337, 109]	708	[796, 540]	901	[927, 120]
130	[237, 24]	323	[502, 503]	516	[645, 3]	709	[797, 328]	902	[928, 468]
131	[238, 93]	324	[35, 504]	517	[626, 604]	710	[798, 85]	903	[929, 400]
132	[239, 240]	325	[397, 12]	518	[575, 29]	711	[302, 577]	904	[183, 505]
133	[241, 104]	326	[480, 482]	519	[656, 82]	712	[555, 20]	905	[406, 183]
134	[242, 243]	327	[505, 387]	520	[657, 98]	713	[288, 543]	906	[930, 742]
135	[244, 245]	328	[506, 363]	521	[658, 63]	714	[77, 591]	907	[931, 48]
136	[246, 247]	329	[355, 359]	522	[659, 339]	715	[799, 233]	908	[138, 205]
137	[248, 249]	330	[457, 507]	523	[335, 550]	716	[216, 652]	909	[740, 162]
138	[250, 244]	331	[508, 492]	524	[660, 634]	717	[800, 109]	910	[932, 507]
139	[251, 252]	332	[509, 510]	525	[577, 584]	718	[801, 575]	911	[361, 14]
140	[253, 254]	333	[511, 512]	526	[661, 525]	719	[802, 70]	912	[712, 410]
141	[255, 256]	334	[513, 514]	527	[662, 140]	720	[803, 90]	913	[466, 443]
142	[257, 258]	335	[515, 516]	528	[663, 462]	721	[225, 262]	914	[372, 157]
143	[259, 260]	336	[408, 200]	529	[167, 480]	722	[75, 217]	915	[933, 680]
144	[261, 262]	337	[517, 518]	530	[664, 665]	723	[20, 606]	916	[934, 673]
145	[263, 264]	338	[519, 196]	531	[666, 445]	724	[804, 312]	917	[935, 43]
146	[265, 266]	339	[437, 464]	532	[667, 499]	725	[805, 112]	918	[453, 378]
147	[267, 116]	340	[520, 411]	533	[668, 469]	726	[772, 235]	919	[414, 145]
148	[268, 269]	341	[521, 185]	534	[669, 207]	727	[806, 527]	920	[936, 681]
149	[73, 270]	342	[522, 523]	535	[670, 671]	728	[807, 76]	921	[694, 665]
150	[271, 272]	343	[524, 490]	536	[672, 433]	729	[808, 78]	922	[503, 721]
151	[273, 274]	344	[51, 483]	537	[410, 673]	730	[809, 319]	923	[937, 276]

152	[275, 26]	345	[395, 525]	538	[674, 36]	731	[810, 569]	924	[938, 313]
153	[276, 277]	346	[350, 503]	539	[675, 676]	732	[811, 772]	925	[939, 73]
154	[214, 278]	347	[526, 21]	540	[677, 473]	733	[812, 294]	926	[940, 600]
155	[279, 280]	348	[112, 527]	541	[401, 354]	734	[813, 301]	927	[941, 101]
156	[281, 282]	349	[528, 305]	542	[678, 679]	735	[814, 30]	928	[942, 289]
157	[283, 253]	350	[529, 530]	543	[57, 680]	736	[815, 285]	929	[943, 232]
158	[284, 285]	351	[531, 225]	544	[412, 681]	737	[816, 93]	930	[944, 304]
159	[286, 287]	352	[532, 533]	545	[484, 191]	738	[817, 71]	931	[945, 94]
160	[28, 288]	353	[534, 283]	546	[682, 683]	739	[91, 343]	932	[946, 222]
161	[264, 289]	354	[535, 536]	547	[684, 685]	740	[536, 291]	933	[947, 573]
162	[114, 290]	355	[254, 537]	548	[352, 418]	741	[818, 257]	934	[948, 69]
163	[291, 269]	356	[538, 17]	549	[686, 31]	742	[236, 648]	935	[949, 589]
164	[292, 293]	357	[539, 532]	550	[687, 688]	743	[819, 16]	936	[950, 83]
165	[4, 294]	358	[227, 108]	551	[689, 690]	744	[820, 75]	937	[951, 713]
166	[295, 291]	359	[304, 540]	552	[691, 454]	745	[821, 18]	938	[366, 169]
167	[26, 68]	360	[541, 542]	553	[464, 402]	746	[822, 89]	939	[445, 466]
168	[296, 215]	361	[287, 240]	554	[126, 383]	747	[823, 22]	940	[721, 203]
169	[229, 87]	362	[543, 544]	555	[692, 58]	748	[824, 318]	941	[952, 131]
170	[297, 92]	363	[285, 6]	556	[693, 181]	749	[825, 227]	942	[473, 193]
171	[298, 80]	364	[243, 545]	557	[195, 694]	750	[826, 61]	943	[424, 133]
172	[299, 300]	365	[546, 539]	558	[695, 459]	751	[827, 639]	944	[953, 201]
173	[301, 302]	366	[547, 90]	559	[696, 697]	752	[828, 288]	945	[514, 178]
174	[303, 304]	367	[240, 84]	560	[470, 369]	753	[829, 564]	946	[716, 1]
175	[280, 305]	368	[548, 549]	561	[698, 484]	754	[830, 626]	947	[954, 122]
176	[306, 273]	369	[550, 551]	562	[699, 700]	755	[831, 308]	948	[955, 186]
177	[307, 267]	370	[552, 337]	563	[701, 412]	756	[832, 588]	949	[739, 399]
178	[308, 98]	371	[553, 539]	564	[702, 669]	757	[833, 330]	950	[147, 414]
179	[309, 81]	372	[282, 307]	565	[703, 704]	758	[834, 591]	951	[956, 628]
180	[310, 311]	373	[554, 555]	566	[151, 697]	759	[835, 535]	952	[957, 529]
181	[312, 313]	374	[556, 557]	567	[705, 171]	760	[836, 260]	953	[958, 553]
182	[314, 315]	375	[558, 550]	568	[706, 208]	761	[247, 333]	954	[959, 621]
183	[316, 310]	376	[116, 315]	569	[707, 162]	762	[837, 286]	955	[960, 618]
184	[223, 100]	377	[559, 15]	570	[367, 130]	763	[838, 224]	956	[376, 361]
185	[232, 250]	378	[222, 318]	571	[708, 458]	764	[839, 587]	957	[471, 488]
186	[311, 284]	379	[560, 561]	572	[12, 433]	765	[840, 226]	958	[118, 138]
187	[317, 244]	380	[562, 298]	573	[709, 501]	766	[841, 476]	959	[177, 424]
188	[318, 319]	381	[563, 543]	574	[710, 39]	767	[209, 700]	960	[510, 386]
189	[320, 321]	382	[69, 224]	575	[704, 711]	768	[842, 740]		
190	[322, 323]	383	[564, 565]	576	[201, 498]	769	[354, 357]		
191	[324, 325]	384	[533, 566]	577	[671, 712]	770	[843, 51]		
192	[326, 216]	385	[567, 307]	578	[161, 713]	771	[124, 690]		

Output function $n \mapsto \tau(n)$:

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	138	0	276	0	414	1	552	1	690	1	828	1
1	0	139	1	277	0	415	0	553	1	691	1	829	0
2	0	140	0	278	1	416	0	554	1	692	1	830	0
3	0	141	1	279	0	417	1	555	1	693	1	831	1
4	0	142	0	280	0	418	0	556	1	694	1	832	1
5	0	143	0	281	1	419	1	557	0	695	1	833	0
6	0	144	0	282	0	420	0	558	1	696	0	834	0
7	0	145	1	283	0	421	0	559	0	697	0	835	1
8	0	146	1	284	1	422	0	560	0	698	0	836	1
9	0	147	0	285	1	423	0	561	0	699	0	837	0
10	1	148	1	286	1	424	1	562	0	700	0	838	1
11	0	149	0	287	1	425	1	563	0	701	0	839	0
12	1	150	1	288	1	426	1	564	0	702	0	840	0
13	0	151	1	289	0	427	0	565	0	703	0	841	1
14	1	152	0	290	1	428	0	566	1	704	0	842	0
15	0	153	0	291	0	429	0	567	1	705	1	843	0
16	0	154	1	292	0	430	0	568	1	706	1	844	0
17	0	155	0	293	0	431	1	569	1	707	1	845	0
18	1	156	1	294	0	432	0	570	1	708	0	846	0
19	0	157	0	295	1	433	0	571	0	709	1	847	1
20	1	158	1	296	1	434	0	572	1	710	1	848	1
21	1	159	1	297	0	435	0	573	1	711	1	849	0
22	0	160	0	298	1	436	1	574	1	712	1	850	0
23	0	161	0	299	0	437	1	575	0	713	1	851	0
24	0	162	1	300	0	438	1	576	0	714	1	852	0
25	1	163	0	301	1	439	0	577	1	715	0	853	1
26	1	164	0	302	1	440	0	578	0	716	1	854	1
27	0	165	0	303	0	441	0	579	0	717	1	855	0
28	0	166	1	304	1	442	0	580	1	718	0	856	0
29	1	167	1	305	1	443	0	581	0	719	1	857	0
30	1	168	1	306	0	444	0	582	0	720	1	858	1
31	0	169	1	307	1	445	1	583	1	721	1	859	1
32	1	170	0	308	0	446	1	584	0	722	0	860	0
33	0	171	1	309	1	447	0	585	0	723	1	861	1
34	0	172	0	310	0	448	1	586	0	724	1	862	1
35	1	173	1	311	0	449	0	587	1	725	0	863	1
36	1	174	0	312	1	450	0	588	1	726	0	864	1
37	0	175	0	313	0	451	0	589	0	727	1	865	1
38	0	176	0	314	0	452	1	590	1	728	1	866	0
39	0	177	1	315	0	453	1	591	1	729	1	867	0
40	1	178	0	316	1	454	1	592	1	730	0	868	0
41	0	179	1	317	1	455	1	593	1	731	0	869	1
42	1	180	0	318	1	456	1	594	0	732	0	870	1

43	0	181	1	319	0	457	0	595	0	733	1	871	1
44	0	182	0	320	1	458	0	596	0	734	1	872	1
45	0	183	1	321	0	459	1	597	1	735	0	873	0
46	0	184	1	322	0	460	1	598	1	736	0	874	1
47	1	185	1	323	0	461	0	599	1	737	0	875	0
48	0	186	0	324	1	462	1	600	1	738	0	876	0
49	0	187	1	325	1	463	0	601	0	739	0	877	1
50	1	188	1	326	0	464	1	602	0	740	0	878	1
51	0	189	1	327	0	465	0	603	1	741	1	879	0
52	1	190	0	328	1	466	1	604	0	742	0	880	1
53	1	191	1	329	1	467	0	605	0	743	1	881	0
54	0	192	0	330	0	468	1	606	0	744	1	882	1
55	1	193	0	331	1	469	1	607	1	745	1	883	0
56	0	194	1	332	0	470	0	608	1	746	1	884	0
57	0	195	0	333	1	471	0	609	0	747	0	885	0
58	1	196	1	334	0	472	1	610	0	748	1	886	0
59	0	197	1	335	0	473	1	611	0	749	0	887	0
60	1	198	1	336	0	474	1	612	0	750	1	888	1
61	1	199	1	337	0	475	1	613	1	751	1	889	1
62	1	200	0	338	0	476	1	614	0	752	1	890	0
63	0	201	0	339	1	477	1	615	0	753	0	891	0
64	0	202	0	340	1	478	1	616	0	754	0	892	0
65	1	203	1	341	0	479	0	617	1	755	1	893	0
66	0	204	1	342	0	480	0	618	1	756	1	894	1
67	0	205	0	343	1	481	1	619	1	757	0	895	1
68	1	206	0	344	0	482	0	620	1	758	0	896	0
69	0	207	1	345	0	483	1	621	1	759	1	897	0
70	1	208	0	346	1	484	1	622	0	760	1	898	0
71	0	209	1	347	1	485	0	623	1	761	1	899	1
72	0	210	1	348	0	486	0	624	1	762	0	900	1
73	0	211	1	349	1	487	1	625	0	763	1	901	0
74	0	212	1	350	1	488	0	626	0	764	0	902	1
75	0	213	1	351	1	489	0	627	0	765	0	903	1
76	0	214	1	352	1	490	0	628	1	766	1	904	1
77	1	215	1	353	1	491	0	629	1	767	1	905	1
78	1	216	1	354	1	492	1	630	1	768	0	906	1
79	1	217	1	355	1	493	1	631	1	769	1	907	0
80	0	218	0	356	0	494	1	632	1	770	0	908	0
81	1	219	1	357	1	495	0	633	0	771	1	909	0
82	1	220	1	358	1	496	0	634	0	772	0	910	1
83	1	221	0	359	1	497	1	635	1	773	0	911	1
84	0	222	0	360	0	498	0	636	1	774	0	912	1
85	1	223	1	361	1	499	0	637	0	775	1	913	1
86	0	224	0	362	0	500	0	638	1	776	1	914	0

87	1	225	1	363	1	501	1	639	0	777	1	915	1
88	0	226	1	364	0	502	0	640	0	778	0	916	0
89	1	227	1	365	0	503	0	641	1	779	0	917	0
90	0	228	1	366	0	504	0	642	1	780	0	918	1
91	0	229	1	367	1	505	0	643	0	781	0	919	1
92	1	230	1	368	1	506	1	644	1	782	0	920	0
93	0	231	1	369	0	507	0	645	0	783	0	921	1
94	0	232	1	370	1	508	1	646	0	784	1	922	0
95	0	233	0	371	1	509	0	647	1	785	1	923	1
96	1	234	0	372	0	510	0	648	0	786	1	924	0
97	0	235	0	373	1	511	1	649	1	787	1	925	1
98	0	236	0	374	1	512	0	650	1	788	0	926	1
99	1	237	1	375	1	513	0	651	0	789	0	927	0
100	1	238	1	376	1	514	0	652	0	790	0	928	1
101	1	239	0	377	0	515	0	653	1	791	0	929	1
102	1	240	1	378	0	516	0	654	1	792	0	930	1
103	0	241	1	379	0	517	0	655	0	793	0	931	0
104	0	242	1	380	0	518	0	656	0	794	1	932	1
105	1	243	0	381	0	519	0	657	1	795	1	933	1
106	1	244	0	382	0	520	1	658	0	796	0	934	0
107	0	245	1	383	0	521	0	659	0	797	1	935	0
108	1	246	1	384	0	522	0	660	1	798	1	936	0
109	0	247	1	385	1	523	0	661	1	799	0	937	1
110	0	248	0	386	0	524	1	662	1	800	1	938	0
111	1	249	0	387	1	525	1	663	1	801	0	939	1
112	0	250	0	388	0	526	1	664	0	802	1	940	1
113	0	251	1	389	1	527	1	665	1	803	1	941	0
114	1	252	0	390	0	528	1	666	1	804	1	942	1
115	1	253	0	391	1	529	1	667	1	805	0	943	1
116	1	254	1	392	0	530	0	668	0	806	1	944	1
117	1	255	1	393	1	531	1	669	1	807	1	945	0
118	1	256	0	394	0	532	1	670	1	808	1	946	1
119	1	257	0	395	0	533	0	671	1	809	0	947	1
120	1	258	1	396	1	534	1	672	0	810	0	948	0
121	0	259	0	397	1	535	1	673	0	811	0	949	0
122	0	260	0	398	1	536	0	674	0	812	1	950	0
123	0	261	0	399	0	537	1	675	1	813	1	951	1
124	1	262	0	400	1	538	0	676	1	814	0	952	0
125	1	263	1	401	0	539	1	677	1	815	0	953	1
126	1	264	0	402	0	540	1	678	1	816	0	954	1
127	0	265	1	403	0	541	0	679	0	817	0	955	0
128	0	266	0	404	1	542	1	680	1	818	1	956	1
129	0	267	0	405	1	543	0	681	0	819	1	957	0
130	1	268	1	406	1	544	1	682	0	820	1	958	1

131	1	269	0	407	0	545	1	683	1	821	1	959	1
132	0	270	0	408	0	546	0	684	0	822	1	960	0
133	1	271	1	409	0	547	0	685	0	823	0		
134	1	272	1	410	1	548	1	686	0	824	1		
135	0	273	1	411	1	549	0	687	0	825	0		
136	1	274	0	412	1	550	0	688	1	826	1		
137	0	275	0	413	1	551	0	689	0	827	1		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE
Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA
Email address: `huyining@hust.edu.cn`