

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z^2 + z, z^4 + z^2 + z)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z^2 + z, z^4 + z^2 + z)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 15:46:58 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 15.3 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z^2 + z, z^4 + z^2 + z)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$\begin{aligned} p_0(z) &= z^{12} + z^{11} + z^{10} + z^9 + z^3 + z^2 + 1, \\ p_1(z) &= z^{16} + z^{15} + z^{13} + z^{10} + z^8 + z^7 + z^6 + z^4, \\ p_2(z) &= z^{18} + z^{12} + z^6 + z^2, \\ p_3(z) &= z^{16} + z^{15} + z^{13} + z^{10} + z^8 + z^7 + z^6 + z^4, \\ p_4(z) &= z^{14} + z^{11} + z^{10} + z^9 + z^6 + z^3 + z^2 + 1, \end{aligned}$$

and for $\text{CF}(b, a)$,

$$\begin{aligned} p_0(z) &= z^{12} + z^{11} + z^9 + z^3 + z^2 + 1, \\ p_1(z) &= z^{16} + z^{15} + z^{13} + z^{10} + z^8 + z^7 + z^6 + z^4, \\ p_2(z) &= z^{18} + z^{12} + z^6 + z^2, \\ p_3(z) &= z^{16} + z^{15} + z^{13} + z^{10} + z^8 + z^7 + z^6 + z^4, \\ p_4(z) &= z^{14} + z^{11} + z^9 + z^6 + z^3 + z^2 + 1. \end{aligned}$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{t}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(150, 150, 150, 150, 150)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 540 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 540, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 660 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 660, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:12u] &= M^e[:6u] + x^u M^e[:5u] + x^{2u} M^e[:4u] + x^{5u} M^e[:u] + x^u M^e[:6u] \\ &\quad + x^{2u} M^e[:5u] + x^{3u} M^e[:4u] + x^{6u} M^e[:u] + x^{3u} M^e[:6u] \\ &\quad + x^{4u} M^e[:5u] + x^{5u} M^e[:4u] + x^{8u} M^e[:u] + x^{4u} M^e[:6u] \\ &\quad + x^{5u} M^e[:5u] + x^{6u} M^e[:4u] + x^{9u} M^e[:u] + x^{5u} M^e[:6u] \\ &\quad + x^{6u} M^e[:5u] + x^{7u} M^e[:4u] + x^{10u} M^e[:u] + x^{6u} M^e[:6u] \\ &\quad + x^{8u} M^e[:4u] + x^{9u} M^e[:3u] \end{aligned}$$

$$\begin{aligned}
& + (x^{6u} + x^{7u} + x^{9u} + x^{10u} + x^{11u})R^e, \\
W^e[:12u] &= W^e[:6u] + x^u W^e[:5u] + x^{2u} W^e[:4u] + x^{5u} W^e[:u] + x^u W^e[:6u] \\
& + x^{2u} W^e[:5u] + x^{3u} W^e[:4u] + x^{6u} W^e[:u] + x^{3u} W^e[:6u] \\
& + x^{4u} W^e[:5u] + x^{5u} W^e[:4u] + x^{8u} W^e[:u] + x^{4u} W^e[:6u] \\
& + x^{5u} W^e[:5u] + x^{6u} W^e[:4u] + x^{9u} W^e[:u] + x^{5u} W^e[:6u] \\
& + x^{6u} W^e[:5u] + x^{7u} W^e[:4u] + x^{10u} W^e[:u] + x^{6u} W^e[:6u] \\
& + x^{8u} W^e[:4u] + x^{9u} W^e[:3u] \\
& + (x^{6u} + x^{7u} + x^{9u} + x^{10u} + x^{11u})R^e.
\end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned}
M^o[:12u] &= M^o[:6u] + x^u M^o[:5u] + x^{2u} M^o[:4u] + x^{5u} M^o[:u] + x^u M^o[:6u] \\
& + x^{2u} M^o[:5u] + x^{3u} M^o[:4u] + x^{6u} M^o[:u] + x^{3u} M^o[:6u] \\
& + x^{4u} M^o[:5u] + x^{5u} M^o[:4u] + x^{8u} M^o[:u] + x^{4u} M^o[:6u] \\
& + x^{5u} M^o[:5u] + x^{6u} M^o[:4u] + x^{9u} M^o[:u] + x^{5u} M^o[:6u] \\
& + x^{6u} M^o[:5u] + x^{7u} M^o[:4u] + x^{10u} M^o[:u] + x^{6u} M^o[:6u] \\
& + x^{8u} M^o[:4u] + x^{9u} M^o[:3u] \\
& + (x^{6u} + x^{7u} + x^{9u} + x^{10u} + x^{11u})R^o, \\
W^o[:12u] &= W^o[:6u] + x^u W^o[:5u] + x^{2u} W^o[:4u] + x^{5u} W^o[:u] + x^u W^o[:6u] \\
& + x^{2u} W^o[:5u] + x^{3u} W^o[:4u] + x^{6u} W^o[:u] + x^{3u} W^o[:6u] \\
& + x^{4u} W^o[:5u] + x^{5u} W^o[:4u] + x^{8u} W^o[:u] + x^{4u} W^o[:6u] \\
& + x^{5u} W^o[:5u] + x^{6u} W^o[:4u] + x^{9u} W^o[:u] + x^{5u} W^o[:6u] \\
& + x^{6u} W^o[:5u] + x^{7u} W^o[:4u] + x^{10u} W^o[:u] + x^{6u} W^o[:6u] \\
& + x^{8u} W^o[:4u] + x^{9u} W^o[:3u] \\
& + (x^{6u} + x^{7u} + x^{9u} + x^{10u} + x^{11u})R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$\begin{aligned}
T[:12u] &= T[:6u] + x^u T[:5u] + x^{2u} T[:4u] + x^{5u} T[:u] + x^u T[:6u] + x^{2u} T[:5u] \\
& + x^{3u} T[:4u] + x^{6u} T[:u] + x^{3u} T[:6u] + x^{4u} T[:5u] + x^{5u} T[:4u] \\
& + x^{8u} T[:u] + x^{4u} T[:6u] + x^{5u} T[:5u] + x^{6u} T[:4u] + x^{9u} T[:u] \\
& + x^{5u} T[:6u] + x^{6u} T[:5u] + x^{7u} T[:4u] + x^{10u} T[:u] + x^{6u} T[:6u] \\
& + x^{8u} T[:4u] + x^{9u} T[:3u].
\end{aligned}$$

The proof of the other 15 cases are similar. We break down the above identity into 6 parts:

$$\begin{aligned}
0 &= x^{5u} T[u:2u] + x^{2u} T[4u:5u] + x^u T[5u:6u] + T[6u:7u], \\
0 &= x^{7u} T[:u] + x^{6u} T[u:2u] + x^{5u} T[2u:3u] + x^{3u} T[4u:5u] + T[7u:8u],
\end{aligned}$$

$$\begin{aligned}
0 &= x^{7u}T[u:2u] + x^{6u}T[2u:3u] + x^{5u}T[3u:4u] + x^{3u}T[5u:6u] \\
&\quad + T[8u:9u], \\
0 &= x^{8u}T[u:2u] + x^{7u}T[2u:3u] + x^{6u}T[3u:4u] + x^{4u}T[5u:6u] \\
&\quad + T[9u:10u], \\
0 &= x^{10u}T[:u] + x^{9u}T[u:2u] + x^{8u}T[2u:3u] + x^{7u}T[3u:4u] \\
&\quad + x^{5u}T[5u:6u] + T[10u:11u], \\
0 &= x^{9u}T[2u:3u] + x^{8u}T[3u:4u] + x^{6u}T[5u:6u] + T[11u:12u],
\end{aligned}$$

which can be rewritten as

$$\begin{aligned}
(2.7) \quad 0 &= T[[1w]_2] + T[[100w]_2] + T[[101w]_2] + T[[110w]_2], \\
(2.8) \quad 0 &= T[[w]_2] + T[[1w]_2] + T[[10w]_2] + T[[100w]_2] + T[[111w]_2], \\
(2.9) \quad 0 &= T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[101w]_2] + T[[1000w]_2], \\
(2.10) \quad 0 &= T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[101w]_2] + T[[1001w]_2], \\
&\quad 0 = T[[w]_2] + T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[101w]_2] \\
(2.11) \quad &\quad + T[[1010w]_2], \\
(2.12) \quad 0 &= T[[10w]_2] + T[[11w]_2] + T[[101w]_2] + T[[1011w]_2],
\end{aligned}$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$\begin{aligned}
(2.13) \quad 0 &= T[[1w]_2] + T[[100w]_2] + T[[101w]_2] + T[[110w]_2], \\
(2.14) \quad 0 &= T[[w]_2] + T[[1w]_2] + T[[10w]_2] + T[[100w]_2] + T[[111w]_2], \\
(2.15) \quad 0 &= T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[101w]_2] + T[[1000w]_2], \\
(2.16) \quad 0 &= T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[101w]_2] + T[[1001w]_2], \\
&\quad 0 = T[[w]_2] + T[[1w]_2] + T[[10w]_2] + T[[11w]_2] + T[[101w]_2] \\
(2.17) \quad &\quad + T[[1010w]_2], \\
(2.18) \quad 0 &= T[[10w]_2] + T[[11w]_2] + T[[101w]_2] + T[[1011w]_2],
\end{aligned}$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 873 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.18) can be written as

$$\begin{aligned}
(2.19) \quad 0 &= \tau(A(s, 1)) + \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 110)), \\
&\quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 100)) \\
(2.20) \quad &\quad + \tau(A(s, 111)), \\
&\quad 0 = \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 101)) \\
(2.21) \quad &\quad + \tau(A(s, 1000)), \\
&\quad 0 = \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 101)) \\
(2.22) \quad &\quad + \tau(A(s, 1001)),
\end{aligned}$$

$$(2.23) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 101)) \\ + \tau(A(s, 1010)),$$

$$(2.24) \quad 0 = \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 101)) + \tau(A(s, 1011)),$$

for all $s \in E_{2k}$, and

$$(2.25) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 110)), \\ 0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 100))$$

$$(2.26) \quad + \tau(A(s, 111)), \\ 0 = \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 101))$$

$$(2.27) \quad + \tau(A(s, 1000)), \\ 0 = \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 101))$$

$$(2.28) \quad + \tau(A(s, 1001)), \\ 0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 101))$$

$$(2.29) \quad + \tau(A(s, 1010)),$$

$$(2.30) \quad 0 = \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 101)) + \tau(A(s, 1011)),$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{24}), E_{24}) = (A(i, 0^{16}), E_{16})$, so that we only have to verify that identities (2.19) through (2.30) hold for $2 \leq k \leq 12$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$M_{2k} = M^e[:6u] + x^u M^e[:5u] + x^{2u} M^e[:4u] + x^{5u} M^e[:u] + x^{6u} R^e,$$

$$W_{2k} = W^e[:6u] + x^u W^e[:5u] + x^{2u} W^e[:4u] + x^{5u} W^e[:u] + x^{6u} R^e.$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$M_{2k+1} = M^o[:6u] + x^u M^o[:5u] + x^{2u} M^o[:4u] + x^{5u} M^o[:u] + x^{6u} R^o,$$

$$W_{2k+1} = W^o[:6u] + x^u W^o[:5u] + x^{2u} W^o[:4u] + x^{5u} W^o[:u] + x^{6u} R^o.$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1} \wedge W_{2k+1}, \\ M_{2k+1} \wedge W_{2k+1} \Rightarrow M_{2k+2} \wedge W_{2k+2}.$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$(2.31) \quad W_{2k} M_{2k} = (W^e[:6v] + x^v W^e[:5v] + x^{2v} W^e[:4v] + x^{5v} W^e[:v] + x^{6v} R^e) \times (\\ M^e[:6v] + x^v M^e[:5v] + x^{2v} M^e[:4v] + x^{5v} M^e[:v] + x^{6v} R^e);$$

Call this expression lhs . Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{12v} R^o$. Therefore we only need to prove that their difference is

$O(x^{12v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{12v} , to

$$W^e[:12v]M^e[:12v] + x^{2v}W^e[:10v]M^e[:10v] + x^{4v}W^e[:8v]M^e[:8v] + x^{10v}W^e[:2v]M^e[:2v].$$

For all $n \leq 12$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.31) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{12}, b_1, \dots, b_{12}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{12})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned} \lim_{n \rightarrow \infty} M_{2n,j,k} &= M_{j,k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1,j,k} &= M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} &= W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} &= W_{j,k}^o. \end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12}\phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e/M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$\begin{aligned} q_0(x) &= x^{18} + x^{16} + x^{15} + x^9 + x^8 + x^7 + x^6, \\ q_1(x) &= x^{14} + x^{12} + x^{11} + x^{10} + x^8 + x^5 + x^3 + x^2, \\ q_2(x) &= x^{16} + x^{12} + x^6 + 1, \\ q_3(x) &= x^{14} + x^{12} + x^{11} + x^{10} + x^8 + x^5 + x^3 + x^2, \\ q_4(x) &= x^{18} + x^{16} + x^{15} + x^{12} + x^9 + x^8 + x^7 + x^4. \end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 186, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 186, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned} p_0(x) &= x^{102} + x^{100} + x^{98} + x^{94} + x^{86} + x^{84} + x^{80} + x^{72} + x^{62} + x^{60} + x^{58} \\ &\quad + x^{56} + x^{54} + x^{46} + x^{44} + x^{40} + x^{34} + x^{32} + x^{30} + x^{26} + x^{24}, \\ p_3(x) &= x^{90} + x^{88} + x^{78} + x^{74} + x^{72} + x^{68} + x^{66} + x^{60} + x^{58} + x^{56} + x^{52} \\ &\quad + x^{50} + x^{48} + x^{46} + x^{44} + x^{42} + x^{32} + x^{30} + x^{22} + x^{20}, \\ p_6(x) &= x^{94} + x^{92} + x^{90} + x^{86} + x^{66} + x^{64} + x^{62} + x^{58} + x^{56} + x^{54} + x^{52} \\ &\quad + x^{48} + x^{44} + x^{42} + x^{36} + x^{34} + x^{32} + x^{30} + x^{22} + x^{20} + x^{18} + x^{14} \\ &\quad + x^{12} + x^4 + x^2 + 1, \\ p_9(x) &= x^{86} + x^{84} + x^{80} + x^{78} + x^{74} + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} + x^{60} \\ &\quad + x^{52} + x^{46} + x^{44} + x^{40} + x^{38} + x^{34} + x^{26} + x^{22} + x^{18} + x^{16} + x^{14} \\ &\quad + x^{12} + x^4, \\ p_{12}(x) &= x^{90} + x^{88} + x^{82} + x^{80} + x^{66} + x^{64} + x^{42} + x^{40} + x^{34} + x^{32} + x^{26} \\ &\quad + x^{24} + x^2 + 1, \end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned} p_0(x) &= x^{96} + x^{94} + x^{93} + x^{90} + x^{89} + x^{87} + x^{86} + x^{83} + x^{80} + x^{77} + x^{76} \\ &\quad + x^{75} + x^{74} + x^{73} + x^{72} + x^{70} + x^{69} + x^{65} + x^{63} + x^{61} + x^{60} + x^{59} \\ &\quad + x^{57} + x^{56} + x^{55} + x^{47} + x^{46} + x^{44} + x^{42} + x^{41} + x^{39} + x^{34} + x^{30}, \\ p_3(x) &= x^{66} + x^{62} + x^{56} + x^{50} + x^{42} + x^{38} + x^{34} + x^{32} + x^{30} + x^{26} + x^{24} \\ &\quad + x^{18}, \\ p_6(x) &= x^{72} + x^{70} + x^{69} + x^{65} + x^{64} + x^{63} + x^{61} + x^{58} + x^{57} + x^{56} + x^{54} \\ &\quad + x^{52} + x^{51} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} + x^{39} + x^{38} + x^{34} + x^{31} \\ &\quad + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{22} + x^{21} + x^{19} \\ &\quad + x^{15} + x^{13} + x^{12}, \end{aligned}$$

$$\begin{aligned}
p_9(x) &= x^{78} + x^{72} + x^{64} + x^{62} + x^{58} + x^{54} + x^{52} + x^{50} + x^{48} + x^{40} + x^{34} \\
&\quad + x^{32} + x^{30} + x^{28} + x^{22} + x^{20} + x^{18} + x^{16} + x^8 + x^6, \\
p_{12}(x) &= x^{84} + x^{82} + x^{81} + x^{80} + x^{76} + x^{74} + x^{73} + x^{70} + x^{69} + x^{66} + x^{65} \\
&\quad + x^{64} + x^{36} + x^{34} + x^{33} + x^{32} + x^{28} + x^{26} + x^{25} + x^{22} + x^{21} + x^{20} \\
&\quad + x^{12} + x^{10} + x^9 + x^6 + x^5 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 1, 1, 1, 1, 0, 1, 1, 0, 0, 0, 0, 1]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{96} + x^{94} + x^{93} + x^{90} + x^{89} + x^{87} + x^{86} + x^{83} + x^{80} + x^{77} + x^{76} \\
&\quad + x^{75} + x^{74} + x^{73} + x^{72} + x^{70} + x^{69} + x^{65} + x^{63} + x^{61} + x^{60} + x^{59} \\
&\quad + x^{57} + x^{56} + x^{55} + x^{47} + x^{46} + x^{44} + x^{42} + x^{41} + x^{39} + x^{34} + x^{30}, \\
p_3(x) &= x^{66} + x^{62} + x^{56} + x^{50} + x^{42} + x^{38} + x^{34} + x^{32} + x^{30} + x^{26} + x^{24} \\
&\quad + x^{18}, \\
p_6(x) &= x^{72} + x^{70} + x^{69} + x^{65} + x^{64} + x^{63} + x^{61} + x^{58} + x^{57} + x^{56} + x^{54} \\
&\quad + x^{52} + x^{51} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} + x^{39} + x^{38} + x^{34} + x^{31} \\
&\quad + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{22} + x^{21} + x^{19} \\
&\quad + x^{15} + x^{13} + x^{12}, \\
p_9(x) &= x^{78} + x^{72} + x^{64} + x^{62} + x^{58} + x^{54} + x^{52} + x^{50} + x^{48} + x^{40} + x^{34} \\
&\quad + x^{32} + x^{30} + x^{28} + x^{22} + x^{20} + x^{18} + x^{16} + x^8 + x^6, \\
p_{12}(x) &= x^{84} + x^{82} + x^{81} + x^{80} + x^{76} + x^{74} + x^{73} + x^{70} + x^{69} + x^{66} + x^{65} \\
&\quad + x^{64} + x^{36} + x^{34} + x^{33} + x^{32} + x^{28} + x^{26} + x^{25} + x^{22} + x^{21} + x^{20} \\
&\quad + x^{12} + x^{10} + x^9 + x^6 + x^5 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 1, 1, 1, 1, 0, 1, 1, 0, 0, 0, 0, 1]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{90} + x^{88} + x^{86} + x^{84} + x^{82} + x^{80} + x^{76} + x^{74} + x^{60} + x^{56} + x^{54} \\
&\quad + x^{44} + x^{40} + x^{38} + x^{36}, \\
p_3(x) &= x^{78} + x^{76} + x^{72} + x^{64} + x^{60} + x^{58} + x^{56} + x^{52} + x^{48} + x^{36} + x^{34} \\
&\quad + x^{30} + x^{28} + x^{26} + x^{24} + x^{20} + x^{14} + x^{12}, \\
p_6(x) &= x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{72} + x^{68} + x^{66} + x^{56} + x^{52} + x^{48} \\
&\quad + x^{44} + x^{42} + x^{36} + x^{32} + x^{30} + x^{26} + x^{24} + x^{20} + x^{18} + x^{14} + x^{12} \\
&\quad + x^{10} + 1, \\
p_9(x) &= x^{74} + x^{72} + x^{66} + x^{58} + x^{52} + x^{50} + x^{46} + x^{42} + x^{40} + x^{38} + x^{36} \\
&\quad + x^{28} + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{12} + x^{10} + x^6 + x^4, \\
p_{12}(x) &= x^{78} + x^{76} + x^{72} + x^{70} + x^{68} + x^{64} + x^{30} + x^{28} + x^{24} + x^{22} + x^{20} \\
&\quad + x^{16} + x^{14} + x^{12} + x^8 + x^6 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{90} + x^{88} + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} + x^{74} + x^{72} + x^{70} + x^{68} \\
&\quad + x^{66} + x^{60} + x^{44} + x^{38} + x^{28} + x^{24}, \\
p_3(x) &= x^{78} + x^{76} + x^{72} + x^{66} + x^{62} + x^{52} + x^{48} + x^{46} + x^{44} + x^{42} + x^{40} \\
&\quad + x^{38} + x^{34} + x^{22}, \\
p_6(x) &= x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{72} + x^{70} + x^{62} + x^{60} + x^{56} + x^{50} \\
&\quad + x^{46} + x^{44} + x^{40} + x^{36} + x^{34} + x^{32} + x^{20} + x^{14} + x^{10} + x^8 + 1, \\
p_9(x) &= x^{74} + x^{72} + x^{66} + x^{58} + x^{52} + x^{50} + x^{46} + x^{42} + x^{40} + x^{38} + x^{36} \\
&\quad + x^{28} + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{12} + x^{10} + x^6 + x^4, \\
p_{12}(x) &= x^{78} + x^{76} + x^{72} + x^{70} + x^{68} + x^{64} + x^{30} + x^{28} + x^{24} + x^{22} + x^{20} \\
&\quad + x^{16} + x^{14} + x^{12} + x^8 + x^6 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 1, 0, 0, 0, 1, 0, 0, 0, 1, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{96} + x^{94} + x^{93} + x^{90} + x^{89} + x^{87} + x^{86} + x^{83} + x^{78} + x^{76} + x^{75} \\
&\quad + x^{74} + x^{71} + x^{70} + x^{66} + x^{64} + x^{63} + x^{61} + x^{59} + x^{55} + x^{54} + x^{52} \\
&\quad + x^{50} + x^{48} + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{40} + x^{37} + x^{36} \\
&\quad + x^{34} + x^{33} + x^{32} + x^{30}, \\
p_3(x) &= x^{66} + x^{62} + x^{56} + x^{50} + x^{42} + x^{38} + x^{34} + x^{32} + x^{30} + x^{26} + x^{24} \\
&\quad + x^{18}, \\
p_6(x) &= x^{72} + x^{70} + x^{69} + x^{65} + x^{64} + x^{63} + x^{61} + x^{58} + x^{57} + x^{56} + x^{54} \\
&\quad + x^{52} + x^{51} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} + x^{39} + x^{38} + x^{34} + x^{31} \\
&\quad + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{22} + x^{21} + x^{19} \\
&\quad + x^{15} + x^{13} + x^{12}, \\
p_9(x) &= x^{78} + x^{72} + x^{64} + x^{62} + x^{58} + x^{54} + x^{52} + x^{50} + x^{48} + x^{40} + x^{34} \\
&\quad + x^{32} + x^{30} + x^{28} + x^{22} + x^{20} + x^{18} + x^{16} + x^8 + x^6, \\
p_{12}(x) &= x^{84} + x^{82} + x^{81} + x^{80} + x^{76} + x^{74} + x^{73} + x^{70} + x^{69} + x^{66} + x^{65} \\
&\quad + x^{64} + x^{36} + x^{34} + x^{33} + x^{32} + x^{28} + x^{26} + x^{25} + x^{22} + x^{21} + x^{20} \\
&\quad + x^{12} + x^{10} + x^9 + x^6 + x^5 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 1, 1, 0, 0, 1, 1, 1, 1, 1, 0]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{96} + x^{94} + x^{93} + x^{90} + x^{89} + x^{87} + x^{86} + x^{83} + x^{78} + x^{76} + x^{75} \\
&\quad + x^{74} + x^{71} + x^{70} + x^{66} + x^{64} + x^{63} + x^{61} + x^{59} + x^{55} + x^{54} + x^{52} \\
&\quad + x^{50} + x^{48} + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{40} + x^{37} + x^{36} \\
&\quad + x^{34} + x^{33} + x^{32} + x^{30}, \\
p_3(x) &= x^{66} + x^{62} + x^{56} + x^{50} + x^{42} + x^{38} + x^{34} + x^{32} + x^{30} + x^{26} + x^{24}
\end{aligned}$$

$$\begin{aligned}
& + x^{18}, \\
p_6(x) &= x^{72} + x^{70} + x^{69} + x^{65} + x^{64} + x^{63} + x^{61} + x^{58} + x^{57} + x^{56} + x^{54} \\
& + x^{52} + x^{51} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} + x^{39} + x^{38} + x^{34} + x^{31} \\
& + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{22} + x^{21} + x^{19} \\
& + x^{15} + x^{13} + x^{12}, \\
p_9(x) &= x^{78} + x^{72} + x^{64} + x^{62} + x^{58} + x^{54} + x^{52} + x^{50} + x^{48} + x^{40} + x^{34} \\
& + x^{32} + x^{30} + x^{28} + x^{22} + x^{20} + x^{18} + x^{16} + x^8 + x^6, \\
p_{12}(x) &= x^{84} + x^{82} + x^{81} + x^{80} + x^{76} + x^{74} + x^{73} + x^{70} + x^{69} + x^{66} + x^{65} \\
& + x^{64} + x^{36} + x^{34} + x^{33} + x^{32} + x^{28} + x^{26} + x^{25} + x^{22} + x^{21} + x^{20} \\
& + x^{12} + x^{10} + x^9 + x^6 + x^5 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 1, 1, 0, 0, 1, 1, 1, 1, 1, 0]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{102} + x^{100} + x^{98} + x^{94} + x^{90} + x^{88} + x^{86} + x^{84} + x^{82} + x^{78} + x^{76} \\
& + x^{68} + x^{66} + x^{62} + x^{60} + x^{58} + x^{56} + x^{54} + x^{50} + x^{46} + x^{44} + x^{42} \\
& + x^{36}, \\
p_3(x) &= x^{90} + x^{88} + x^{76} + x^{72} + x^{70} + x^{68} + x^{58} + x^{56} + x^{52} + x^{50} + x^{48} \\
& + x^{46} + x^{44} + x^{42} + x^{38} + x^{36} + x^{34} + x^{32} + x^{26} + x^{20} + x^{18} + x^{12}, \\
p_6(x) &= x^{94} + x^{92} + x^{90} + x^{86} + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{68} + x^{64} \\
& + x^{54} + x^{52} + x^{48} + x^{44} + x^{40} + x^{38} + x^{32} + x^{30} + x^{28} + x^{24} + x^{22} \\
& + x^{12} + x^{10} + x^8 + x^4 + x^2 + 1, \\
p_9(x) &= x^{86} + x^{84} + x^{80} + x^{78} + x^{74} + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} + x^{60} \\
& + x^{52} + x^{46} + x^{44} + x^{40} + x^{38} + x^{34} + x^{26} + x^{22} + x^{18} + x^{16} + x^{14} \\
& + x^{12} + x^4, \\
p_{12}(x) &= x^{90} + x^{88} + x^{82} + x^{80} + x^{66} + x^{64} + x^{42} + x^{40} + x^{34} + x^{32} + x^{26} \\
& + x^{24} + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{96} + x^{94} + x^{93} + x^{89} + x^{87} + x^{84} + x^{82} + x^{81} + x^{80} + x^{79} + x^{78} \\
& + x^{77} + x^{76} + x^{75} + x^{71} + x^{69} + x^{65} + x^{63} + x^{60} + x^{59} + x^{56} + x^{54} \\
& + x^{53} + x^{51} + x^{48} + x^{43} + x^{42} + x^{41} + x^{40} + x^{39} + x^{38} + x^{35} + x^{30} \\
& + x^{28} + x^{26} + x^{25} + x^{24}, \\
p_3(x) &= x^{80} + x^{78} + x^{77} + x^{73} + x^{71} + x^{68} + x^{66} + x^{65} + x^{63} + x^{60} + x^{59} \\
& + x^{57} + x^{56} + x^{54} + x^{50} + x^{47} + x^{46} + x^{45} + x^{44} + x^{42} + x^{35} + x^{34} \\
& + x^{31} + x^{29} + x^{28} + x^{27} + x^{26} + x^{24} + x^{21} + x^{18} + x^{17} + x^{16}, \\
p_6(x) &= x^{88} + x^{86} + x^{85} + x^{84} + x^{82} + x^{80} + x^{79} + x^{76} + x^{74} + x^{73} + x^{72}
\end{aligned}$$

$$\begin{aligned}
& + x^{71} + x^{69} + x^{68} + x^{66} + x^{65} + x^{64} + x^{63} + x^{61} + x^{60} + x^{59} + x^{57} \\
& + x^{56} + x^{55} + x^{54} + x^{52} + x^{51} + x^{49} + x^{48} + x^{42} + x^{41} + x^{40} + x^{36} \\
& + x^{35} + x^{34} + x^{33} + x^{31} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} + x^{20} + x^{19} \\
& + x^{18} + x^{17} + x^{16} + x^{14} + x^8 + x^6 + x^5 + x^2 + x + 1, \\
p_9(x) &= x^{76} + x^{74} + x^{73} + x^{72} + x^{28} + x^{26} + x^{25} + x^{24} + x^{12} + x^{10} + x^9 + x^8, \\
p_{12}(x) &= x^{84} + x^{82} + x^{81} + x^{80} + x^{72} + x^{70} + x^{69} + x^{66} + x^{65} + x^{64} + x^{36} \\
& + x^{34} + x^{33} + x^{32} + x^{24} + x^{22} + x^{21} + x^{20} + x^8 + x^6 + x^5 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{96} + x^{87} + x^{86} + x^{82} + x^{79} + x^{78} + x^{77} + x^{75} + x^{73} + x^{72} + x^{71} \\
& + x^{70} + x^{69} + x^{68} + x^{66} + x^{65} + x^{63} + x^{62} + x^{59} + x^{57} + x^{56} + x^{54} \\
& + x^{53} + x^{51} + x^{45} + x^{44} + x^{43} + x^{42} + x^{40} + x^{39} + x^{38} + x^{37} + x^{35} \\
& + x^{34} + x^{33} + x^{31} + x^{30}, \\
p_3(x) &= x^{66} + x^{64} + x^{63} + x^{62} + x^{60} + x^{58} + x^{57} + x^{53} + x^{51} + x^{50} + x^{42} \\
& + x^{40} + x^{39} + x^{38} + x^{36} + x^{33} + x^{32} + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} \\
& + x^{25} + x^{21} + x^{19} + x^{18}, \\
p_6(x) &= x^{72} + x^{66} + x^{62} + x^{56} + x^{54} + x^{46} + x^{44} + x^{42} + x^{40} + x^{38} + x^{34} \\
& + x^{32} + x^{20} + x^{16} + x^{14} + x^{12}, \\
p_9(x) &= x^{78} + x^{76} + x^{75} + x^{72} + x^{71} + x^{70} + x^{30} + x^{28} + x^{27} + x^{24} + x^{23} \\
& + x^{22} + x^{14} + x^{12} + x^{11} + x^8 + x^7 + x^6, \\
p_{12}(x) &= x^{84} + x^{80} + x^{72} + x^{64} + x^{36} + x^{32} + x^{24} + x^{20} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 1, 1, 0, 0, 1, 1, 1, 1, 0, 0, 1, 1]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{104} + x^{95} + x^{94} + x^{92} + x^{90} + x^{87} + x^{86} + x^{85} + x^{81} + x^{80} + x^{77} \\
& + x^{76} + x^{72} + x^{70} + x^{67} + x^{64} + x^{63} + x^{61} + x^{54} + x^{53} + x^{50} + x^{49} \\
& + x^{48} + x^{46} + x^{44} + x^{43} + x^{38} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} \\
& + x^{30}, \\
p_3(x) &= x^{74} + x^{72} + x^{71} + x^{70} + x^{68} + x^{66} + x^{65} + x^{62} + x^{61} + x^{60} + x^{58} \\
& + x^{55} + x^{54} + x^{53} + x^{51} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} + x^{40} + x^{39} \\
& + x^{37} + x^{33} + x^{31} + x^{28} + x^{27} + x^{23} + x^{22} + x^{21} + x^{19} + x^{18}, \\
p_6(x) &= x^{80} + x^{74} + x^{70} + x^{68} + x^{60} + x^{56} + x^{54} + x^{52} + x^{48} + x^{42} + x^{38} \\
& + x^{30} + x^{26} + x^{18} + x^{14} + x^{12}, \\
p_9(x) &= x^{86} + x^{84} + x^{83} + x^{80} + x^{79} + x^{78} + x^{74} + x^{72} + x^{71} + x^{70} + x^{38} \\
& + x^{36} + x^{35} + x^{32} + x^{31} + x^{30} + x^{26} + x^{24} + x^{23} + x^{20} + x^{19} + x^{16} \\
& + x^{15} + x^{14} + x^{10} + x^8 + x^7 + x^6,
\end{aligned}$$

$$p_{12}(x) = x^{92} + x^{88} + x^{72} + x^{68} + x^{64} + x^{44} + x^{40} + x^{28} + x^{20} + x^{16} + x^8 + x^4 + 1,$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 1, 1, 0, 0, 0, 0, 0, 0, 1]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned} p_0(x) &= x^{96} + x^{94} + x^{93} + x^{89} + x^{87} + x^{80} + x^{79} + x^{75} + x^{74} + x^{59} + x^{58} \\ &\quad + x^{57} + x^{56} + x^{55} + x^{53} + x^{52} + x^{51} + x^{50} + x^{48} + x^{46} + x^{43} + x^{41} \\ &\quad + x^{40} + x^{39} + x^{38} + x^{37} + x^{36}, \\ p_3(x) &= x^{80} + x^{78} + x^{77} + x^{73} + x^{71} + x^{63} + x^{62} + x^{61} + x^{59} + x^{58} + x^{57} \\ &\quad + x^{55} + x^{52} + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} + x^{41} + x^{38} + x^{37} + x^{35} \\ &\quad + x^{34} + x^{33} + x^{32} + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{22} + x^{21} \\ &\quad + x^{20}, \\ p_6(x) &= x^{88} + x^{86} + x^{85} + x^{84} + x^{82} + x^{80} + x^{79} + x^{72} + x^{71} + x^{70} + x^{65} \\ &\quad + x^{64} + x^{60} + x^{59} + x^{58} + x^{56} + x^{55} + x^{54} + x^{53} + x^{50} + x^{48} + x^{47} \\ &\quad + x^{46} + x^{41} + x^{39} + x^{38} + x^{35} + x^{34} + x^{30} + x^{29} + x^{28} + x^{27} + x^{23} \\ &\quad + x^{20} + x^{15} + x^{14} + x^{13} + x^{10} + x^9 + x^6 + x^5 + x^2 + x + 1, \\ p_9(x) &= x^{76} + x^{74} + x^{73} + x^{72} + x^{28} + x^{26} + x^{25} + x^{24} + x^{12} + x^{10} + x^9 + x^8, \\ p_{12}(x) &= x^{84} + x^{82} + x^{81} + x^{80} + x^{72} + x^{70} + x^{69} + x^{66} + x^{65} + x^{64} + x^{36} \\ &\quad + x^{34} + x^{33} + x^{32} + x^{24} + x^{22} + x^{21} + x^{20} + x^8 + x^6 + x^5 + x^2 + x + 1, \end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 1, 0, 1, 1, 1, 0, 1, 0, 1]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned} p_0(x) &= x^{96} + x^{94} + x^{93} + x^{89} + x^{87} + x^{84} + x^{82} + x^{81} + x^{80} + x^{79} + x^{78} \\ &\quad + x^{77} + x^{76} + x^{75} + x^{71} + x^{69} + x^{65} + x^{63} + x^{60} + x^{59} + x^{56} + x^{54} \\ &\quad + x^{53} + x^{51} + x^{48} + x^{43} + x^{42} + x^{41} + x^{40} + x^{39} + x^{38} + x^{35} + x^{30} \\ &\quad + x^{28} + x^{26} + x^{25} + x^{24}, \\ p_3(x) &= x^{80} + x^{78} + x^{77} + x^{73} + x^{71} + x^{68} + x^{66} + x^{65} + x^{63} + x^{60} + x^{59} \\ &\quad + x^{57} + x^{56} + x^{54} + x^{50} + x^{47} + x^{46} + x^{45} + x^{44} + x^{42} + x^{35} + x^{34} \\ &\quad + x^{31} + x^{29} + x^{28} + x^{27} + x^{26} + x^{24} + x^{21} + x^{18} + x^{17} + x^{16}, \\ p_6(x) &= x^{88} + x^{86} + x^{85} + x^{84} + x^{82} + x^{80} + x^{79} + x^{76} + x^{74} + x^{73} + x^{72} \\ &\quad + x^{71} + x^{69} + x^{68} + x^{66} + x^{65} + x^{64} + x^{63} + x^{61} + x^{60} + x^{59} + x^{57} \\ &\quad + x^{56} + x^{55} + x^{54} + x^{52} + x^{51} + x^{49} + x^{48} + x^{42} + x^{41} + x^{40} + x^{36} \\ &\quad + x^{35} + x^{34} + x^{33} + x^{31} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} + x^{20} + x^{19} \\ &\quad + x^{18} + x^{17} + x^{16} + x^{14} + x^8 + x^6 + x^5 + x^2 + x + 1, \\ p_9(x) &= x^{76} + x^{74} + x^{73} + x^{72} + x^{28} + x^{26} + x^{25} + x^{24} + x^{12} + x^{10} + x^9 + x^8, \\ p_{12}(x) &= x^{84} + x^{82} + x^{81} + x^{80} + x^{72} + x^{70} + x^{69} + x^{66} + x^{65} + x^{64} + x^{36} \\ &\quad + x^{34} + x^{33} + x^{32} + x^{24} + x^{22} + x^{21} + x^{20} + x^8 + x^6 + x^5 + x^2 + x + 1, \end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 1, 0, 1, 0, 1, 0, 1]$.

For $\phi(W^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{104} + x^{95} + x^{94} + x^{92} + x^{90} + x^{87} + x^{86} + x^{85} + x^{81} + x^{80} + x^{77} \\
&\quad + x^{76} + x^{72} + x^{70} + x^{67} + x^{64} + x^{63} + x^{61} + x^{54} + x^{53} + x^{50} + x^{49} \\
&\quad + x^{48} + x^{46} + x^{44} + x^{43} + x^{38} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} \\
&\quad + x^{30}, \\
p_3(x) &= x^{74} + x^{72} + x^{71} + x^{70} + x^{68} + x^{66} + x^{65} + x^{62} + x^{61} + x^{60} + x^{58} \\
&\quad + x^{55} + x^{54} + x^{53} + x^{51} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} + x^{40} + x^{39} \\
&\quad + x^{37} + x^{33} + x^{31} + x^{28} + x^{27} + x^{23} + x^{22} + x^{21} + x^{19} + x^{18}, \\
p_6(x) &= x^{80} + x^{74} + x^{70} + x^{68} + x^{60} + x^{56} + x^{54} + x^{52} + x^{48} + x^{42} + x^{38} \\
&\quad + x^{30} + x^{26} + x^{18} + x^{14} + x^{12}, \\
p_9(x) &= x^{86} + x^{84} + x^{83} + x^{80} + x^{79} + x^{78} + x^{74} + x^{72} + x^{71} + x^{70} + x^{38} \\
&\quad + x^{36} + x^{35} + x^{32} + x^{31} + x^{30} + x^{26} + x^{24} + x^{23} + x^{20} + x^{19} + x^{16} \\
&\quad + x^{15} + x^{14} + x^{10} + x^8 + x^7 + x^6, \\
p_{12}(x) &= x^{92} + x^{88} + x^{72} + x^{68} + x^{64} + x^{44} + x^{40} + x^{28} + x^{20} + x^{16} + x^8 + x^4 \\
&\quad + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 1, 1, 0, 0, 0, 0, 0, 0, 1]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{96} + x^{87} + x^{86} + x^{82} + x^{79} + x^{78} + x^{77} + x^{75} + x^{73} + x^{72} + x^{71} \\
&\quad + x^{70} + x^{69} + x^{68} + x^{66} + x^{65} + x^{63} + x^{62} + x^{59} + x^{57} + x^{56} + x^{54} \\
&\quad + x^{53} + x^{51} + x^{45} + x^{44} + x^{43} + x^{42} + x^{40} + x^{39} + x^{38} + x^{37} + x^{35} \\
&\quad + x^{34} + x^{33} + x^{31} + x^{30}, \\
p_3(x) &= x^{66} + x^{64} + x^{63} + x^{62} + x^{60} + x^{58} + x^{57} + x^{53} + x^{51} + x^{50} + x^{42} \\
&\quad + x^{40} + x^{39} + x^{38} + x^{36} + x^{33} + x^{32} + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} \\
&\quad + x^{25} + x^{21} + x^{19} + x^{18}, \\
p_6(x) &= x^{72} + x^{66} + x^{62} + x^{56} + x^{54} + x^{46} + x^{44} + x^{42} + x^{40} + x^{38} + x^{34} \\
&\quad + x^{32} + x^{20} + x^{16} + x^{14} + x^{12}, \\
p_9(x) &= x^{78} + x^{76} + x^{75} + x^{72} + x^{71} + x^{70} + x^{30} + x^{28} + x^{27} + x^{24} + x^{23} \\
&\quad + x^{22} + x^{14} + x^{12} + x^{11} + x^8 + x^7 + x^6, \\
p_{12}(x) &= x^{84} + x^{80} + x^{72} + x^{64} + x^{36} + x^{32} + x^{24} + x^{20} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 1, 1, 0, 0, 1, 1, 1, 1, 0, 0, 1, 1]$.

For $\phi(W^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{96} + x^{94} + x^{93} + x^{89} + x^{87} + x^{80} + x^{79} + x^{75} + x^{74} + x^{59} + x^{58} \\
&\quad + x^{57} + x^{56} + x^{55} + x^{53} + x^{52} + x^{51} + x^{50} + x^{48} + x^{46} + x^{43} + x^{41} \\
&\quad + x^{40} + x^{39} + x^{38} + x^{37} + x^{36}, \\
p_3(x) &= x^{80} + x^{78} + x^{77} + x^{73} + x^{71} + x^{63} + x^{62} + x^{61} + x^{59} + x^{58} + x^{57}
\end{aligned}$$

$$\begin{aligned}
& + x^{55} + x^{52} + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} + x^{41} + x^{38} + x^{37} + x^{35} \\
& + x^{34} + x^{33} + x^{32} + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{22} + x^{21} \\
& + x^{20}, \\
p_6(x) &= x^{88} + x^{86} + x^{85} + x^{84} + x^{82} + x^{80} + x^{79} + x^{72} + x^{71} + x^{70} + x^{65} \\
& + x^{64} + x^{60} + x^{59} + x^{58} + x^{56} + x^{55} + x^{54} + x^{53} + x^{50} + x^{48} + x^{47} \\
& + x^{46} + x^{41} + x^{39} + x^{38} + x^{35} + x^{34} + x^{30} + x^{29} + x^{28} + x^{27} + x^{23} \\
& + x^{20} + x^{15} + x^{14} + x^{13} + x^{10} + x^9 + x^6 + x^5 + x^2 + x + 1, \\
p_9(x) &= x^{76} + x^{74} + x^{73} + x^{72} + x^{28} + x^{26} + x^{25} + x^{24} + x^{12} + x^{10} + x^9 + x^8, \\
p_{12}(x) &= x^{84} + x^{82} + x^{81} + x^{80} + x^{72} + x^{70} + x^{69} + x^{66} + x^{65} + x^{64} + x^{36} \\
& + x^{34} + x^{33} + x^{32} + x^{24} + x^{22} + x^{21} + x^{20} + x^8 + x^6 + x^5 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 1, 0, 1, 1, 1, 0, 1, 0, 1]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	175	[299, 261]	350	[525, 283]	525	[665, 666]	700	[789, 250]
1	[3, 4]	176	[300, 232]	351	[526, 224]	526	[667, 204]	701	[96, 571]
2	[5, 6]	177	[301, 302]	352	[527, 528]	527	[668, 665]	702	[346, 538]
3	[7, 8]	178	[286, 303]	353	[529, 530]	528	[669, 444]	703	[790, 527]
4	[9, 10]	179	[304, 305]	354	[531, 527]	529	[10, 406]	704	[791, 16]
5	[11, 12]	180	[306, 97]	355	[532, 533]	530	[670, 395]	705	[591, 611]
6	[13, 14]	181	[307, 308]	356	[534, 259]	531	[671, 672]	706	[792, 543]
7	[15, 16]	182	[245, 25]	357	[535, 331]	532	[400, 673]	707	[303, 554]
8	[17, 18]	183	[309, 17]	358	[536, 91]	533	[674, 675]	708	[793, 271]
9	[19, 20]	184	[310, 261]	359	[67, 74]	534	[676, 379]	709	[563, 254]
10	[21, 22]	185	[311, 304]	360	[537, 538]	535	[677, 678]	710	[794, 69]
11	[23, 24]	186	[312, 286]	361	[539, 540]	536	[679, 442]	711	[795, 273]
12	[25, 26]	187	[313, 314]	362	[343, 248]	537	[141, 165]	712	[796, 606]
13	[27, 28]	188	[268, 315]	363	[541, 542]	538	[504, 383]	713	[797, 638]
14	[29, 30]	189	[279, 316]	364	[240, 543]	539	[680, 466]	714	[798, 573]
15	[31, 32]	190	[281, 317]	365	[544, 312]	540	[681, 682]	715	[799, 345]
16	[33, 34]	191	[318, 317]	366	[221, 545]	541	[178, 683]	716	[571, 585]
17	[35, 36]	192	[319, 291]	367	[522, 546]	542	[36, 684]	717	[800, 94]
18	[37, 38]	193	[320, 321]	368	[547, 254]	543	[190, 685]	718	[801, 78]
19	[39, 40]	194	[322, 323]	369	[548, 94]	544	[412, 448]	719	[802, 618]
20	[41, 42]	195	[324, 325]	370	[63, 258]	545	[205, 686]	720	[803, 262]
21	[43, 8]	196	[326, 327]	371	[549, 550]	546	[186, 47]	721	[575, 578]
22	[44, 45]	197	[328, 108]	372	[551, 552]	547	[687, 688]	722	[804, 216]
23	[46, 47]	198	[329, 330]	373	[553, 554]	548	[689, 144]	723	[805, 239]
24	[48, 49]	199	[270, 68]	374	[555, 256]	549	[690, 691]	724	[806, 100]
25	[50, 51]	200	[331, 332]	375	[556, 310]	550	[421, 692]	725	[807, 248]

26	[52, 53]	201	[71, 279]	376	[305, 325]	551	[693, 679]	726	[808, 524]
27	[54, 55]	202	[333, 228]	377	[557, 331]	552	[694, 148]	727	[627, 778]
28	[56, 57]	203	[77, 334]	378	[558, 559]	553	[695, 382]	728	[809, 639]
29	[58, 59]	204	[335, 308]	379	[249, 532]	554	[696, 386]	729	[810, 555]
30	[60, 61]	205	[283, 287]	380	[560, 65]	555	[42, 466]	730	[647, 811]
31	[62, 63]	206	[336, 280]	381	[334, 561]	556	[697, 685]	731	[812, 294]
32	[64, 65]	207	[107, 337]	382	[24, 75]	557	[367, 503]	732	[813, 268]
33	[66, 67]	208	[338, 339]	383	[562, 563]	558	[457, 492]	733	[661, 115]
34	[68, 69]	209	[257, 267]	384	[564, 565]	559	[698, 165]	734	[814, 811]
35	[70, 71]	210	[340, 217]	385	[566, 320]	560	[473, 172]	735	[550, 223]
36	[72, 70]	211	[298, 341]	386	[567, 568]	561	[143, 699]	736	[592, 273]
37	[73, 74]	212	[342, 343]	387	[323, 24]	562	[700, 701]	737	[815, 233]
38	[75, 21]	213	[344, 345]	388	[315, 569]	563	[215, 702]	738	[816, 75]
39	[76, 77]	214	[332, 346]	389	[109, 77]	564	[703, 699]	739	[811, 600]
40	[78, 79]	215	[284, 347]	390	[570, 571]	565	[468, 193]	740	[817, 242]
41	[80, 81]	216	[1, 348]	391	[317, 540]	566	[704, 705]	741	[818, 289]
42	[82, 83]	217	[349, 350]	392	[572, 552]	567	[435, 366]	742	[819, 275]
43	[84, 66]	218	[351, 352]	393	[573, 531]	568	[706, 707]	743	[639, 92]
44	[85, 79]	219	[353, 354]	394	[574, 257]	569	[708, 709]	744	[820, 343]
45	[86, 87]	220	[201, 355]	395	[289, 262]	570	[710, 140]	745	[302, 565]
46	[88, 89]	221	[356, 357]	396	[74, 575]	571	[711, 503]	746	[821, 93]
47	[90, 91]	222	[358, 359]	397	[542, 339]	572	[712, 139]	747	[822, 658]
48	[92, 93]	223	[360, 205]	398	[576, 535]	573	[673, 688]	748	[823, 823]
49	[94, 78]	224	[361, 362]	399	[577, 578]	574	[123, 352]	749	[824, 545]
50	[95, 96]	225	[363, 364]	400	[579, 580]	575	[713, 490]	750	[825, 64]
51	[97, 98]	226	[365, 185]	401	[325, 581]	576	[714, 455]	751	[658, 530]
52	[99, 100]	227	[366, 367]	402	[530, 20]	577	[475, 705]	752	[826, 234]
53	[101, 102]	228	[368, 369]	403	[582, 561]	578	[715, 716]	753	[827, 26]
54	[103, 98]	229	[32, 370]	404	[105, 583]	579	[355, 499]	754	[828, 86]
55	[104, 105]	230	[371, 372]	405	[584, 585]	580	[717, 437]	755	[288, 113]
56	[106, 107]	231	[373, 374]	406	[83, 335]	581	[718, 670]	756	[829, 581]
57	[108, 109]	232	[375, 376]	407	[347, 586]	582	[502, 435]	757	[830, 608]
58	[110, 111]	233	[377, 378]	408	[587, 256]	583	[719, 469]	758	[831, 105]
59	[112, 101]	234	[211, 379]	409	[583, 301]	584	[462, 678]	759	[524, 661]
60	[113, 114]	235	[380, 381]	410	[588, 277]	585	[720, 721]	760	[832, 114]
61	[115, 116]	236	[12, 382]	411	[589, 109]	586	[722, 487]	761	[833, 255]
62	[117, 118]	237	[383, 192]	412	[255, 314]	587	[723, 486]	762	[834, 260]
63	[119, 35]	238	[384, 385]	413	[590, 249]	588	[136, 59]	763	[835, 112]
64	[120, 121]	239	[386, 387]	414	[217, 591]	589	[724, 684]	764	[836, 82]
65	[122, 123]	240	[388, 177]	415	[100, 592]	590	[716, 444]	765	[837, 99]
66	[124, 125]	241	[370, 389]	416	[593, 116]	591	[348, 474]	766	[127, 354]
67	[126, 127]	242	[390, 391]	417	[552, 82]	592	[725, 433]	767	[838, 736]
68	[128, 129]	243	[392, 393]	418	[585, 594]	593	[726, 666]	768	[510, 519]
69	[130, 7]	244	[394, 395]	419	[595, 596]	594	[678, 727]	769	[496, 745]

70	[131, 132]	245	[59, 52]	420	[250, 271]	595	[728, 49]	770	[158, 207]
71	[133, 134]	246	[396, 397]	421	[263, 597]	596	[439, 498]	771	[45, 428]
72	[135, 136]	247	[398, 397]	422	[267, 277]	597	[418, 204]	772	[486, 457]
73	[137, 138]	248	[399, 400]	423	[339, 251]	598	[170, 160]	773	[839, 7]
74	[125, 139]	249	[401, 402]	424	[598, 284]	599	[729, 730]	774	[840, 422]
75	[47, 140]	250	[34, 359]	425	[599, 600]	600	[731, 355]	775	[397, 513]
76	[57, 141]	251	[403, 404]	426	[69, 342]	601	[393, 672]	776	[362, 126]
77	[142, 143]	252	[405, 406]	427	[601, 548]	602	[409, 388]	777	[841, 683]
78	[144, 145]	253	[207, 407]	428	[321, 322]	603	[732, 733]	778	[748, 751]
79	[146, 147]	254	[408, 409]	429	[602, 102]	604	[500, 730]	779	[745, 447]
80	[148, 149]	255	[410, 389]	430	[603, 303]	605	[734, 735]	780	[842, 53]
81	[150, 151]	256	[411, 412]	431	[604, 226]	606	[147, 736]	781	[350, 510]
82	[152, 153]	257	[413, 118]	432	[605, 606]	607	[194, 185]	782	[489, 415]
83	[154, 155]	258	[118, 414]	433	[93, 231]	608	[705, 33]	783	[739, 374]
84	[156, 151]	259	[415, 130]	434	[607, 72]	609	[737, 126]	784	[196, 32]
85	[157, 158]	260	[8, 124]	435	[608, 609]	610	[134, 381]	785	[692, 707]
86	[159, 160]	261	[416, 417]	436	[597, 523]	611	[738, 739]	786	[369, 48]
87	[161, 162]	262	[406, 418]	437	[28, 64]	612	[199, 438]	787	[192, 129]
88	[163, 164]	263	[419, 420]	438	[330, 610]	613	[740, 14]	788	[477, 665]
89	[165, 166]	264	[149, 421]	439	[611, 108]	614	[426, 369]	789	[843, 477]
90	[167, 168]	265	[151, 422]	440	[337, 612]	615	[741, 423]	790	[174, 362]
91	[169, 170]	266	[49, 423]	441	[613, 604]	616	[742, 743]	791	[682, 748]
92	[171, 172]	267	[424, 407]	442	[236, 86]	617	[744, 745]	792	[844, 166]
93	[173, 174]	268	[425, 426]	443	[614, 615]	618	[389, 158]	793	[845, 692]
94	[175, 146]	269	[427, 350]	444	[545, 616]	619	[746, 117]	794	[685, 701]
95	[176, 177]	270	[428, 169]	445	[22, 558]	620	[686, 164]	795	[209, 743]
96	[164, 178]	271	[429, 131]	446	[617, 591]	621	[51, 709]	796	[140, 675]
97	[179, 180]	272	[430, 431]	447	[292, 4]	622	[743, 691]	797	[672, 476]
98	[181, 182]	273	[387, 432]	448	[243, 27]	623	[513, 433]	798	[359, 735]
99	[183, 184]	274	[433, 138]	449	[314, 618]	624	[422, 144]	799	[846, 402]
100	[185, 186]	275	[434, 435]	450	[619, 551]	625	[471, 473]	800	[733, 404]
101	[187, 188]	276	[436, 196]	451	[616, 620]	626	[747, 748]	801	[447, 378]
102	[189, 190]	277	[423, 40]	452	[561, 567]	627	[727, 693]	802	[153, 35]
103	[191, 192]	278	[352, 437]	453	[621, 243]	628	[455, 51]	803	[847, 61]
104	[193, 194]	279	[438, 439]	454	[272, 555]	629	[482, 464]	804	[485, 349]
105	[195, 196]	280	[407, 440]	455	[622, 237]	630	[749, 462]	805	[61, 716]
106	[197, 180]	281	[441, 442]	456	[623, 620]	631	[451, 490]	806	[395, 10]
107	[198, 199]	282	[443, 213]	457	[259, 90]	632	[750, 751]	807	[751, 401]
108	[200, 201]	283	[444, 445]	458	[624, 252]	633	[172, 209]	808	[55, 409]
109	[202, 203]	284	[446, 447]	459	[18, 227]	634	[752, 401]	809	[675, 391]
110	[204, 205]	285	[2, 432]	460	[625, 597]	635	[516, 487]	810	[364, 372]
111	[206, 207]	286	[448, 449]	461	[111, 579]	636	[702, 182]	811	[459, 364]
112	[160, 189]	287	[450, 396]	462	[626, 627]	637	[753, 679]	812	[759, 188]
113	[208, 209]	288	[445, 451]	463	[628, 227]	638	[521, 12]	813	[442, 123]

114	[210, 211]	289	[404, 452]	464	[274, 629]	639	[754, 755]	814	[848, 449]
115	[212, 213]	290	[453, 370]	465	[630, 113]	640	[756, 470]	815	[138, 211]
116	[214, 215]	291	[454, 455]	466	[81, 264]	641	[691, 212]	816	[849, 485]
117	[216, 217]	292	[456, 457]	467	[631, 320]	642	[40, 502]	817	[735, 57]
118	[218, 219]	293	[458, 388]	468	[612, 293]	643	[757, 194]	818	[721, 41]
119	[220, 221]	294	[132, 459]	469	[228, 326]	644	[417, 400]	819	[177, 496]
120	[222, 223]	295	[460, 178]	470	[618, 17]	645	[758, 759]	820	[391, 156]
121	[26, 224]	296	[461, 462]	471	[6, 236]	646	[684, 386]	821	[129, 121]
122	[225, 226]	297	[463, 464]	472	[632, 291]	647	[188, 733]	822	[166, 670]
123	[227, 228]	298	[465, 141]	473	[596, 310]	648	[760, 414]	823	[850, 851]
124	[16, 229]	299	[466, 148]	474	[4, 260]	649	[699, 136]	824	[402, 721]
125	[230, 104]	300	[168, 393]	475	[609, 66]	650	[53, 199]	825	[38, 376]
126	[231, 232]	301	[467, 468]	476	[232, 242]	651	[14, 469]	826	[385, 146]
127	[233, 234]	302	[469, 470]	477	[327, 344]	652	[121, 203]	827	[730, 38]
128	[235, 236]	303	[432, 471]	478	[341, 29]	653	[761, 518]	828	[852, 471]
129	[237, 107]	304	[472, 473]	479	[633, 634]	654	[470, 357]	829	[851, 516]
130	[238, 239]	305	[474, 475]	480	[635, 546]	655	[762, 451]	830	[414, 385]
131	[79, 230]	306	[476, 477]	481	[620, 622]	656	[162, 214]	831	[853, 170]
132	[102, 240]	307	[478, 13]	482	[568, 542]	657	[763, 702]	832	[376, 682]
133	[241, 29]	308	[155, 454]	483	[636, 87]	658	[764, 41]	833	[709, 478]
134	[242, 243]	309	[479, 145]	484	[637, 575]	659	[357, 348]	834	[145, 184]
135	[244, 245]	310	[480, 154]	485	[528, 525]	660	[449, 143]	835	[452, 153]
136	[226, 99]	311	[378, 200]	486	[586, 638]	661	[765, 519]	836	[736, 154]
137	[246, 247]	312	[481, 482]	487	[569, 639]	662	[766, 327]	837	[688, 131]
138	[248, 249]	313	[381, 60]	488	[640, 567]	663	[767, 342]	838	[854, 83]
139	[229, 250]	314	[483, 415]	489	[554, 238]	664	[768, 344]	839	[855, 612]
140	[89, 96]	315	[484, 436]	490	[565, 605]	665	[224, 548]	840	[856, 315]
141	[251, 252]	316	[437, 485]	491	[641, 334]	666	[769, 270]	841	[857, 629]
142	[253, 30]	317	[440, 486]	492	[638, 319]	667	[770, 332]	842	[858, 70]
143	[254, 255]	318	[382, 168]	493	[642, 579]	668	[771, 769]	843	[859, 28]
144	[256, 257]	319	[487, 117]	494	[643, 298]	669	[772, 22]	844	[860, 231]
145	[258, 259]	320	[488, 489]	495	[644, 525]	670	[540, 634]	845	[861, 288]
146	[260, 15]	321	[490, 481]	496	[645, 615]	671	[773, 645]	846	[862, 326]
147	[261, 80]	322	[491, 13]	497	[646, 337]	672	[615, 63]	847	[863, 219]
148	[262, 263]	323	[492, 179]	498	[610, 604]	673	[578, 608]	848	[864, 92]
149	[264, 265]	324	[493, 367]	499	[294, 647]	674	[774, 237]	849	[865, 823]
150	[266, 267]	325	[494, 156]	500	[533, 573]	675	[543, 566]	850	[866, 566]
151	[247, 268]	326	[495, 496]	501	[648, 311]	676	[775, 583]	851	[606, 645]
152	[269, 270]	327	[497, 214]	502	[223, 221]	677	[776, 264]	852	[867, 104]
153	[271, 72]	328	[498, 396]	503	[116, 562]	678	[345, 777]	853	[868, 347]
154	[20, 272]	329	[203, 134]	504	[546, 306]	679	[778, 551]	854	[379, 162]
155	[273, 274]	330	[499, 500]	505	[649, 558]	680	[779, 80]	855	[666, 489]
156	[219, 275]	331	[501, 502]	506	[650, 238]	681	[780, 523]	856	[372, 174]
157	[276, 251]	332	[503, 504]	507	[651, 528]	682	[634, 216]	857	[869, 127]

158	[277, 245]	333	[505, 475]	508	[652, 341]	683	[629, 535]	858	[518, 45]
159	[278, 279]	334	[506, 428]	509	[653, 532]	684	[559, 312]	859	[701, 851]
160	[280, 281]	335	[507, 48]	510	[600, 111]	685	[316, 596]	860	[707, 426]
161	[282, 283]	336	[508, 452]	511	[654, 594]	686	[538, 89]	861	[180, 739]
162	[98, 284]	337	[509, 510]	512	[655, 218]	687	[781, 321]	862	[374, 759]
163	[285, 286]	338	[511, 201]	513	[581, 233]	688	[580, 330]	863	[755, 412]
164	[287, 288]	339	[512, 513]	514	[656, 115]	689	[782, 258]	864	[683, 436]
165	[65, 247]	340	[184, 468]	515	[657, 531]	690	[783, 27]	865	[420, 55]
166	[252, 289]	341	[514, 60]	516	[114, 658]	691	[275, 769]	866	[870, 498]
167	[290, 97]	342	[515, 516]	517	[659, 302]	692	[265, 550]	867	[464, 431]
168	[291, 292]	343	[517, 349]	518	[234, 311]	693	[777, 296]	868	[213, 417]
169	[87, 112]	344	[354, 518]	519	[594, 626]	694	[784, 627]	869	[871, 569]
170	[293, 294]	345	[519, 461]	520	[660, 661]	695	[785, 296]	870	[872, 305]
171	[295, 21]	346	[520, 448]	521	[308, 6]	696	[786, 323]	871	[431, 755]
172	[296, 218]	347	[182, 521]	522	[662, 476]	697	[787, 563]	872	[139, 420]
173	[297, 292]	348	[239, 522]	523	[663, 478]	698	[788, 301]		
174	[91, 298]	349	[523, 524]	524	[664, 212]	699	[30, 280]		

Output function $n \mapsto \tau(n)$:

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	125	0	250	1	375	0	500	0	625	0	750	1
1	0	126	1	251	0	376	0	501	0	626	0	751	0
2	0	127	0	252	0	377	0	502	0	627	0	752	1
3	0	128	1	253	0	378	1	503	0	628	1	753	1
4	0	129	1	254	0	379	0	504	1	629	0	754	1
5	0	130	1	255	0	380	1	505	1	630	1	755	0
6	0	131	1	256	1	381	1	506	1	631	0	756	1
7	0	132	0	257	1	382	0	507	1	632	1	757	0
8	1	133	1	258	1	383	1	508	0	633	0	758	0
9	0	134	0	259	1	384	1	509	1	634	1	759	0
10	1	135	0	260	1	385	1	510	0	635	1	760	0
11	0	136	0	261	1	386	1	511	1	636	1	761	1
12	0	137	0	262	0	387	1	512	1	637	1	762	1
13	0	138	0	263	1	388	1	513	1	638	1	763	0
14	1	139	0	264	0	389	1	514	0	639	1	764	0
15	0	140	1	265	1	390	0	515	0	640	1	765	1
16	0	141	0	266	0	391	1	516	1	641	1	766	0
17	1	142	0	267	1	392	1	517	1	642	1	767	0
18	0	143	0	268	1	393	1	518	1	643	0	768	0
19	0	144	1	269	1	394	0	519	0	644	1	769	0
20	0	145	1	270	1	395	1	520	1	645	0	770	1
21	1	146	1	271	0	396	0	521	1	646	1	771	0
22	0	147	1	272	0	397	0	522	0	647	1	772	0
23	0	148	0	273	1	398	1	523	0	648	0	773	0

24	0	149	0	274	1	399	0	524	0	649	1	774	0
25	0	150	0	275	1	400	0	525	0	650	1	775	0
26	0	151	1	276	0	401	0	526	1	651	1	776	1
27	0	152	1	277	1	402	1	527	0	652	0	777	0
28	0	153	0	278	0	403	0	528	0	653	1	778	0
29	1	154	0	279	0	404	1	529	1	654	1	779	0
30	1	155	1	280	0	405	0	530	1	655	1	780	1
31	0	156	1	281	1	406	0	531	0	656	0	781	0
32	0	157	0	282	1	407	0	532	0	657	0	782	0
33	0	158	1	283	0	408	0	533	0	658	0	783	0
34	1	159	0	284	1	409	0	534	0	659	1	784	1
35	1	160	0	285	0	410	0	535	1	660	1	785	1
36	0	161	1	286	1	411	1	536	0	661	1	786	0
37	0	162	0	287	1	412	0	537	0	662	0	787	0
38	1	163	0	288	0	413	1	538	1	663	0	788	1
39	0	164	1	289	1	414	0	539	0	664	0	789	1
40	1	165	1	290	1	415	1	540	1	665	0	790	1
41	0	166	0	291	0	416	1	541	1	666	0	791	1
42	1	167	1	292	1	417	1	542	0	667	1	792	0
43	1	168	0	293	1	418	0	543	1	668	0	793	0
44	0	169	1	294	0	419	1	544	0	669	0	794	0
45	0	170	1	295	0	420	1	545	0	670	1	795	1
46	0	171	0	296	0	421	1	546	1	671	0	796	1
47	1	172	0	297	1	422	1	547	0	672	1	797	1
48	0	173	1	298	1	423	1	548	0	673	1	798	1
49	0	174	1	299	0	424	1	549	0	674	0	799	1
50	0	175	0	300	0	425	1	550	1	675	1	800	1
51	1	176	0	301	0	426	1	551	0	676	0	801	1
52	0	177	0	302	0	427	1	552	1	677	1	802	0
53	1	178	1	303	0	428	1	553	1	678	0	803	0
54	0	179	1	304	1	429	0	554	0	679	0	804	0
55	1	180	0	305	0	430	0	555	1	680	0	805	0
56	0	181	0	306	0	431	0	556	0	681	1	806	1
57	0	182	0	307	0	432	0	557	0	682	1	807	0
58	1	183	0	308	1	433	1	558	1	683	0	808	1
59	0	184	1	309	0	434	1	559	1	684	1	809	1
60	1	185	1	310	1	435	1	560	1	685	0	810	1
61	0	186	1	311	1	436	0	561	0	686	1	811	0
62	0	187	1	312	1	437	0	562	1	687	0	812	0
63	1	188	1	313	1	438	0	563	1	688	1	813	0
64	0	189	0	314	1	439	1	564	1	689	0	814	0
65	1	190	1	315	1	440	1	565	1	690	0	815	0
66	0	191	0	316	0	441	1	566	1	691	1	816	1
67	1	192	0	317	1	442	0	567	1	692	1	817	1

68	1	193	1	318	0	443	1	568	0	693	0	818	1
69	1	194	1	319	0	444	0	569	0	694	1	819	0
70	1	195	1	320	1	445	0	570	0	695	1	820	1
71	1	196	1	321	1	446	1	571	1	696	0	821	1
72	0	197	0	322	1	447	1	572	1	697	0	822	0
73	0	198	0	323	1	448	1	573	1	698	1	823	0
74	0	199	1	324	1	449	1	574	0	699	1	824	1
75	1	200	0	325	0	450	1	575	1	700	1	825	1
76	0	201	1	326	1	451	0	576	1	701	1	826	1
77	0	202	1	327	1	452	0	577	0	702	1	827	1
78	1	203	0	328	0	453	1	578	1	703	1	828	1
79	1	204	1	329	0	454	0	579	0	704	1	829	1
80	0	205	0	330	0	455	1	580	1	705	1	830	0
81	0	206	0	331	0	456	1	581	1	706	0	831	0
82	1	207	0	332	0	457	1	582	0	707	0	832	0
83	0	208	1	333	1	458	1	583	0	708	0	833	1
84	1	209	1	334	1	459	0	584	0	709	1	834	1
85	0	210	1	335	1	460	0	585	0	710	0	835	0
86	0	211	1	336	0	461	0	586	0	711	1	836	0
87	1	212	0	337	1	462	0	587	0	712	1	837	1
88	0	213	0	338	1	463	1	588	0	713	1	838	0
89	1	214	0	339	1	464	1	589	1	714	1	839	0
90	1	215	1	340	1	465	1	590	1	715	1	840	0
91	1	216	0	341	0	466	0	591	1	716	1	841	0
92	0	217	0	342	0	467	0	592	0	717	1	842	1
93	1	218	1	343	1	468	1	593	1	718	1	843	1
94	0	219	1	344	0	469	0	594	0	719	0	844	0
95	0	220	1	345	0	470	1	595	1	720	0	845	0
96	1	221	0	346	1	471	0	596	1	721	1	846	1
97	1	222	0	347	0	472	1	597	0	722	0	847	0
98	0	223	0	348	1	473	1	598	1	723	0	848	0
99	0	224	0	349	0	474	0	599	1	724	1	849	1
100	1	225	1	350	0	475	0	600	0	725	0	850	0
101	1	226	0	351	1	476	0	601	1	726	1	851	1
102	0	227	0	352	0	477	1	602	0	727	0	852	1
103	0	228	0	353	1	478	0	603	0	728	1	853	0
104	1	229	0	354	0	479	0	604	0	729	1	854	0
105	1	230	0	355	0	480	1	605	0	730	1	855	0
106	0	231	1	356	0	481	1	606	1	731	0	856	0
107	0	232	0	357	1	482	0	607	1	732	0	857	0
108	0	233	0	358	0	483	1	608	1	733	1	858	1
109	1	234	1	359	1	484	1	609	0	734	0	859	1
110	1	235	1	360	0	485	0	610	0	735	1	860	0
111	0	236	0	361	0	486	0	611	1	736	0	861	0

112	0	237	1	362	1	487	0	612	1	737	0	862	1
113	1	238	1	363	1	488	1	613	1	738	1	863	0
114	1	239	1	364	1	489	0	614	1	739	0	864	0
115	0	240	1	365	0	490	1	615	1	740	1	865	1
116	0	241	1	366	0	491	1	616	0	741	1	866	0
117	0	242	0	367	0	492	1	617	1	742	0	867	1
118	1	243	1	368	0	493	1	618	1	743	1	868	0
119	1	244	0	369	0	494	0	619	1	744	1	869	0
120	0	245	0	370	1	495	1	620	1	745	0	870	0
121	0	246	0	371	0	496	0	621	1	746	1	871	0
122	1	247	1	372	0	497	1	622	1	747	0	872	0
123	0	248	0	373	1	498	0	623	1	748	0		
124	0	249	0	374	1	499	0	624	1	749	1		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE

Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA

Email address: `huyining@hust.edu.cn`