

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z^4 + 1, z^2 + z + 1)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z^4 + 1, z^2 + z + 1)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 15:46:58 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 12.6 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z^4 + 1, z^2 + z + 1)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$\begin{aligned} p_0(z) &= z^{18} + z^{17} + z^{15} + z^{13} + z^{12} + z^{11} + z^6 + z^5 + z^4 + z + 1, \\ p_1(z) &= z^{22} + z^{21} + z^{20} + z^{19} + z^{18} + z^{16} + z^{13} + z^{11} + z^{10} + z^9 + z^6 + z, \\ p_2(z) &= z^{24} + z^{18} + z^{16} + z^{12} + z^8 + z^4 + z^2 + 1, \\ p_3(z) &= z^{22} + z^{21} + z^{20} + z^{19} + z^{18} + z^{16} + z^{13} + z^{11} + z^{10} + z^9 + z^6 + z, \\ p_4(z) &= z^{20} + z^{17} + z^{16} + z^{15} + z^{13} + z^{11} + z^8 + z^6 + z^5 + z^2 + z + 1, \end{aligned}$$

and for $\text{CF}(b, a)$,

$$\begin{aligned} p_0(z) &= z^{18} + z^{17} + z^{16} + z^{15} + z^{13} + z^{12} + z^{11} + z^8 + z^6 + z^5 + z + 1, \\ p_1(z) &= z^{22} + z^{21} + z^{20} + z^{19} + z^{18} + z^{16} + z^{13} + z^{11} + z^{10} + z^9 + z^6 + z, \\ p_2(z) &= z^{24} + z^{18} + z^{16} + z^{12} + z^8 + z^4 + z^2 + 1, \\ p_3(z) &= z^{22} + z^{21} + z^{20} + z^{19} + z^{18} + z^{16} + z^{13} + z^{11} + z^{10} + z^9 + z^6 + z, \\ p_4(z) &= z^{20} + z^{17} + z^{15} + z^{13} + z^{11} + z^6 + z^5 + z^4 + z^2 + z + 1. \end{aligned}$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{t}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(150, 150, 150, 150, 150)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 540 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 540, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 660 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 660, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 1 \\ 1 & 0 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 0 & 1 \\ 1 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:12u] &= M^e[:6u] + x^u M^e[:5u] + x^{2u} M^e[:4u] + x^u M^e[:6u] + x^{2u} M^e[:5u] \\ &\quad + x^{3u} M^e[:4u] + x^{3u} M^e[:6u] + x^{4u} M^e[:5u] + x^{5u} M^e[:4u] \\ &\quad + x^{4u} M^e[:6u] + x^{5u} M^e[:5u] + x^{6u} M^e[:4u] + x^{8u} M^e[:4u] \\ &\quad + (x^{6u} + x^{7u} + x^{9u} + x^{10u}) R^e, \\ W^e[:12u] &= W^e[:6u] + x^u W^e[:5u] + x^{2u} W^e[:4u] + x^u W^e[:6u] + x^{2u} W^e[:5u] \\ &\quad + x^{3u} W^e[:4u] + x^{3u} W^e[:6u] + x^{4u} W^e[:5u] + x^{5u} W^e[:4u] \end{aligned}$$

$$\begin{aligned}
& + x^{4u}W^e[:6u] + x^{5u}W^e[:5u] + x^{6u}W^e[:4u] + x^{8u}W^e[:4u] \\
& + (x^{6u} + x^{7u} + x^{9u} + x^{10u})R^e.
\end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned}
M^o[:12u] &= M^o[:6u] + x^u M^o[:5u] + x^{2u} M^o[:4u] + x^u M^o[:6u] + x^{2u} M^o[:5u] \\
&+ x^{3u} M^o[:4u] + x^{3u} M^o[:6u] + x^{4u} M^o[:5u] + x^{5u} M^o[:4u] \\
&+ x^{4u} M^o[:6u] + x^{5u} M^o[:5u] + x^{6u} M^o[:4u] + x^{8u} M^o[:4u] \\
&+ (x^{6u} + x^{7u} + x^{9u} + x^{10u})R^o, \\
W^o[:12u] &= W^o[:6u] + x^u W^o[:5u] + x^{2u} W^o[:4u] + x^u W^o[:6u] + x^{2u} W^o[:5u] \\
&+ x^{3u} W^o[:4u] + x^{3u} W^o[:6u] + x^{4u} W^o[:5u] + x^{5u} W^o[:4u] \\
&+ x^{4u} W^o[:6u] + x^{5u} W^o[:5u] + x^{6u} W^o[:4u] + x^{8u} W^o[:4u] \\
&+ (x^{6u} + x^{7u} + x^{9u} + x^{10u})R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$\begin{aligned}
T[:12u] &= T[:6u] + x^u T[:5u] + x^{2u} T[:4u] + x^u T[:6u] + x^{2u} T[:5u] + x^{3u} T[:4u] \\
&+ x^{3u} T[:6u] + x^{4u} T[:5u] + x^{5u} T[:4u] + x^{4u} T[:6u] + x^{5u} T[:5u] \\
&+ x^{6u} T[:4u] + x^{8u} T[:4u] + (x^{6u} + x^{7u} + x^{9u} + x^{10u}).
\end{aligned}$$

The proof of the other 15 cases are similar. We break down the above identity into 6 parts:

$$\begin{aligned}
x^{6u} &= x^{6u}T[:u] + x^{2u}T[4u:5u] + x^u T[5u:6u] + T[6u:7u], \\
x^{7u} &= x^{6u}T[u:2u] + x^{3u}T[4u:5u] + T[7u:8u], \\
0 &= x^{8u}T[:u] + x^{6u}T[2u:3u] + x^{3u}T[5u:6u] + T[8u:9u], \\
x^{9u} &= x^{8u}T[u:2u] + x^{6u}T[3u:4u] + x^{5u}T[4u:5u] + x^{4u}T[5u:6u] \\
&+ T[9u:10u], \\
x^{10u} &= x^{8u}T[2u:3u] + T[10u:11u], \\
0 &= x^{8u}T[3u:4u] + T[11u:12u],
\end{aligned}$$

which can be rewritten as

$$(2.7) \quad 0 = T[[w]_2] + T[[100w]_2] + T[[101w]_2] + T[[110w]_2],$$

$$(2.8) \quad 0 = T[[1w]_2] + T[[100w]_2] + T[[111w]_2],$$

$$(2.9) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[101w]_2] + T[[1000w]_2],$$

$$(2.10) \quad 0 = T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[101w]_2] + T[[1001w]_2],$$

$$(2.11) \quad 0 = T[[10w]_2] + T[[1010w]_2],$$

$$(2.12) \quad 0 = T[[11w]_2] + T[[1011w]_2],$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$(2.13) \quad 1 = T[[w]_2] + T[[100w]_2] + T[[101w]_2] + T[[110w]_2],$$

$$(2.14) \quad 1 = T[[1w]_2] + T[[100w]_2] + T[[111w]_2],$$

$$(2.15) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[101w]_2] + T[[1000w]_2],$$

$$(2.16) \quad 1 = T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[101w]_2] + T[[1001w]_2],$$

$$(2.17) \quad 1 = T[[10w]_2] + T[[1010w]_2],$$

$$(2.18) \quad 0 = T[[11w]_2] + T[[1011w]_2],$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 515 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.18) can be written as

$$(2.19) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 110)),$$

$$(2.20) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 100)) + \tau(A(s, 111)),$$

$$(2.21) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 101)) + \tau(A(s, 1000)),$$

$$0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 101))$$

$$(2.22) \quad + \tau(A(s, 1001)),$$

$$(2.23) \quad 0 = \tau(A(s, 10)) + \tau(A(s, 1010)),$$

$$(2.24) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 1011)),$$

for all $s \in E_{2k}$, and

$$(2.25) \quad 1 = \tau(A(s, \epsilon)) + \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 110)),$$

$$(2.26) \quad 1 = \tau(A(s, 1)) + \tau(A(s, 100)) + \tau(A(s, 111)),$$

$$(2.27) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 101)) + \tau(A(s, 1000)),$$

$$1 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 101))$$

$$(2.28) \quad + \tau(A(s, 1001)),$$

$$(2.29) \quad 1 = \tau(A(s, 10)) + \tau(A(s, 1010)),$$

$$(2.30) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 1011)),$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{16}), E_{16}) = (A(i, 0^{14}), E_{14})$, so that we only have to verify that identities (2.19) through (2.30) hold for $2 \leq k \leq 8$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$M_{2k} = M^e[:6u] + x^u M^e[:5u] + x^{2u} M^e[:4u] + x^{6u} R^e,$$

$$W_{2k} = W^e[:6u] + x^u W^e[:5u] + x^{2u} W^e[:4u] + x^{6u} R^e.$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$M_{2k+1} = M^o[:6u] + x^u M^o[:5u] + x^{2u} M^o[:4u] + x^{6u} R^o,$$

$$W_{2k+1} = W^o[:6u] + x^u W^o[:5u] + x^{2u} W^o[:4u] + x^{6u} R^o.$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$\begin{aligned} M_{2k} \wedge W_{2k} &\Rightarrow M_{2k+1} \wedge W_{2k+1}, \\ M_{2k+1} \wedge W_{2k+1} &\Rightarrow M_{2k+2} \wedge W_{2k+2}. \end{aligned}$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$(2.31) \quad \begin{aligned} W_{2k} M_{2k} &= (W^e[:6v] + x^v W^e[:5v] + x^{2v} W^e[:4v] + x^{6v} R^e) \times (M^e[:6v] \\ &\quad + x^v M^e[:5v] + x^{2v} M^e[:4v] + x^{6v} R^e); \end{aligned}$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{12v} R^o$. Therefore we only need to prove that their difference is $O(x^{12v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{12v} , to

$$W^e[:12v] M^e[:12v] + x^{2v} W^e[:10v] M^e[:10v] + x^{4v} W^e[:8v] M^e[:8v].$$

For all $n \leq 12$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.31) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{12}, b_1, \dots, b_{12}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{12})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned} \lim_{n \rightarrow \infty} M_{2n,j,k} &= M_{j,k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1,j,k} &= M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} &= W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} &= W_{j,k}^o. \end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12}\phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e/M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$\begin{aligned} q_0(x) &= x^{24} + x^{23} + x^{20} + x^{19} + x^{18} + x^{13} + x^{12} + x^{11} + x^9 + x^7 + x^6, \\ q_1(x) &= x^{23} + x^{18} + x^{15} + x^{14} + x^{13} + x^{11} + x^8 + x^6 + x^5 + x^4 + x^3 + x^2, \\ q_2(x) &= x^{24} + x^{22} + x^{20} + x^{16} + x^{12} + x^8 + x^6 + 1, \\ q_3(x) &= x^{23} + x^{18} + x^{15} + x^{14} + x^{13} + x^{11} + x^8 + x^6 + x^5 + x^4 + x^3 + x^2, \\ q_4(x) &= x^{24} + x^{23} + x^{22} + x^{19} + x^{18} + x^{16} + x^{13} + x^{11} + x^9 + x^8 + x^7 + x^4. \end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 186, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 186, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned} p_0(x) &= x^{120} + x^{118} + x^{114} + x^{112} + x^{110} + x^{102} + x^{100} + x^{98} + x^{96} + x^{88} \\ &\quad + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{66} + x^{64} + x^{60} + x^{56} \\ &\quad + x^{52} + x^{50} + x^{48} + x^{46} + x^{44} + x^{42} + x^{36} + x^{34} + x^{30} + x^{24}, \\ p_3(x) &= x^{118} + x^{116} + x^{114} + x^{106} + x^{98} + x^{96} + x^{94} + x^{92} + x^{86} + x^{84} + x^{82} \\ &\quad + x^{80} + x^{76} + x^{74} + x^{70} + x^{56} + x^{54} + x^{52} + x^{50} + x^{48} + x^{42} + x^{40} \\ &\quad + x^{36} + x^{34} + x^{32} + x^{30} + x^{28} + x^{20}, \\ p_6(x) &= x^{118} + x^{112} + x^{106} + x^{104} + x^{86} + x^{84} + x^{80} + x^{78} + x^{76} + x^{74} + x^{72} \\ &\quad + x^{68} + x^{64} + x^{54} + x^{52} + x^{48} + x^{46} + x^{44} + x^{40} + x^{38} + x^{34} + x^{32} \\ &\quad + x^{30} + x^{24} + x^{22} + x^{20} + x^{14} + x^{12} + x^{10} + x^6 + x^4 + 1, \\ p_9(x) &= x^{118} + x^{116} + x^{112} + x^{108} + x^{104} + x^{102} + x^{100} + x^{98} + x^{96} + x^{92} \\ &\quad + x^{88} + x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{62} + x^{52} + x^{50} + x^{42} \\ &\quad + x^{36} + x^{30} + x^{26} + x^{24} + x^{22} + x^{18} + x^{14} + x^{12} + x^{10} + x^6 + x^4, \end{aligned}$$

$$p_{12}(x) = x^{120} + x^{96} + x^{40} + x^{24} + x^{16} + 1,$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 1, 0, 1, 0, 1, 0, 0, 0, 0, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned} p_0(x) = & x^{126} + x^{125} + x^{124} + x^{123} + x^{121} + x^{118} + x^{116} + x^{114} + x^{111} + x^{107} \\ & + x^{106} + x^{100} + x^{98} + x^{97} + x^{94} + x^{93} + x^{92} + x^{91} + x^{89} + x^{87} + x^{86} \\ & + x^{84} + x^{82} + x^{80} + x^{77} + x^{76} + x^{74} + x^{69} + x^{68} + x^{67} + x^{63} + x^{62} \\ & + x^{60} + x^{59} + x^{58} + x^{57} + x^{53} + x^{51} + x^{50} + x^{49} + x^{48} + x^{45} + x^{43} \\ & + x^{42} + x^{33} + x^{32} + x^{30}, \end{aligned}$$

$$\begin{aligned} p_3(x) = & x^{117} + x^{116} + x^{115} + x^{113} + x^{110} + x^{107} + x^{106} + x^{104} + x^{99} + x^{98} \\ & + x^{97} + x^{94} + x^{93} + x^{92} + x^{90} + x^{89} + x^{88} + x^{86} + x^{81} + x^{80} + x^{78} \\ & + x^{73} + x^{72} + x^{70} + x^{65} + x^{64} + x^{62} + x^{57} + x^{56} + x^{54} + x^{53} + x^{52} \\ & + x^{51} + x^{48} + x^{45} + x^{44} + x^{42} + x^{37} + x^{36} + x^{35} + x^{33} + x^{30} + x^{27} \\ & + x^{26} + x^{24} + x^{21} + x^{20} + x^{18}, \end{aligned}$$

$$\begin{aligned} p_6(x) = & x^{120} + x^{119} + x^{118} + x^{112} + x^{111} + x^{109} + x^{107} + x^{106} + x^{100} + x^{99} \\ & + x^{97} + x^{96} + x^{88} + x^{87} + x^{86} + x^{84} + x^{83} + x^{82} + x^{80} + x^{79} + x^{77} \\ & + x^{75} + x^{73} + x^{72} + x^{68} + x^{67} + x^{66} + x^{58} + x^{57} + x^{56} + x^{52} + x^{51} \\ & + x^{49} + x^{47} + x^{46} + x^{44} + x^{43} + x^{42} + x^{40} + x^{39} + x^{37} + x^{36} + x^{34} \\ & + x^{33} + x^{32} + x^{28} + x^{27} + x^{25} + x^{23} + x^{22} + x^{16} + x^{15} + x^{13} + x^{12}, \end{aligned}$$

$$\begin{aligned} p_9(x) = & x^{123} + x^{122} + x^{121} + x^{119} + x^{116} + x^{115} + x^{114} + x^{113} + x^{110} + x^{109} \\ & + x^{108} + x^{106} + x^{103} + x^{102} + x^{101} + x^{98} + x^{97} + x^{96} + x^{94} + x^{89} \\ & + x^{88} + x^{87} + x^{85} + x^{82} + x^{79} + x^{78} + x^{76} + x^{73} + x^{72} + x^{70} + x^{69} \\ & + x^{68} + x^{67} + x^{64} + x^{63} + x^{62} + x^{61} + x^{59} + x^{56} + x^{55} + x^{54} + x^{53} \\ & + x^{50} + x^{47} + x^{46} + x^{45} + x^{43} + x^{40} + x^{39} + x^{38} + x^{37} + x^{35} + x^{32} \\ & + x^{31} + x^{30} + x^{28} + x^{23} + x^{22} + x^{21} + x^{19} + x^{16} + x^{13} + x^{12} + x^{11} \\ & + x^9 + x^6, \end{aligned}$$

$$\begin{aligned} p_{12}(x) = & x^{126} + x^{125} + x^{124} + x^{114} + x^{113} + x^{112} + x^{110} + x^{109} + x^{108} + x^{98} \\ & + x^{97} + x^{96} + x^{46} + x^{45} + x^{44} + x^{34} + x^{33} + x^{32} + x^{14} + x^{13} + x^{12} \\ & + x^2 + x + 1, \end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 0]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned} p_0(x) = & x^{126} + x^{125} + x^{124} + x^{123} + x^{121} + x^{118} + x^{116} + x^{114} + x^{111} + x^{107} \\ & + x^{106} + x^{100} + x^{98} + x^{97} + x^{94} + x^{93} + x^{92} + x^{91} + x^{89} + x^{87} + x^{86} \\ & + x^{84} + x^{82} + x^{80} + x^{77} + x^{76} + x^{74} + x^{69} + x^{68} + x^{67} + x^{63} + x^{62} \\ & + x^{60} + x^{59} + x^{58} + x^{57} + x^{53} + x^{51} + x^{50} + x^{49} + x^{48} + x^{45} + x^{43} \\ & + x^{42} + x^{33} + x^{32} + x^{30}, \end{aligned}$$

$$\begin{aligned}
p_3(x) &= x^{117} + x^{116} + x^{115} + x^{113} + x^{110} + x^{107} + x^{106} + x^{104} + x^{99} + x^{98} \\
&\quad + x^{97} + x^{94} + x^{93} + x^{92} + x^{90} + x^{89} + x^{88} + x^{86} + x^{81} + x^{80} + x^{78} \\
&\quad + x^{73} + x^{72} + x^{70} + x^{65} + x^{64} + x^{62} + x^{57} + x^{56} + x^{54} + x^{53} + x^{52} \\
&\quad + x^{51} + x^{48} + x^{45} + x^{44} + x^{42} + x^{37} + x^{36} + x^{35} + x^{33} + x^{30} + x^{27} \\
&\quad + x^{26} + x^{24} + x^{21} + x^{20} + x^{18}, \\
p_6(x) &= x^{120} + x^{119} + x^{118} + x^{112} + x^{111} + x^{109} + x^{107} + x^{106} + x^{100} + x^{99} \\
&\quad + x^{97} + x^{96} + x^{88} + x^{87} + x^{86} + x^{84} + x^{83} + x^{82} + x^{80} + x^{79} + x^{77} \\
&\quad + x^{75} + x^{73} + x^{72} + x^{68} + x^{67} + x^{66} + x^{58} + x^{57} + x^{56} + x^{52} + x^{51} \\
&\quad + x^{49} + x^{47} + x^{46} + x^{44} + x^{43} + x^{42} + x^{40} + x^{39} + x^{37} + x^{36} + x^{34} \\
&\quad + x^{33} + x^{32} + x^{28} + x^{27} + x^{25} + x^{23} + x^{22} + x^{16} + x^{15} + x^{13} + x^{12}, \\
p_9(x) &= x^{123} + x^{122} + x^{121} + x^{119} + x^{116} + x^{115} + x^{114} + x^{113} + x^{110} + x^{109} \\
&\quad + x^{108} + x^{106} + x^{103} + x^{102} + x^{101} + x^{98} + x^{97} + x^{96} + x^{94} + x^{89} \\
&\quad + x^{88} + x^{87} + x^{85} + x^{82} + x^{79} + x^{78} + x^{76} + x^{73} + x^{72} + x^{70} + x^{69} \\
&\quad + x^{68} + x^{67} + x^{64} + x^{63} + x^{62} + x^{61} + x^{59} + x^{56} + x^{55} + x^{54} + x^{53} \\
&\quad + x^{50} + x^{47} + x^{46} + x^{45} + x^{43} + x^{40} + x^{39} + x^{38} + x^{37} + x^{35} + x^{32} \\
&\quad + x^{31} + x^{30} + x^{28} + x^{23} + x^{22} + x^{21} + x^{19} + x^{16} + x^{13} + x^{12} + x^{11} \\
&\quad + x^9 + x^6, \\
p_{12}(x) &= x^{126} + x^{125} + x^{124} + x^{114} + x^{113} + x^{112} + x^{110} + x^{109} + x^{108} + x^{98} \\
&\quad + x^{97} + x^{96} + x^{46} + x^{45} + x^{44} + x^{34} + x^{33} + x^{32} + x^{14} + x^{13} + x^{12} \\
&\quad + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 0]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{132} + x^{128} + x^{126} + x^{122} + x^{120} + x^{118} + x^{114} + x^{106} + x^{104} + x^{102} \\
&\quad + x^{90} + x^{88} + x^{86} + x^{82} + x^{74} + x^{70} + x^{68} + x^{64} + x^{62} + x^{60} + x^{52} \\
&\quad + x^{50} + x^{48} + x^{40} + x^{36}, \\
p_3(x) &= x^{130} + x^{124} + x^{116} + x^{114} + x^{112} + x^{108} + x^{106} + x^{104} + x^{100} + x^{98} \\
&\quad + x^{96} + x^{92} + x^{88} + x^{84} + x^{82} + x^{74} + x^{72} + x^{66} + x^{60} + x^{44} + x^{42} \\
&\quad + x^{40} + x^{26} + x^{20} + x^{18} + x^{12}, \\
p_6(x) &= x^{130} + x^{126} + x^{122} + x^{116} + x^{114} + x^{112} + x^{110} + x^{106} + x^{94} + x^{90} \\
&\quad + x^{88} + x^{86} + x^{82} + x^{80} + x^{70} + x^{62} + x^{60} + x^{58} + x^{54} + x^{50} + x^{46} \\
&\quad + x^{42} + x^{38} + x^{36} + x^{34} + x^{30} + x^{16} + x^{12} + x^{10} + x^8 + x^2 + 1, \\
p_9(x) &= x^{130} + x^{122} + x^{118} + x^{112} + x^{110} + x^{108} + x^{106} + x^{102} + x^{98} + x^{94} \\
&\quad + x^{92} + x^{86} + x^{84} + x^{80} + x^{76} + x^{72} + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} \\
&\quad + x^{42} + x^{40} + x^{34} + x^{32} + x^{28} + x^{26} + x^{20} + x^{14} + x^4, \\
p_{12}(x) &= x^{132} + x^{130} + x^{128} + x^{100} + x^{98} + x^{96} + x^{52} + x^{50} + x^{48} + x^{36} + x^{34}
\end{aligned}$$

$$+ x^{32} + x^{20} + x^{18} + x^{16} + x^4 + x^2 + 1,$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned} p_0(x) &= x^{132} + x^{124} + x^{116} + x^{110} + x^{106} + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} \\ &\quad + x^{84} + x^{82} + x^{80} + x^{76} + x^{72} + x^{66} + x^{50} + x^{48} + x^{46} + x^{44} + x^{42} \\ &\quad + x^{40} + x^{36} + x^{34} + x^{30} + x^{28} + x^{26} + x^{24}, \\ p_3(x) &= x^{130} + x^{126} + x^{120} + x^{118} + x^{114} + x^{110} + x^{104} + x^{102} + x^{100} + x^{96} \\ &\quad + x^{94} + x^{92} + x^{84} + x^{82} + x^{78} + x^{76} + x^{72} + x^{70} + x^{66} + x^{64} + x^{60} \\ &\quad + x^{50} + x^{48} + x^{42} + x^{40} + x^{34} + x^{32} + x^{28} + x^{26} + x^{22}, \\ p_6(x) &= x^{130} + x^{128} + x^{126} + x^{122} + x^{120} + x^{118} + x^{114} + x^{106} + x^{104} + x^{102} \\ &\quad + x^{98} + x^{92} + x^{84} + x^{82} + x^{76} + x^{72} + x^{68} + x^{66} + x^{64} + x^{58} + x^{54} \\ &\quad + x^{52} + x^{50} + x^{46} + x^{40} + x^{38} + x^{34} + x^{30} + x^{26} + x^{20} + x^{16} + x^{14} \\ &\quad + x^2 + 1, \\ p_9(x) &= x^{130} + x^{122} + x^{118} + x^{112} + x^{110} + x^{108} + x^{106} + x^{102} + x^{98} + x^{94} \\ &\quad + x^{92} + x^{86} + x^{84} + x^{80} + x^{76} + x^{72} + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} \\ &\quad + x^{42} + x^{40} + x^{34} + x^{32} + x^{28} + x^{26} + x^{20} + x^{14} + x^4, \\ p_{12}(x) &= x^{132} + x^{130} + x^{128} + x^{100} + x^{98} + x^{96} + x^{52} + x^{50} + x^{48} + x^{36} + x^{34} \\ &\quad + x^{32} + x^{20} + x^{18} + x^{16} + x^4 + x^2 + 1, \end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned} p_0(x) &= x^{126} + x^{125} + x^{124} + x^{123} + x^{121} + x^{120} + x^{119} + x^{115} + x^{110} + x^{106} \\ &\quad + x^{105} + x^{104} + x^{103} + x^{102} + x^{101} + x^{97} + x^{95} + x^{93} + x^{91} + x^{88} \\ &\quad + x^{87} + x^{81} + x^{80} + x^{76} + x^{74} + x^{73} + x^{71} + x^{70} + x^{69} + x^{68} + x^{66} \\ &\quad + x^{64} + x^{63} + x^{61} + x^{60} + x^{56} + x^{51} + x^{49} + x^{48} + x^{44} + x^{40} + x^{37} \\ &\quad + x^{30}, \\ p_3(x) &= x^{117} + x^{116} + x^{115} + x^{113} + x^{110} + x^{107} + x^{106} + x^{104} + x^{99} + x^{98} \\ &\quad + x^{97} + x^{94} + x^{93} + x^{92} + x^{90} + x^{89} + x^{88} + x^{86} + x^{81} + x^{80} + x^{78} \\ &\quad + x^{73} + x^{72} + x^{70} + x^{65} + x^{64} + x^{62} + x^{57} + x^{56} + x^{54} + x^{53} + x^{52} \\ &\quad + x^{51} + x^{48} + x^{45} + x^{44} + x^{42} + x^{37} + x^{36} + x^{35} + x^{33} + x^{30} + x^{27} \\ &\quad + x^{26} + x^{24} + x^{21} + x^{20} + x^{18}, \\ p_6(x) &= x^{120} + x^{119} + x^{118} + x^{112} + x^{111} + x^{109} + x^{107} + x^{106} + x^{100} + x^{99} \\ &\quad + x^{97} + x^{96} + x^{88} + x^{87} + x^{86} + x^{84} + x^{83} + x^{82} + x^{80} + x^{79} + x^{77} \\ &\quad + x^{75} + x^{73} + x^{72} + x^{68} + x^{67} + x^{66} + x^{58} + x^{57} + x^{56} + x^{52} + x^{51} \\ &\quad + x^{49} + x^{47} + x^{46} + x^{44} + x^{43} + x^{42} + x^{40} + x^{39} + x^{37} + x^{36} + x^{34} \\ &\quad + x^{33} + x^{32} + x^{28} + x^{27} + x^{25} + x^{23} + x^{22} + x^{16} + x^{15} + x^{13} + x^{12}, \end{aligned}$$

$$\begin{aligned}
p_9(x) &= x^{123} + x^{122} + x^{121} + x^{119} + x^{116} + x^{115} + x^{114} + x^{113} + x^{110} + x^{109} \\
&\quad + x^{108} + x^{106} + x^{103} + x^{102} + x^{101} + x^{98} + x^{97} + x^{96} + x^{94} + x^{89} \\
&\quad + x^{88} + x^{87} + x^{85} + x^{82} + x^{79} + x^{78} + x^{76} + x^{73} + x^{72} + x^{70} + x^{69} \\
&\quad + x^{68} + x^{67} + x^{64} + x^{63} + x^{62} + x^{61} + x^{59} + x^{56} + x^{55} + x^{54} + x^{53} \\
&\quad + x^{50} + x^{47} + x^{46} + x^{45} + x^{43} + x^{40} + x^{39} + x^{38} + x^{37} + x^{35} + x^{32} \\
&\quad + x^{31} + x^{30} + x^{28} + x^{23} + x^{22} + x^{21} + x^{19} + x^{16} + x^{13} + x^{12} + x^{11} \\
&\quad + x^9 + x^6, \\
p_{12}(x) &= x^{126} + x^{125} + x^{124} + x^{114} + x^{113} + x^{112} + x^{110} + x^{109} + x^{108} + x^{98} \\
&\quad + x^{97} + x^{96} + x^{46} + x^{45} + x^{44} + x^{34} + x^{33} + x^{32} + x^{14} + x^{13} + x^{12} \\
&\quad + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 0, 1, 1, 0, 0, 1, 1, 1, 0, 0, 0, 0]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{126} + x^{125} + x^{124} + x^{123} + x^{121} + x^{120} + x^{119} + x^{115} + x^{110} + x^{106} \\
&\quad + x^{105} + x^{104} + x^{103} + x^{102} + x^{101} + x^{97} + x^{95} + x^{93} + x^{91} + x^{88} \\
&\quad + x^{87} + x^{81} + x^{80} + x^{76} + x^{74} + x^{73} + x^{71} + x^{70} + x^{69} + x^{68} + x^{66} \\
&\quad + x^{64} + x^{63} + x^{61} + x^{60} + x^{56} + x^{51} + x^{49} + x^{48} + x^{44} + x^{40} + x^{37} \\
&\quad + x^{30}, \\
p_3(x) &= x^{117} + x^{116} + x^{115} + x^{113} + x^{110} + x^{107} + x^{106} + x^{104} + x^{99} + x^{98} \\
&\quad + x^{97} + x^{94} + x^{93} + x^{92} + x^{90} + x^{89} + x^{88} + x^{86} + x^{81} + x^{80} + x^{78} \\
&\quad + x^{73} + x^{72} + x^{70} + x^{65} + x^{64} + x^{62} + x^{57} + x^{56} + x^{54} + x^{53} + x^{52} \\
&\quad + x^{51} + x^{48} + x^{45} + x^{44} + x^{42} + x^{37} + x^{36} + x^{35} + x^{33} + x^{30} + x^{27} \\
&\quad + x^{26} + x^{24} + x^{21} + x^{20} + x^{18}, \\
p_6(x) &= x^{120} + x^{119} + x^{118} + x^{112} + x^{111} + x^{109} + x^{107} + x^{106} + x^{100} + x^{99} \\
&\quad + x^{97} + x^{96} + x^{88} + x^{87} + x^{86} + x^{84} + x^{83} + x^{82} + x^{80} + x^{79} + x^{77} \\
&\quad + x^{75} + x^{73} + x^{72} + x^{68} + x^{67} + x^{66} + x^{58} + x^{57} + x^{56} + x^{52} + x^{51} \\
&\quad + x^{49} + x^{47} + x^{46} + x^{44} + x^{43} + x^{42} + x^{40} + x^{39} + x^{37} + x^{36} + x^{34} \\
&\quad + x^{33} + x^{32} + x^{28} + x^{27} + x^{25} + x^{23} + x^{22} + x^{16} + x^{15} + x^{13} + x^{12}, \\
p_9(x) &= x^{123} + x^{122} + x^{121} + x^{119} + x^{116} + x^{115} + x^{114} + x^{113} + x^{110} + x^{109} \\
&\quad + x^{108} + x^{106} + x^{103} + x^{102} + x^{101} + x^{98} + x^{97} + x^{96} + x^{94} + x^{89} \\
&\quad + x^{88} + x^{87} + x^{85} + x^{82} + x^{79} + x^{78} + x^{76} + x^{73} + x^{72} + x^{70} + x^{69} \\
&\quad + x^{68} + x^{67} + x^{64} + x^{63} + x^{62} + x^{61} + x^{59} + x^{56} + x^{55} + x^{54} + x^{53} \\
&\quad + x^{50} + x^{47} + x^{46} + x^{45} + x^{43} + x^{40} + x^{39} + x^{38} + x^{37} + x^{35} + x^{32} \\
&\quad + x^{31} + x^{30} + x^{28} + x^{23} + x^{22} + x^{21} + x^{19} + x^{16} + x^{13} + x^{12} + x^{11} \\
&\quad + x^9 + x^6, \\
p_{12}(x) &= x^{126} + x^{125} + x^{124} + x^{114} + x^{113} + x^{112} + x^{110} + x^{109} + x^{108} + x^{98}
\end{aligned}$$

$$\begin{aligned}
& + x^{97} + x^{96} + x^{46} + x^{45} + x^{44} + x^{34} + x^{33} + x^{32} + x^{14} + x^{13} + x^{12} \\
& + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 0, 1, 1, 0, 0, 1, 1, 1, 0, 0, 0, 0]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{120} + x^{118} + x^{116} + x^{114} + x^{112} + x^{102} + x^{100} + x^{98} + x^{94} + x^{92} \\
&+ x^{90} + x^{82} + x^{76} + x^{72} + x^{66} + x^{64} + x^{62} + x^{60} + x^{58} + x^{48} + x^{44} \\
&+ x^{38} + x^{36}, \\
p_3(x) &= x^{118} + x^{116} + x^{110} + x^{106} + x^{104} + x^{102} + x^{100} + x^{92} + x^{90} + x^{86} \\
&+ x^{82} + x^{78} + x^{74} + x^{72} + x^{70} + x^{66} + x^{64} + x^{62} + x^{58} + x^{56} + x^{54} \\
&+ x^{50} + x^{46} + x^{44} + x^{38} + x^{36} + x^{32} + x^{30} + x^{26} + x^{24} + x^{14} + x^{12}, \\
p_6(x) &= x^{118} + x^{116} + x^{114} + x^{112} + x^{110} + x^{106} + x^{102} + x^{100} + x^{98} + x^{94} \\
&+ x^{92} + x^{90} + x^{86} + x^{84} + x^{80} + x^{76} + x^{74} + x^{72} + x^{66} + x^{62} + x^{60} \\
&+ x^{58} + x^{54} + x^{52} + x^{48} + x^{42} + x^{40} + x^{36} + x^{32} + x^{30} + x^{28} + x^{26} \\
&+ x^{24} + x^{22} + x^{20} + x^{16} + x^{12} + x^{10} + x^8 + x^6 + x^4 + 1, \\
p_9(x) &= x^{118} + x^{116} + x^{112} + x^{108} + x^{104} + x^{102} + x^{100} + x^{98} + x^{96} + x^{92} \\
&+ x^{88} + x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{62} + x^{52} + x^{50} + x^{42} \\
&+ x^{36} + x^{30} + x^{26} + x^{24} + x^{22} + x^{18} + x^{14} + x^{12} + x^{10} + x^6 + x^4, \\
p_{12}(x) &= x^{120} + x^{96} + x^{40} + x^{24} + x^{16} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 1, 0, 0, 0, 1, 0, 1, 0, 0, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{126} + x^{125} + x^{123} + x^{119} + x^{117} + x^{116} + x^{115} + x^{114} + x^{113} + x^{112} \\
&+ x^{108} + x^{106} + x^{105} + x^{104} + x^{102} + x^{100} + x^{99} + x^{98} + x^{97} + x^{96} \\
&+ x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{80} + x^{76} + x^{74} + x^{72} + x^{70} + x^{67} \\
&+ x^{66} + x^{64} + x^{62} + x^{59} + x^{57} + x^{54} + x^{53} + x^{51} + x^{48} + x^{46} + x^{44} \\
&+ x^{41} + x^{37} + x^{36} + x^{35} + x^{29} + x^{28} + x^{26} + x^{25} + x^{24}, \\
p_3(x) &= x^{122} + x^{121} + x^{119} + x^{118} + x^{117} + x^{113} + x^{112} + x^{110} + x^{109} + x^{106} \\
&+ x^{105} + x^{103} + x^{102} + x^{100} + x^{97} + x^{96} + x^{93} + x^{91} + x^{90} + x^{89} \\
&+ x^{88} + x^{86} + x^{85} + x^{84} + x^{81} + x^{79} + x^{78} + x^{76} + x^{75} + x^{74} + x^{73} \\
&+ x^{71} + x^{70} + x^{65} + x^{63} + x^{61} + x^{60} + x^{58} + x^{56} + x^{55} + x^{54} + x^{53} \\
&+ x^{52} + x^{51} + x^{50} + x^{46} + x^{44} + x^{43} + x^{41} + x^{40} + x^{38} + x^{35} + x^{34} \\
&+ x^{33} + x^{32} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{22} + x^{18} + x^{17} + x^{16}, \\
p_6(x) &= x^{124} + x^{123} + x^{119} + x^{117} + x^{116} + x^{115} + x^{114} + x^{109} + x^{106} + x^{104} \\
&+ x^{102} + x^{100} + x^{99} + x^{89} + x^{86} + x^{82} + x^{81} + x^{80} + x^{79} + x^{77} + x^{75} \\
&+ x^{74} + x^{73} + x^{72} + x^{69} + x^{66} + x^{65} + x^{61} + x^{60} + x^{59} + x^{58} + x^{56} \\
&+ x^{54} + x^{52} + x^{51} + x^{50} + x^{48} + x^{46} + x^{44} + x^{43} + x^{42} + x^{40} + x^{38}
\end{aligned}$$

$$\begin{aligned}
& + x^{36} + x^{34} + x^{31} + x^{29} + x^{28} + x^{26} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} \\
& + x^{18} + x^{17} + x^{16} + x^{14} + x^{10} + x^9 + x^8 + x^2 + x + 1, \\
p_9(x) &= x^{122} + x^{121} + x^{120} + x^{114} + x^{113} + x^{112} + x^{110} + x^{109} + x^{108} + x^{106} \\
& + x^{105} + x^{104} + x^{42} + x^{41} + x^{40} + x^{34} + x^{33} + x^{32} + x^{30} + x^{29} + x^{28} \\
& + x^{18} + x^{17} + x^{16} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8, \\
p_{12}(x) &= x^{126} + x^{125} + x^{124} + x^{122} + x^{121} + x^{120} + x^{106} + x^{105} + x^{104} + x^{98} \\
& + x^{97} + x^{96} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{30} + x^{29} + x^{28} \\
& + x^{18} + x^{17} + x^{16} + x^{10} + x^9 + x^8 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 1, 1, 1, 0, 0, 0, 0, 0, 1]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{136} + x^{133} + x^{132} + x^{127} + x^{126} + x^{125} + x^{124} + x^{122} + x^{121} + x^{120} \\
& + x^{118} + x^{117} + x^{116} + x^{115} + x^{113} + x^{112} + x^{111} + x^{110} + x^{108} \\
& + x^{107} + x^{106} + x^{103} + x^{102} + x^{95} + x^{94} + x^{92} + x^{91} + x^{90} + x^{87} \\
& + x^{83} + x^{82} + x^{81} + x^{80} + x^{76} + x^{73} + x^{71} + x^{70} + x^{66} + x^{65} + x^{64} \\
& + x^{63} + x^{62} + x^{54} + x^{52} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{44} \\
& + x^{41} + x^{40} + x^{39} + x^{37} + x^{36} + x^{35} + x^{33} + x^{32} + x^{31} + x^{30}, \\
p_3(x) &= x^{127} + x^{125} + x^{123} + x^{122} + x^{120} + x^{119} + x^{117} + x^{116} + x^{115} + x^{114} \\
& + x^{103} + x^{101} + x^{99} + x^{98} + x^{96} + x^{95} + x^{93} + x^{92} + x^{91} + x^{90} + x^{63} \\
& + x^{61} + x^{59} + x^{58} + x^{56} + x^{52} + x^{48} + x^{44} + x^{40} + x^{39} + x^{37} + x^{36} \\
& + x^{35} + x^{34} + x^{31} + x^{29} + x^{27} + x^{26} + x^{24} + x^{23} + x^{21} + x^{20} + x^{19} \\
& + x^{18}, \\
p_6(x) &= x^{130} + x^{126} + x^{120} + x^{118} + x^{116} + x^{112} + x^{110} + x^{104} + x^{102} + x^{100} \\
& + x^{96} + x^{90} + x^{88} + x^{82} + x^{78} + x^{72} + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} \\
& + x^{54} + x^{52} + x^{46} + x^{36} + x^{28} + x^{26} + x^{20} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_9(x) &= x^{133} + x^{131} + x^{128} + x^{127} + x^{126} + x^{125} + x^{124} + x^{123} + x^{119} + x^{118} \\
& + x^{117} + x^{115} + x^{112} + x^{111} + x^{110} + x^{109} + x^{108} + x^{107} + x^{103} \\
& + x^{102} + x^{53} + x^{51} + x^{48} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{39} + x^{38} \\
& + x^{21} + x^{19} + x^{16} + x^{15} + x^{14} + x^{13} + x^{12} + x^{11} + x^7 + x^6, \\
p_{12}(x) &= x^{136} + x^{120} + x^{116} + x^{112} + x^{100} + x^{96} + x^{56} + x^{36} + x^{32} + x^{24} + x^4 \\
& + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 0, 1, 1]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{128} + x^{125} + x^{122} + x^{121} + x^{120} + x^{119} + x^{115} + x^{114} + x^{113} + x^{112} \\
& + x^{111} + x^{110} + x^{107} + x^{103} + x^{100} + x^{97} + x^{96} + x^{95} + x^{94} + x^{93} \\
& + x^{85} + x^{84} + x^{79} + x^{78} + x^{74} + x^{66} + x^{64} + x^{63} + x^{62} + x^{58} + x^{57}
\end{aligned}$$

$$\begin{aligned}
& + x^{54} + x^{52} + x^{50} + x^{47} + x^{46} + x^{45} + x^{43} + x^{41} + x^{40} + x^{38} + x^{36} \\
& + x^{35} + x^{33} + x^{31} + x^{30}, \\
p_3(x) &= x^{119} + x^{117} + x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{107} + x^{105} + x^{103} \\
& + x^{102} + x^{100} + x^{99} + x^{97} + x^{96} + x^{94} + x^{93} + x^{91} + x^{90} + x^{88} + x^{84} \\
& + x^{80} + x^{76} + x^{72} + x^{68} + x^{64} + x^{60} + x^{56} + x^{55} + x^{53} + x^{52} + x^{50} \\
& + x^{49} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{39} + x^{37} + x^{34} + x^{33} + x^{32} \\
& + x^{31} + x^{30} + x^{27} + x^{25} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18}, \\
p_6(x) &= x^{122} + x^{112} + x^{104} + x^{98} + x^{96} + x^{90} + x^{86} + x^{80} + x^{78} + x^{76} + x^{74} \\
& + x^{72} + x^{70} + x^{62} + x^{60} + x^{58} + x^{48} + x^{46} + x^{40} + x^{36} + x^{34} + x^{32} \\
& + x^{28} + x^{20} + x^{14} + x^{12}, \\
p_9(x) &= x^{125} + x^{123} + x^{121} + x^{120} + x^{118} + x^{115} + x^{114} + x^{113} + x^{111} + x^{109} \\
& + x^{108} + x^{106} + x^{103} + x^{102} + x^{45} + x^{43} + x^{41} + x^{40} + x^{38} + x^{35} \\
& + x^{34} + x^{33} + x^{31} + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{19} + x^{18} \\
& + x^{17} + x^{15} + x^{13} + x^{12} + x^{10} + x^7 + x^6, \\
p_{12}(x) &= x^{128} + x^{124} + x^{120} + x^{108} + x^{96} + x^{48} + x^{44} + x^{40} + x^{32} + x^{24} + x^{16} \\
& + x^{12} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 0, 1, 0, 1, 0, 1, 0, 1, 1, 0]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{126} + x^{125} + x^{123} + x^{122} + x^{121} + x^{118} + x^{117} + x^{114} + x^{113} + x^{112} \\
& + x^{111} + x^{109} + x^{107} + x^{104} + x^{100} + x^{99} + x^{98} + x^{96} + x^{95} + x^{93} \\
& + x^{92} + x^{91} + x^{88} + x^{87} + x^{86} + x^{83} + x^{82} + x^{80} + x^{79} + x^{77} + x^{75} \\
& + x^{73} + x^{72} + x^{71} + x^{70} + x^{69} + x^{67} + x^{66} + x^{64} + x^{63} + x^{62} + x^{61} \\
& + x^{55} + x^{53} + x^{52} + x^{51} + x^{50} + x^{49} + x^{46} + x^{45} + x^{44} + x^{42} + x^{40} \\
& + x^{39} + x^{38} + x^{37} + x^{36}, \\
p_3(x) &= x^{122} + x^{121} + x^{119} + x^{115} + x^{114} + x^{113} + x^{111} + x^{110} + x^{107} + x^{105} \\
& + x^{104} + x^{99} + x^{96} + x^{95} + x^{94} + x^{93} + x^{91} + x^{90} + x^{89} + x^{88} + x^{82} \\
& + x^{80} + x^{79} + x^{77} + x^{75} + x^{72} + x^{71} + x^{69} + x^{68} + x^{66} + x^{64} + x^{63} \\
& + x^{62} + x^{57} + x^{55} + x^{54} + x^{53} + x^{50} + x^{49} + x^{47} + x^{46} + x^{45} + x^{43} \\
& + x^{42} + x^{37} + x^{33} + x^{31} + x^{30} + x^{28} + x^{24} + x^{23} + x^{22} + x^{21} + x^{20}, \\
p_6(x) &= x^{124} + x^{123} + x^{122} + x^{121} + x^{115} + x^{114} + x^{112} + x^{111} + x^{107} + x^{104} \\
& + x^{102} + x^{98} + x^{94} + x^{93} + x^{92} + x^{90} + x^{87} + x^{84} + x^{83} + x^{82} + x^{80} \\
& + x^{78} + x^{77} + x^{76} + x^{74} + x^{69} + x^{68} + x^{67} + x^{66} + x^{64} + x^{62} + x^{59} \\
& + x^{57} + x^{53} + x^{52} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} + x^{44} + x^{42} \\
& + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{34} + x^{31} + x^{30} + x^{28} + x^{27} + x^{26} \\
& + x^{25} + x^{21} + x^{20} + x^{19} + x^{18} + x^{17} + x^{15} + x^2 + x + 1,
\end{aligned}$$

$$\begin{aligned}
p_9(x) &= x^{122} + x^{121} + x^{120} + x^{114} + x^{113} + x^{112} + x^{110} + x^{109} + x^{108} + x^{106} \\
&\quad + x^{105} + x^{104} + x^{42} + x^{41} + x^{40} + x^{34} + x^{33} + x^{32} + x^{30} + x^{29} + x^{28} \\
&\quad + x^{18} + x^{17} + x^{16} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8, \\
p_{12}(x) &= x^{126} + x^{125} + x^{124} + x^{122} + x^{121} + x^{120} + x^{106} + x^{105} + x^{104} + x^{98} \\
&\quad + x^{97} + x^{96} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{30} + x^{29} + x^{28} \\
&\quad + x^{18} + x^{17} + x^{16} + x^{10} + x^9 + x^8 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 1, 0, 1, 1, 0, 1, 0, 0, 1]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{126} + x^{125} + x^{123} + x^{119} + x^{117} + x^{116} + x^{115} + x^{114} + x^{113} + x^{112} \\
&\quad + x^{108} + x^{106} + x^{105} + x^{104} + x^{102} + x^{100} + x^{99} + x^{98} + x^{97} + x^{96} \\
&\quad + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{80} + x^{76} + x^{74} + x^{72} + x^{70} + x^{67} \\
&\quad + x^{66} + x^{64} + x^{62} + x^{59} + x^{57} + x^{54} + x^{53} + x^{51} + x^{48} + x^{46} + x^{44} \\
&\quad + x^{41} + x^{37} + x^{36} + x^{35} + x^{29} + x^{28} + x^{26} + x^{25} + x^{24}, \\
p_3(x) &= x^{122} + x^{121} + x^{119} + x^{118} + x^{117} + x^{113} + x^{112} + x^{110} + x^{109} + x^{106} \\
&\quad + x^{105} + x^{103} + x^{102} + x^{100} + x^{97} + x^{96} + x^{93} + x^{91} + x^{90} + x^{89} \\
&\quad + x^{88} + x^{86} + x^{85} + x^{84} + x^{81} + x^{79} + x^{78} + x^{76} + x^{75} + x^{74} + x^{73} \\
&\quad + x^{71} + x^{70} + x^{65} + x^{63} + x^{61} + x^{60} + x^{58} + x^{56} + x^{55} + x^{54} + x^{53} \\
&\quad + x^{52} + x^{51} + x^{50} + x^{46} + x^{44} + x^{43} + x^{41} + x^{40} + x^{38} + x^{35} + x^{34} \\
&\quad + x^{33} + x^{32} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{22} + x^{18} + x^{17} + x^{16}, \\
p_6(x) &= x^{124} + x^{123} + x^{119} + x^{117} + x^{116} + x^{115} + x^{114} + x^{109} + x^{106} + x^{104} \\
&\quad + x^{102} + x^{100} + x^{99} + x^{89} + x^{86} + x^{82} + x^{81} + x^{80} + x^{79} + x^{77} + x^{75} \\
&\quad + x^{74} + x^{73} + x^{72} + x^{69} + x^{66} + x^{65} + x^{61} + x^{60} + x^{59} + x^{58} + x^{56} \\
&\quad + x^{54} + x^{52} + x^{51} + x^{50} + x^{48} + x^{46} + x^{44} + x^{43} + x^{42} + x^{40} + x^{38} \\
&\quad + x^{36} + x^{34} + x^{31} + x^{29} + x^{28} + x^{26} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} \\
&\quad + x^{18} + x^{17} + x^{16} + x^{14} + x^{10} + x^9 + x^8 + x^2 + x + 1, \\
p_9(x) &= x^{122} + x^{121} + x^{120} + x^{114} + x^{113} + x^{112} + x^{110} + x^{109} + x^{108} + x^{106} \\
&\quad + x^{105} + x^{104} + x^{42} + x^{41} + x^{40} + x^{34} + x^{33} + x^{32} + x^{30} + x^{29} + x^{28} \\
&\quad + x^{18} + x^{17} + x^{16} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8, \\
p_{12}(x) &= x^{126} + x^{125} + x^{124} + x^{122} + x^{121} + x^{120} + x^{106} + x^{105} + x^{104} + x^{98} \\
&\quad + x^{97} + x^{96} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{30} + x^{29} + x^{28} \\
&\quad + x^{18} + x^{17} + x^{16} + x^{10} + x^9 + x^8 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 1, 0, 0, 1, 1, 1, 0, 0, 0, 0, 1]$.

For $\phi(W^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{128} + x^{125} + x^{122} + x^{121} + x^{120} + x^{119} + x^{115} + x^{114} + x^{113} + x^{112} \\
&\quad + x^{111} + x^{110} + x^{107} + x^{103} + x^{100} + x^{97} + x^{96} + x^{95} + x^{94} + x^{93}
\end{aligned}$$

$$\begin{aligned}
& + x^{85} + x^{84} + x^{79} + x^{78} + x^{74} + x^{66} + x^{64} + x^{63} + x^{62} + x^{58} + x^{57} \\
& + x^{54} + x^{52} + x^{50} + x^{47} + x^{46} + x^{45} + x^{43} + x^{41} + x^{40} + x^{38} + x^{36} \\
& + x^{35} + x^{33} + x^{31} + x^{30}, \\
p_3(x) &= x^{119} + x^{117} + x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{107} + x^{105} + x^{103} \\
& + x^{102} + x^{100} + x^{99} + x^{97} + x^{96} + x^{94} + x^{93} + x^{91} + x^{90} + x^{88} + x^{84} \\
& + x^{80} + x^{76} + x^{72} + x^{68} + x^{64} + x^{60} + x^{56} + x^{55} + x^{53} + x^{52} + x^{50} \\
& + x^{49} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{39} + x^{37} + x^{34} + x^{33} + x^{32} \\
& + x^{31} + x^{30} + x^{27} + x^{25} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18}, \\
p_6(x) &= x^{122} + x^{112} + x^{104} + x^{98} + x^{96} + x^{90} + x^{86} + x^{80} + x^{78} + x^{76} + x^{74} \\
& + x^{72} + x^{70} + x^{62} + x^{60} + x^{58} + x^{48} + x^{46} + x^{40} + x^{36} + x^{34} + x^{32} \\
& + x^{28} + x^{20} + x^{14} + x^{12}, \\
p_9(x) &= x^{125} + x^{123} + x^{121} + x^{120} + x^{118} + x^{115} + x^{114} + x^{113} + x^{111} + x^{109} \\
& + x^{108} + x^{106} + x^{103} + x^{102} + x^{45} + x^{43} + x^{41} + x^{40} + x^{38} + x^{35} \\
& + x^{34} + x^{33} + x^{31} + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{19} + x^{18} \\
& + x^{17} + x^{15} + x^{13} + x^{12} + x^{10} + x^7 + x^6, \\
p_{12}(x) &= x^{128} + x^{124} + x^{120} + x^{108} + x^{96} + x^{48} + x^{44} + x^{40} + x^{32} + x^{24} + x^{16} \\
& + x^{12} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 1, 0]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{136} + x^{133} + x^{132} + x^{127} + x^{126} + x^{125} + x^{124} + x^{122} + x^{121} + x^{120} \\
& + x^{118} + x^{117} + x^{116} + x^{115} + x^{113} + x^{112} + x^{111} + x^{110} + x^{108} \\
& + x^{107} + x^{106} + x^{103} + x^{102} + x^{95} + x^{94} + x^{92} + x^{91} + x^{90} + x^{87} \\
& + x^{83} + x^{82} + x^{81} + x^{80} + x^{76} + x^{73} + x^{71} + x^{70} + x^{66} + x^{65} + x^{64} \\
& + x^{63} + x^{62} + x^{54} + x^{52} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{44} \\
& + x^{41} + x^{40} + x^{39} + x^{37} + x^{36} + x^{35} + x^{33} + x^{32} + x^{31} + x^{30}, \\
p_3(x) &= x^{127} + x^{125} + x^{123} + x^{122} + x^{120} + x^{119} + x^{117} + x^{116} + x^{115} + x^{114} \\
& + x^{103} + x^{101} + x^{99} + x^{98} + x^{96} + x^{95} + x^{93} + x^{92} + x^{91} + x^{90} + x^{63} \\
& + x^{61} + x^{59} + x^{58} + x^{56} + x^{52} + x^{48} + x^{44} + x^{40} + x^{39} + x^{37} + x^{36} \\
& + x^{35} + x^{34} + x^{31} + x^{29} + x^{27} + x^{26} + x^{24} + x^{23} + x^{21} + x^{20} + x^{19} \\
& + x^{18}, \\
p_6(x) &= x^{130} + x^{126} + x^{120} + x^{118} + x^{116} + x^{112} + x^{110} + x^{104} + x^{102} + x^{100} \\
& + x^{96} + x^{90} + x^{88} + x^{82} + x^{78} + x^{72} + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} \\
& + x^{54} + x^{52} + x^{46} + x^{36} + x^{28} + x^{26} + x^{20} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_9(x) &= x^{133} + x^{131} + x^{128} + x^{127} + x^{126} + x^{125} + x^{124} + x^{123} + x^{119} + x^{118} \\
& + x^{117} + x^{115} + x^{112} + x^{111} + x^{110} + x^{109} + x^{108} + x^{107} + x^{103}
\end{aligned}$$

$$\begin{aligned}
& + x^{102} + x^{53} + x^{51} + x^{48} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{39} + x^{38} \\
& + x^{21} + x^{19} + x^{16} + x^{15} + x^{14} + x^{13} + x^{12} + x^{11} + x^7 + x^6, \\
p_{12}(x) = & x^{136} + x^{120} + x^{116} + x^{112} + x^{100} + x^{96} + x^{56} + x^{36} + x^{32} + x^{24} + x^4 \\
& + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 0, 1, 1]$.

For $\phi(W^o, 1, 1)$:

$$\begin{aligned}
p_0(x) = & x^{126} + x^{125} + x^{123} + x^{122} + x^{121} + x^{118} + x^{117} + x^{114} + x^{113} + x^{112} \\
& + x^{111} + x^{109} + x^{107} + x^{104} + x^{100} + x^{99} + x^{98} + x^{96} + x^{95} + x^{93} \\
& + x^{92} + x^{91} + x^{88} + x^{87} + x^{86} + x^{83} + x^{82} + x^{80} + x^{79} + x^{77} + x^{75} \\
& + x^{73} + x^{72} + x^{71} + x^{70} + x^{69} + x^{67} + x^{66} + x^{64} + x^{63} + x^{62} + x^{61} \\
& + x^{55} + x^{53} + x^{52} + x^{51} + x^{50} + x^{49} + x^{46} + x^{45} + x^{44} + x^{42} + x^{40} \\
& + x^{39} + x^{38} + x^{37} + x^{36}, \\
p_3(x) = & x^{122} + x^{121} + x^{119} + x^{115} + x^{114} + x^{113} + x^{111} + x^{110} + x^{107} + x^{105} \\
& + x^{104} + x^{99} + x^{96} + x^{95} + x^{94} + x^{93} + x^{91} + x^{90} + x^{89} + x^{88} + x^{82} \\
& + x^{80} + x^{79} + x^{77} + x^{75} + x^{72} + x^{71} + x^{69} + x^{68} + x^{66} + x^{64} + x^{63} \\
& + x^{62} + x^{57} + x^{55} + x^{54} + x^{53} + x^{50} + x^{49} + x^{47} + x^{46} + x^{45} + x^{43} \\
& + x^{42} + x^{37} + x^{33} + x^{31} + x^{30} + x^{28} + x^{24} + x^{23} + x^{22} + x^{21} + x^{20}, \\
p_6(x) = & x^{124} + x^{123} + x^{122} + x^{121} + x^{115} + x^{114} + x^{112} + x^{111} + x^{107} + x^{104} \\
& + x^{102} + x^{98} + x^{94} + x^{93} + x^{92} + x^{90} + x^{87} + x^{84} + x^{83} + x^{82} + x^{80} \\
& + x^{78} + x^{77} + x^{76} + x^{74} + x^{69} + x^{68} + x^{67} + x^{66} + x^{64} + x^{62} + x^{59} \\
& + x^{57} + x^{53} + x^{52} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} + x^{44} + x^{42} \\
& + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{34} + x^{31} + x^{30} + x^{28} + x^{27} + x^{26} \\
& + x^{25} + x^{21} + x^{20} + x^{19} + x^{18} + x^{17} + x^{15} + x^2 + x + 1, \\
p_9(x) = & x^{122} + x^{121} + x^{120} + x^{114} + x^{113} + x^{112} + x^{110} + x^{109} + x^{108} + x^{106} \\
& + x^{105} + x^{104} + x^{42} + x^{41} + x^{40} + x^{34} + x^{33} + x^{32} + x^{30} + x^{29} + x^{28} \\
& + x^{18} + x^{17} + x^{16} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8, \\
p_{12}(x) = & x^{126} + x^{125} + x^{124} + x^{122} + x^{121} + x^{120} + x^{106} + x^{105} + x^{104} + x^{98} \\
& + x^{97} + x^{96} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{30} + x^{29} + x^{28} \\
& + x^{18} + x^{17} + x^{16} + x^{10} + x^9 + x^8 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 1, 0, 1, 1, 0, 1, 0, 0, 1]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	104	[128, 108]	208	[9, 308]	312	[394, 402]	416	[314, 461]
1	[3, 4]	105	[177, 178]	209	[46, 312]	313	[246, 367]	417	[31, 151]

2	[5, 6]	106	[179, 180]	210	[313, 314]	314	[403, 189]	418	[33, 350]
3	[7, 8]	107	[181, 84]	211	[175, 47]	315	[404, 267]	419	[457, 476]
4	[9, 10]	108	[182, 183]	212	[315, 316]	316	[224, 229]	420	[477, 478]
5	[11, 12]	109	[184, 185]	213	[317, 119]	317	[65, 405]	421	[463, 329]
6	[13, 14]	110	[186, 187]	214	[318, 319]	318	[406, 407]	422	[300, 479]
7	[15, 16]	111	[19, 188]	215	[33, 320]	319	[256, 89]	423	[284, 282]
8	[17, 18]	112	[189, 190]	216	[132, 321]	320	[255, 81]	424	[480, 123]
9	[19, 20]	113	[191, 189]	217	[322, 323]	321	[252, 408]	425	[481, 333]
10	[21, 22]	114	[192, 193]	218	[276, 289]	322	[6, 24]	426	[339, 326]
11	[23, 24]	115	[194, 195]	219	[116, 279]	323	[85, 183]	427	[110, 143]
12	[25, 25]	116	[63, 196]	220	[40, 311]	324	[184, 381]	428	[139, 297]
13	[26, 27]	117	[197, 198]	221	[279, 324]	325	[409, 218]	429	[472, 320]
14	[28, 29]	118	[199, 62]	222	[325, 326]	326	[410, 411]	430	[120, 158]
15	[30, 31]	119	[81, 89]	223	[303, 159]	327	[244, 412]	431	[8, 482]
16	[32, 33]	120	[200, 201]	224	[327, 283]	328	[226, 413]	432	[52, 314]
17	[34, 35]	121	[202, 203]	225	[328, 329]	329	[414, 415]	433	[168, 292]
18	[36, 37]	122	[181, 204]	226	[13, 299]	330	[211, 416]	434	[483, 358]
19	[38, 39]	123	[205, 206]	227	[124, 330]	331	[417, 418]	435	[484, 43]
20	[40, 41]	124	[207, 19]	228	[331, 153]	332	[419, 420]	436	[473, 464]
21	[42, 10]	125	[208, 209]	229	[322, 305]	333	[234, 260]	437	[320, 295]
22	[43, 44]	126	[210, 211]	230	[332, 50]	334	[269, 223]	438	[36, 112]
23	[45, 46]	127	[212, 213]	231	[333, 301]	335	[421, 422]	439	[350, 147]
24	[12, 47]	128	[214, 215]	232	[149, 114]	336	[16, 423]	440	[134, 451]
25	[48, 41]	129	[216, 217]	233	[278, 286]	337	[423, 424]	441	[484, 470]
26	[49, 50]	130	[178, 218]	234	[334, 316]	338	[227, 425]	442	[333, 479]
27	[51, 52]	131	[219, 70]	235	[296, 140]	339	[20, 373]	443	[141, 462]
28	[53, 54]	132	[220, 221]	236	[335, 336]	340	[426, 427]	444	[466, 471]
29	[55, 56]	133	[222, 83]	237	[337, 338]	341	[198, 184]	445	[357, 485]
30	[57, 58]	134	[223, 224]	238	[107, 129]	342	[428, 429]	446	[164, 467]
31	[59, 60]	135	[212, 180]	239	[289, 289]	343	[189, 430]	447	[481, 300]
32	[61, 62]	136	[225, 67]	240	[339, 340]	344	[4, 431]	448	[143, 321]
33	[63, 64]	137	[226, 227]	241	[288, 135]	345	[432, 407]	449	[486, 219]
34	[65, 66]	138	[228, 229]	242	[113, 111]	346	[81, 433]	450	[92, 271]
35	[67, 68]	139	[230, 231]	243	[341, 117]	347	[433, 434]	451	[207, 233]
36	[69, 70]	140	[232, 73]	244	[342, 343]	348	[435, 436]	452	[20, 268]
37	[71, 72]	141	[233, 20]	245	[320, 147]	349	[437, 251]	453	[227, 487]
38	[73, 74]	142	[97, 18]	246	[150, 115]	350	[62, 438]	454	[190, 443]
39	[71, 75]	143	[234, 198]	247	[56, 344]	351	[404, 258]	455	[6, 488]
40	[76, 77]	144	[235, 59]	248	[345, 164]	352	[439, 215]	456	[489, 206]
41	[78, 65]	145	[195, 236]	249	[291, 155]	353	[363, 273]	457	[392, 490]
42	[69, 79]	146	[199, 237]	250	[31, 327]	354	[266, 440]	458	[61, 237]
43	[80, 81]	147	[238, 239]	251	[303, 110]	355	[441, 442]	459	[411, 270]
44	[82, 83]	148	[240, 241]	252	[295, 346]	356	[430, 443]	460	[491, 262]
45	[84, 85]	149	[242, 59]	253	[347, 54]	357	[444, 445]	461	[367, 411]

46	[86, 87]	150	[243, 244]	254	[348, 127]	358	[446, 447]	462	[246, 410]
47	[24, 88]	151	[58, 192]	255	[293, 168]	359	[58, 244]	463	[421, 492]
48	[89, 90]	152	[245, 246]	256	[349, 109]	360	[448, 423]	464	[397, 493]
49	[91, 92]	153	[219, 79]	257	[350, 295]	361	[371, 427]	465	[249, 405]
50	[93, 94]	154	[247, 248]	258	[351, 172]	362	[449, 286]	466	[494, 103]
51	[95, 96]	155	[104, 196]	259	[352, 353]	363	[131, 278]	467	[103, 495]
52	[97, 98]	156	[78, 249]	260	[38, 343]	364	[341, 279]	468	[496, 231]
53	[99, 100]	157	[85, 250]	261	[342, 39]	365	[328, 450]	469	[228, 497]
54	[62, 101]	158	[82, 181]	262	[155, 354]	366	[12, 176]	470	[237, 438]
55	[102, 103]	159	[251, 252]	263	[355, 333]	367	[349, 303]	471	[498, 380]
56	[104, 64]	160	[253, 254]	264	[317, 294]	368	[288, 451]	472	[198, 261]
57	[105, 106]	161	[255, 256]	265	[173, 134]	369	[298, 14]	473	[409, 207]
58	[107, 108]	162	[257, 258]	266	[327, 290]	370	[452, 453]	474	[378, 491]
59	[109, 110]	163	[74, 259]	267	[153, 142]	371	[454, 150]	475	[191, 499]
60	[111, 112]	164	[260, 261]	268	[356, 287]	372	[304, 323]	476	[488, 263]
61	[113, 36]	165	[74, 262]	269	[281, 285]	373	[286, 277]	477	[242, 500]
62	[114, 115]	166	[24, 263]	270	[357, 358]	374	[325, 340]	478	[59, 501]
63	[116, 117]	167	[239, 264]	271	[309, 359]	375	[170, 134]	479	[446, 502]
64	[118, 119]	168	[265, 266]	272	[315, 360]	376	[292, 156]	480	[214, 503]
65	[120, 121]	169	[257, 267]	273	[356, 145]	377	[286, 131]	481	[504, 389]
66	[122, 123]	170	[188, 268]	274	[314, 361]	378	[168, 155]	482	[16, 417]
67	[124, 125]	171	[269, 270]	275	[362, 363]	379	[292, 354]	483	[183, 505]
68	[126, 127]	172	[211, 271]	276	[276, 276]	380	[335, 138]	484	[186, 506]
69	[128, 129]	173	[178, 207]	277	[233, 188]	381	[130, 277]	485	[389, 507]
70	[130, 131]	174	[251, 202]	278	[218, 233]	382	[455, 456]	486	[449, 130]
71	[132, 133]	175	[272, 273]	279	[239, 221]	383	[127, 125]	487	[508, 157]
72	[134, 135]	176	[205, 274]	280	[364, 239]	384	[302, 109]	488	[347, 161]
73	[136, 121]	177	[275, 276]	281	[365, 366]	385	[457, 456]	489	[162, 475]
74	[114, 31]	178	[277, 278]	282	[367, 269]	386	[458, 174]	490	[509, 478]
75	[137, 138]	179	[131, 106]	283	[195, 368]	387	[459, 163]	491	[337, 307]
76	[139, 140]	180	[279, 280]	284	[369, 370]	388	[348, 124]	492	[510, 174]
77	[141, 142]	181	[281, 282]	285	[371, 372]	389	[127, 330]	493	[460, 361]
78	[143, 133]	182	[151, 283]	286	[188, 373]	390	[460, 461]	494	[455, 476]
79	[144, 145]	183	[284, 285]	287	[374, 73]	391	[153, 462]	495	[43, 511]
80	[146, 35]	184	[106, 286]	288	[375, 376]	392	[463, 450]	496	[52, 460]
81	[147, 148]	185	[144, 287]	289	[363, 377]	393	[452, 464]	497	[159, 132]
82	[149, 150]	186	[170, 288]	290	[374, 378]	394	[465, 33]	498	[454, 114]
83	[115, 151]	187	[111, 37]	291	[90, 379]	395	[466, 319]	499	[152, 141]
84	[150, 31]	188	[289, 276]	292	[260, 184]	396	[306, 338]	500	[483, 485]
85	[152, 153]	189	[151, 290]	293	[197, 260]	397	[56, 467]	501	[512, 173]
86	[34, 154]	190	[291, 292]	294	[240, 380]	398	[468, 310]	502	[508, 312]
87	[155, 156]	191	[293, 291]	295	[261, 381]	399	[8, 469]	503	[480, 166]
88	[46, 157]	192	[106, 130]	296	[382, 383]	400	[174, 470]	504	[313, 460]
89	[136, 158]	193	[118, 294]	297	[384, 236]	401	[137, 336]	505	[351, 513]

90	[109, 159]	194	[173, 288]	298	[385, 386]	402	[159, 143]	506	[512, 170]
91	[49, 160]	195	[295, 148]	299	[387, 388]	403	[146, 154]	507	[468, 359]
92	[53, 161]	196	[117, 280]	300	[220, 264]	404	[318, 471]	508	[204, 182]
93	[162, 163]	197	[277, 106]	301	[389, 390]	405	[472, 350]	509	[190, 514]
94	[55, 164]	198	[278, 130]	302	[250, 391]	406	[332, 160]	510	[249, 66]
95	[165, 36]	199	[296, 297]	303	[364, 220]	407	[473, 453]	511	[202, 408]
96	[122, 166]	200	[298, 299]	304	[392, 393]	408	[110, 132]	512	[411, 223]
97	[167, 168]	201	[300, 301]	305	[394, 217]	409	[334, 360]	513	[208, 415]
98	[169, 170]	202	[302, 303]	306	[395, 396]	410	[147, 346]	514	[171, 513]
99	[165, 111]	203	[304, 305]	307	[397, 398]	411	[115, 327]		
100	[171, 172]	204	[306, 307]	308	[366, 399]	412	[117, 324]		
101	[169, 173]	205	[42, 308]	309	[400, 383]	413	[474, 52]		
102	[174, 43]	206	[309, 310]	310	[244, 193]	414	[459, 475]		
103	[175, 176]	207	[48, 311]	311	[266, 401]	415	[355, 300]		

Output function $n \mapsto \tau(n)$:

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	74	1	148	0	222	1	296	1	370	0	444	1
1	0	75	1	149	0	223	0	297	1	371	1	445	1
2	0	76	0	150	0	224	0	298	0	372	0	446	1
3	0	77	0	151	1	225	1	299	0	373	1	447	0
4	1	78	1	152	0	226	1	300	0	374	1	448	1
5	0	79	1	153	1	227	1	301	0	375	1	449	0
6	1	80	1	154	0	228	1	302	1	376	1	450	1
7	0	81	1	155	0	229	1	303	0	377	1	451	1
8	0	82	0	156	1	230	0	304	0	378	0	452	0
9	1	83	0	157	0	231	1	305	1	379	1	453	1
10	0	84	0	158	0	232	0	306	1	380	0	454	1
11	0	85	0	159	0	233	0	307	0	381	0	455	1
12	1	86	0	160	0	234	1	308	1	382	1	456	1
13	1	87	0	161	0	235	1	309	0	383	0	457	0
14	1	88	0	162	1	236	0	310	0	384	1	458	0
15	0	89	1	163	1	237	0	311	0	385	0	459	0
16	0	90	1	164	1	238	1	312	1	386	0	460	0
17	0	91	1	165	1	239	1	313	0	387	0	461	0
18	0	92	1	166	1	240	0	314	1	388	1	462	0
19	1	93	1	167	1	241	1	315	0	389	0	463	0
20	0	94	0	168	0	242	0	316	0	390	0	464	0
21	0	95	1	169	1	243	0	317	0	391	1	465	1
22	1	96	1	170	1	244	0	318	0	392	0	466	1
23	0	97	1	171	1	245	0	319	0	393	0	467	0
24	1	98	1	172	0	246	0	320	0	394	1	468	1
25	1	99	1	173	0	247	0	321	0	395	1	469	1
26	1	100	1	174	0	248	1	322	1	396	1	470	0

27	1	101	1	175	0	249	1	323	0	397	0	471	1
28	1	102	0	176	0	250	1	324	1	398	1	472	0
29	0	103	0	177	0	251	0	325	1	399	0	473	1
30	0	104	0	178	0	252	0	326	1	400	0	474	0
31	1	105	0	179	1	253	0	327	0	401	1	475	0
32	0	106	1	180	1	254	1	328	1	402	0	476	0
33	1	107	1	181	1	255	0	329	0	403	1	477	0
34	0	108	1	182	1	256	0	330	0	404	0	478	1
35	1	109	1	183	0	257	1	331	1	405	0	479	1
36	0	110	1	184	1	258	0	332	0	406	0	480	0
37	0	111	1	185	1	259	1	333	1	407	1	481	0
38	1	112	1	186	1	260	1	334	1	408	1	482	0
39	0	113	0	187	1	261	0	335	0	409	1	483	0
40	0	114	1	188	1	262	0	336	0	410	1	484	1
41	1	115	0	189	1	263	1	337	0	411	0	485	0
42	0	116	1	190	1	264	0	338	1	412	0	486	0
43	1	117	0	191	0	265	0	339	0	413	0	487	1
44	0	118	1	192	1	266	0	340	0	414	0	488	0
45	0	119	1	193	1	267	1	341	0	415	1	489	1
46	0	120	0	194	0	268	0	342	0	416	1	490	1
47	1	121	1	195	0	269	1	343	1	417	1	491	0
48	1	122	1	196	0	270	1	344	1	418	1	492	1
49	1	123	0	197	0	271	0	345	1	419	0	493	0
50	1	124	1	198	0	272	0	346	1	420	0	494	1
51	1	125	1	199	1	273	0	347	0	421	0	495	1
52	1	126	0	200	0	274	1	348	1	422	0	496	1
53	1	127	0	201	0	275	0	349	0	423	0	497	0
54	1	128	0	202	1	276	0	350	1	424	0	498	1
55	0	129	0	203	0	277	0	351	0	425	0	499	0
56	0	130	0	204	1	278	0	352	1	426	0	500	0
57	0	131	1	205	0	279	1	353	1	427	1	501	0
58	1	132	0	206	0	280	0	354	0	428	0	502	1
59	1	133	1	207	1	281	1	355	1	429	0	503	0
60	1	134	0	208	1	282	0	356	0	430	0	504	0
61	0	135	0	209	0	283	0	357	1	431	0	505	0
62	1	136	1	210	0	284	0	358	1	432	1	506	0
63	1	137	1	211	0	285	1	359	1	433	0	507	1
64	1	138	1	212	0	286	1	360	1	434	0	508	1
65	0	139	0	213	0	287	1	361	1	435	1	509	1
66	1	140	0	214	0	288	1	362	0	436	1	510	1
67	1	141	0	215	1	289	1	363	1	437	0	511	1
68	0	142	1	216	0	290	1	364	0	438	0	512	0
69	0	143	1	217	1	291	1	365	1	439	1	513	1
70	0	144	1	218	0	292	1	366	1	440	0	514	1

71	0	145	0	219	1	293	0	367	0	441	1	
72	0	146	1	220	0	294	0	368	1	442	1	
73	1	147	1	221	1	295	0	369	0	443	0	

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE
Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA
Email address: `huyining@hust.edu.cn`