

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z^4 + z^3, z^3 + 1)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z^4 + z^3, z^3 + 1)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 17:30:32 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 14.6 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z^4 + z^3, z^3 + 1)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$\begin{aligned} p_0(z) &= z^{15} + z^{14} + z^{12} + z^{10} + z^7 + z^6 + z^5 + z^4 + z^3 + z^2 + 1, \\ p_1(z) &= z^{19} + z^{18} + z^{16} + z^{15} + z^{11} + z^{10} + z^9 + z^5 + z^4 + z^3, \\ p_2(z) &= z^{22} + z^{20} + z^{18} + z^{14} + z^{10} + z^6, \\ p_3(z) &= z^{19} + z^{18} + z^{16} + z^{15} + z^{11} + z^{10} + z^9 + z^5 + z^4 + z^3, \\ p_4(z) &= z^{16} + z^{15} + z^{14} + z^{10} + z^8 + z^7 + z^5 + z^4 + z^3, \end{aligned}$$

and for $\text{CF}(b, a)$,

$$\begin{aligned} p_0(z) &= z^{15} + z^{14} + z^{12} + z^8 + z^7 + z^6 + z^5 + z^4 + z^3, \\ p_1(z) &= z^{19} + z^{18} + z^{16} + z^{15} + z^{11} + z^{10} + z^9 + z^5 + z^4 + z^3, \\ p_2(z) &= z^{22} + z^{20} + z^{18} + z^{14} + z^{10} + z^6, \\ p_3(z) &= z^{19} + z^{18} + z^{16} + z^{15} + z^{11} + z^{10} + z^9 + z^5 + z^4 + z^3, \\ p_4(z) &= z^{16} + z^{15} + z^{14} + z^7 + z^5 + z^4 + z^3 + z^2 + 1. \end{aligned}$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{t}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(175, 175, 175, 175, 175)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 630 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 630, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 770 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 770, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:14u] &= M^e[:7u] + x^u M^e[:6u] + x^{3u} M^e[:4u] + x^{4u} M^e[:3u] + x^{6u} M^e[:u] \\ &\quad + x^u M^e[:7u] + x^{2u} M^e[:6u] + x^{4u} M^e[:4u] + x^{5u} M^e[:3u] \\ &\quad + x^{7u} M^e[:u] + x^{2u} M^e[:7u] + x^{3u} M^e[:6u] + x^{5u} M^e[:4u] \\ &\quad + x^{6u} M^e[:3u] + x^{8u} M^e[:u] + x^{8u} M^e[:6u] + x^{10u} M^e[:4u] \\ &\quad + (x^{7u} + x^{8u} + x^{9u}) R^e, \\ W^e[:14u] &= W^e[:7u] + x^u W^e[:6u] + x^{3u} W^e[:4u] + x^{4u} W^e[:3u] + x^{6u} W^e[:u] \end{aligned}$$

$$\begin{aligned}
& + x^u W^e[:7u] + x^{2u} W^e[:6u] + x^{4u} W^e[:4u] + x^{5u} W^e[:3u] \\
& + x^{7u} W^e[:u] + x^{2u} W^e[:7u] + x^{3u} W^e[:6u] + x^{5u} W^e[:4u] \\
& + x^{6u} W^e[:3u] + x^{8u} W^e[:u] + x^{8u} W^e[:6u] + x^{10u} W^e[:4u] \\
& + (x^{7u} + x^{8u} + x^{9u}) R^e.
\end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned}
M^o[:14u] &= M^o[:7u] + x^u M^o[:6u] + x^{3u} M^o[:4u] + x^{4u} M^o[:3u] + x^{6u} M^o[:u] \\
&+ x^u M^o[:7u] + x^{2u} M^o[:6u] + x^{4u} M^o[:4u] + x^{5u} M^o[:3u] \\
&+ x^{7u} M^o[:u] + x^{2u} M^o[:7u] + x^{3u} M^o[:6u] + x^{5u} M^o[:4u] \\
&+ x^{6u} M^o[:3u] + x^{8u} M^o[:u] + x^{8u} M^o[:6u] + x^{10u} M^o[:4u] \\
&+ (x^{7u} + x^{8u} + x^{9u}) R^o, \\
W^o[:14u] &= W^o[:7u] + x^u W^o[:6u] + x^{3u} W^o[:4u] + x^{4u} W^o[:3u] + x^{6u} W^o[:u] \\
&+ x^u W^o[:7u] + x^{2u} W^o[:6u] + x^{4u} W^o[:4u] + x^{5u} W^o[:3u] \\
&+ x^{7u} W^o[:u] + x^{2u} W^o[:7u] + x^{3u} W^o[:6u] + x^{5u} W^o[:4u] \\
&+ x^{6u} W^o[:3u] + x^{8u} W^o[:u] + x^{8u} W^o[:6u] + x^{10u} W^o[:4u] \\
&+ (x^{7u} + x^{8u} + x^{9u}) R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$\begin{aligned}
T[:14u] &= T[:7u] + x^u T[:6u] + x^{3u} T[:4u] + x^{4u} T[:3u] + x^{6u} T[:u] + x^u T[:7u] \\
&+ x^{2u} T[:6u] + x^{4u} T[:4u] + x^{5u} T[:3u] + x^{7u} T[:u] + x^{2u} T[:7u] \\
&+ x^{3u} T[:6u] + x^{5u} T[:4u] + x^{6u} T[:3u] + x^{8u} T[:u] + x^{8u} T[:6u] \\
&+ x^{10u} T[:4u].
\end{aligned}$$

The proof of the other 15 cases are similar. We break down the above identity into 7 parts:

$$\begin{aligned}
0 &= x^{7u} T[:u] + x^{6u} T[u:2u] + x^{4u} T[3u:4u] + x^{3u} T[4u:5u] + x^u T[6u:7u] \\
&+ T[7u:8u], \\
0 &= x^{6u} T[2u:3u] + x^{5u} T[3u:4u] + x^{3u} T[5u:6u] + x^{2u} T[6u:7u] \\
&+ T[8u:9u], \\
0 &= x^{8u} T[u:2u] + T[9u:10u], \\
0 &= x^{10u} T[:u] + x^{8u} T[2u:3u] + T[10u:11u], \\
0 &= x^{10u} T[u:2u] + x^{8u} T[3u:4u] + T[11u:12u], \\
0 &= x^{10u} T[2u:3u] + x^{8u} T[4u:5u] + T[12u:13u], \\
0 &= x^{10u} T[3u:4u] + x^{8u} T[5u:6u] + T[13u:14u],
\end{aligned}$$

which can be rewritten as

$$0 = T[[w]_2] + T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[110w]_2]$$

$$(2.7) \quad + T[[111w]_2],$$

$$(2.8) \quad 0 = T[[10w]_2] + T[[11w]_2] + T[[101w]_2] + T[[110w]_2] + T[[1000w]_2],$$

$$(2.9) \quad 0 = T[[1w]_2] + T[[1001w]_2],$$

$$(2.10) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[1010w]_2],$$

$$(2.11) \quad 0 = T[[1w]_2] + T[[11w]_2] + T[[1011w]_2],$$

$$(2.12) \quad 0 = T[[10w]_2] + T[[100w]_2] + T[[1100w]_2],$$

$$(2.13) \quad 0 = T[[11w]_2] + T[[101w]_2] + T[[1101w]_2],$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$(2.14) \quad \begin{aligned} & 0 = T[[w]_2] + T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[110w]_2] \\ & + T[[111w]_2], \end{aligned}$$

$$(2.15) \quad 0 = T[[10w]_2] + T[[11w]_2] + T[[101w]_2] + T[[110w]_2] + T[[1000w]_2],$$

$$(2.16) \quad 0 = T[[1w]_2] + T[[1001w]_2],$$

$$(2.17) \quad 0 = T[[w]_2] + T[[10w]_2] + T[[1010w]_2],$$

$$(2.18) \quad 0 = T[[1w]_2] + T[[11w]_2] + T[[1011w]_2],$$

$$(2.19) \quad 0 = T[[10w]_2] + T[[100w]_2] + T[[1100w]_2],$$

$$(2.20) \quad 0 = T[[11w]_2] + T[[101w]_2] + T[[1101w]_2],$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 681 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.20) can be written as

$$(2.21) \quad \begin{aligned} & 0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) \\ & + \tau(A(s, 110)) + \tau(A(s, 111)), \end{aligned}$$

$$(2.22) \quad \begin{aligned} & 0 = \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 101)) + \tau(A(s, 110)) \\ & + \tau(A(s, 1000)), \end{aligned}$$

$$(2.23) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 1001)),$$

$$(2.24) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 1010)),$$

$$(2.25) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 1011)),$$

$$(2.26) \quad 0 = \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 1100)),$$

$$(2.27) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 101)) + \tau(A(s, 1101)),$$

for all $s \in E_{2k}$, and

$$(2.28) \quad \begin{aligned} & 0 = \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) \\ & + \tau(A(s, 110)) + \tau(A(s, 111)), \end{aligned}$$

$$(2.29) \quad \begin{aligned} & 0 = \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 101)) + \tau(A(s, 110)) \\ & + \tau(A(s, 1000)), \end{aligned}$$

$$\begin{aligned}
(2.30) \quad & 0 = \tau(A(s, 1)) + \tau(A(s, 1001)), \\
(2.31) \quad & 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 1010)), \\
(2.32) \quad & 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 1011)), \\
(2.33) \quad & 0 = \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 1100)), \\
(2.34) \quad & 0 = \tau(A(s, 11)) + \tau(A(s, 101)) + \tau(A(s, 1101)),
\end{aligned}$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{20}), E_{20}) = (A(i, 0^{18}), E_{18})$, so that we only have to verify that identities (2.21) through (2.34) hold for $2 \leq k \leq 10$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$\begin{aligned}
M_{2k} &= M^e[:7u] + x^u M^e[:6u] + x^{3u} M^e[:4u] + x^{4u} M^e[:3u] + x^{6u} M^e[:u] \\
&\quad + x^{7u} R^e, \\
W_{2k} &= W^e[:7u] + x^u W^e[:6u] + x^{3u} W^e[:4u] + x^{4u} W^e[:3u] + x^{6u} W^e[:u] \\
&\quad + x^{7u} R^e.
\end{aligned}$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$\begin{aligned}
M_{2k+1} &= M^o[:7u] + x^u M^o[:6u] + x^{3u} M^o[:4u] + x^{4u} M^o[:3u] + x^{6u} M^o[:u] \\
&\quad + x^{7u} R^o, \\
W_{2k+1} &= W^o[:7u] + x^u W^o[:6u] + x^{3u} W^o[:4u] + x^{4u} W^o[:3u] + x^{6u} W^o[:u] \\
&\quad + x^{7u} R^o.
\end{aligned}$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$\begin{aligned}
M_{2k} \wedge W_{2k} &\Rightarrow M_{2k+1} \wedge W_{2k+1}, \\
M_{2k+1} \wedge W_{2k+1} &\Rightarrow M_{2k+2} \wedge W_{2k+2}.
\end{aligned}$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$\begin{aligned}
W_{2k} M_{2k} &= (W^e[:7v] + x^v W^e[:6v] + x^{3v} W^e[:4v] + x^{4v} W^e[:3v] + x^{6v} W^e[:v] \\
&\quad + x^{7v} R^e) \times (M^e[:7v] + x^v M^e[:6v] + x^{3v} M^e[:4v] + x^{4v} M^e[:3v] \\
(2.35) \quad &\quad + x^{6v} M^e[:v] + x^{7v} R^e);
\end{aligned}$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{14v} R^o$. Therefore we only need to prove that their difference is $O(x^{14v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{14v} , to

$$\begin{aligned}
&W^e[:14v] M^e[:14v] + x^{2v} W^e[:12v] M^e[:12v] + x^{6v} W^e[:8v] M^e[:8v] \\
&\quad + x^{8v} W^e[:6v] M^e[:6v] + x^{12v} W^e[:2v] M^e[:2v].
\end{aligned}$$

For all $n \leq 14$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.35) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{14}, b_1, \dots, b_{14}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{14})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned} \lim_{n \rightarrow \infty} M_{2n,j,k} &= M_{j,k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1,j,k} &= M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} &= W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} &= W_{j,k}^o. \end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12} \phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e / M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$\begin{aligned} q_0(x) &= x^{22} + x^{20} + x^{19} + x^{18} + x^{17} + x^{16} + x^{15} + x^{12} + x^{10} + x^8 + x^7, \\ q_1(x) &= x^{19} + x^{18} + x^{17} + x^{13} + x^{12} + x^{11} + x^7 + x^6 + x^4 + x^3, \\ q_2(x) &= x^{16} + x^{12} + x^8 + x^4 + x^2 + 1, \\ q_3(x) &= x^{19} + x^{18} + x^{17} + x^{13} + x^{12} + x^{11} + x^7 + x^6 + x^4 + x^3, \\ q_4(x) &= x^{19} + x^{18} + x^{17} + x^{15} + x^{14} + x^{12} + x^8 + x^7 + x^6. \end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate

$f(x)$ to order 216, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 216, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned} p_0(x) &= x^{114} + x^{112} + x^{108} + x^{106} + x^{96} + x^{92} + x^{90} + x^{88} + x^{86} + x^{84} + x^{78} \\ &\quad + x^{74} + x^{72} + x^{60} + x^{54} + x^{46} + x^{42} + x^{38} + x^{36}, \\ p_3(x) &= x^{102} + x^{98} + x^{92} + x^{90} + x^{86} + x^{78} + x^{74} + x^{72} + x^{66} + x^{64} + x^{62} \\ &\quad + x^{60} + x^{56} + x^{54} + x^{52} + x^{50} + x^{46} + x^{44} + x^{38} + x^{36} + x^{34} + x^{30} \\ &\quad + x^{24} + x^{20}, \\ p_6(x) &= x^{100} + x^{94} + x^{84} + x^{72} + x^{66} + x^{60} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} \\ &\quad + x^{48} + x^{46} + x^{32} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{14} + x^8 + x^6 + x^4 \\ &\quad + 1, \\ p_9(x) &= x^{108} + x^{104} + x^{102} + x^{100} + x^{98} + x^{96} + x^{90} + x^{82} + x^{80} + x^{78} + x^{74} \\ &\quad + x^{72} + x^{70} + x^{66} + x^{64} + x^{62} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{44} \\ &\quad + x^{38} + x^{36} + x^{26} + x^{22} + x^{20} + x^{16} + x^8 + x^6, \\ p_{12}(x) &= x^{108} + x^{104} + x^{84} + x^{80} + x^{76} + x^{72} + x^{60} + x^{56} + x^{52} + x^{48} + x^{44} \\ &\quad + x^{40} + x^{36} + x^{32} + x^{28} + x^{24} + x^{20} + x^{16} + x^4 + 1, \end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 1, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned} p_0(x) &= x^{117} + x^{115} + x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{108} + x^{106} + x^{105} \\ &\quad + x^{104} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{85} + x^{84} + x^{82} + x^{77} \\ &\quad + x^{76} + x^{75} + x^{74} + x^{68} + x^{67} + x^{66} + x^{65} + x^{62} + x^{58} + x^{57} + x^{54} \\ &\quad + x^{51} + x^{50} + x^{49} + x^{48} + x^{41} + x^{40} + x^{39}, \\ p_3(x) &= x^{111} + x^{103} + x^{97} + x^{93} + x^{91} + x^{89} + x^{87} + x^{85} + x^{83} + x^{79} + x^{73} \\ &\quad + x^{69} + x^{67} + x^{65} + x^{63} + x^{61} + x^{59} + x^{49} + x^{47} + x^{45} + x^{43} + x^{33} \\ &\quad + x^{29} + x^{27}, \\ p_6(x) &= x^{108} + x^{107} + x^{105} + x^{103} + x^{102} + x^{96} + x^{95} + x^{93} + x^{91} + x^{90} + x^{80} \\ &\quad + x^{79} + x^{77} + x^{75} + x^{74} + x^{72} + x^{71} + x^{69} + x^{67} + x^{66} + x^{56} + x^{55} \\ &\quad + x^{53} + x^{52} + x^{50} + x^{49} + x^{48} + x^{46} + x^{45} + x^{43} + x^{42} + x^{40} + x^{39} \\ &\quad + x^{37} + x^{36} + x^{34} + x^{33} + x^{32} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} + x^{24} \\ &\quad + x^{22} + x^{21} + x^{19} + x^{18}, \end{aligned}$$

$$\begin{aligned}
p_9(x) &= x^{105} + x^{103} + x^{99} + x^{97} + x^{93} + x^{87} + x^{83} + x^{79} + x^{73} + x^{69} + x^{65} \\
&\quad + x^{63} + x^{59} + x^{55} + x^{47} + x^{45} + x^{43} + x^{39} + x^{37} + x^{35} + x^{33} + x^{31} \\
&\quad + x^{25} + x^{19} + x^{17} + x^9, \\
p_{12}(x) &= x^{102} + x^{101} + x^{100} + x^{94} + x^{93} + x^{92} + x^{90} + x^{89} + x^{88} + x^{82} + x^{81} \\
&\quad + x^{80} + x^{70} + x^{69} + x^{68} + x^{62} + x^{61} + x^{60} + x^{58} + x^{57} + x^{56} + x^{54} \\
&\quad + x^{53} + x^{52} + x^{50} + x^{49} + x^{48} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} \\
&\quad + x^{38} + x^{37} + x^{36} + x^{34} + x^{33} + x^{32} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} \\
&\quad + x^{24} + x^{22} + x^{21} + x^{20} + x^{18} + x^{17} + x^{16} + x^{14} + x^{13} + x^{12} + x^{10} \\
&\quad + x^9 + x^8 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 0, 1, 0, 1, 1, 1]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{117} + x^{115} + x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{108} + x^{106} + x^{105} \\
&\quad + x^{104} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{85} + x^{84} + x^{82} + x^{77} \\
&\quad + x^{76} + x^{75} + x^{74} + x^{68} + x^{67} + x^{66} + x^{65} + x^{62} + x^{58} + x^{57} + x^{54} \\
&\quad + x^{51} + x^{50} + x^{49} + x^{48} + x^{41} + x^{40} + x^{39}, \\
p_3(x) &= x^{111} + x^{103} + x^{97} + x^{93} + x^{91} + x^{89} + x^{87} + x^{85} + x^{83} + x^{79} + x^{73} \\
&\quad + x^{69} + x^{67} + x^{65} + x^{63} + x^{61} + x^{59} + x^{49} + x^{47} + x^{45} + x^{43} + x^{33} \\
&\quad + x^{29} + x^{27}, \\
p_6(x) &= x^{108} + x^{107} + x^{105} + x^{103} + x^{102} + x^{96} + x^{95} + x^{93} + x^{91} + x^{90} + x^{80} \\
&\quad + x^{79} + x^{77} + x^{75} + x^{74} + x^{72} + x^{71} + x^{69} + x^{67} + x^{66} + x^{56} + x^{55} \\
&\quad + x^{53} + x^{52} + x^{50} + x^{49} + x^{48} + x^{46} + x^{45} + x^{43} + x^{42} + x^{40} + x^{39} \\
&\quad + x^{37} + x^{36} + x^{34} + x^{33} + x^{32} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} + x^{24} \\
&\quad + x^{22} + x^{21} + x^{19} + x^{18}, \\
p_9(x) &= x^{105} + x^{103} + x^{99} + x^{97} + x^{93} + x^{87} + x^{83} + x^{79} + x^{73} + x^{69} + x^{65} \\
&\quad + x^{63} + x^{59} + x^{55} + x^{47} + x^{45} + x^{43} + x^{39} + x^{37} + x^{35} + x^{33} + x^{31} \\
&\quad + x^{25} + x^{19} + x^{17} + x^9, \\
p_{12}(x) &= x^{102} + x^{101} + x^{100} + x^{94} + x^{93} + x^{92} + x^{90} + x^{89} + x^{88} + x^{82} + x^{81} \\
&\quad + x^{80} + x^{70} + x^{69} + x^{68} + x^{62} + x^{61} + x^{60} + x^{58} + x^{57} + x^{56} + x^{54} \\
&\quad + x^{53} + x^{52} + x^{50} + x^{49} + x^{48} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} \\
&\quad + x^{38} + x^{37} + x^{36} + x^{34} + x^{33} + x^{32} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} \\
&\quad + x^{24} + x^{22} + x^{21} + x^{20} + x^{18} + x^{17} + x^{16} + x^{14} + x^{13} + x^{12} + x^{10} \\
&\quad + x^9 + x^8 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 0, 1, 0, 1, 1, 1]$.

For $\phi(M^e, 1, 1)$:

$$p_0(x) = x^{120} + x^{118} + x^{112} + x^{110} + x^{102} + x^{94} + x^{90} + x^{88} + x^{84} + x^{78} + x^{74}$$

$$\begin{aligned}
& + x^{62} + x^{60} + x^{58} + x^{56} + x^{46} + x^{42}, \\
p_3(x) &= x^{102} + x^{88} + x^{84} + x^{76} + x^{70} + x^{66} + x^{64} + x^{62} + x^{60} + x^{58} + x^{54} \\
& + x^{52} + x^{50} + x^{46} + x^{40} + x^{36} + x^{32} + x^{30} + x^{20} + x^{18}, \\
p_6(x) &= x^{102} + x^{96} + x^{94} + x^{88} + x^{82} + x^{76} + x^{62} + x^{56} + x^{54} + x^{52} + x^{40} \\
& + x^{38} + x^{30} + x^{28} + x^{26} + x^{24} + x^{20} + x^{10} + x^2 + 1, \\
p_9(x) &= x^{96} + x^{94} + x^{84} + x^{74} + x^{70} + x^{68} + x^{62} + x^{60} + x^{50} + x^{46} + x^{44} \\
& + x^{40} + x^{36} + x^{28} + x^{26} + x^{24} + x^{20} + x^{18} + x^{16} + x^{14} + x^{12} + x^6, \\
p_{12}(x) &= x^{96} + x^{94} + x^{90} + x^{86} + x^{82} + x^{80} + x^{64} + x^{62} + x^{58} + x^{54} + x^{50} \\
& + x^{46} + x^{42} + x^{38} + x^{34} + x^{30} + x^{26} + x^{22} + x^{18} + x^{14} + x^{10} + x^6 \\
& + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 1, 0, 0, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{120} + x^{118} + x^{112} + x^{110} + x^{108} + x^{106} + x^{104} + x^{102} + x^{100} + x^{98} \\
& + x^{90} + x^{88} + x^{84} + x^{80} + x^{76} + x^{72} + x^{64} + x^{62} + x^{60} + x^{58} + x^{56} \\
& + x^{54} + x^{36}, \\
p_3(x) &= x^{102} + x^{90} + x^{88} + x^{86} + x^{84} + x^{78} + x^{76} + x^{74} + x^{70} + x^{64} + x^{60} \\
& + x^{58} + x^{52} + x^{46} + x^{42} + x^{40} + x^{38} + x^{36} + x^{34} + x^{32} + x^{30} + x^{26} \\
& + x^{22} + x^{20}, \\
p_6(x) &= x^{102} + x^{96} + x^{94} + x^{90} + x^{88} + x^{86} + x^{84} + x^{80} + x^{78} + x^{76} + x^{74} \\
& + x^{72} + x^{70} + x^{68} + x^{66} + x^{60} + x^{58} + x^{52} + x^{50} + x^{48} + x^{46} + x^{44} \\
& + x^{42} + x^{40} + x^{36} + x^{32} + x^{30} + x^{26} + x^{24} + x^{18} + x^{16} + x^{14} + x^{12} \\
& + x^{10} + x^2 + 1, \\
p_9(x) &= x^{96} + x^{94} + x^{84} + x^{74} + x^{70} + x^{68} + x^{62} + x^{60} + x^{50} + x^{46} + x^{44} \\
& + x^{40} + x^{36} + x^{28} + x^{26} + x^{24} + x^{20} + x^{18} + x^{16} + x^{14} + x^{12} + x^6, \\
p_{12}(x) &= x^{96} + x^{94} + x^{90} + x^{86} + x^{82} + x^{80} + x^{64} + x^{62} + x^{58} + x^{54} + x^{50} \\
& + x^{46} + x^{42} + x^{38} + x^{34} + x^{30} + x^{26} + x^{22} + x^{18} + x^{14} + x^{10} + x^6 \\
& + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 0, 0, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{117} + x^{115} + x^{109} + x^{108} + x^{102} + x^{101} + x^{97} + x^{95} + x^{94} + x^{93} \\
& + x^{92} + x^{91} + x^{85} + x^{84} + x^{82} + x^{81} + x^{80} + x^{74} + x^{73} + x^{71} + x^{70} \\
& + x^{67} + x^{65} + x^{63} + x^{58} + x^{57} + x^{55} + x^{53} + x^{52} + x^{51} + x^{50} + x^{47} \\
& + x^{45} + x^{44} + x^{41} + x^{40} + x^{39}, \\
p_3(x) &= x^{111} + x^{103} + x^{97} + x^{93} + x^{91} + x^{89} + x^{87} + x^{85} + x^{83} + x^{79} + x^{73} \\
& + x^{69} + x^{67} + x^{65} + x^{63} + x^{61} + x^{59} + x^{49} + x^{47} + x^{45} + x^{43} + x^{33}
\end{aligned}$$

$$\begin{aligned}
& + x^{29} + x^{27}, \\
p_6(x) &= x^{108} + x^{107} + x^{105} + x^{103} + x^{102} + x^{96} + x^{95} + x^{93} + x^{91} + x^{90} + x^{80} \\
& + x^{79} + x^{77} + x^{75} + x^{74} + x^{72} + x^{71} + x^{69} + x^{67} + x^{66} + x^{56} + x^{55} \\
& + x^{53} + x^{52} + x^{50} + x^{49} + x^{48} + x^{46} + x^{45} + x^{43} + x^{42} + x^{40} + x^{39} \\
& + x^{37} + x^{36} + x^{34} + x^{33} + x^{32} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} + x^{24} \\
& + x^{22} + x^{21} + x^{19} + x^{18}, \\
p_9(x) &= x^{105} + x^{103} + x^{99} + x^{97} + x^{93} + x^{87} + x^{83} + x^{79} + x^{73} + x^{69} + x^{65} \\
& + x^{63} + x^{59} + x^{55} + x^{47} + x^{45} + x^{43} + x^{39} + x^{37} + x^{35} + x^{33} + x^{31} \\
& + x^{25} + x^{19} + x^{17} + x^9, \\
p_{12}(x) &= x^{102} + x^{101} + x^{100} + x^{94} + x^{93} + x^{92} + x^{90} + x^{89} + x^{88} + x^{82} + x^{81} \\
& + x^{80} + x^{70} + x^{69} + x^{68} + x^{62} + x^{61} + x^{60} + x^{58} + x^{57} + x^{56} + x^{54} \\
& + x^{53} + x^{52} + x^{50} + x^{49} + x^{48} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} \\
& + x^{38} + x^{37} + x^{36} + x^{34} + x^{33} + x^{32} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} \\
& + x^{24} + x^{22} + x^{21} + x^{20} + x^{18} + x^{17} + x^{16} + x^{14} + x^{13} + x^{12} + x^{10} \\
& + x^9 + x^8 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 0, 1, 0, 0, 1, 1, 0, 0, 0, 0, 0]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{117} + x^{115} + x^{109} + x^{108} + x^{102} + x^{101} + x^{97} + x^{95} + x^{94} + x^{93} \\
& + x^{92} + x^{91} + x^{85} + x^{84} + x^{82} + x^{81} + x^{80} + x^{74} + x^{73} + x^{71} + x^{70} \\
& + x^{67} + x^{65} + x^{63} + x^{58} + x^{57} + x^{55} + x^{53} + x^{52} + x^{51} + x^{50} + x^{47} \\
& + x^{45} + x^{44} + x^{41} + x^{40} + x^{39}, \\
p_3(x) &= x^{111} + x^{103} + x^{97} + x^{93} + x^{91} + x^{89} + x^{87} + x^{85} + x^{83} + x^{79} + x^{73} \\
& + x^{69} + x^{67} + x^{65} + x^{63} + x^{61} + x^{59} + x^{49} + x^{47} + x^{45} + x^{43} + x^{33} \\
& + x^{29} + x^{27}, \\
p_6(x) &= x^{108} + x^{107} + x^{105} + x^{103} + x^{102} + x^{96} + x^{95} + x^{93} + x^{91} + x^{90} + x^{80} \\
& + x^{79} + x^{77} + x^{75} + x^{74} + x^{72} + x^{71} + x^{69} + x^{67} + x^{66} + x^{56} + x^{55} \\
& + x^{53} + x^{52} + x^{50} + x^{49} + x^{48} + x^{46} + x^{45} + x^{43} + x^{42} + x^{40} + x^{39} \\
& + x^{37} + x^{36} + x^{34} + x^{33} + x^{32} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} + x^{24} \\
& + x^{22} + x^{21} + x^{19} + x^{18}, \\
p_9(x) &= x^{105} + x^{103} + x^{99} + x^{97} + x^{93} + x^{87} + x^{83} + x^{79} + x^{73} + x^{69} + x^{65} \\
& + x^{63} + x^{59} + x^{55} + x^{47} + x^{45} + x^{43} + x^{39} + x^{37} + x^{35} + x^{33} + x^{31} \\
& + x^{25} + x^{19} + x^{17} + x^9, \\
p_{12}(x) &= x^{102} + x^{101} + x^{100} + x^{94} + x^{93} + x^{92} + x^{90} + x^{89} + x^{88} + x^{82} + x^{81} \\
& + x^{80} + x^{70} + x^{69} + x^{68} + x^{62} + x^{61} + x^{60} + x^{58} + x^{57} + x^{56} + x^{54} \\
& + x^{53} + x^{52} + x^{50} + x^{49} + x^{48} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40}
\end{aligned}$$

$$\begin{aligned}
& + x^{38} + x^{37} + x^{36} + x^{34} + x^{33} + x^{32} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} \\
& + x^{24} + x^{22} + x^{21} + x^{20} + x^{18} + x^{17} + x^{16} + x^{14} + x^{13} + x^{12} + x^{10} \\
& + x^9 + x^8 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 0, 1, 0, 0, 1, 1, 0, 0, 0, 0, 0]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{114} + x^{112} + x^{106} + x^{104} + x^{102} + x^{100} + x^{98} + x^{94} + x^{92} + x^{90} \\
&\quad + x^{84} + x^{82} + x^{76} + x^{70} + x^{60} + x^{58} + x^{54} + x^{52} + x^{46} + x^{44} + x^{42}, \\
p_3(x) &= x^{100} + x^{92} + x^{90} + x^{86} + x^{78} + x^{74} + x^{72} + x^{66} + x^{64} + x^{62} + x^{60} \\
&\quad + x^{56} + x^{54} + x^{52} + x^{50} + x^{42} + x^{38} + x^{36} + x^{34} + x^{28} + x^{26} + x^{24} \\
&\quad + x^{22} + x^{18}, \\
p_6(x) &= x^{102} + x^{98} + x^{96} + x^{94} + x^{88} + x^{80} + x^{76} + x^{68} + x^{66} + x^{64} + x^{58} \\
&\quad + x^{54} + x^{50} + x^{42} + x^{36} + x^{32} + x^{30} + x^{28} + x^{26} + x^{16} + x^{14} + x^{12} \\
&\quad + x^8 + x^6 + x^4 + 1, \\
p_9(x) &= x^{108} + x^{104} + x^{102} + x^{100} + x^{98} + x^{96} + x^{90} + x^{82} + x^{80} + x^{78} + x^{74} \\
&\quad + x^{72} + x^{70} + x^{66} + x^{64} + x^{62} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{44} \\
&\quad + x^{38} + x^{36} + x^{26} + x^{22} + x^{20} + x^{16} + x^8 + x^6, \\
p_{12}(x) &= x^{108} + x^{104} + x^{84} + x^{80} + x^{76} + x^{72} + x^{60} + x^{56} + x^{52} + x^{48} + x^{44} \\
&\quad + x^{40} + x^{36} + x^{32} + x^{28} + x^{24} + x^{20} + x^{16} + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{117} + x^{115} + x^{114} + x^{113} + x^{112} + x^{110} + x^{108} + x^{107} + x^{106} + x^{105} \\
&\quad + x^{104} + x^{103} + x^{100} + x^{97} + x^{96} + x^{95} + x^{94} + x^{88} + x^{86} + x^{83} + x^{82} \\
&\quad + x^{77} + x^{71} + x^{70} + x^{68} + x^{65} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} \\
&\quad + x^{57} + x^{51} + x^{49} + x^{41} + x^{39} + x^{37} + x^{36}, \\
p_3(x) &= x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{109} + x^{105} + x^{103} + x^{101} + x^{100} \\
&\quad + x^{98} + x^{95} + x^{93} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{83} + x^{80} + x^{79} \\
&\quad + x^{77} + x^{76} + x^{74} + x^{71} + x^{69} + x^{66} + x^{65} + x^{64} + x^{63} + x^{62} + x^{59} \\
&\quad + x^{58} + x^{57} + x^{54} + x^{52} + x^{50} + x^{49} + x^{44} + x^{42} + x^{39} + x^{35} + x^{33} \\
&\quad + x^{32} + x^{29} + x^{27} + x^{25} + x^{24}, \\
p_6(x) &= x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{109} + x^{105} + x^{103} + x^{101} + x^{100} \\
&\quad + x^{99} + x^{98} + x^{96} + x^{92} + x^{91} + x^{90} + x^{89} + x^{87} + x^{86} + x^{84} + x^{82} \\
&\quad + x^{80} + x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{65} + x^{64} \\
&\quad + x^{62} + x^{61} + x^{60} + x^{59} + x^{54} + x^{53} + x^{52} + x^{48} + x^{46} + x^{45} + x^{42} \\
&\quad + x^{37} + x^{35} + x^{32} + x^{31} + x^{29} + x^{28} + x^{26} + x^{23} + x^{22} + x^{21} + x^{19} \\
&\quad + x^{18} + x^{17} + x^{15} + x^{14} + x^{10} + x^9 + x^8 + x^2 + x + 1,
\end{aligned}$$

$$\begin{aligned}
p_9(x) &= x^{114} + x^{113} + x^{112} + x^{110} + x^{109} + x^{108} + x^{98} + x^{97} + x^{96} + x^{94} \\
&\quad + x^{93} + x^{92} + x^{82} + x^{81} + x^{80} + x^{78} + x^{77} + x^{76} + x^{18} + x^{17} + x^{16} \\
&\quad + x^{14} + x^{13} + x^{12}, \\
p_{12}(x) &= x^{114} + x^{113} + x^{112} + x^{110} + x^{109} + x^{108} + x^{102} + x^{101} + x^{100} + x^{98} \\
&\quad + x^{97} + x^{96} + x^{90} + x^{89} + x^{88} + x^{78} + x^{77} + x^{76} + x^{70} + x^{69} + x^{68} \\
&\quad + x^{62} + x^{61} + x^{60} + x^{58} + x^{57} + x^{56} + x^{54} + x^{53} + x^{52} + x^{50} + x^{49} \\
&\quad + x^{48} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{38} + x^{37} + x^{36} + x^{34} \\
&\quad + x^{33} + x^{32} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} + x^{24} + x^{22} + x^{21} + x^{20} \\
&\quad + x^{10} + x^9 + x^8 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 1, 1, 0, 1, 1, 0, 0, 0, 0, 1]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{124} + x^{115} + x^{114} + x^{113} + x^{112} + x^{111} + x^{109} + x^{108} + x^{107} + x^{105} \\
&\quad + x^{104} + x^{101} + x^{96} + x^{93} + x^{92} + x^{90} + x^{88} + x^{87} + x^{86} + x^{85} + x^{84} \\
&\quad + x^{82} + x^{81} + x^{80} + x^{79} + x^{77} + x^{75} + x^{74} + x^{72} + x^{71} + x^{70} + x^{63} \\
&\quad + x^{60} + x^{58} + x^{56} + x^{55} + x^{54} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} \\
&\quad + x^{45} + x^{39}, \\
p_3(x) &= x^{103} + x^{102} + x^{101} + x^{99} + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{87} \\
&\quad + x^{85} + x^{84} + x^{83} + x^{79} + x^{78} + x^{77} + x^{75} + x^{74} + x^{72} + x^{70} + x^{68} \\
&\quad + x^{66} + x^{64} + x^{63} + x^{61} + x^{60} + x^{59} + x^{55} + x^{54} + x^{53} + x^{51} + x^{50} \\
&\quad + x^{48} + x^{47} + x^{45} + x^{44} + x^{43} + x^{39} + x^{38} + x^{37} + x^{35} + x^{34} + x^{32} \\
&\quad + x^{31} + x^{29} + x^{28} + x^{27}, \\
p_6(x) &= x^{106} + x^{104} + x^{102} + x^{94} + x^{92} + x^{90} + x^{78} + x^{76} + x^{74} + x^{70} + x^{68} \\
&\quad + x^{66} + x^{54} + x^{52} + x^{48} + x^{44} + x^{42} + x^{38} + x^{36} + x^{32} + x^{28} + x^{24} \\
&\quad + x^{20} + x^{18}, \\
p_9(x) &= x^{109} + x^{108} + x^{106} + x^{105} + x^{93} + x^{92} + x^{90} + x^{89} + x^{77} + x^{76} + x^{74} \\
&\quad + x^{73} + x^{13} + x^{12} + x^{10} + x^9, \\
p_{12}(x) &= x^{112} + x^{108} + x^{100} + x^{96} + x^{88} + x^{76} + x^{68} + x^{60} + x^{56} + x^{52} + x^{48} \\
&\quad + x^{44} + x^{40} + x^{36} + x^{32} + x^{28} + x^{24} + x^{20} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 0, 0, 1, 1, 0, 0]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{114} + x^{112} + x^{111} + x^{110} + x^{109} + x^{107} + x^{103} + x^{102} + x^{101} + x^{100} \\
&\quad + x^{99} + x^{98} + x^{97} + x^{93} + x^{91} + x^{88} + x^{87} + x^{86} + x^{85} + x^{83} + x^{80} \\
&\quad + x^{77} + x^{76} + x^{71} + x^{70} + x^{69} + x^{63} + x^{61} + x^{60} + x^{59} + x^{58} + x^{50} \\
&\quad + x^{49} + x^{45} + x^{44} + x^{43} + x^{39}, \\
p_3(x) &= x^{111} + x^{110} + x^{109} + x^{105} + x^{104} + x^{102} + x^{101} + x^{99} + x^{98} + x^{96}
\end{aligned}$$

$$\begin{aligned}
& + x^{95} + x^{93} + x^{92} + x^{90} + x^{89} + x^{87} + x^{86} + x^{84} + x^{83} + x^{81} + x^{80} \\
& + x^{78} + x^{77} + x^{75} + x^{74} + x^{72} + x^{71} + x^{69} + x^{68} + x^{66} + x^{65} + x^{63} \\
& + x^{62} + x^{60} + x^{59} + x^{57} + x^{56} + x^{55} + x^{51} + x^{50} + x^{49} + x^{47} + x^{46} \\
& + x^{44} + x^{43} + x^{41} + x^{40} + x^{39} + x^{35} + x^{34} + x^{33} + x^{29} + x^{28} + x^{27}, \\
p_6(x) &= x^{114} + x^{112} + x^{108} + x^{104} + x^{100} + x^{96} + x^{92} + x^{90} + x^{86} + x^{84} + x^{80} \\
& + x^{78} + x^{74} + x^{72} + x^{68} + x^{66} + x^{62} + x^{60} + x^{58} + x^{54} + x^{52} + x^{50} \\
& + x^{38} + x^{36} + x^{32} + x^{28} + x^{26} + x^{22} + x^{20} + x^{18}, \\
p_9(x) &= x^{117} + x^{116} + x^{114} + x^{112} + x^{110} + x^{108} + x^{106} + x^{105} + x^{101} + x^{100} \\
& + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{89} + x^{85} + x^{84} + x^{82} + x^{80} + x^{78} \\
& + x^{76} + x^{74} + x^{73} + x^{21} + x^{20} + x^{18} + x^{16} + x^{14} + x^{12} + x^{10} + x^9, \\
p_{12}(x) &= x^{120} + x^{92} + x^{88} + x^{84} + x^{80} + x^{72} + x^{60} + x^{56} + x^{52} + x^{48} + x^{44} \\
& + x^{40} + x^{36} + x^{32} + x^{28} + x^{20} + x^{16} + x^{12} + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 0, 1, 0, 0, 0, 0, 1, 0, 1, 1, 0]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{117} + x^{115} + x^{111} + x^{109} + x^{103} + x^{102} + x^{101} + x^{100} + x^{97} + x^{95} \\
& + x^{94} + x^{92} + x^{91} + x^{83} + x^{81} + x^{79} + x^{74} + x^{73} + x^{68} + x^{67} + x^{66} \\
& + x^{65} + x^{61} + x^{58} + x^{57} + x^{56} + x^{53} + x^{48} + x^{47} + x^{46} + x^{45} + x^{43} \\
& + x^{42}, \\
p_3(x) &= x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{109} + x^{108} + x^{107} + x^{98} + x^{95} \\
& + x^{94} + x^{91} + x^{89} + x^{84} + x^{82} + x^{74} + x^{71} + x^{70} + x^{67} + x^{65} + x^{60} \\
& + x^{57} + x^{56} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} + x^{47} + x^{46} + x^{43} \\
& + x^{40} + x^{37} + x^{32} + x^{31} + x^{30} + x^{29} + x^{27} + x^{26}, \\
p_6(x) &= x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{109} + x^{108} + x^{107} + x^{99} + x^{98} \\
& + x^{95} + x^{94} + x^{89} + x^{87} + x^{85} + x^{82} + x^{79} + x^{76} + x^{74} + x^{71} + x^{70} \\
& + x^{68} + x^{67} + x^{66} + x^{65} + x^{64} + x^{59} + x^{56} + x^{55} + x^{54} + x^{48} + x^{46} \\
& + x^{45} + x^{44} + x^{43} + x^{40} + x^{39} + x^{36} + x^{35} + x^{34} + x^{33} + x^{31} + x^{30} \\
& + x^{26} + x^{23} + x^{18} + x^{16} + x^{15} + x^{13} + x^{12} + x^{10} + x^9 + x^8 + x^2 + x \\
& + 1, \\
p_9(x) &= x^{114} + x^{113} + x^{112} + x^{110} + x^{109} + x^{108} + x^{98} + x^{97} + x^{96} + x^{94} \\
& + x^{93} + x^{92} + x^{82} + x^{81} + x^{80} + x^{78} + x^{77} + x^{76} + x^{18} + x^{17} + x^{16} \\
& + x^{14} + x^{13} + x^{12}, \\
p_{12}(x) &= x^{114} + x^{113} + x^{112} + x^{110} + x^{109} + x^{108} + x^{102} + x^{101} + x^{100} + x^{98} \\
& + x^{97} + x^{96} + x^{90} + x^{89} + x^{88} + x^{78} + x^{77} + x^{76} + x^{70} + x^{69} + x^{68} \\
& + x^{62} + x^{61} + x^{60} + x^{58} + x^{57} + x^{56} + x^{54} + x^{53} + x^{52} + x^{50} + x^{49} \\
& + x^{48} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{38} + x^{37} + x^{36} + x^{34}
\end{aligned}$$

$$\begin{aligned}
& + x^{33} + x^{32} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} + x^{24} + x^{22} + x^{21} + x^{20} \\
& + x^{10} + x^9 + x^8 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 0, 0, 0, 0, 1, 1]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{117} + x^{115} + x^{114} + x^{113} + x^{112} + x^{110} + x^{108} + x^{107} + x^{106} + x^{105} \\
&+ x^{104} + x^{103} + x^{100} + x^{97} + x^{96} + x^{95} + x^{94} + x^{88} + x^{86} + x^{83} + x^{82} \\
&+ x^{77} + x^{71} + x^{70} + x^{68} + x^{65} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} \\
&+ x^{57} + x^{51} + x^{49} + x^{41} + x^{39} + x^{37} + x^{36}, \\
p_3(x) &= x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{109} + x^{105} + x^{103} + x^{101} + x^{100} \\
&+ x^{98} + x^{95} + x^{93} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{83} + x^{80} + x^{79} \\
&+ x^{77} + x^{76} + x^{74} + x^{71} + x^{69} + x^{66} + x^{65} + x^{64} + x^{63} + x^{62} + x^{59} \\
&+ x^{58} + x^{57} + x^{54} + x^{52} + x^{50} + x^{49} + x^{44} + x^{42} + x^{39} + x^{35} + x^{33} \\
&+ x^{32} + x^{29} + x^{27} + x^{25} + x^{24}, \\
p_6(x) &= x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{109} + x^{105} + x^{103} + x^{101} + x^{100} \\
&+ x^{99} + x^{98} + x^{96} + x^{92} + x^{91} + x^{90} + x^{89} + x^{87} + x^{86} + x^{84} + x^{82} \\
&+ x^{80} + x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{65} + x^{64} \\
&+ x^{62} + x^{61} + x^{60} + x^{59} + x^{54} + x^{53} + x^{52} + x^{48} + x^{46} + x^{45} + x^{42} \\
&+ x^{37} + x^{35} + x^{32} + x^{31} + x^{29} + x^{28} + x^{26} + x^{23} + x^{22} + x^{21} + x^{19} \\
&+ x^{18} + x^{17} + x^{15} + x^{14} + x^{10} + x^9 + x^8 + x^2 + x + 1, \\
p_9(x) &= x^{114} + x^{113} + x^{112} + x^{110} + x^{109} + x^{108} + x^{98} + x^{97} + x^{96} + x^{94} \\
&+ x^{93} + x^{92} + x^{82} + x^{81} + x^{80} + x^{78} + x^{77} + x^{76} + x^{18} + x^{17} + x^{16} \\
&+ x^{14} + x^{13} + x^{12}, \\
p_{12}(x) &= x^{114} + x^{113} + x^{112} + x^{110} + x^{109} + x^{108} + x^{102} + x^{101} + x^{100} + x^{98} \\
&+ x^{97} + x^{96} + x^{90} + x^{89} + x^{88} + x^{78} + x^{77} + x^{76} + x^{70} + x^{69} + x^{68} \\
&+ x^{62} + x^{61} + x^{60} + x^{58} + x^{57} + x^{56} + x^{54} + x^{53} + x^{52} + x^{50} + x^{49} \\
&+ x^{48} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{38} + x^{37} + x^{36} + x^{34} \\
&+ x^{33} + x^{32} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} + x^{24} + x^{22} + x^{21} + x^{20} \\
&+ x^{10} + x^9 + x^8 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 1, 1, 0, 1, 1, 0, 0, 0, 0, 1]$.

For $\phi(W^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{114} + x^{112} + x^{111} + x^{110} + x^{109} + x^{107} + x^{103} + x^{102} + x^{101} + x^{100} \\
&+ x^{99} + x^{98} + x^{97} + x^{93} + x^{91} + x^{88} + x^{87} + x^{86} + x^{85} + x^{83} + x^{80} \\
&+ x^{77} + x^{76} + x^{71} + x^{70} + x^{69} + x^{63} + x^{61} + x^{60} + x^{59} + x^{58} + x^{50} \\
&+ x^{49} + x^{45} + x^{44} + x^{43} + x^{39}, \\
p_3(x) &= x^{111} + x^{110} + x^{109} + x^{105} + x^{104} + x^{102} + x^{101} + x^{99} + x^{98} + x^{96}
\end{aligned}$$

$$\begin{aligned}
& + x^{95} + x^{93} + x^{92} + x^{90} + x^{89} + x^{87} + x^{86} + x^{84} + x^{83} + x^{81} + x^{80} \\
& + x^{78} + x^{77} + x^{75} + x^{74} + x^{72} + x^{71} + x^{69} + x^{68} + x^{66} + x^{65} + x^{63} \\
& + x^{62} + x^{60} + x^{59} + x^{57} + x^{56} + x^{55} + x^{51} + x^{50} + x^{49} + x^{47} + x^{46} \\
& + x^{44} + x^{43} + x^{41} + x^{40} + x^{39} + x^{35} + x^{34} + x^{33} + x^{29} + x^{28} + x^{27}, \\
p_6(x) &= x^{114} + x^{112} + x^{108} + x^{104} + x^{100} + x^{96} + x^{92} + x^{90} + x^{86} + x^{84} + x^{80} \\
& + x^{78} + x^{74} + x^{72} + x^{68} + x^{66} + x^{62} + x^{60} + x^{58} + x^{54} + x^{52} + x^{50} \\
& + x^{38} + x^{36} + x^{32} + x^{28} + x^{26} + x^{22} + x^{20} + x^{18}, \\
p_9(x) &= x^{117} + x^{116} + x^{114} + x^{112} + x^{110} + x^{108} + x^{106} + x^{105} + x^{101} + x^{100} \\
& + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{89} + x^{85} + x^{84} + x^{82} + x^{80} + x^{78} \\
& + x^{76} + x^{74} + x^{73} + x^{21} + x^{20} + x^{18} + x^{16} + x^{14} + x^{12} + x^{10} + x^9, \\
p_{12}(x) &= x^{120} + x^{92} + x^{88} + x^{84} + x^{80} + x^{72} + x^{60} + x^{56} + x^{52} + x^{48} + x^{44} \\
& + x^{40} + x^{36} + x^{32} + x^{28} + x^{20} + x^{16} + x^{12} + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 0, 1, 0, 0, 0, 0, 1, 0, 1, 1, 0]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{124} + x^{115} + x^{114} + x^{113} + x^{112} + x^{111} + x^{109} + x^{108} + x^{107} + x^{105} \\
& + x^{104} + x^{101} + x^{96} + x^{93} + x^{92} + x^{90} + x^{88} + x^{87} + x^{86} + x^{85} + x^{84} \\
& + x^{82} + x^{81} + x^{80} + x^{79} + x^{77} + x^{75} + x^{74} + x^{72} + x^{71} + x^{70} + x^{63} \\
& + x^{60} + x^{58} + x^{56} + x^{55} + x^{54} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} \\
& + x^{45} + x^{39}, \\
p_3(x) &= x^{103} + x^{102} + x^{101} + x^{99} + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{87} \\
& + x^{85} + x^{84} + x^{83} + x^{79} + x^{78} + x^{77} + x^{75} + x^{74} + x^{72} + x^{70} + x^{68} \\
& + x^{66} + x^{64} + x^{63} + x^{61} + x^{60} + x^{59} + x^{55} + x^{54} + x^{53} + x^{51} + x^{50} \\
& + x^{48} + x^{47} + x^{45} + x^{44} + x^{43} + x^{39} + x^{38} + x^{37} + x^{35} + x^{34} + x^{32} \\
& + x^{31} + x^{29} + x^{28} + x^{27}, \\
p_6(x) &= x^{106} + x^{104} + x^{102} + x^{94} + x^{92} + x^{90} + x^{78} + x^{76} + x^{74} + x^{70} + x^{68} \\
& + x^{66} + x^{54} + x^{52} + x^{48} + x^{44} + x^{42} + x^{38} + x^{36} + x^{32} + x^{28} + x^{24} \\
& + x^{20} + x^{18}, \\
p_9(x) &= x^{109} + x^{108} + x^{106} + x^{105} + x^{93} + x^{92} + x^{90} + x^{89} + x^{77} + x^{76} + x^{74} \\
& + x^{73} + x^{13} + x^{12} + x^{10} + x^9, \\
p_{12}(x) &= x^{112} + x^{108} + x^{100} + x^{96} + x^{88} + x^{76} + x^{68} + x^{60} + x^{56} + x^{52} + x^{48} \\
& + x^{44} + x^{40} + x^{36} + x^{32} + x^{28} + x^{24} + x^{20} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 0, 0, 1, 1, 0, 0]$.

For $\phi(W^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{117} + x^{115} + x^{111} + x^{109} + x^{103} + x^{102} + x^{101} + x^{100} + x^{97} + x^{95} \\
& + x^{94} + x^{92} + x^{91} + x^{83} + x^{81} + x^{79} + x^{74} + x^{73} + x^{68} + x^{67} + x^{66}
\end{aligned}$$

$$\begin{aligned}
& + x^{65} + x^{61} + x^{58} + x^{57} + x^{56} + x^{53} + x^{48} + x^{47} + x^{46} + x^{45} + x^{43} \\
& + x^{42}, \\
p_3(x) = & x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{109} + x^{108} + x^{107} + x^{98} + x^{95} \\
& + x^{94} + x^{91} + x^{89} + x^{84} + x^{82} + x^{74} + x^{71} + x^{70} + x^{67} + x^{65} + x^{60} \\
& + x^{57} + x^{56} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} + x^{47} + x^{46} + x^{43} \\
& + x^{40} + x^{37} + x^{32} + x^{31} + x^{30} + x^{29} + x^{27} + x^{26}, \\
p_6(x) = & x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{109} + x^{108} + x^{107} + x^{99} + x^{98} \\
& + x^{95} + x^{94} + x^{89} + x^{87} + x^{85} + x^{82} + x^{79} + x^{76} + x^{74} + x^{71} + x^{70} \\
& + x^{68} + x^{67} + x^{66} + x^{65} + x^{64} + x^{59} + x^{56} + x^{55} + x^{54} + x^{48} + x^{46} \\
& + x^{45} + x^{44} + x^{43} + x^{40} + x^{39} + x^{36} + x^{35} + x^{34} + x^{33} + x^{31} + x^{30} \\
& + x^{26} + x^{23} + x^{18} + x^{16} + x^{15} + x^{13} + x^{12} + x^{10} + x^9 + x^8 + x^2 + x \\
& + 1, \\
p_9(x) = & x^{114} + x^{113} + x^{112} + x^{110} + x^{109} + x^{108} + x^{98} + x^{97} + x^{96} + x^{94} \\
& + x^{93} + x^{92} + x^{82} + x^{81} + x^{80} + x^{78} + x^{77} + x^{76} + x^{18} + x^{17} + x^{16} \\
& + x^{14} + x^{13} + x^{12}, \\
p_{12}(x) = & x^{114} + x^{113} + x^{112} + x^{110} + x^{109} + x^{108} + x^{102} + x^{101} + x^{100} + x^{98} \\
& + x^{97} + x^{96} + x^{90} + x^{89} + x^{88} + x^{78} + x^{77} + x^{76} + x^{70} + x^{69} + x^{68} \\
& + x^{62} + x^{61} + x^{60} + x^{58} + x^{57} + x^{56} + x^{54} + x^{53} + x^{52} + x^{50} + x^{49} \\
& + x^{48} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{38} + x^{37} + x^{36} + x^{34} \\
& + x^{33} + x^{32} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} + x^{24} + x^{22} + x^{21} + x^{20} \\
& + x^{10} + x^9 + x^8 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 0, 0, 0, 0, 1, 1]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	137	[223, 224]	274	[372, 328]	411	[10, 537]	548	[601, 602]
1	[3, 4]	138	[215, 210]	275	[336, 186]	412	[538, 52]	549	[603, 187]
2	[5, 6]	139	[225, 226]	276	[335, 356]	413	[539, 116]	550	[604, 408]
3	[7, 8]	140	[227, 228]	277	[329, 373]	414	[134, 346]	551	[605, 208]
4	[9, 10]	141	[229, 230]	278	[372, 322]	415	[377, 349]	552	[606, 607]
5	[11, 12]	142	[231, 232]	279	[374, 375]	416	[540, 386]	553	[24, 261]
6	[13, 14]	143	[233, 234]	280	[356, 34]	417	[179, 394]	554	[608, 202]
7	[15, 16]	144	[235, 236]	281	[376, 377]	418	[380, 332]	555	[609, 414]
8	[17, 18]	145	[237, 238]	282	[378, 354]	419	[541, 392]	556	[263, 427]
9	[19, 20]	146	[239, 240]	283	[314, 117]	420	[542, 344]	557	[26, 610]
10	[21, 22]	147	[241, 242]	284	[338, 379]	421	[537, 535]	558	[611, 518]
11	[23, 24]	148	[242, 243]	285	[380, 162]	422	[543, 35]	559	[425, 234]

12	[25, 26]	149	[244, 79]	286	[33, 381]	423	[320, 400]	560	[612, 613]
13	[27, 28]	150	[245, 246]	287	[8, 362]	424	[401, 392]	561	[467, 614]
14	[29, 30]	151	[247, 224]	288	[382, 326]	425	[541, 402]	562	[615, 616]
15	[31, 32]	152	[248, 249]	289	[383, 141]	426	[129, 138]	563	[617, 512]
16	[33, 2]	153	[250, 251]	290	[384, 373]	427	[323, 142]	564	[521, 618]
17	[34, 35]	154	[252, 17]	291	[385, 310]	428	[129, 324]	565	[619, 620]
18	[36, 37]	155	[253, 254]	292	[174, 386]	429	[325, 129]	566	[621, 582]
19	[38, 39]	156	[255, 27]	293	[387, 175]	430	[544, 186]	567	[622, 597]
20	[40, 41]	157	[256, 257]	294	[388, 389]	431	[371, 545]	568	[623, 624]
21	[42, 31]	158	[258, 259]	295	[390, 44]	432	[390, 153]	569	[625, 626]
22	[43, 44]	159	[260, 261]	296	[391, 392]	433	[546, 381]	570	[627, 106]
23	[45, 46]	160	[262, 263]	297	[393, 334]	434	[384, 330]	571	[600, 628]
24	[47, 48]	161	[264, 265]	298	[371, 394]	435	[398, 331]	572	[629, 499]
25	[49, 50]	162	[266, 267]	299	[395, 396]	436	[387, 386]	573	[630, 631]
26	[51, 52]	163	[188, 189]	300	[397, 330]	437	[146, 54]	574	[632, 517]
27	[51, 53]	164	[268, 269]	301	[398, 151]	438	[333, 323]	575	[633, 280]
28	[54, 55]	165	[240, 270]	302	[399, 334]	439	[547, 2]	576	[634, 635]
29	[56, 57]	166	[271, 272]	303	[184, 400]	440	[546, 2]	577	[636, 247]
30	[58, 59]	167	[273, 274]	304	[401, 402]	441	[9, 377]	578	[637, 638]
31	[60, 61]	168	[275, 276]	305	[305, 305]	442	[349, 535]	579	[639, 257]
32	[62, 63]	169	[274, 195]	306	[403, 404]	443	[548, 322]	580	[640, 526]
33	[64, 65]	170	[277, 278]	307	[405, 406]	444	[179, 545]	581	[641, 619]
34	[66, 67]	171	[279, 280]	308	[407, 258]	445	[397, 373]	582	[344, 561]
35	[68, 69]	172	[281, 282]	309	[91, 408]	446	[385, 41]	583	[642, 577]
36	[70, 71]	173	[283, 222]	310	[30, 231]	447	[369, 334]	584	[316, 310]
37	[72, 73]	174	[230, 284]	311	[409, 410]	448	[143, 115]	585	[39, 40]
38	[74, 75]	175	[285, 286]	312	[287, 411]	449	[340, 52]	586	[643, 145]
39	[76, 77]	176	[4, 287]	313	[412, 74]	450	[156, 534]	587	[308, 563]
40	[75, 78]	177	[288, 289]	314	[413, 60]	451	[370, 36]	588	[644, 118]
41	[79, 80]	178	[205, 290]	315	[71, 213]	452	[337, 388]	589	[548, 328]
42	[81, 82]	179	[291, 292]	316	[414, 415]	453	[321, 328]	590	[330, 579]
43	[83, 23]	180	[293, 294]	317	[416, 417]	454	[549, 32]	591	[144, 367]
44	[84, 85]	181	[295, 296]	318	[418, 419]	455	[550, 310]	592	[316, 41]
45	[86, 87]	182	[297, 298]	319	[420, 421]	456	[160, 357]	593	[558, 135]
46	[88, 89]	183	[299, 300]	320	[422, 108]	457	[147, 165]	594	[393, 318]
47	[90, 91]	184	[301, 302]	321	[207, 423]	458	[551, 324]	595	[373, 645]
48	[92, 93]	185	[114, 303]	322	[424, 425]	459	[37, 375]	596	[646, 184]
49	[94, 95]	186	[304, 16]	323	[232, 426]	460	[177, 37]	597	[577, 150]
50	[96, 97]	187	[115, 116]	324	[427, 428]	461	[365, 121]	598	[364, 307]
51	[98, 99]	188	[305, 118]	325	[429, 427]	462	[552, 48]	599	[45, 173]
52	[100, 101]	189	[116, 163]	326	[213, 214]	463	[148, 367]	600	[578, 377]
53	[102, 103]	190	[118, 305]	327	[430, 431]	464	[359, 553]	601	[540, 175]
54	[104, 105]	191	[31, 163]	328	[432, 433]	465	[554, 121]	602	[330, 645]
55	[106, 107]	192	[32, 115]	329	[272, 434]	466	[555, 39]	603	[644, 305]

56	[108, 109]	193	[306, 307]	330	[435, 436]	467	[34, 556]	604	[647, 559]
57	[110, 111]	194	[308, 309]	331	[406, 208]	468	[171, 362]	605	[551, 138]
58	[112, 86]	195	[176, 36]	332	[437, 98]	469	[557, 358]	606	[376, 10]
59	[113, 114]	196	[40, 310]	333	[438, 80]	470	[558, 346]	607	[570, 54]
60	[115, 31]	197	[152, 305]	334	[439, 440]	471	[137, 324]	608	[555, 149]
61	[116, 32]	198	[311, 162]	335	[441, 442]	472	[383, 170]	609	[648, 377]
62	[32, 117]	199	[36, 312]	336	[443, 444]	473	[377, 537]	610	[12, 360]
63	[118, 118]	200	[313, 44]	337	[226, 445]	474	[166, 59]	611	[374, 315]
64	[119, 14]	201	[314, 115]	338	[446, 447]	475	[368, 127]	612	[42, 116]
65	[120, 121]	202	[37, 315]	339	[448, 97]	476	[157, 559]	613	[311, 332]
66	[122, 123]	203	[149, 316]	340	[449, 450]	477	[557, 307]	614	[39, 316]
67	[124, 125]	204	[317, 318]	341	[111, 451]	478	[172, 54]	615	[562, 14]
68	[126, 127]	205	[319, 149]	342	[452, 453]	479	[560, 561]	616	[156, 649]
69	[128, 129]	206	[183, 320]	343	[109, 219]	480	[550, 41]	617	[650, 12]
70	[130, 131]	207	[321, 322]	344	[454, 221]	481	[396, 150]	618	[363, 136]
71	[132, 133]	208	[323, 323]	345	[455, 456]	482	[149, 40]	619	[122, 559]
72	[134, 135]	209	[138, 128]	346	[419, 249]	483	[562, 164]	620	[10, 349]
73	[121, 125]	210	[324, 131]	347	[85, 457]	484	[48, 563]	621	[647, 123]
74	[120, 124]	211	[138, 131]	348	[458, 231]	485	[564, 160]	622	[355, 151]
75	[8, 136]	212	[325, 326]	349	[459, 460]	486	[565, 151]	623	[651, 344]
76	[137, 138]	213	[131, 326]	350	[461, 462]	487	[12, 553]	624	[561, 346]
77	[139, 133]	214	[326, 324]	351	[463, 464]	488	[56, 127]	625	[652, 577]
78	[124, 122]	215	[326, 138]	352	[465, 72]	489	[327, 322]	626	[357, 35]
79	[140, 141]	216	[327, 328]	353	[466, 467]	490	[564, 356]	627	[154, 173]
80	[142, 142]	217	[329, 330]	354	[468, 469]	491	[388, 379]	628	[552, 308]
81	[143, 117]	218	[180, 186]	355	[470, 107]	492	[537, 50]	629	[572, 131]
82	[117, 31]	219	[150, 331]	356	[471, 472]	493	[566, 315]	630	[653, 173]
83	[144, 145]	220	[177, 312]	357	[442, 473]	494	[399, 318]	631	[125, 123]
84	[146, 147]	221	[313, 153]	358	[474, 475]	495	[338, 389]	632	[581, 577]
85	[148, 145]	222	[161, 332]	359	[476, 477]	496	[543, 556]	633	[576, 388]
86	[38, 149]	223	[333, 142]	360	[478, 479]	497	[567, 535]	634	[573, 149]
87	[150, 151]	224	[128, 326]	361	[480, 481]	498	[173, 363]	635	[654, 371]
88	[152, 118]	225	[317, 334]	362	[16, 62]	499	[142, 323]	636	[130, 128]
89	[43, 153]	226	[335, 160]	363	[87, 482]	500	[568, 356]	637	[642, 396]
90	[154, 46]	227	[336, 181]	364	[483, 484]	501	[357, 556]	638	[565, 331]
91	[155, 156]	228	[319, 39]	365	[485, 486]	502	[549, 163]	639	[646, 320]
92	[157, 123]	229	[337, 338]	366	[6, 487]	503	[569, 124]	640	[655, 160]
93	[158, 53]	230	[185, 181]	367	[488, 68]	504	[570, 147]	641	[648, 10]
94	[159, 35]	231	[131, 129]	368	[489, 490]	505	[571, 156]	642	[656, 657]
95	[160, 34]	232	[324, 128]	369	[453, 491]	506	[366, 145]	643	[658, 659]
96	[161, 162]	233	[339, 32]	370	[410, 492]	507	[572, 128]	644	[660, 192]
97	[163, 115]	234	[163, 117]	371	[493, 494]	508	[182, 386]	645	[530, 661]
98	[13, 164]	235	[340, 53]	372	[494, 495]	509	[573, 39]	646	[662, 663]
99	[54, 165]	236	[48, 309]	373	[496, 271]	510	[574, 388]	647	[664, 661]

100	[166, 167]	237	[341, 342]	374	[497, 498]	511	[567, 50]	648	[665, 459]
101	[168, 59]	238	[168, 167]	375	[103, 499]	512	[560, 134]	649	[666, 498]
102	[169, 170]	239	[343, 344]	376	[500, 501]	513	[547, 381]	650	[667, 668]
103	[126, 57]	240	[47, 308]	377	[502, 96]	514	[391, 402]	651	[669, 670]
104	[171, 136]	241	[345, 346]	378	[503, 504]	515	[320, 575]	652	[671, 672]
105	[158, 52]	242	[347, 307]	379	[445, 456]	516	[566, 375]	653	[673, 674]
106	[172, 147]	243	[147, 55]	380	[105, 4]	517	[576, 338]	654	[675, 676]
107	[173, 8]	244	[348, 142]	381	[505, 506]	518	[577, 565]	655	[677, 66]
108	[174, 175]	245	[349, 50]	382	[507, 69]	519	[578, 10]	656	[542, 560]
109	[176, 177]	246	[121, 122]	383	[508, 485]	520	[538, 53]	657	[363, 362]
110	[178, 179]	247	[140, 170]	384	[509, 510]	521	[536, 173]	658	[643, 367]
111	[180, 181]	248	[339, 163]	385	[511, 512]	522	[571, 354]	659	[354, 649]
112	[182, 175]	249	[117, 116]	386	[513, 514]	523	[351, 164]	660	[539, 31]
113	[183, 184]	250	[350, 308]	387	[436, 515]	524	[544, 181]	661	[396, 565]
114	[185, 186]	251	[351, 14]	388	[516, 293]	525	[373, 579]	662	[678, 177]
115	[187, 188]	252	[352, 36]	389	[517, 518]	526	[580, 371]	663	[654, 179]
116	[189, 190]	253	[353, 344]	390	[469, 519]	527	[382, 129]	664	[159, 556]
117	[61, 191]	254	[155, 354]	391	[520, 521]	528	[139, 342]	665	[352, 177]
118	[192, 15]	255	[345, 135]	392	[522, 523]	529	[581, 396]	666	[650, 359]
119	[193, 194]	256	[355, 331]	393	[524, 525]	530	[580, 179]	667	[569, 121]
120	[195, 196]	257	[356, 357]	394	[526, 95]	531	[361, 136]	668	[378, 156]
121	[197, 198]	258	[347, 358]	395	[65, 245]	532	[184, 575]	669	[652, 396]
122	[196, 199]	259	[359, 360]	396	[527, 528]	533	[11, 359]	670	[312, 375]
123	[200, 60]	260	[361, 362]	397	[529, 530]	534	[254, 582]	671	[653, 46]
124	[201, 200]	261	[46, 363]	398	[531, 270]	535	[286, 187]	672	[561, 135]
125	[202, 203]	262	[348, 323]	399	[302, 532]	536	[583, 584]	673	[568, 160]
126	[204, 205]	263	[132, 342]	400	[300, 481]	537	[20, 585]	674	[312, 315]
127	[206, 207]	264	[364, 358]	401	[251, 441]	538	[586, 587]	675	[678, 36]
128	[208, 209]	265	[365, 124]	402	[533, 463]	539	[588, 62]	676	[574, 338]
129	[210, 211]	266	[350, 48]	403	[306, 358]	540	[589, 590]	677	[554, 124]
130	[212, 213]	267	[366, 367]	404	[354, 534]	541	[591, 461]	678	[679, 680]
131	[214, 215]	268	[341, 133]	405	[169, 141]	542	[490, 592]	679	[651, 560]
132	[216, 19]	269	[368, 57]	406	[58, 167]	543	[593, 479]	680	[125, 559]
133	[217, 218]	270	[344, 134]	407	[49, 535]	544	[594, 595]		
134	[219, 220]	271	[369, 318]	408	[46, 8]	545	[596, 597]		
135	[221, 192]	272	[370, 177]	409	[119, 164]	546	[598, 599]		
136	[222, 82]	273	[178, 371]	410	[536, 46]	547	[267, 600]		

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	98	1	196	0	294	0	392	1	490	1	588	0
1	0	99	1	197	1	295	1	393	0	491	0	589	1
2	0	100	1	198	0	296	0	394	0	492	0	590	0
3	0	101	1	199	0	297	0	395	0	493	0	591	1

4	0	102	0	200	0	298	0	396	1	494	0	592	1
5	0	103	1	201	0	299	0	397	0	495	1	593	1
6	1	104	1	202	1	300	0	398	0	496	1	594	0
7	0	105	0	203	0	301	0	399	0	497	1	595	1
8	0	106	1	204	1	302	0	400	0	498	0	596	1
9	0	107	0	205	1	303	0	401	0	499	0	597	0
10	1	108	0	206	0	304	0	402	0	500	1	598	1
11	0	109	0	207	1	305	0	403	0	501	1	599	0
12	0	110	1	208	1	306	0	404	1	502	0	600	1
13	1	111	1	209	0	307	0	405	0	503	1	601	1
14	0	112	0	210	1	308	0	406	0	504	0	602	0
15	0	113	0	211	0	309	0	407	0	505	1	603	0
16	0	114	0	212	0	310	0	408	1	506	1	604	0
17	0	115	0	213	0	311	0	409	0	507	1	605	0
18	0	116	1	214	0	312	0	410	1	508	0	606	1
19	0	117	1	215	0	313	0	411	1	509	1	607	0
20	0	118	1	216	0	314	0	412	0	510	0	608	0
21	1	119	0	217	1	315	0	413	0	511	1	609	0
22	1	120	0	218	1	316	1	414	1	512	1	610	0
23	0	121	1	219	1	317	1	415	0	513	1	611	1
24	0	122	0	220	1	318	0	416	1	514	0	612	1
25	0	123	0	221	0	319	1	417	1	515	1	613	0
26	1	124	0	222	1	320	1	418	0	516	0	614	1
27	1	125	1	223	1	321	1	419	1	517	1	615	1
28	1	126	1	224	1	322	0	420	1	518	0	616	0
29	0	127	0	225	1	323	1	421	0	519	1	617	1
30	0	128	1	226	0	324	1	422	1	520	0	618	1
31	0	129	1	227	1	325	0	423	1	521	1	619	0
32	1	130	0	228	1	326	0	424	0	522	1	620	1
33	0	131	0	229	0	327	0	425	1	523	0	621	0
34	0	132	0	230	0	328	1	426	1	524	0	622	1
35	1	133	1	231	0	329	1	427	1	525	1	623	1
36	0	134	1	232	1	330	0	428	1	526	0	624	0
37	1	135	0	233	1	331	0	429	0	527	1	625	1
38	0	136	1	234	0	332	0	430	0	528	1	626	1
39	1	137	1	235	1	333	1	431	0	529	0	627	0
40	0	138	0	236	1	334	1	432	1	530	0	628	1
41	1	139	1	237	1	335	0	433	1	531	0	629	1
42	1	140	1	238	1	336	1	434	1	532	0	630	1
43	1	141	0	239	0	337	0	435	0	533	0	631	1
44	0	142	0	240	0	338	1	436	1	534	0	632	0
45	0	143	1	241	0	339	1	437	0	535	0	633	1
46	1	144	1	242	0	340	1	438	1	536	1	634	1
47	0	145	1	243	0	341	1	439	1	537	0	635	1

48	1	146	0	244	0	342	0	440	1	538	0	636	0
49	0	147	0	245	1	343	0	441	0	539	0	637	1
50	1	148	0	246	1	344	0	442	1	540	1	638	0
51	1	149	0	247	1	345	0	443	1	541	1	639	1
52	1	150	1	248	1	346	1	444	1	542	1	640	0
53	0	151	1	249	1	347	0	445	0	543	1	641	0
54	1	152	1	250	1	348	0	446	1	544	0	642	1
55	1	153	1	251	0	349	1	447	1	545	1	643	0
56	0	154	0	252	0	350	1	448	1	546	1	644	0
57	1	155	0	253	0	351	0	449	1	547	1	645	0
58	0	156	0	254	0	352	0	450	0	548	1	646	1
59	0	157	1	255	0	353	0	451	1	549	0	647	0
60	0	158	0	256	1	354	1	452	0	550	0	648	0
61	1	159	0	257	1	355	1	453	1	551	0	649	1
62	1	160	0	258	0	356	1	454	0	552	1	650	1
63	1	161	1	259	1	357	1	455	0	553	0	651	1
64	0	162	1	260	0	358	1	456	0	554	0	652	1
65	0	163	0	261	1	359	1	457	0	555	0	653	1
66	0	164	1	262	0	360	1	458	0	556	0	654	1
67	0	165	0	263	0	361	0	459	1	557	1	655	0
68	1	166	1	264	1	362	0	460	1	558	1	656	1
69	1	167	1	265	1	363	1	461	1	559	1	657	1
70	0	168	1	266	1	364	1	462	1	560	1	658	0
71	0	169	0	267	1	365	1	463	0	561	0	659	1
72	1	170	1	268	1	366	1	464	1	562	1	660	0
73	1	171	1	269	0	367	0	465	0	563	1	661	1
74	0	172	1	270	0	368	0	466	0	564	1	662	1
75	0	173	0	271	1	369	1	467	0	565	0	663	1
76	1	174	0	272	1	370	1	468	1	566	0	664	0
77	1	175	0	273	1	371	0	469	1	567	1	665	0
78	0	176	0	274	0	372	0	470	1	568	1	666	1
79	1	177	1	275	1	373	1	471	1	569	1	667	1
80	0	178	1	276	0	374	1	472	0	570	0	668	1
81	1	179	1	277	1	375	1	473	0	571	1	669	1
82	1	180	1	278	0	376	1	474	1	572	1	670	0
83	1	181	1	279	1	377	0	475	0	573	1	671	1
84	0	182	0	280	1	378	1	476	1	574	0	672	0
85	0	183	0	281	1	379	0	477	1	575	1	673	1
86	0	184	0	282	1	380	0	478	1	576	1	674	0
87	1	185	0	283	0	381	1	479	1	577	0	675	1
88	1	186	0	284	1	382	1	480	0	578	1	676	0
89	1	187	0	285	0	383	0	481	1	579	1	677	0
90	0	188	0	286	0	384	1	482	0	580	0	678	1
91	0	189	1	287	0	385	1	483	1	581	0	679	1

92	1	190	1	288	1	386	1	484	1	582	0	680	1
93	0	191	0	289	0	387	1	485	1	583	1		
94	0	192	1	290	1	388	0	486	0	584	1		
95	0	193	0	291	1	389	1	487	0	585	1		
96	1	194	0	292	0	390	1	488	0	586	0		
97	0	195	0	293	1	391	0	489	0	587	0		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE
Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA
Email address: `huyining@hust.edu.cn`