

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z^2, z^5 + z^4 + z + 1)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z^2, z^5 + z^4 + z + 1)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 17:36:13 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 9.6 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z^2, z^5 + z^4 + z + 1)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$p_0(z) = z^{21} + z^{19} + z^{18} + z^{16} + z^{14} + z^{12} + z^{11} + z^{10} + z^7 + z^5 + z^4 + z^3 + z^2 + 1,$$

$$p_1(z) = z^{26} + z^{23} + z^{22} + z^{21} + z^{20} + z^{18} + z^{16} + z^{14} + z^{13} + z^{12} + z^{10} + z^9 + z^7 + z^5 + z^4 + z^2,$$

$$p_2(z) = z^{28} + z^{20} + z^{18} + z^{16} + z^{12} + z^{10} + z^8 + z^4,$$

$$p_3(z) = z^{26} + z^{23} + z^{22} + z^{21} + z^{20} + z^{18} + z^{16} + z^{14} + z^{13} + z^{12} + z^{10} + z^9 + z^7 + z^5 + z^4 + z^2,$$

$$p_4(z) = z^{24} + z^{21} + z^{19} + z^{16} + z^{14} + z^{12} + z^{11} + z^8 + z^7 + z^5 + z^4 + z^3 + z^2,$$

and for $\text{CF}(b, a)$,

$$p_0(z) = z^{21} + z^{20} + z^{19} + z^{18} + z^{14} + z^{12} + z^{11} + z^{10} + z^8 + z^7 + z^5 + z^3 + z^2,$$

$$p_1(z) = z^{26} + z^{23} + z^{22} + z^{21} + z^{20} + z^{18} + z^{16} + z^{14} + z^{13} + z^{12} + z^{10} + z^9 + z^7 + z^5 + z^4 + z^2,$$

$$p_2(z) = z^{28} + z^{20} + z^{18} + z^{16} + z^{12} + z^{10} + z^8 + z^4,$$

$$p_3(z) = z^{26} + z^{23} + z^{22} + z^{21} + z^{20} + z^{18} + z^{16} + z^{14} + z^{13} + z^{12} + z^{10} + z^9 + z^7 + z^5 + z^4 + z^2,$$

$$p_4(z) = z^{24} + z^{21} + z^{20} + z^{19} + z^{14} + z^{12} + z^{11} + z^7 + z^5 + z^3 + z^2 + 1.$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{\mathbf{t}}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2n}-1}(a, b) = \frac{\tilde{P}_{2^{2n}-1}(x)}{\tilde{Q}_{2^{2n}-1}(x)} = \frac{M_{2n}(x)_{0,1}}{M_{2n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2n}(x)_{0,1}$ and $M_{2n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2n}(x)_{i,j})_n$, $(M_{2n+1}(x)_{i,j})_n$, $(W_{2n}(x)_{i,j})_n$, and $(W_{2n+1}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2n}(x))_n$, $(M_{2n+1}(x))_n$, $(W_{2n}(x))_n$, and $(W_{2n+1}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(175, 175, 175, 175, 175)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 630 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 630, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 770 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 770, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:14u] &= M^e[:7u] + x^u M^e[:6u] + x^u M^e[:7u] + x^{2u} M^e[:6u] + x^{2u} M^e[:7u] \\ &\quad + x^{3u} M^e[:6u] + x^{3u} M^e[:7u] + x^{4u} M^e[:6u] + x^{4u} M^e[:7u] \\ &\quad + x^{5u} M^e[:6u] + x^{5u} M^e[:7u] + x^{6u} M^e[:6u] + x^{6u} M^e[:7u] \\ &\quad + x^{7u} M^e[:6u] + x^{7u} M^e[:7u] + x^{10u} M^e[:4u] + x^{12u} M^e[:2u] \end{aligned}$$

$$\begin{aligned}
& + (x^{7u} + x^{8u} + x^{9u} + x^{10u} + x^{11u} + x^{12u} + x^{13u})R^e, \\
W^e[:14u] &= W^e[:7u] + x^u W^e[:6u] + x^u W^e[:7u] + x^{2u} W^e[:6u] + x^{2u} W^e[:7u] \\
& + x^{3u} W^e[:6u] + x^{3u} W^e[:7u] + x^{4u} W^e[:6u] + x^{4u} W^e[:7u] \\
& + x^{5u} W^e[:6u] + x^{5u} W^e[:7u] + x^{6u} W^e[:6u] + x^{6u} W^e[:7u] \\
& + x^{7u} W^e[:6u] + x^{7u} W^e[:7u] + x^{10u} W^e[:4u] + x^{12u} W^e[:2u] \\
& + (x^{7u} + x^{8u} + x^{9u} + x^{10u} + x^{11u} + x^{12u} + x^{13u})R^e.
\end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned}
M^o[:14u] &= M^o[:7u] + x^u M^o[:6u] + x^u M^o[:7u] + x^{2u} M^o[:6u] + x^{2u} M^o[:7u] \\
& + x^{3u} M^o[:6u] + x^{3u} M^o[:7u] + x^{4u} M^o[:6u] + x^{4u} M^o[:7u] \\
& + x^{5u} M^o[:6u] + x^{5u} M^o[:7u] + x^{6u} M^o[:6u] + x^{6u} M^o[:7u] \\
& + x^{7u} M^o[:6u] + x^{7u} M^o[:7u] + x^{10u} M^o[:4u] + x^{12u} M^o[:2u] \\
& + (x^{7u} + x^{8u} + x^{9u} + x^{10u} + x^{11u} + x^{12u} + x^{13u})R^o, \\
W^o[:14u] &= W^o[:7u] + x^u W^o[:6u] + x^u W^o[:7u] + x^{2u} W^o[:6u] + x^{2u} W^o[:7u] \\
& + x^{3u} W^o[:6u] + x^{3u} W^o[:7u] + x^{4u} W^o[:6u] + x^{4u} W^o[:7u] \\
& + x^{5u} W^o[:6u] + x^{5u} W^o[:7u] + x^{6u} W^o[:6u] + x^{6u} W^o[:7u] \\
& + x^{7u} W^o[:6u] + x^{7u} W^o[:7u] + x^{10u} W^o[:4u] + x^{12u} W^o[:2u] \\
& + (x^{7u} + x^{8u} + x^{9u} + x^{10u} + x^{11u} + x^{12u} + x^{13u})R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$\begin{aligned}
T[:14u] &= T[:7u] + x^u T[:6u] + x^u T[:7u] + x^{2u} T[:6u] + x^{2u} T[:7u] + x^{3u} T[:6u] \\
& + x^{3u} T[:7u] + x^{4u} T[:6u] + x^{4u} T[:7u] + x^{5u} T[:6u] + x^{5u} T[:7u] \\
& + x^{6u} T[:6u] + x^{6u} T[:7u] + x^{7u} T[:6u] + x^{7u} T[:7u] + x^{10u} T[:4u] \\
& + x^{12u} T[:2u].
\end{aligned}$$

The proof of the other 15 cases are similar. We break down the above identity into 7 parts:

$$\begin{aligned}
0 &= x^u T[6u:7u] + T[7u:8u], \\
0 &= x^{2u} T[6u:7u] + T[8u:9u], \\
0 &= x^{3u} T[6u:7u] + T[9u:10u], \\
0 &= x^{10u} T[:u] + x^{4u} T[6u:7u] + T[10u:11u], \\
0 &= x^{10u} T[u:2u] + x^{5u} T[6u:7u] + T[11u:12u], \\
0 &= x^{12u} T[:u] + x^{10u} T[2u:3u] + x^{6u} T[6u:7u] + T[12u:13u], \\
0 &= x^{12u} T[u:2u] + x^{10u} T[3u:4u] + x^{7u} T[6u:7u] + T[13u:14u],
\end{aligned}$$

which can be rewritten as

$$(2.7) \quad 0 = T[[110w]_2] + T[[111w]_2],$$

$$\begin{aligned}
(2.8) \quad & 0 = T[[110w]_2] + T[[1000w]_2], \\
(2.9) \quad & 0 = T[[110w]_2] + T[[1001w]_2], \\
(2.10) \quad & 0 = T[[w]_2] + T[[110w]_2] + T[[1010w]_2], \\
(2.11) \quad & 0 = T[[1w]_2] + T[[110w]_2] + T[[1011w]_2], \\
(2.12) \quad & 0 = T[[w]_2] + T[[10w]_2] + T[[110w]_2] + T[[1100w]_2], \\
(2.13) \quad & 0 = T[[1w]_2] + T[[11w]_2] + T[[110w]_2] + T[[1101w]_2],
\end{aligned}$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$\begin{aligned}
(2.14) \quad & 0 = T[[110w]_2] + T[[111w]_2], \\
(2.15) \quad & 0 = T[[110w]_2] + T[[1000w]_2], \\
(2.16) \quad & 0 = T[[110w]_2] + T[[1001w]_2], \\
(2.17) \quad & 0 = T[[w]_2] + T[[110w]_2] + T[[1010w]_2], \\
(2.18) \quad & 0 = T[[1w]_2] + T[[110w]_2] + T[[1011w]_2], \\
(2.19) \quad & 0 = T[[w]_2] + T[[10w]_2] + T[[110w]_2] + T[[1100w]_2], \\
(2.20) \quad & 0 = T[[1w]_2] + T[[11w]_2] + T[[110w]_2] + T[[1101w]_2],
\end{aligned}$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 263 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.20) can be written as

$$\begin{aligned}
(2.21) \quad & 0 = \tau(A(s, 110)) + \tau(A(s, 111)), \\
(2.22) \quad & 0 = \tau(A(s, 110)) + \tau(A(s, 1000)), \\
(2.23) \quad & 0 = \tau(A(s, 110)) + \tau(A(s, 1001)), \\
(2.24) \quad & 0 = \tau(A(s, \epsilon)) + \tau(A(s, 110)) + \tau(A(s, 1010)), \\
(2.25) \quad & 0 = \tau(A(s, 1)) + \tau(A(s, 110)) + \tau(A(s, 1011)), \\
(2.26) \quad & 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 110)) + \tau(A(s, 1100)), \\
(2.27) \quad & 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 110)) + \tau(A(s, 1101)),
\end{aligned}$$

for all $s \in E_{2k}$, and

$$\begin{aligned}
(2.28) \quad & 0 = \tau(A(s, 110)) + \tau(A(s, 111)), \\
(2.29) \quad & 0 = \tau(A(s, 110)) + \tau(A(s, 1000)), \\
(2.30) \quad & 0 = \tau(A(s, 110)) + \tau(A(s, 1001)), \\
(2.31) \quad & 0 = \tau(A(s, \epsilon)) + \tau(A(s, 110)) + \tau(A(s, 1010)), \\
(2.32) \quad & 0 = \tau(A(s, 1)) + \tau(A(s, 110)) + \tau(A(s, 1011)), \\
(2.33) \quad & 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 110)) + \tau(A(s, 1100)), \\
(2.34) \quad & 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 110)) + \tau(A(s, 1101)),
\end{aligned}$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{22}), E_{22}) = (A(i, 0^{18}), E_{18})$, so that we only have to verify that identities (2.21) through (2.34) hold for $2 \leq k \leq 11$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$\begin{aligned} M_{2k} &= M^e[:7u] + x^u M^e[:6u] + x^{7u} R^e, \\ W_{2k} &= W^e[:7u] + x^u W^e[:6u] + x^{7u} R^e. \end{aligned}$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$\begin{aligned} M_{2k+1} &= M^o[:7u] + x^u M^o[:6u] + x^{7u} R^o, \\ W_{2k+1} &= W^o[:7u] + x^u W^o[:6u] + x^{7u} R^o. \end{aligned}$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$\begin{aligned} M_{2k} \wedge W_{2k} &\Rightarrow M_{2k+1} \wedge W_{2k+1}, \\ M_{2k+1} \wedge W_{2k+1} &\Rightarrow M_{2k+2} \wedge W_{2k+2}. \end{aligned}$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$\begin{aligned} W_{2k} M_{2k} &= (W^e[:7v] + x^v W^e[:6v] + x^{7v} R^e) \times (M^e[:7v] + x^v M^e[:6v] \\ (2.35) \quad &+ x^{7v} R^e); \end{aligned}$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{14v} R^o$. Therefore we only need to prove that their difference is $O(x^{14v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{14v} , to

$$W^e[:14v] M^e[:14v] + x^{2v} W^e[:12v] M^e[:12v].$$

For all $n \leq 14$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.35) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{14}, b_1, \dots, b_{14}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{14})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned}\lim_{n \rightarrow \infty} M_{2n,j,k} &= M_{j,k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1,j,k} &= M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} &= W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} &= W_{j,k}^o.\end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12} \phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e/M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$\begin{aligned}q_0(x) &= x^{28} + x^{26} + x^{25} + x^{24} + x^{23} + x^{21} + x^{18} + x^{17} + x^{16} + x^{14} + x^{12} + x^{10} \\ &\quad + x^9 + x^7, \\ q_1(x) &= x^{26} + x^{24} + x^{23} + x^{21} + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12} + x^{10} + x^8 \\ &\quad + x^7 + x^6 + x^5 + x^2, \\ q_2(x) &= x^{24} + x^{20} + x^{18} + x^{16} + x^{12} + x^{10} + x^8 + 1, \\ q_3(x) &= x^{26} + x^{24} + x^{23} + x^{21} + x^{19} + x^{18} + x^{16} + x^{15} + x^{14} + x^{12} + x^{10} + x^8 \\ &\quad + x^7 + x^6 + x^5 + x^2, \\ q_4(x) &= x^{26} + x^{25} + x^{24} + x^{23} + x^{21} + x^{20} + x^{17} + x^{16} + x^{14} + x^{12} + x^9 + x^7 \\ &\quad + x^4.\end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 216, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 216, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{156} + x^{154} + x^{146} + x^{144} + x^{142} + x^{138} + x^{136} + x^{134} + x^{132} + x^{130} \\
&\quad + x^{126} + x^{114} + x^{108} + x^{106} + x^{102} + x^{100} + x^{98} + x^{92} + x^{88} + x^{80} \\
&\quad + x^{78} + x^{70} + x^{68} + x^{64} + x^{62} + x^{58} + x^{56} + x^{54} + x^{52} + x^{48} + x^{46} \\
&\quad + x^{42} + x^{40} + x^{36} + x^{34} + x^{30} + x^{24}, \\
p_3(x) &= x^{150} + x^{148} + x^{146} + x^{144} + x^{140} + x^{136} + x^{128} + x^{126} + x^{124} + x^{122} \\
&\quad + x^{116} + x^{112} + x^{110} + x^{108} + x^{106} + x^{102} + x^{98} + x^{94} + x^{92} + x^{90} \\
&\quad + x^{88} + x^{84} + x^{68} + x^{62} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{44} + x^{28} \\
&\quad + x^{24} + x^{22} + x^{20} + x^{18} + x^{16}, \\
p_6(x) &= x^{150} + x^{142} + x^{138} + x^{134} + x^{132} + x^{130} + x^{128} + x^{126} + x^{124} + x^{118} \\
&\quad + x^{112} + x^{100} + x^{98} + x^{90} + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} + x^{74} + x^{72} \\
&\quad + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} + x^{60} + x^{58} + x^{50} + x^{48} + x^{46} + x^{44} \\
&\quad + x^{38} + x^{36} + x^{30} + x^{28} + x^{26} + x^{24} + x^{18} + x^{10} + x^4 + 1, \\
p_9(x) &= x^{152} + x^{148} + x^{144} + x^{142} + x^{138} + x^{134} + x^{132} + x^{128} + x^{122} + x^{116} \\
&\quad + x^{114} + x^{104} + x^{100} + x^{96} + x^{94} + x^{92} + x^{86} + x^{84} + x^{80} + x^{76} + x^{64} \\
&\quad + x^{58} + x^{54} + x^{52} + x^{50} + x^{48} + x^{38} + x^{36} + x^{32} + x^{30} + x^{28} + x^{24} \\
&\quad + x^{16} + x^{14} + x^{12} + x^{10} + x^8 + x^4, \\
p_{12}(x) &= x^{152} + x^{144} + x^{136} + x^{128} + x^{120} + x^{112} + x^{88} + x^{80} + x^{24} + x^{16} + x^8 \\
&\quad + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 1, 0, 0, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{147} + x^{144} + x^{143} + x^{142} + x^{139} + x^{138} + x^{137} + x^{134} + x^{133} + x^{132} \\
&\quad + x^{128} + x^{126} + x^{125} + x^{124} + x^{122} + x^{120} + x^{118} + x^{116} + x^{114} \\
&\quad + x^{113} + x^{110} + x^{109} + x^{108} + x^{106} + x^{105} + x^{104} + x^{102} + x^{101} \\
&\quad + x^{100} + x^{99} + x^{98} + x^{97} + x^{96} + x^{93} + x^{92} + x^{91} + x^{90} + x^{87} + x^{85} \\
&\quad + x^{84} + x^{82} + x^{81} + x^{80} + x^{79} + x^{78} + x^{77} + x^{76} + x^{75} + x^{72} + x^{70} \\
&\quad + x^{67} + x^{66} + x^{65} + x^{64} + x^{63} + x^{62} + x^{57} + x^{55} + x^{54} + x^{53} + x^{49} \\
&\quad + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{39} + x^{37} + x^{36} + x^{35} + x^{34} \\
&\quad + x^{33}, \\
p_3(x) &= x^{143} + x^{142} + x^{141} + x^{136} + x^{135} + x^{132} + x^{128} + x^{127} + x^{124} + x^{123} \\
&\quad + x^{122} + x^{119} + x^{118} + x^{117} + x^{115} + x^{114} + x^{111} + x^{110} + x^{109} \\
&\quad + x^{104} + x^{102} + x^{101} + x^{100} + x^{91} + x^{90} + x^{88} + x^{86} + x^{85} + x^{84} \\
&\quad + x^{79} + x^{78} + x^{77} + x^{75} + x^{74} + x^{71} + x^{70} + x^{69} + x^{64} + x^{63} + x^{60} \\
&\quad + x^{56} + x^{55} + x^{52} + x^{51} + x^{50} + x^{43} + x^{42} + x^{40} + x^{39} + x^{36} + x^{32} \\
&\quad + x^{31} + x^{28} + x^{27} + x^{26} + x^{23} + x^{22} + x^{21} + x^{19} + x^{18},
\end{aligned}$$

$$\begin{aligned}
p_6(x) &= x^{141} + x^{140} + x^{137} + x^{136} + x^{135} + x^{134} + x^{133} + x^{132} + x^{131} + x^{130} \\
&\quad + x^{125} + x^{124} + x^{121} + x^{120} + x^{115} + x^{114} + x^{107} + x^{106} + x^{103} \\
&\quad + x^{102} + x^{101} + x^{100} + x^{99} + x^{98} + x^{95} + x^{94} + x^{89} + x^{88} + x^{85} + x^{84} \\
&\quad + x^{81} + x^{80} + x^{79} + x^{78} + x^{75} + x^{74} + x^{71} + x^{70} + x^{69} + x^{68} + x^{63} \\
&\quad + x^{62} + x^{59} + x^{58} + x^{55} + x^{54} + x^{53} + x^{52} + x^{49} + x^{48} + x^{47} + x^{46} \\
&\quad + x^{45} + x^{44} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{29} \\
&\quad + x^{28} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18} + x^{13} + x^{12}, \\
p_9(x) &= x^{139} + x^{138} + x^{137} + x^{135} + x^{134} + x^{131} + x^{130} + x^{128} + x^{127} + x^{124} \\
&\quad + x^{123} + x^{122} + x^{121} + x^{120} + x^{119} + x^{115} + x^{113} + x^{112} + x^{107} \\
&\quad + x^{106} + x^{104} + x^{102} + x^{101} + x^{100} + x^{97} + x^{96} + x^{95} + x^{91} + x^{89} \\
&\quad + x^{88} + x^{85} + x^{84} + x^{82} + x^{81} + x^{78} + x^{75} + x^{70} + x^{68} + x^{65} + x^{61} \\
&\quad + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{50} + x^{49} + x^{47} + x^{44} + x^{40} + x^{39} \\
&\quad + x^{37} + x^{35} + x^{33} + x^{31} + x^{28} + x^{25} + x^{23} + x^{22} + x^{19} + x^{18} + x^{16} \\
&\quad + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^9 + x^7 + x^6, \\
p_{12}(x) &= x^{137} + x^{136} + x^{129} + x^{128} + x^{105} + x^{104} + x^{97} + x^{96} + x^{89} + x^{88} \\
&\quad + x^{81} + x^{80} + x^9 + x^8 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 1, 0]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{147} + x^{144} + x^{143} + x^{142} + x^{139} + x^{138} + x^{137} + x^{134} + x^{133} + x^{132} \\
&\quad + x^{128} + x^{126} + x^{125} + x^{124} + x^{122} + x^{120} + x^{118} + x^{116} + x^{114} \\
&\quad + x^{113} + x^{110} + x^{109} + x^{108} + x^{106} + x^{105} + x^{104} + x^{102} + x^{101} \\
&\quad + x^{100} + x^{99} + x^{98} + x^{97} + x^{96} + x^{93} + x^{92} + x^{91} + x^{90} + x^{87} + x^{85} \\
&\quad + x^{84} + x^{82} + x^{81} + x^{80} + x^{79} + x^{78} + x^{77} + x^{76} + x^{75} + x^{72} + x^{70} \\
&\quad + x^{67} + x^{66} + x^{65} + x^{64} + x^{63} + x^{62} + x^{57} + x^{55} + x^{54} + x^{53} + x^{49} \\
&\quad + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{39} + x^{37} + x^{36} + x^{35} + x^{34} \\
&\quad + x^{33}, \\
p_3(x) &= x^{143} + x^{142} + x^{141} + x^{136} + x^{135} + x^{132} + x^{128} + x^{127} + x^{124} + x^{123} \\
&\quad + x^{122} + x^{119} + x^{118} + x^{117} + x^{115} + x^{114} + x^{111} + x^{110} + x^{109} \\
&\quad + x^{104} + x^{102} + x^{101} + x^{100} + x^{91} + x^{90} + x^{88} + x^{86} + x^{85} + x^{84} \\
&\quad + x^{79} + x^{78} + x^{77} + x^{75} + x^{74} + x^{71} + x^{70} + x^{69} + x^{64} + x^{63} + x^{60} \\
&\quad + x^{56} + x^{55} + x^{52} + x^{51} + x^{50} + x^{43} + x^{42} + x^{40} + x^{39} + x^{36} + x^{32} \\
&\quad + x^{31} + x^{28} + x^{27} + x^{26} + x^{23} + x^{22} + x^{21} + x^{19} + x^{18}, \\
p_6(x) &= x^{141} + x^{140} + x^{137} + x^{136} + x^{135} + x^{134} + x^{133} + x^{132} + x^{131} + x^{130} \\
&\quad + x^{125} + x^{124} + x^{121} + x^{120} + x^{115} + x^{114} + x^{107} + x^{106} + x^{103} \\
&\quad + x^{102} + x^{101} + x^{100} + x^{99} + x^{98} + x^{95} + x^{94} + x^{89} + x^{88} + x^{85} + x^{84}
\end{aligned}$$

$$\begin{aligned}
& + x^{81} + x^{80} + x^{79} + x^{78} + x^{75} + x^{74} + x^{71} + x^{70} + x^{69} + x^{68} + x^{63} \\
& + x^{62} + x^{59} + x^{58} + x^{55} + x^{54} + x^{53} + x^{52} + x^{49} + x^{48} + x^{47} + x^{46} \\
& + x^{45} + x^{44} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{29} \\
& + x^{28} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18} + x^{13} + x^{12}, \\
p_9(x) &= x^{139} + x^{138} + x^{137} + x^{135} + x^{134} + x^{131} + x^{130} + x^{128} + x^{127} + x^{124} \\
& + x^{123} + x^{122} + x^{121} + x^{120} + x^{119} + x^{115} + x^{113} + x^{112} + x^{107} \\
& + x^{106} + x^{104} + x^{102} + x^{101} + x^{100} + x^{97} + x^{96} + x^{95} + x^{91} + x^{89} \\
& + x^{88} + x^{85} + x^{84} + x^{82} + x^{81} + x^{78} + x^{75} + x^{70} + x^{68} + x^{65} + x^{61} \\
& + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{50} + x^{49} + x^{47} + x^{44} + x^{40} + x^{39} \\
& + x^{37} + x^{35} + x^{33} + x^{31} + x^{28} + x^{25} + x^{23} + x^{22} + x^{19} + x^{18} + x^{16} \\
& + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^9 + x^7 + x^6, \\
p_{12}(x) &= x^{137} + x^{136} + x^{129} + x^{128} + x^{105} + x^{104} + x^{97} + x^{96} + x^{89} + x^{88} \\
& + x^{81} + x^{80} + x^9 + x^8 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 1, 0]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{138} + x^{136} + x^{134} + x^{130} + x^{128} + x^{126} + x^{122} + x^{120} + x^{114} + x^{110} \\
& + x^{108} + x^{102} + x^{98} + x^{96} + x^{88} + x^{74} + x^{64} + x^{62} + x^{58} + x^{54} + x^{46} \\
& + x^{44} + x^{42}, \\
p_3(x) &= x^{126} + x^{124} + x^{122} + x^{120} + x^{114} + x^{112} + x^{110} + x^{108} + x^{106} + x^{100} \\
& + x^{98} + x^{92} + x^{88} + x^{86} + x^{72} + x^{68} + x^{54} + x^{52} + x^{50} + x^{48} + x^{40} \\
& + x^{38} + x^{34} + x^{28} + x^{26} + x^{24} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_6(x) &= x^{126} + x^{124} + x^{118} + x^{114} + x^{112} + x^{110} + x^{108} + x^{106} + x^{102} + x^{98} \\
& + x^{96} + x^{88} + x^{84} + x^{82} + x^{78} + x^{76} + x^{72} + x^{70} + x^{68} + x^{66} + x^{64} \\
& + x^{62} + x^{60} + x^{56} + x^{54} + x^{52} + x^{48} + x^{46} + x^{44} + x^{40} + x^{38} + x^{36} \\
& + x^{30} + x^{22} + x^{14} + x^8 + x^6 + x^4 + x^2 + 1, \\
p_9(x) &= x^{122} + x^{120} + x^{118} + x^{116} + x^{114} + x^{110} + x^{108} + x^{106} + x^{104} + x^{100} \\
& + x^{98} + x^{96} + x^{92} + x^{88} + x^{84} + x^{78} + x^{76} + x^{70} + x^{64} + x^{50} + x^{48} \\
& + x^{38} + x^{34} + x^{28} + x^{26} + x^{24} + x^{18} + x^8 + x^6 + x^4, \\
p_{12}(x) &= x^{122} + x^{120} + x^{114} + x^{112} + x^{106} + x^{104} + x^{98} + x^{96} + x^{74} + x^{72} \\
& + x^{66} + x^{64} + x^{58} + x^{56} + x^{50} + x^{48} + x^{42} + x^{40} + x^{34} + x^{32} + x^{26} \\
& + x^{24} + x^{18} + x^{16} + x^{10} + x^8 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{138} + x^{136} + x^{134} + x^{126} + x^{122} + x^{120} + x^{118} + x^{114} + x^{106} + x^{96} \\
& + x^{92} + x^{90} + x^{82} + x^{72} + x^{66} + x^{64} + x^{62} + x^{60} + x^{58} + x^{56} + x^{50}
\end{aligned}$$

$$\begin{aligned}
& + x^{46} + x^{40} + x^{38} + x^{30} + x^{26} + x^{24}, \\
p_3(x) &= x^{126} + x^{124} + x^{122} + x^{120} + x^{118} + x^{116} + x^{112} + x^{110} + x^{108} + x^{106} \\
& + x^{104} + x^{98} + x^{94} + x^{92} + x^{88} + x^{86} + x^{84} + x^{80} + x^{70} + x^{68} + x^{64} \\
& + x^{58} + x^{54} + x^{52} + x^{48} + x^{22} + x^{20} + x^{16}, \\
p_6(x) &= x^{126} + x^{124} + x^{116} + x^{114} + x^{110} + x^{108} + x^{106} + x^{104} + x^{94} + x^{88} \\
& + x^{70} + x^{66} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{48} + x^{46} + x^{44} + x^{38} \\
& + x^{34} + x^{30} + x^{28} + x^{22} + x^{16} + x^{12} + x^{10} + x^6 + x^4 + x^2 + 1, \\
p_9(x) &= x^{122} + x^{120} + x^{118} + x^{116} + x^{114} + x^{110} + x^{108} + x^{106} + x^{104} + x^{100} \\
& + x^{98} + x^{96} + x^{92} + x^{88} + x^{84} + x^{78} + x^{76} + x^{70} + x^{64} + x^{50} + x^{48} \\
& + x^{38} + x^{34} + x^{28} + x^{26} + x^{24} + x^{18} + x^8 + x^6 + x^4, \\
p_{12}(x) &= x^{122} + x^{120} + x^{114} + x^{112} + x^{106} + x^{104} + x^{98} + x^{96} + x^{74} + x^{72} \\
& + x^{66} + x^{64} + x^{58} + x^{56} + x^{50} + x^{48} + x^{42} + x^{40} + x^{34} + x^{32} + x^{26} \\
& + x^{24} + x^{18} + x^{16} + x^{10} + x^8 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{147} + x^{145} + x^{143} + x^{141} + x^{140} + x^{133} + x^{132} + x^{131} + x^{129} + x^{127} \\
& + x^{126} + x^{125} + x^{124} + x^{123} + x^{122} + x^{118} + x^{114} + x^{111} + x^{110} \\
& + x^{109} + x^{108} + x^{106} + x^{104} + x^{103} + x^{101} + x^{99} + x^{97} + x^{95} + x^{93} \\
& + x^{91} + x^{88} + x^{86} + x^{85} + x^{83} + x^{82} + x^{81} + x^{80} + x^{76} + x^{71} + x^{70} \\
& + x^{69} + x^{68} + x^{66} + x^{65} + x^{55} + x^{49} + x^{46} + x^{43} + x^{42} + x^{37} + x^{36} \\
& + x^{35} + x^{33}, \\
p_3(x) &= x^{143} + x^{142} + x^{141} + x^{136} + x^{135} + x^{132} + x^{128} + x^{127} + x^{124} + x^{123} \\
& + x^{122} + x^{119} + x^{118} + x^{117} + x^{115} + x^{114} + x^{111} + x^{110} + x^{109} \\
& + x^{104} + x^{102} + x^{101} + x^{100} + x^{91} + x^{90} + x^{88} + x^{86} + x^{85} + x^{84} \\
& + x^{79} + x^{78} + x^{77} + x^{75} + x^{74} + x^{71} + x^{70} + x^{69} + x^{64} + x^{63} + x^{60} \\
& + x^{56} + x^{55} + x^{52} + x^{51} + x^{50} + x^{43} + x^{42} + x^{40} + x^{39} + x^{36} + x^{32} \\
& + x^{31} + x^{28} + x^{27} + x^{26} + x^{23} + x^{22} + x^{21} + x^{19} + x^{18}, \\
p_6(x) &= x^{141} + x^{140} + x^{137} + x^{136} + x^{135} + x^{134} + x^{133} + x^{132} + x^{131} + x^{130} \\
& + x^{125} + x^{124} + x^{121} + x^{120} + x^{115} + x^{114} + x^{107} + x^{106} + x^{103} \\
& + x^{102} + x^{101} + x^{100} + x^{99} + x^{98} + x^{95} + x^{94} + x^{89} + x^{88} + x^{85} + x^{84} \\
& + x^{81} + x^{80} + x^{79} + x^{78} + x^{75} + x^{74} + x^{71} + x^{70} + x^{69} + x^{68} + x^{63} \\
& + x^{62} + x^{59} + x^{58} + x^{55} + x^{54} + x^{53} + x^{52} + x^{49} + x^{48} + x^{47} + x^{46} \\
& + x^{45} + x^{44} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{29} \\
& + x^{28} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18} + x^{13} + x^{12}, \\
p_9(x) &= x^{139} + x^{138} + x^{137} + x^{135} + x^{134} + x^{131} + x^{130} + x^{128} + x^{127} + x^{124}
\end{aligned}$$

$$\begin{aligned}
& + x^{123} + x^{122} + x^{121} + x^{120} + x^{119} + x^{115} + x^{113} + x^{112} + x^{107} \\
& + x^{106} + x^{104} + x^{102} + x^{101} + x^{100} + x^{97} + x^{96} + x^{95} + x^{91} + x^{89} \\
& + x^{88} + x^{85} + x^{84} + x^{82} + x^{81} + x^{78} + x^{75} + x^{70} + x^{68} + x^{65} + x^{61} \\
& + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{50} + x^{49} + x^{47} + x^{44} + x^{40} + x^{39} \\
& + x^{37} + x^{35} + x^{33} + x^{31} + x^{28} + x^{25} + x^{23} + x^{22} + x^{19} + x^{18} + x^{16} \\
& + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^9 + x^7 + x^6, \\
p_{12}(x) = & x^{137} + x^{136} + x^{129} + x^{128} + x^{105} + x^{104} + x^{97} + x^{96} + x^{89} + x^{88} \\
& + x^{81} + x^{80} + x^9 + x^8 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 1, 0, 0, 1, 0]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) = & x^{147} + x^{145} + x^{143} + x^{141} + x^{140} + x^{133} + x^{132} + x^{131} + x^{129} + x^{127} \\
& + x^{126} + x^{125} + x^{124} + x^{123} + x^{122} + x^{118} + x^{114} + x^{111} + x^{110} \\
& + x^{109} + x^{108} + x^{106} + x^{104} + x^{103} + x^{101} + x^{99} + x^{97} + x^{95} + x^{93} \\
& + x^{91} + x^{88} + x^{86} + x^{85} + x^{83} + x^{82} + x^{81} + x^{80} + x^{76} + x^{71} + x^{70} \\
& + x^{69} + x^{68} + x^{66} + x^{65} + x^{55} + x^{49} + x^{46} + x^{43} + x^{42} + x^{37} + x^{36} \\
& + x^{35} + x^{33}, \\
p_3(x) = & x^{143} + x^{142} + x^{141} + x^{136} + x^{135} + x^{132} + x^{128} + x^{127} + x^{124} + x^{123} \\
& + x^{122} + x^{119} + x^{118} + x^{117} + x^{115} + x^{114} + x^{111} + x^{110} + x^{109} \\
& + x^{104} + x^{102} + x^{101} + x^{100} + x^{91} + x^{90} + x^{88} + x^{86} + x^{85} + x^{84} \\
& + x^{79} + x^{78} + x^{77} + x^{75} + x^{74} + x^{71} + x^{70} + x^{69} + x^{64} + x^{63} + x^{60} \\
& + x^{56} + x^{55} + x^{52} + x^{51} + x^{50} + x^{43} + x^{42} + x^{40} + x^{39} + x^{36} + x^{32} \\
& + x^{31} + x^{28} + x^{27} + x^{26} + x^{23} + x^{22} + x^{21} + x^{19} + x^{18}, \\
p_6(x) = & x^{141} + x^{140} + x^{137} + x^{136} + x^{135} + x^{134} + x^{133} + x^{132} + x^{131} + x^{130} \\
& + x^{125} + x^{124} + x^{121} + x^{120} + x^{115} + x^{114} + x^{107} + x^{106} + x^{103} \\
& + x^{102} + x^{101} + x^{100} + x^{99} + x^{98} + x^{95} + x^{94} + x^{89} + x^{88} + x^{85} + x^{84} \\
& + x^{81} + x^{80} + x^{79} + x^{78} + x^{75} + x^{74} + x^{71} + x^{70} + x^{69} + x^{68} + x^{63} \\
& + x^{62} + x^{59} + x^{58} + x^{55} + x^{54} + x^{53} + x^{52} + x^{49} + x^{48} + x^{47} + x^{46} \\
& + x^{45} + x^{44} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{29} \\
& + x^{28} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18} + x^{13} + x^{12}, \\
p_9(x) = & x^{139} + x^{138} + x^{137} + x^{135} + x^{134} + x^{131} + x^{130} + x^{128} + x^{127} + x^{124} \\
& + x^{123} + x^{122} + x^{121} + x^{120} + x^{119} + x^{115} + x^{113} + x^{112} + x^{107} \\
& + x^{106} + x^{104} + x^{102} + x^{101} + x^{100} + x^{97} + x^{96} + x^{95} + x^{91} + x^{89} \\
& + x^{88} + x^{85} + x^{84} + x^{82} + x^{81} + x^{78} + x^{75} + x^{70} + x^{68} + x^{65} + x^{61} \\
& + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{50} + x^{49} + x^{47} + x^{44} + x^{40} + x^{39} \\
& + x^{37} + x^{35} + x^{33} + x^{31} + x^{28} + x^{25} + x^{23} + x^{22} + x^{19} + x^{18} + x^{16}
\end{aligned}$$

$$\begin{aligned}
& + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^9 + x^7 + x^6, \\
p_{12}(x) &= x^{137} + x^{136} + x^{129} + x^{128} + x^{105} + x^{104} + x^{97} + x^{96} + x^{89} + x^{88} \\
& + x^{81} + x^{80} + x^9 + x^8 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 1, 0, 0, 1, 0]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{156} + x^{154} + x^{152} + x^{136} + x^{134} + x^{126} + x^{122} + x^{118} + x^{114} + x^{110} \\
& + x^{108} + x^{102} + x^{100} + x^{94} + x^{90} + x^{82} + x^{80} + x^{76} + x^{70} + x^{66} + x^{64} \\
& + x^{62} + x^{60} + x^{58} + x^{56} + x^{44} + x^{42}, \\
p_3(x) &= x^{150} + x^{146} + x^{142} + x^{138} + x^{130} + x^{124} + x^{122} + x^{114} + x^{112} + x^{104} \\
& + x^{96} + x^{94} + x^{88} + x^{84} + x^{82} + x^{78} + x^{76} + x^{74} + x^{72} + x^{70} + x^{66} \\
& + x^{60} + x^{58} + x^{56} + x^{52} + x^{48} + x^{46} + x^{44} + x^{42} + x^{40} + x^{36} + x^{34} \\
& + x^{28} + x^{26} + x^{24} + x^{20} + x^{16} + x^{12}, \\
p_6(x) &= x^{150} + x^{148} + x^{140} + x^{136} + x^{134} + x^{128} + x^{124} + x^{118} + x^{116} + x^{114} \\
& + x^{112} + x^{110} + x^{106} + x^{104} + x^{102} + x^{100} + x^{86} + x^{84} + x^{64} + x^{60} \\
& + x^{58} + x^{56} + x^{54} + x^{52} + x^{48} + x^{44} + x^{42} + x^{38} + x^{36} + x^{34} + x^{30} \\
& + x^{28} + x^{22} + x^{20} + x^{16} + x^{12} + x^{10} + x^8 + x^4 + 1, \\
p_9(x) &= x^{152} + x^{148} + x^{144} + x^{142} + x^{138} + x^{134} + x^{132} + x^{128} + x^{122} + x^{116} \\
& + x^{114} + x^{104} + x^{100} + x^{96} + x^{94} + x^{92} + x^{86} + x^{84} + x^{80} + x^{76} + x^{64} \\
& + x^{58} + x^{54} + x^{52} + x^{50} + x^{48} + x^{38} + x^{36} + x^{32} + x^{30} + x^{28} + x^{24} \\
& + x^{16} + x^{14} + x^{12} + x^{10} + x^8 + x^4, \\
p_{12}(x) &= x^{152} + x^{144} + x^{136} + x^{128} + x^{120} + x^{112} + x^{88} + x^{80} + x^{24} + x^{16} + x^8 \\
& + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{147} + x^{144} + x^{142} + x^{141} + x^{139} + x^{136} + x^{135} + x^{131} + x^{128} + x^{127} \\
& + x^{123} + x^{117} + x^{112} + x^{110} + x^{109} + x^{108} + x^{105} + x^{100} + x^{97} + x^{96} \\
& + x^{94} + x^{93} + x^{87} + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{79} + x^{77} + x^{76} \\
& + x^{75} + x^{74} + x^{71} + x^{70} + x^{69} + x^{66} + x^{64} + x^{58} + x^{56} + x^{55} + x^{53} \\
& + x^{52} + x^{50} + x^{48} + x^{47} + x^{46} + x^{44} + x^{42} + x^{40} + x^{33} + x^{32} + x^{30} \\
& + x^{29} + x^{28} + x^{25} + x^{24}, \\
p_3(x) &= x^{145} + x^{144} + x^{143} + x^{141} + x^{140} + x^{139} + x^{137} + x^{134} + x^{131} + x^{129} \\
& + x^{127} + x^{123} + x^{122} + x^{121} + x^{120} + x^{118} + x^{117} + x^{116} + x^{113} \\
& + x^{112} + x^{110} + x^{109} + x^{108} + x^{107} + x^{104} + x^{103} + x^{102} + x^{101} \\
& + x^{100} + x^{97} + x^{96} + x^{90} + x^{89} + x^{78} + x^{75} + x^{74} + x^{71} + x^{69} + x^{68} \\
& + x^{67} + x^{65} + x^{62} + x^{61} + x^{60} + x^{58} + x^{57} + x^{55} + x^{53} + x^{52} + x^{49}
\end{aligned}$$

$$\begin{aligned}
& + x^{48} + x^{45} + x^{44} + x^{42} + x^{40} + x^{38} + x^{37} + x^{36} + x^{34} + x^{33} + x^{31} \\
& + x^{29} + x^{28} + x^{25} + x^{24} + x^{22} + x^{21} + x^{20} + x^{17} + x^{16}, \\
p_6(x) = & x^{145} + x^{144} + x^{143} + x^{141} + x^{140} + x^{139} + x^{137} + x^{135} + x^{134} + x^{133} \\
& + x^{132} + x^{126} + x^{122} + x^{117} + x^{115} + x^{112} + x^{111} + x^{109} + x^{108} \\
& + x^{104} + x^{97} + x^{94} + x^{92} + x^{91} + x^{90} + x^{88} + x^{87} + x^{86} + x^{85} + x^{79} \\
& + x^{78} + x^{77} + x^{74} + x^{71} + x^{65} + x^{62} + x^{59} + x^{58} + x^{57} + x^{53} + x^{47} \\
& + x^{43} + x^{42} + x^{41} + x^{40} + x^{39} + x^{37} + x^{35} + x^{34} + x^{31} + x^{29} + x^{28} \\
& + x^{24} + x^{23} + x^{22} + x^{21} + x^{20} + x^{14} + x^{13} + x^{12} + x + 1, \\
p_9(x) = & x^{145} + x^{144} + x^{133} + x^{132} + x^{121} + x^{120} + x^{117} + x^{116} + x^{113} + x^{112} \\
& + x^{105} + x^{104} + x^{97} + x^{96} + x^{85} + x^{84} + x^{73} + x^{72} + x^{69} + x^{68} + x^{57} \\
& + x^{56} + x^{53} + x^{52} + x^{41} + x^{40} + x^{37} + x^{36} + x^{25} + x^{24} + x^{21} + x^{20} \\
& + x^{17} + x^{16} + x^9 + x^8, \\
p_{12}(x) = & x^{145} + x^{144} + x^{137} + x^{136} + x^{133} + x^{132} + x^{129} + x^{128} + x^{121} + x^{120} \\
& + x^{117} + x^{116} + x^{113} + x^{112} + x^{89} + x^{88} + x^{85} + x^{84} + x^{81} + x^{80} \\
& + x^{73} + x^{72} + x^{69} + x^{68} + x^{57} + x^{56} + x^{53} + x^{52} + x^{41} + x^{40} + x^{37} \\
& + x^{36} + x^{25} + x^{24} + x^{21} + x^{20} + x^{17} + x^{16} + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 1, 1, 1, 0, 1, 0, 1, 1, 1]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) = & x^{148} + x^{144} + x^{141} + x^{140} + x^{139} + x^{132} + x^{131} + x^{129} + x^{128} + x^{127} \\
& + x^{125} + x^{123} + x^{122} + x^{121} + x^{119} + x^{118} + x^{116} + x^{114} + x^{113} \\
& + x^{110} + x^{108} + x^{103} + x^{99} + x^{95} + x^{94} + x^{92} + x^{90} + x^{88} + x^{87} + x^{85} \\
& + x^{84} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} + x^{76} + x^{73} + x^{69} + x^{68} + x^{63} \\
& + x^{60} + x^{59} + x^{58} + x^{51} + x^{50} + x^{48} + x^{47} + x^{46} + x^{45} + x^{41} + x^{40} \\
& + x^{38} + x^{37} + x^{35} + x^{33}, \\
p_3(x) = & x^{134} + x^{132} + x^{131} + x^{129} + x^{128} + x^{127} + x^{126} + x^{125} + x^{124} + x^{123} \\
& + x^{122} + x^{121} + x^{120} + x^{119} + x^{117} + x^{114} + x^{102} + x^{100} + x^{99} + x^{97} \\
& + x^{96} + x^{95} + x^{93} + x^{90} + x^{86} + x^{84} + x^{83} + x^{81} + x^{80} + x^{79} + x^{77} \\
& + x^{74} + x^{62} + x^{60} + x^{59} + x^{57} + x^{56} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} \\
& + x^{50} + x^{49} + x^{48} + x^{47} + x^{45} + x^{42} + x^{38} + x^{36} + x^{35} + x^{33} + x^{32} \\
& + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{21} + x^{18}, \\
p_6(x) = & x^{136} + x^{130} + x^{128} + x^{124} + x^{116} + x^{112} + x^{110} + x^{108} + x^{106} + x^{104} \\
& + x^{100} + x^{98} + x^{90} + x^{86} + x^{84} + x^{82} + x^{78} + x^{76} + x^{72} + x^{70} + x^{68} \\
& + x^{58} + x^{50} + x^{48} + x^{46} + x^{40} + x^{36} + x^{30} + x^{28} + x^{18} + x^{16} + x^{12}, \\
p_9(x) = & x^{138} + x^{136} + x^{135} + x^{134} + x^{133} + x^{132} + x^{130} + x^{129} + x^{125} + x^{123} \\
& + x^{122} + x^{121} + x^{120} + x^{119} + x^{117} + x^{116} + x^{114} + x^{113} + x^{109}
\end{aligned}$$

$$\begin{aligned}
& + x^{107} + x^{105} + x^{102} + x^{90} + x^{88} + x^{87} + x^{86} + x^{85} + x^{84} + x^{82} + x^{81} \\
& + x^{77} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} + x^{69} + x^{68} + x^{66} + x^{65} + x^{61} \\
& + x^{59} + x^{58} + x^{57} + x^{56} + x^{55} + x^{53} + x^{52} + x^{50} + x^{49} + x^{45} + x^{43} \\
& + x^{42} + x^{41} + x^{40} + x^{39} + x^{37} + x^{36} + x^{34} + x^{33} + x^{29} + x^{27} + x^{26} \\
& + x^{25} + x^{24} + x^{23} + x^{21} + x^{20} + x^{18} + x^{17} + x^{13} + x^{11} + x^9 + x^6, \\
p_{12}(x) = & x^{140} + x^{136} + x^{128} + x^{116} + x^{108} + x^{104} + x^{100} + x^{96} + x^{92} + x^{88} \\
& + x^{80} + x^{68} + x^{52} + x^{36} + x^{20} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) = & x^{156} + x^{153} + x^{151} + x^{149} + x^{146} + x^{145} + x^{143} + x^{135} + x^{133} + x^{132} \\
& + x^{130} + x^{128} + x^{123} + x^{118} + x^{115} + x^{110} + x^{107} + x^{105} + x^{100} \\
& + x^{99} + x^{97} + x^{94} + x^{90} + x^{89} + x^{85} + x^{83} + x^{81} + x^{79} + x^{78} + x^{75} \\
& + x^{72} + x^{71} + x^{70} + x^{67} + x^{66} + x^{65} + x^{64} + x^{62} + x^{59} + x^{54} + x^{53} \\
& + x^{52} + x^{51} + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} + x^{38} + x^{37} + x^{36} + x^{34} \\
& + x^{33}, \\
p_3(x) = & x^{154} + x^{152} + x^{151} + x^{150} + x^{149} + x^{146} + x^{114} + x^{112} + x^{111} + x^{110} \\
& + x^{109} + x^{106} + x^{90} + x^{88} + x^{87} + x^{86} + x^{85} + x^{82} + x^{58} + x^{56} + x^{55} \\
& + x^{54} + x^{53} + x^{48} + x^{47} + x^{46} + x^{45} + x^{42} + x^{26} + x^{24} + x^{23} + x^{22} \\
& + x^{21} + x^{18}, \\
p_6(x) = & x^{156} + x^{152} + x^{150} + x^{148} + x^{146} + x^{134} + x^{132} + x^{124} + x^{122} + x^{120} \\
& + x^{118} + x^{116} + x^{110} + x^{106} + x^{104} + x^{102} + x^{98} + x^{96} + x^{90} + x^{88} \\
& + x^{86} + x^{80} + x^{64} + x^{60} + x^{58} + x^{54} + x^{50} + x^{38} + x^{32} + x^{30} + x^{22} \\
& + x^{20} + x^{18} + x^{12}, \\
p_9(x) = & x^{158} + x^{156} + x^{155} + x^{153} + x^{151} + x^{148} + x^{146} + x^{143} + x^{139} + x^{138} \\
& + x^{137} + x^{134} + x^{126} + x^{124} + x^{123} + x^{121} + x^{119} + x^{116} + x^{114} \\
& + x^{111} + x^{110} + x^{108} + x^{106} + x^{103} + x^{102} + x^{100} + x^{98} + x^{95} + x^{91} \\
& + x^{90} + x^{89} + x^{86} + x^{30} + x^{28} + x^{27} + x^{25} + x^{23} + x^{20} + x^{18} + x^{15} \\
& + x^{11} + x^{10} + x^9 + x^6, \\
p_{12}(x) = & x^{160} + x^{152} + x^{148} + x^{120} + x^{116} + x^{112} + x^{104} + x^{100} + x^{96} + x^{80} \\
& + x^{32} + x^{24} + x^{20} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 0]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) = & x^{147} + x^{145} + x^{141} + x^{137} + x^{136} + x^{135} + x^{133} + x^{132} + x^{131} + x^{129} \\
& + x^{127} + x^{125} + x^{124} + x^{123} + x^{121} + x^{117} + x^{116} + x^{114} + x^{111} \\
& + x^{106} + x^{103} + x^{101} + x^{100} + x^{96} + x^{91} + x^{89} + x^{87} + x^{84} + x^{81}
\end{aligned}$$

$$\begin{aligned}
& + x^{77} + x^{73} + x^{71} + x^{69} + x^{67} + x^{61} + x^{60} + x^{59} + x^{57} + x^{56} + x^{55} \\
& + x^{53} + x^{50} + x^{48} + x^{45} + x^{42}, \\
p_3(x) = & x^{145} + x^{144} + x^{143} + x^{139} + x^{137} + x^{135} + x^{130} + x^{129} + x^{126} + x^{118} \\
& + x^{110} + x^{107} + x^{104} + x^{99} + x^{98} + x^{97} + x^{96} + x^{90} + x^{88} + x^{87} + x^{86} \\
& + x^{85} + x^{84} + x^{83} + x^{82} + x^{78} + x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{72} \\
& + x^{71} + x^{67} + x^{65} + x^{63} + x^{61} + x^{60} + x^{59} + x^{57} + x^{54} + x^{53} + x^{52} \\
& + x^{51} + x^{50} + x^{45} + x^{44} + x^{42} + x^{41} + x^{39} + x^{37} + x^{36} + x^{35} + x^{33} \\
& + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{22}, \\
p_6(x) = & x^{145} + x^{144} + x^{143} + x^{139} + x^{137} + x^{131} + x^{130} + x^{126} + x^{125} + x^{124} \\
& + x^{122} + x^{116} + x^{114} + x^{113} + x^{111} + x^{109} + x^{108} + x^{107} + x^{106} \\
& + x^{105} + x^{103} + x^{102} + x^{99} + x^{98} + x^{97} + x^{95} + x^{93} + x^{91} + x^{90} + x^{89} \\
& + x^{87} + x^{86} + x^{85} + x^{77} + x^{75} + x^{73} + x^{72} + x^{70} + x^{64} + x^{63} + x^{61} \\
& + x^{60} + x^{56} + x^{55} + x^{54} + x^{53} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{39} \\
& + x^{36} + x^{33} + x^{32} + x^{30} + x^{25} + x^{21} + x^{20} + x^{19} + x^{18} + x^{14} + x^9 \\
& + x^8 + x + 1, \\
p_9(x) = & x^{145} + x^{144} + x^{133} + x^{132} + x^{121} + x^{120} + x^{117} + x^{116} + x^{113} + x^{112} \\
& + x^{105} + x^{104} + x^{97} + x^{96} + x^{85} + x^{84} + x^{73} + x^{72} + x^{69} + x^{68} + x^{57} \\
& + x^{56} + x^{53} + x^{52} + x^{41} + x^{40} + x^{37} + x^{36} + x^{25} + x^{24} + x^{21} + x^{20} \\
& + x^{17} + x^{16} + x^9 + x^8, \\
p_{12}(x) = & x^{145} + x^{144} + x^{137} + x^{136} + x^{133} + x^{132} + x^{129} + x^{128} + x^{121} + x^{120} \\
& + x^{117} + x^{116} + x^{113} + x^{112} + x^{89} + x^{88} + x^{85} + x^{84} + x^{81} + x^{80} \\
& + x^{73} + x^{72} + x^{69} + x^{68} + x^{57} + x^{56} + x^{53} + x^{52} + x^{41} + x^{40} + x^{37} \\
& + x^{36} + x^{25} + x^{24} + x^{21} + x^{20} + x^{17} + x^{16} + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 0, 1]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned}
p_0(x) = & x^{147} + x^{144} + x^{142} + x^{141} + x^{139} + x^{136} + x^{135} + x^{131} + x^{128} + x^{127} \\
& + x^{123} + x^{117} + x^{112} + x^{110} + x^{109} + x^{108} + x^{105} + x^{100} + x^{97} + x^{96} \\
& + x^{94} + x^{93} + x^{87} + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{79} + x^{77} + x^{76} \\
& + x^{75} + x^{74} + x^{71} + x^{70} + x^{69} + x^{66} + x^{64} + x^{58} + x^{56} + x^{55} + x^{53} \\
& + x^{52} + x^{50} + x^{48} + x^{47} + x^{46} + x^{44} + x^{42} + x^{40} + x^{33} + x^{32} + x^{30} \\
& + x^{29} + x^{28} + x^{25} + x^{24}, \\
p_3(x) = & x^{145} + x^{144} + x^{143} + x^{141} + x^{140} + x^{139} + x^{137} + x^{134} + x^{131} + x^{129} \\
& + x^{127} + x^{123} + x^{122} + x^{121} + x^{120} + x^{118} + x^{117} + x^{116} + x^{113} \\
& + x^{112} + x^{110} + x^{109} + x^{108} + x^{107} + x^{104} + x^{103} + x^{102} + x^{101} \\
& + x^{100} + x^{97} + x^{96} + x^{90} + x^{89} + x^{78} + x^{75} + x^{74} + x^{71} + x^{69} + x^{68}
\end{aligned}$$

$$\begin{aligned}
& + x^{67} + x^{65} + x^{62} + x^{61} + x^{60} + x^{58} + x^{57} + x^{55} + x^{53} + x^{52} + x^{49} \\
& + x^{48} + x^{45} + x^{44} + x^{42} + x^{40} + x^{38} + x^{37} + x^{36} + x^{34} + x^{33} + x^{31} \\
& + x^{29} + x^{28} + x^{25} + x^{24} + x^{22} + x^{21} + x^{20} + x^{17} + x^{16}, \\
p_6(x) &= x^{145} + x^{144} + x^{143} + x^{141} + x^{140} + x^{139} + x^{137} + x^{135} + x^{134} + x^{133} \\
& + x^{132} + x^{126} + x^{122} + x^{117} + x^{115} + x^{112} + x^{111} + x^{109} + x^{108} \\
& + x^{104} + x^{97} + x^{94} + x^{92} + x^{91} + x^{90} + x^{88} + x^{87} + x^{86} + x^{85} + x^{79} \\
& + x^{78} + x^{77} + x^{74} + x^{71} + x^{65} + x^{62} + x^{59} + x^{58} + x^{57} + x^{53} + x^{47} \\
& + x^{43} + x^{42} + x^{41} + x^{40} + x^{39} + x^{37} + x^{35} + x^{34} + x^{31} + x^{29} + x^{28} \\
& + x^{24} + x^{23} + x^{22} + x^{21} + x^{20} + x^{14} + x^{13} + x^{12} + x + 1, \\
p_9(x) &= x^{145} + x^{144} + x^{133} + x^{132} + x^{121} + x^{120} + x^{117} + x^{116} + x^{113} + x^{112} \\
& + x^{105} + x^{104} + x^{97} + x^{96} + x^{85} + x^{84} + x^{73} + x^{72} + x^{69} + x^{68} + x^{57} \\
& + x^{56} + x^{53} + x^{52} + x^{41} + x^{40} + x^{37} + x^{36} + x^{25} + x^{24} + x^{21} + x^{20} \\
& + x^{17} + x^{16} + x^9 + x^8, \\
p_{12}(x) &= x^{145} + x^{144} + x^{137} + x^{136} + x^{133} + x^{132} + x^{129} + x^{128} + x^{121} + x^{120} \\
& + x^{117} + x^{116} + x^{113} + x^{112} + x^{89} + x^{88} + x^{85} + x^{84} + x^{81} + x^{80} \\
& + x^{73} + x^{72} + x^{69} + x^{68} + x^{57} + x^{56} + x^{53} + x^{52} + x^{41} + x^{40} + x^{37} \\
& + x^{36} + x^{25} + x^{24} + x^{21} + x^{20} + x^{17} + x^{16} + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 1, 1, 1, 0, 1, 0, 1, 1, 1]$.

For $\phi(W^\circ, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{156} + x^{153} + x^{151} + x^{149} + x^{146} + x^{145} + x^{143} + x^{135} + x^{133} + x^{132} \\
& + x^{130} + x^{128} + x^{123} + x^{118} + x^{115} + x^{110} + x^{107} + x^{105} + x^{100} \\
& + x^{99} + x^{97} + x^{94} + x^{90} + x^{89} + x^{85} + x^{83} + x^{81} + x^{79} + x^{78} + x^{75} \\
& + x^{72} + x^{71} + x^{70} + x^{67} + x^{66} + x^{65} + x^{64} + x^{62} + x^{59} + x^{54} + x^{53} \\
& + x^{52} + x^{51} + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} + x^{38} + x^{37} + x^{36} + x^{34} \\
& + x^{33}, \\
p_3(x) &= x^{154} + x^{152} + x^{151} + x^{150} + x^{149} + x^{146} + x^{114} + x^{112} + x^{111} + x^{110} \\
& + x^{109} + x^{106} + x^{90} + x^{88} + x^{87} + x^{86} + x^{85} + x^{82} + x^{58} + x^{56} + x^{55} \\
& + x^{54} + x^{53} + x^{48} + x^{47} + x^{46} + x^{45} + x^{42} + x^{26} + x^{24} + x^{23} + x^{22} \\
& + x^{21} + x^{18}, \\
p_6(x) &= x^{156} + x^{152} + x^{150} + x^{148} + x^{146} + x^{134} + x^{132} + x^{124} + x^{122} + x^{120} \\
& + x^{118} + x^{116} + x^{110} + x^{106} + x^{104} + x^{102} + x^{98} + x^{96} + x^{90} + x^{88} \\
& + x^{86} + x^{80} + x^{64} + x^{60} + x^{58} + x^{54} + x^{50} + x^{38} + x^{32} + x^{30} + x^{22} \\
& + x^{20} + x^{18} + x^{12}, \\
p_9(x) &= x^{158} + x^{156} + x^{155} + x^{153} + x^{151} + x^{148} + x^{146} + x^{143} + x^{139} + x^{138} \\
& + x^{137} + x^{134} + x^{126} + x^{124} + x^{123} + x^{121} + x^{119} + x^{116} + x^{114}
\end{aligned}$$

$$\begin{aligned}
& + x^{111} + x^{110} + x^{108} + x^{106} + x^{103} + x^{102} + x^{100} + x^{98} + x^{95} + x^{91} \\
& + x^{90} + x^{89} + x^{86} + x^{30} + x^{28} + x^{27} + x^{25} + x^{23} + x^{20} + x^{18} + x^{15} \\
& + x^{11} + x^{10} + x^9 + x^6, \\
p_{12}(x) &= x^{160} + x^{152} + x^{148} + x^{120} + x^{116} + x^{112} + x^{104} + x^{100} + x^{96} + x^{80} \\
& + x^{32} + x^{24} + x^{20} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 0]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{148} + x^{144} + x^{141} + x^{140} + x^{139} + x^{132} + x^{131} + x^{129} + x^{128} + x^{127} \\
& + x^{125} + x^{123} + x^{122} + x^{121} + x^{119} + x^{118} + x^{116} + x^{114} + x^{113} \\
& + x^{110} + x^{108} + x^{103} + x^{99} + x^{95} + x^{94} + x^{92} + x^{90} + x^{88} + x^{87} + x^{85} \\
& + x^{84} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} + x^{76} + x^{73} + x^{69} + x^{68} + x^{63} \\
& + x^{60} + x^{59} + x^{58} + x^{51} + x^{50} + x^{48} + x^{47} + x^{46} + x^{45} + x^{41} + x^{40} \\
& + x^{38} + x^{37} + x^{35} + x^{33}, \\
p_3(x) &= x^{134} + x^{132} + x^{131} + x^{129} + x^{128} + x^{127} + x^{126} + x^{125} + x^{124} + x^{123} \\
& + x^{122} + x^{121} + x^{120} + x^{119} + x^{117} + x^{114} + x^{102} + x^{100} + x^{99} + x^{97} \\
& + x^{96} + x^{95} + x^{93} + x^{90} + x^{86} + x^{84} + x^{83} + x^{81} + x^{80} + x^{79} + x^{77} \\
& + x^{74} + x^{62} + x^{60} + x^{59} + x^{57} + x^{56} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} \\
& + x^{50} + x^{49} + x^{48} + x^{47} + x^{45} + x^{42} + x^{38} + x^{36} + x^{35} + x^{33} + x^{32} \\
& + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{21} + x^{18}, \\
p_6(x) &= x^{136} + x^{130} + x^{128} + x^{124} + x^{116} + x^{112} + x^{110} + x^{108} + x^{106} + x^{104} \\
& + x^{100} + x^{98} + x^{90} + x^{86} + x^{84} + x^{82} + x^{78} + x^{76} + x^{72} + x^{70} + x^{68} \\
& + x^{58} + x^{50} + x^{48} + x^{46} + x^{40} + x^{36} + x^{30} + x^{28} + x^{18} + x^{16} + x^{12}, \\
p_9(x) &= x^{138} + x^{136} + x^{135} + x^{134} + x^{133} + x^{132} + x^{130} + x^{129} + x^{125} + x^{123} \\
& + x^{122} + x^{121} + x^{120} + x^{119} + x^{117} + x^{116} + x^{114} + x^{113} + x^{109} \\
& + x^{107} + x^{105} + x^{102} + x^{90} + x^{88} + x^{87} + x^{86} + x^{85} + x^{84} + x^{82} + x^{81} \\
& + x^{77} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} + x^{69} + x^{68} + x^{66} + x^{65} + x^{61} \\
& + x^{59} + x^{58} + x^{57} + x^{56} + x^{55} + x^{53} + x^{52} + x^{50} + x^{49} + x^{45} + x^{43} \\
& + x^{42} + x^{41} + x^{40} + x^{39} + x^{37} + x^{36} + x^{34} + x^{33} + x^{29} + x^{27} + x^{26} \\
& + x^{25} + x^{24} + x^{23} + x^{21} + x^{20} + x^{18} + x^{17} + x^{13} + x^{11} + x^9 + x^6, \\
p_{12}(x) &= x^{140} + x^{136} + x^{128} + x^{116} + x^{108} + x^{104} + x^{100} + x^{96} + x^{92} + x^{88} \\
& + x^{80} + x^{68} + x^{52} + x^{36} + x^{20} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(W^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{147} + x^{145} + x^{141} + x^{137} + x^{136} + x^{135} + x^{133} + x^{132} + x^{131} + x^{129} \\
& + x^{127} + x^{125} + x^{124} + x^{123} + x^{121} + x^{117} + x^{116} + x^{114} + x^{111}
\end{aligned}$$

$$\begin{aligned}
& + x^{106} + x^{103} + x^{101} + x^{100} + x^{96} + x^{91} + x^{89} + x^{87} + x^{84} + x^{81} \\
& + x^{77} + x^{73} + x^{71} + x^{69} + x^{67} + x^{61} + x^{60} + x^{59} + x^{57} + x^{56} + x^{55} \\
& + x^{53} + x^{50} + x^{48} + x^{45} + x^{42}, \\
p_3(x) &= x^{145} + x^{144} + x^{143} + x^{139} + x^{137} + x^{135} + x^{130} + x^{129} + x^{126} + x^{118} \\
& + x^{110} + x^{107} + x^{104} + x^{99} + x^{98} + x^{97} + x^{96} + x^{90} + x^{88} + x^{87} + x^{86} \\
& + x^{85} + x^{84} + x^{83} + x^{82} + x^{78} + x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{72} \\
& + x^{71} + x^{67} + x^{65} + x^{63} + x^{61} + x^{60} + x^{59} + x^{57} + x^{54} + x^{53} + x^{52} \\
& + x^{51} + x^{50} + x^{45} + x^{44} + x^{42} + x^{41} + x^{39} + x^{37} + x^{36} + x^{35} + x^{33} \\
& + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{22}, \\
p_6(x) &= x^{145} + x^{144} + x^{143} + x^{139} + x^{137} + x^{131} + x^{130} + x^{126} + x^{125} + x^{124} \\
& + x^{122} + x^{116} + x^{114} + x^{113} + x^{111} + x^{109} + x^{108} + x^{107} + x^{106} \\
& + x^{105} + x^{103} + x^{102} + x^{99} + x^{98} + x^{97} + x^{95} + x^{93} + x^{91} + x^{90} + x^{89} \\
& + x^{87} + x^{86} + x^{85} + x^{77} + x^{75} + x^{73} + x^{72} + x^{70} + x^{64} + x^{63} + x^{61} \\
& + x^{60} + x^{56} + x^{55} + x^{54} + x^{53} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{39} \\
& + x^{36} + x^{33} + x^{32} + x^{30} + x^{25} + x^{21} + x^{20} + x^{19} + x^{18} + x^{14} + x^9 \\
& + x^8 + x + 1, \\
p_9(x) &= x^{145} + x^{144} + x^{133} + x^{132} + x^{121} + x^{120} + x^{117} + x^{116} + x^{113} + x^{112} \\
& + x^{105} + x^{104} + x^{97} + x^{96} + x^{85} + x^{84} + x^{73} + x^{72} + x^{69} + x^{68} + x^{57} \\
& + x^{56} + x^{53} + x^{52} + x^{41} + x^{40} + x^{37} + x^{36} + x^{25} + x^{24} + x^{21} + x^{20} \\
& + x^{17} + x^{16} + x^9 + x^8, \\
p_{12}(x) &= x^{145} + x^{144} + x^{137} + x^{136} + x^{133} + x^{132} + x^{129} + x^{128} + x^{121} + x^{120} \\
& + x^{117} + x^{116} + x^{113} + x^{112} + x^{89} + x^{88} + x^{85} + x^{84} + x^{81} + x^{80} \\
& + x^{73} + x^{72} + x^{69} + x^{68} + x^{57} + x^{56} + x^{53} + x^{52} + x^{41} + x^{40} + x^{37} \\
& + x^{36} + x^{25} + x^{24} + x^{21} + x^{20} + x^{17} + x^{16} + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 0, 1]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	53	[12, 11]	106	[161, 162]	159	[102, 189]	212	[193, 96]
1	[3, 4]	54	[92, 93]	107	[163, 139]	160	[29, 108]	213	[233, 11]
2	[5, 6]	55	[92, 94]	108	[164, 165]	161	[190, 191]	214	[176, 11]
3	[7, 8]	56	[95, 92]	109	[166, 167]	162	[31, 96]	215	[94, 95]
4	[9, 10]	57	[94, 94]	110	[168, 169]	163	[185, 107]	216	[107, 107]
5	[8, 11]	58	[32, 96]	111	[170, 171]	164	[111, 110]	217	[87, 234]
6	[12, 13]	59	[97, 86]	112	[172, 33]	165	[192, 11]	218	[231, 10]
7	[14, 15]	60	[81, 98]	113	[173, 83]	166	[32, 40]	219	[85, 236]

8	[16, 17]	61	[99, 100]	114	[84, 42]	167	[85, 98]	220	[32, 31]
9	[18, 19]	62	[81, 86]	115	[28, 86]	168	[181, 179]	221	[34, 237]
10	[20, 21]	63	[81, 35]	116	[174, 88]	169	[97, 34]	222	[37, 44]
11	[15, 22]	64	[40, 96]	117	[175, 10]	170	[193, 193]	223	[109, 238]
12	[23, 24]	65	[11, 101]	118	[111, 91]	171	[109, 34]	224	[96, 96]
13	[25, 26]	66	[89, 10]	119	[176, 13]	172	[194, 124]	225	[98, 239]
14	[27, 28]	67	[102, 103]	120	[107, 177]	173	[195, 196]	226	[29, 83]
15	[29, 30]	68	[104, 83]	121	[93, 94]	174	[197, 198]	227	[240, 235]
16	[31, 32]	69	[105, 106]	122	[40, 42]	175	[199, 200]	228	[42, 31]
17	[33, 34]	70	[31, 40]	123	[97, 98]	176	[201, 202]	229	[95, 177]
18	[35, 36]	71	[93, 93]	124	[173, 108]	177	[203, 163]	230	[177, 93]
19	[37, 30]	72	[94, 93]	125	[178, 98]	178	[204, 205]	231	[241, 242]
20	[38, 39]	73	[107, 92]	126	[37, 179]	179	[206, 207]	232	[243, 244]
21	[40, 41]	74	[82, 108]	127	[28, 43]	180	[115, 208]	233	[245, 246]
22	[28, 34]	75	[109, 86]	128	[178, 34]	181	[209, 210]	234	[247, 248]
23	[42, 41]	76	[12, 110]	129	[31, 31]	182	[211, 212]	235	[249, 250]
24	[33, 43]	77	[111, 13]	130	[34, 180]	183	[213, 214]	236	[251, 252]
25	[29, 44]	78	[41, 96]	131	[181, 30]	184	[215, 216]	237	[79, 253]
26	[45, 43]	79	[28, 98]	132	[38, 182]	185	[185, 185]	238	[254, 255]
27	[46, 47]	80	[112, 113]	133	[84, 31]	186	[217, 218]	239	[145, 256]
28	[48, 49]	81	[114, 115]	134	[181, 183]	187	[219, 220]	240	[257, 258]
29	[50, 51]	82	[116, 117]	135	[85, 43]	188	[221, 222]	241	[86, 36]
30	[52, 53]	83	[118, 119]	136	[177, 95]	189	[223, 224]	242	[82, 44]
31	[54, 55]	84	[120, 121]	137	[184, 185]	190	[225, 226]	243	[81, 238]
32	[56, 57]	85	[122, 123]	138	[95, 107]	191	[227, 144]	244	[84, 40]
33	[58, 59]	86	[124, 125]	139	[184, 107]	192	[228, 128]	245	[96, 31]
34	[47, 60]	87	[126, 127]	140	[107, 185]	193	[229, 230]	246	[109, 43]
35	[61, 62]	88	[128, 129]	141	[94, 184]	194	[80, 178]	247	[178, 43]
36	[63, 64]	89	[130, 131]	142	[95, 185]	195	[11, 187]	248	[193, 41]
37	[65, 66]	90	[132, 133]	143	[177, 94]	196	[231, 90]	249	[190, 259]
38	[67, 68]	91	[134, 135]	144	[41, 40]	197	[104, 44]	250	[193, 40]
39	[69, 70]	92	[136, 137]	145	[45, 86]	198	[85, 34]	251	[186, 2]
40	[71, 72]	93	[137, 138]	146	[33, 86]	199	[86, 232]	252	[178, 86]
41	[55, 71]	94	[139, 140]	147	[91, 101]	200	[173, 30]	253	[96, 40]
42	[73, 54]	95	[141, 142]	148	[175, 90]	201	[193, 32]	254	[99, 2]
43	[74, 75]	96	[121, 143]	149	[8, 13]	202	[81, 43]	255	[109, 98]
44	[76, 77]	97	[144, 145]	150	[111, 11]	203	[177, 184]	256	[40, 40]
45	[78, 79]	98	[113, 146]	151	[85, 102]	204	[84, 84]	257	[238, 260]
46	[80, 81]	99	[147, 148]	152	[41, 41]	205	[45, 98]	258	[186, 83]
47	[82, 83]	100	[149, 150]	153	[186, 100]	206	[233, 13]	259	[261, 58]
48	[40, 84]	101	[151, 152]	154	[33, 98]	207	[192, 13]	260	[205, 262]
49	[85, 86]	102	[153, 154]	155	[109, 35]	208	[42, 96]	261	[240, 106]
50	[87, 88]	103	[155, 156]	156	[42, 40]	209	[174, 234]	262	[84, 96]
51	[89, 90]	104	[157, 158]	157	[91, 187]	210	[188, 90]		

| 52 [12, 91] | 105 [159, 160] | 158 [188, 10] | 211 [105, 235] |

Output function $n \mapsto \tau(n)$:

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	38	1	76	0	114	0	152	0	190	1	228	0
1	0	39	1	77	1	115	1	153	1	191	0	229	1
2	0	40	1	78	0	116	0	154	1	192	0	230	0
3	0	41	0	79	1	117	1	155	1	193	1	231	1
4	0	42	0	80	0	118	1	156	0	194	0	232	0
5	0	43	0	81	0	119	1	157	0	195	1	233	1
6	0	44	0	82	0	120	0	158	0	196	1	234	0
7	0	45	0	83	1	121	1	159	1	197	0	235	1
8	0	46	0	84	0	122	1	160	1	198	1	236	1
9	0	47	0	85	1	123	0	161	1	199	1	237	1
10	1	48	1	86	1	124	1	162	0	200	1	238	0
11	1	49	1	87	1	125	0	163	0	201	1	239	0
12	0	50	1	88	0	126	1	164	1	202	0	240	0
13	1	51	0	89	0	127	1	165	0	203	0	241	1
14	0	52	0	90	1	128	0	166	1	204	0	242	0
15	1	53	0	91	0	129	0	167	1	205	0	243	0
16	0	54	0	92	0	130	0	168	0	206	1	244	0
17	1	55	0	93	1	131	0	169	0	207	0	245	1
18	0	56	1	94	1	132	1	170	1	208	0	246	1
19	1	57	1	95	1	133	0	171	1	209	0	247	0
20	1	58	1	96	1	134	0	172	0	210	0	248	1
21	1	59	0	97	0	135	1	173	1	211	1	249	1
22	1	60	0	98	1	136	0	174	0	212	1	250	1
23	0	61	0	99	0	137	1	175	1	213	1	251	1
24	1	62	0	100	0	138	1	176	1	214	1	252	0
25	1	63	0	101	1	139	1	177	0	215	1	253	1
26	0	64	1	102	1	140	0	178	0	216	0	254	0
27	0	65	1	103	1	141	1	179	1	217	1	255	1
28	1	66	0	104	0	142	1	180	1	218	1	256	1
29	1	67	1	105	1	143	0	181	0	219	1	257	0
30	0	68	0	106	1	144	0	182	1	220	1	258	1
31	0	69	1	107	0	145	0	183	1	221	0	259	0
32	1	70	0	108	1	146	1	184	1	222	1	260	0
33	1	71	1	109	1	147	0	185	0	223	1	261	0
34	0	72	1	110	0	148	1	186	1	224	1	262	0
35	0	73	0	111	1	149	0	187	1	225	1		
36	0	74	0	112	0	150	1	188	0	226	1		
37	1	75	1	113	1	151	1	189	1	227	0		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE
Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA
Email address: `huyining@hust.edu.cn`