

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z^4 + z^3 + z^2, z^3 + z)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z^4 + z^3 + z^2, z^3 + z)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 19:13:51 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 13.5 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z^4 + z^3 + z^2, z^3 + z)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$p_0(z) = z^{17} + z^{16} + z^{15} + z^{13} + z^{12} + z^{11} + z^{10} + z^9 + z^8 + z^7 + z^4 + z^3 + z + 1,$$

$$p_1(z) = z^{21} + z^{20} + z^{17} + z^{13} + z^8 + z^7 + z^6 + z^2,$$

$$p_2(z) = z^{24} + z^{20} + z^{18} + z^{16} + z^{14} + z^4,$$

$$p_3(z) = z^{21} + z^{20} + z^{17} + z^{13} + z^8 + z^7 + z^6 + z^2,$$

$$p_4(z) = z^{18} + z^{17} + z^{15} + z^{14} + z^{13} + z^{12} + z^{11} + z^{10} + z^9 + z^7 + z^4 + z^3 + z,$$

and for $\text{CF}(b, a)$,

$$p_0(z) = z^{17} + z^{16} + z^{15} + z^{13} + z^{11} + z^{10} + z^9 + z^8 + z^7 + z^3 + z,$$

$$p_1(z) = z^{21} + z^{20} + z^{17} + z^{13} + z^8 + z^7 + z^6 + z^2,$$

$$p_2(z) = z^{24} + z^{20} + z^{18} + z^{16} + z^{14} + z^4,$$

$$p_3(z) = z^{21} + z^{20} + z^{17} + z^{13} + z^8 + z^7 + z^6 + z^2,$$

$$p_4(z) = z^{18} + z^{17} + z^{15} + z^{14} + z^{13} + z^{11} + z^{10} + z^9 + z^7 + z^3 + z + 1.$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{t}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$M_{n+1}(x) = W_n(x) \cdot M_n(x),$$

$$W_{n+1}(x) = M_n(x) \cdot W_n(x).$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(175, 175, 175, 175, 175)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 630 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 630, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 770 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 770, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:14u] &= M^e[:7u] + x^u M^e[:6u] + x^{3u} M^e[:4u] + x^{4u} M^e[:3u] + x^{6u} M^e[:u] \\ &\quad + x^u M^e[:7u] + x^{2u} M^e[:6u] + x^{4u} M^e[:4u] + x^{5u} M^e[:3u] \\ &\quad + x^{7u} M^e[:u] + x^{2u} M^e[:7u] + x^{3u} M^e[:6u] + x^{5u} M^e[:4u] \\ &\quad + x^{6u} M^e[:3u] + x^{8u} M^e[:u] + x^{8u} M^e[:6u] + (x^{7u} + x^{8u} + x^{9u}) R^e, \\ W^e[:14u] &= W^e[:7u] + x^u W^e[:6u] + x^{3u} W^e[:4u] + x^{4u} W^e[:3u] + x^{6u} W^e[:u] \\ &\quad + x^u W^e[:7u] + x^{2u} W^e[:6u] + x^{4u} W^e[:4u] + x^{5u} W^e[:3u] \end{aligned}$$

$$\begin{aligned}
& + x^{7u}W^e[:u] + x^{2u}W^e[:7u] + x^{3u}W^e[:6u] + x^{5u}W^e[:4u] \\
& + x^{6u}W^e[:3u] + x^{8u}W^e[:u] + x^{8u}W^e[:6u] + (x^{7u} + x^{8u} + x^{9u})R^e.
\end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned}
M^o[:14u] &= M^o[:7u] + x^u M^o[:6u] + x^{3u} M^o[:4u] + x^{4u} M^o[:3u] + x^{6u} M^o[:u] \\
&+ x^u M^o[:7u] + x^{2u} M^o[:6u] + x^{4u} M^o[:4u] + x^{5u} M^o[:3u] \\
&+ x^{7u} M^o[:u] + x^{2u} M^o[:7u] + x^{3u} M^o[:6u] + x^{5u} M^o[:4u] \\
&+ x^{6u} M^o[:3u] + x^{8u} M^o[:u] + x^{8u} M^o[:6u] + (x^{7u} + x^{8u} + x^{9u})R^o, \\
W^o[:14u] &= W^o[:7u] + x^u W^o[:6u] + x^{3u} W^o[:4u] + x^{4u} W^o[:3u] + x^{6u} W^o[:u] \\
&+ x^u W^o[:7u] + x^{2u} W^o[:6u] + x^{4u} W^o[:4u] + x^{5u} W^o[:3u] \\
&+ x^{7u} W^o[:u] + x^{2u} W^o[:7u] + x^{3u} W^o[:6u] + x^{5u} W^o[:4u] \\
&+ x^{6u} W^o[:3u] + x^{8u} W^o[:u] + x^{8u} W^o[:6u] + (x^{7u} + x^{8u} + x^{9u})R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$\begin{aligned}
T[:14u] &= T[:7u] + x^u T[:6u] + x^{3u} T[:4u] + x^{4u} T[:3u] + x^{6u} T[:u] + x^u T[:7u] \\
&+ x^{2u} T[:6u] + x^{4u} T[:4u] + x^{5u} T[:3u] + x^{7u} T[:u] + x^{2u} T[:7u] \\
&+ x^{3u} T[:6u] + x^{5u} T[:4u] + x^{6u} T[:3u] + x^{8u} T[:u] + x^{8u} T[:6u].
\end{aligned}$$

The proof of the other 15 cases are similar. We break down the above identity into 7 parts:

$$\begin{aligned}
0 &= x^{7u}T[:u] + x^{6u}T[u:2u] + x^{4u}T[3u:4u] + x^{3u}T[4u:5u] + x^u T[6u:7u] \\
&+ T[7u:8u], \\
0 &= x^{6u}T[2u:3u] + x^{5u}T[3u:4u] + x^{3u}T[5u:6u] + x^{2u}T[6u:7u] \\
&+ T[8u:9u], \\
0 &= x^{8u}T[u:2u] + T[9u:10u], \\
0 &= x^{8u}T[2u:3u] + T[10u:11u], \\
0 &= x^{8u}T[3u:4u] + T[11u:12u], \\
0 &= x^{8u}T[4u:5u] + T[12u:13u], \\
0 &= x^{8u}T[5u:6u] + T[13u:14u],
\end{aligned}$$

which can be rewritten as

$$\begin{aligned}
(2.7) \quad 0 &= T[[w]_2] + T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[110w]_2] \\
&+ T[[111w]_2],
\end{aligned}$$

$$(2.8) \quad 0 = T[[10w]_2] + T[[11w]_2] + T[[101w]_2] + T[[110w]_2] + T[[1000w]_2],$$

$$(2.9) \quad 0 = T[[1w]_2] + T[[1001w]_2],$$

$$(2.10) \quad 0 = T[[10w]_2] + T[[1010w]_2],$$

$$(2.11) \quad 0 = T[[11w]_2] + T[[1011w]_2],$$

$$(2.12) \quad 0 = T[[100w]_2] + T[[1100w]_2],$$

$$(2.13) \quad 0 = T[[101w]_2] + T[[1101w]_2],$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$(2.14) \quad \begin{aligned} 0 = & T[[w]_2] + T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[110w]_2] \\ & + T[[111w]_2], \end{aligned}$$

$$(2.15) \quad 0 = T[[10w]_2] + T[[11w]_2] + T[[101w]_2] + T[[110w]_2] + T[[1000w]_2],$$

$$(2.16) \quad 0 = T[[1w]_2] + T[[1001w]_2],$$

$$(2.17) \quad 0 = T[[10w]_2] + T[[1010w]_2],$$

$$(2.18) \quad 0 = T[[11w]_2] + T[[1011w]_2],$$

$$(2.19) \quad 0 = T[[100w]_2] + T[[1100w]_2],$$

$$(2.20) \quad 0 = T[[101w]_2] + T[[1101w]_2],$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 520 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.20) can be written as

$$(2.21) \quad \begin{aligned} 0 = & \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) \\ & + \tau(A(s, 110)) + \tau(A(s, 111)), \end{aligned}$$

$$(2.22) \quad \begin{aligned} 0 = & \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 101)) + \tau(A(s, 110)) \\ & + \tau(A(s, 1000)), \end{aligned}$$

$$(2.23) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 1001)),$$

$$(2.24) \quad 0 = \tau(A(s, 10)) + \tau(A(s, 1010)),$$

$$(2.25) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 1011)),$$

$$(2.26) \quad 0 = \tau(A(s, 100)) + \tau(A(s, 1100)),$$

$$(2.27) \quad 0 = \tau(A(s, 101)) + \tau(A(s, 1101)),$$

for all $s \in E_{2k}$, and

$$(2.28) \quad \begin{aligned} 0 = & \tau(A(s, \epsilon)) + \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) \\ & + \tau(A(s, 110)) + \tau(A(s, 111)), \end{aligned}$$

$$(2.29) \quad \begin{aligned} 0 = & \tau(A(s, 10)) + \tau(A(s, 11)) + \tau(A(s, 101)) + \tau(A(s, 110)) \\ & + \tau(A(s, 1000)), \end{aligned}$$

$$(2.30) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 1001)),$$

$$(2.31) \quad 0 = \tau(A(s, 10)) + \tau(A(s, 1010)),$$

$$(2.32) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 1011)),$$

$$(2.33) \quad 0 = \tau(A(s, 100)) + \tau(A(s, 1100)),$$

$$(2.34) \quad 0 = \tau(A(s, 101)) + \tau(A(s, 1101)),$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{22}), E_{22}) = (A(i, 0^{18}), E_{18})$, so that we only have to verify that identities (2.21) through (2.34) hold for $2 \leq k \leq 11$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$\begin{aligned} M_{2k} &= M^e[:7u] + x^u M^e[:6u] + x^{3u} M^e[:4u] + x^{4u} M^e[:3u] + x^{6u} M^e[:u] \\ &\quad + x^{7u} R^e, \\ W_{2k} &= W^e[:7u] + x^u W^e[:6u] + x^{3u} W^e[:4u] + x^{4u} W^e[:3u] + x^{6u} W^e[:u] \\ &\quad + x^{7u} R^e. \end{aligned}$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$\begin{aligned} M_{2k+1} &= M^o[:7u] + x^u M^o[:6u] + x^{3u} M^o[:4u] + x^{4u} M^o[:3u] + x^{6u} M^o[:u] \\ &\quad + x^{7u} R^o, \\ W_{2k+1} &= W^o[:7u] + x^u W^o[:6u] + x^{3u} W^o[:4u] + x^{4u} W^o[:3u] + x^{6u} W^o[:u] \\ &\quad + x^{7u} R^o. \end{aligned}$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$\begin{aligned} M_{2k} \wedge W_{2k} &\Rightarrow M_{2k+1} \wedge W_{2k+1}, \\ M_{2k+1} \wedge W_{2k+1} &\Rightarrow M_{2k+2} \wedge W_{2k+2}. \end{aligned}$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$\begin{aligned} (2.35) \quad W_{2k} M_{2k} &= (W^e[:7v] + x^v W^e[:6v] + x^{3v} W^e[:4v] + x^{4v} W^e[:3v] + x^{6v} W^e[:v] \\ &\quad + x^{7v} R^e) \times (M^e[:7v] + x^v M^e[:6v] + x^{3v} M^e[:4v] + x^{4v} M^e[:3v] \\ &\quad + x^{6v} M^e[:v] + x^{7v} R^e); \end{aligned}$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{14v} R^o$. Therefore we only need to prove that their difference is $O(x^{14v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{14v} , to

$$\begin{aligned} W^e[:14v] M^e[:14v] &+ x^{2v} W^e[:12v] M^e[:12v] + x^{6v} W^e[:8v] M^e[:8v] \\ &+ x^{8v} W^e[:6v] M^e[:6v] + x^{12v} W^e[:2v] M^e[:2v]. \end{aligned}$$

For all $n \leq 14$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \end{aligned}$$

$$\begin{aligned} b_n &:= M^e[n \cdot v : (n+1) \cdot v]/X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.35) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{14}, b_1, \dots, b_{14}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{14})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned} \lim_{n \rightarrow \infty} M_{2n,j,k} &= M_{j,k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1,j,k} &= M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} &= W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} &= W_{j,k}^o. \end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12} \phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e/M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$\begin{aligned} q_0(x) &= x^{24} + x^{23} + x^{21} + x^{20} + x^{17} + x^{16} + x^{15} + x^{14} + x^{13} + x^{12} + x^{11} + x^9 \\ &\quad + x^8 + x^7, \\ q_1(x) &= x^{22} + x^{18} + x^{17} + x^{16} + x^{11} + x^7 + x^4 + x^3, \\ q_2(x) &= x^{20} + x^{10} + x^8 + x^6 + x^4 + 1, \\ q_3(x) &= x^{22} + x^{18} + x^{17} + x^{16} + x^{11} + x^7 + x^4 + x^3, \\ q_4(x) &= x^{23} + x^{21} + x^{20} + x^{17} + x^{15} + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^9 + x^7 \\ &\quad + x^6. \end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 216, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 216, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned} p_0(x) = & x^{126} + x^{124} + x^{116} + x^{110} + x^{108} + x^{104} + x^{100} + x^{88} + x^{84} + x^{82} \\ & + x^{78} + x^{74} + x^{72} + x^{70} + x^{62} + x^{60} + x^{54} + x^{52} + x^{48} + x^{46} + x^{44} \\ & + x^{40} + x^{36}, \end{aligned}$$

$$\begin{aligned} p_3(x) = & x^{118} + x^{114} + x^{110} + x^{108} + x^{106} + x^{104} + x^{102} + x^{92} + x^{90} + x^{84} \\ & + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{66} + x^{64} + x^{62} + x^{58} + x^{54} + x^{52} \\ & + x^{50} + x^{48} + x^{30} + x^{22} + x^{20}, \end{aligned}$$

$$\begin{aligned} p_6(x) = & x^{118} + x^{112} + x^{110} + x^{108} + x^{102} + x^{100} + x^{98} + x^{96} + x^{90} + x^{86} \\ & + x^{84} + x^{80} + x^{78} + x^{76} + x^{68} + x^{66} + x^{64} + x^{62} + x^{54} + x^{52} + x^{48} \\ & + x^{46} + x^{44} + x^{42} + x^{38} + x^{36} + x^{34} + x^{24} + x^{20} + x^{16} + x^6 + x^4 + x^2 \\ & + 1, \end{aligned}$$

$$\begin{aligned} p_9(x) = & x^{116} + x^{114} + x^{110} + x^{106} + x^{104} + x^{102} + x^{100} + x^{98} + x^{96} + x^{92} \\ & + x^{90} + x^{86} + x^{78} + x^{66} + x^{64} + x^{58} + x^{54} + x^{50} + x^{44} + x^{38} + x^{32} \\ & + x^{30} + x^{26} + x^{24} + x^{22} + x^{16} + x^{14} + x^6, \end{aligned}$$

$$p_{12}(x) = x^{116} + x^{114} + x^{112} + x^{68} + x^{66} + x^{64} + x^{36} + x^{34} + x^{32} + x^4 + x^2 + 1,$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 1, 0, 0, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned} p_0(x) = & x^{129} + x^{127} + x^{126} + x^{125} + x^{123} + x^{117} + x^{115} + x^{114} + x^{113} + x^{112} \\ & + x^{111} + x^{109} + x^{108} + x^{107} + x^{105} + x^{104} + x^{102} + x^{101} + x^{99} + x^{97} \\ & + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{90} + x^{89} + x^{86} + x^{83} + x^{82} + x^{78} \\ & + x^{75} + x^{73} + x^{68} + x^{64} + x^{62} + x^{59} + x^{56} + x^{55} + x^{54} + x^{51} + x^{48} \\ & + x^{47} + x^{46} + x^{44} + x^{43} + x^{42} + x^{40} + x^{39}, \end{aligned}$$

$$\begin{aligned} p_3(x) = & x^{122} + x^{121} + x^{119} + x^{112} + x^{111} + x^{110} + x^{108} + x^{106} + x^{103} + x^{102} \\ & + x^{101} + x^{99} + x^{90} + x^{89} + x^{87} + x^{80} + x^{79} + x^{78} + x^{76} + x^{74} + x^{71} \\ & + x^{70} + x^{69} + x^{67} + x^{66} + x^{65} + x^{63} + x^{58} + x^{57} + x^{56} + x^{54} + x^{52} \\ & + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} + x^{40} + x^{37} + x^{36} + x^{35} \\ & + x^{34} + x^{31} + x^{30} + x^{29} + x^{27}, \end{aligned}$$

$$\begin{aligned} p_6(x) = & x^{120} + x^{119} + x^{117} + x^{115} + x^{113} + x^{112} + x^{110} + x^{109} + x^{107} + x^{105} \\ & + x^{104} + x^{94} + x^{93} + x^{92} + x^{86} + x^{85} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} \\ & + x^{76} + x^{75} + x^{74} + x^{68} + x^{67} + x^{65} + x^{64} + x^{58} + x^{57} + x^{56} + x^{54} \\ & + x^{53} + x^{51} + x^{50} + x^{42} + x^{41} + x^{39} + x^{37} + x^{35} + x^{34} + x^{32} + x^{31} \end{aligned}$$

$$\begin{aligned}
& + x^{29} + x^{27} + x^{26} + x^{24} + x^{23} + x^{22} + x^{20} + x^{19} + x^{18}, \\
p_9(x) = & x^{118} + x^{117} + x^{115} + x^{104} + x^{103} + x^{102} + x^{100} + x^{98} + x^{96} + x^{94} \\
& + x^{92} + x^{90} + x^{88} + x^{85} + x^{82} + x^{81} + x^{79} + x^{78} + x^{77} + x^{76} + x^{74} \\
& + x^{71} + x^{70} + x^{69} + x^{67} + x^{66} + x^{65} + x^{63} + x^{60} + x^{59} + x^{57} + x^{54} \\
& + x^{53} + x^{52} + x^{50} + x^{48} + x^{45} + x^{38} + x^{37} + x^{36} + x^{34} + x^{31} + x^{30} \\
& + x^{29} + x^{28} + x^{26} + x^{24} + x^{22} + x^{19} + x^{16} + x^{15} + x^{14} + x^{12} + x^9, \\
p_{12}(x) = & x^{116} + x^{115} + x^{113} + x^{111} + x^{109} + x^{108} + x^{104} + x^{103} + x^{101} + x^{100} \\
& + x^{96} + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{84} + x^{80} + x^{79} + x^{77} \\
& + x^{76} + x^{72} + x^{71} + x^{69} + x^{67} + x^{65} + x^{64} + x^{36} + x^{35} + x^{33} + x^{31} \\
& + x^{29} + x^{28} + x^{24} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^{12} + x^8 \\
& + x^7 + x^5 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 1, 0, 1, 1, 0, 0, 1, 0, 0, 1, 1]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned}
p_0(x) = & x^{129} + x^{127} + x^{126} + x^{125} + x^{123} + x^{117} + x^{115} + x^{114} + x^{113} + x^{112} \\
& + x^{111} + x^{109} + x^{108} + x^{107} + x^{105} + x^{104} + x^{102} + x^{101} + x^{99} + x^{97} \\
& + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{90} + x^{89} + x^{86} + x^{83} + x^{82} + x^{78} \\
& + x^{75} + x^{73} + x^{68} + x^{64} + x^{62} + x^{59} + x^{56} + x^{55} + x^{54} + x^{51} + x^{48} \\
& + x^{47} + x^{46} + x^{44} + x^{43} + x^{42} + x^{40} + x^{39}, \\
p_3(x) = & x^{122} + x^{121} + x^{119} + x^{112} + x^{111} + x^{110} + x^{108} + x^{106} + x^{103} + x^{102} \\
& + x^{101} + x^{99} + x^{90} + x^{89} + x^{87} + x^{80} + x^{79} + x^{78} + x^{76} + x^{74} + x^{71} \\
& + x^{70} + x^{69} + x^{67} + x^{66} + x^{65} + x^{63} + x^{58} + x^{57} + x^{56} + x^{54} + x^{52} \\
& + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} + x^{40} + x^{37} + x^{36} + x^{35} \\
& + x^{34} + x^{31} + x^{30} + x^{29} + x^{27}, \\
p_6(x) = & x^{120} + x^{119} + x^{117} + x^{115} + x^{113} + x^{112} + x^{110} + x^{109} + x^{107} + x^{105} \\
& + x^{104} + x^{94} + x^{93} + x^{92} + x^{86} + x^{85} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} \\
& + x^{76} + x^{75} + x^{74} + x^{68} + x^{67} + x^{65} + x^{64} + x^{58} + x^{57} + x^{56} + x^{54} \\
& + x^{53} + x^{51} + x^{50} + x^{42} + x^{41} + x^{39} + x^{37} + x^{35} + x^{34} + x^{32} + x^{31} \\
& + x^{29} + x^{27} + x^{26} + x^{24} + x^{23} + x^{22} + x^{20} + x^{19} + x^{18}, \\
p_9(x) = & x^{118} + x^{117} + x^{115} + x^{104} + x^{103} + x^{102} + x^{100} + x^{98} + x^{96} + x^{94} \\
& + x^{92} + x^{90} + x^{88} + x^{85} + x^{82} + x^{81} + x^{79} + x^{78} + x^{77} + x^{76} + x^{74} \\
& + x^{71} + x^{70} + x^{69} + x^{67} + x^{66} + x^{65} + x^{63} + x^{60} + x^{59} + x^{57} + x^{54} \\
& + x^{53} + x^{52} + x^{50} + x^{48} + x^{45} + x^{38} + x^{37} + x^{36} + x^{34} + x^{31} + x^{30} \\
& + x^{29} + x^{28} + x^{26} + x^{24} + x^{22} + x^{19} + x^{16} + x^{15} + x^{14} + x^{12} + x^9, \\
p_{12}(x) = & x^{116} + x^{115} + x^{113} + x^{111} + x^{109} + x^{108} + x^{104} + x^{103} + x^{101} + x^{100} \\
& + x^{96} + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{84} + x^{80} + x^{79} + x^{77}
\end{aligned}$$

$$\begin{aligned}
& + x^{76} + x^{72} + x^{71} + x^{69} + x^{67} + x^{65} + x^{64} + x^{36} + x^{35} + x^{33} + x^{31} \\
& + x^{29} + x^{28} + x^{24} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^{12} + x^8 \\
& + x^7 + x^5 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 1, 0, 1, 1, 0, 0, 1, 0, 0, 1, 1]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{132} + x^{130} + x^{126} + x^{122} + x^{120} + x^{118} + x^{116} + x^{114} + x^{112} + x^{106} \\
& + x^{104} + x^{102} + x^{94} + x^{90} + x^{84} + x^{78} + x^{76} + x^{74} + x^{70} + x^{66} + x^{64} \\
& + x^{60} + x^{52} + x^{50} + x^{46} + x^{44} + x^{42}, \\
p_3(x) &= x^{120} + x^{118} + x^{110} + x^{106} + x^{104} + x^{100} + x^{96} + x^{90} + x^{88} + x^{86} \\
& + x^{82} + x^{80} + x^{72} + x^{70} + x^{68} + x^{66} + x^{58} + x^{50} + x^{44} + x^{40} + x^{36} \\
& + x^{34} + x^{30} + x^{28} + x^{26} + x^{18}, \\
p_6(x) &= x^{120} + x^{118} + x^{116} + x^{114} + x^{112} + x^{110} + x^{108} + x^{104} + x^{102} + x^{100} \\
& + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{78} + x^{64} + x^{60} + x^{58} \\
& + x^{56} + x^{54} + x^{50} + x^{48} + x^{46} + x^{36} + x^{30} + x^{24} + x^{22} + x^{18} + x^{16} \\
& + x^{10} + x^6 + x^4 + 1, \\
p_9(x) &= x^{116} + x^{108} + x^{104} + x^{102} + x^{98} + x^{92} + x^{90} + x^{78} + x^{72} + x^{70} + x^{64} \\
& + x^{60} + x^{58} + x^{52} + x^{48} + x^{44} + x^{38} + x^{36} + x^{32} + x^{30} + x^{26} + x^{24} \\
& + x^{22} + x^{18} + x^{14} + x^{10} + x^8 + x^6, \\
p_{12}(x) &= x^{116} + x^{112} + x^{108} + x^{104} + x^{92} + x^{88} + x^{76} + x^{72} + x^{68} + x^{64} + x^{36} \\
& + x^{32} + x^{28} + x^{24} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 0, 0, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{132} + x^{130} + x^{126} + x^{124} + x^{122} + x^{120} + x^{118} + x^{112} + x^{108} + x^{96} \\
& + x^{94} + x^{90} + x^{84} + x^{82} + x^{74} + x^{72} + x^{64} + x^{62} + x^{56} + x^{52} + x^{50} \\
& + x^{48} + x^{42} + x^{38} + x^{36}, \\
p_3(x) &= x^{120} + x^{118} + x^{112} + x^{110} + x^{108} + x^{106} + x^{104} + x^{102} + x^{98} + x^{96} \\
& + x^{94} + x^{90} + x^{88} + x^{82} + x^{80} + x^{78} + x^{66} + x^{64} + x^{56} + x^{54} + x^{48} \\
& + x^{44} + x^{42} + x^{40} + x^{38} + x^{32} + x^{26} + x^{20}, \\
p_6(x) &= x^{120} + x^{118} + x^{116} + x^{114} + x^{110} + x^{108} + x^{100} + x^{92} + x^{90} + x^{84} \\
& + x^{80} + x^{76} + x^{70} + x^{68} + x^{56} + x^{52} + x^{46} + x^{42} + x^{40} + x^{38} + x^{34} \\
& + x^{24} + x^{22} + x^{20} + x^{16} + x^{12} + x^{10} + x^6 + x^4 + 1, \\
p_9(x) &= x^{116} + x^{108} + x^{104} + x^{102} + x^{98} + x^{92} + x^{90} + x^{78} + x^{72} + x^{70} + x^{64} \\
& + x^{60} + x^{58} + x^{52} + x^{48} + x^{44} + x^{38} + x^{36} + x^{32} + x^{30} + x^{26} + x^{24} \\
& + x^{22} + x^{18} + x^{14} + x^{10} + x^8 + x^6, \\
p_{12}(x) &= x^{116} + x^{112} + x^{108} + x^{104} + x^{92} + x^{88} + x^{76} + x^{72} + x^{68} + x^{64} + x^{36}
\end{aligned}$$

$$+ x^{32} + x^{28} + x^{24} + x^{12} + x^8 + x^4 + 1,$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 1, 0, 0, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned} p_0(x) &= x^{129} + x^{127} + x^{124} + x^{122} + x^{121} + x^{120} + x^{119} + x^{118} + x^{114} + x^{113} \\ &\quad + x^{111} + x^{108} + x^{107} + x^{106} + x^{105} + x^{104} + x^{103} + x^{102} + x^{101} \\ &\quad + x^{100} + x^{96} + x^{94} + x^{93} + x^{92} + x^{90} + x^{88} + x^{86} + x^{85} + x^{84} + x^{82} \\ &\quad + x^{81} + x^{80} + x^{76} + x^{74} + x^{72} + x^{69} + x^{68} + x^{67} + x^{66} + x^{64} + x^{62} \\ &\quad + x^{59} + x^{58} + x^{52} + x^{51} + x^{47} + x^{45} + x^{43} + x^{42} + x^{40} + x^{39}, \\ p_3(x) &= x^{122} + x^{121} + x^{119} + x^{112} + x^{111} + x^{110} + x^{108} + x^{106} + x^{103} + x^{102} \\ &\quad + x^{101} + x^{99} + x^{90} + x^{89} + x^{87} + x^{80} + x^{79} + x^{78} + x^{76} + x^{74} + x^{71} \\ &\quad + x^{70} + x^{69} + x^{67} + x^{66} + x^{65} + x^{63} + x^{58} + x^{57} + x^{56} + x^{54} + x^{52} \\ &\quad + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} + x^{40} + x^{37} + x^{36} + x^{35} \\ &\quad + x^{34} + x^{31} + x^{30} + x^{29} + x^{27}, \\ p_6(x) &= x^{120} + x^{119} + x^{117} + x^{115} + x^{113} + x^{112} + x^{110} + x^{109} + x^{107} + x^{105} \\ &\quad + x^{104} + x^{94} + x^{93} + x^{92} + x^{86} + x^{85} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} \\ &\quad + x^{76} + x^{75} + x^{74} + x^{68} + x^{67} + x^{65} + x^{64} + x^{58} + x^{57} + x^{56} + x^{54} \\ &\quad + x^{53} + x^{51} + x^{50} + x^{42} + x^{41} + x^{39} + x^{37} + x^{35} + x^{34} + x^{32} + x^{31} \\ &\quad + x^{29} + x^{27} + x^{26} + x^{24} + x^{23} + x^{22} + x^{20} + x^{19} + x^{18}, \\ p_9(x) &= x^{118} + x^{117} + x^{115} + x^{104} + x^{103} + x^{102} + x^{100} + x^{98} + x^{96} + x^{94} \\ &\quad + x^{92} + x^{90} + x^{88} + x^{85} + x^{82} + x^{81} + x^{79} + x^{78} + x^{77} + x^{76} + x^{74} \\ &\quad + x^{71} + x^{70} + x^{69} + x^{67} + x^{66} + x^{65} + x^{63} + x^{60} + x^{59} + x^{57} + x^{54} \\ &\quad + x^{53} + x^{52} + x^{50} + x^{48} + x^{45} + x^{38} + x^{37} + x^{36} + x^{34} + x^{31} + x^{30} \\ &\quad + x^{29} + x^{28} + x^{26} + x^{24} + x^{22} + x^{19} + x^{16} + x^{15} + x^{14} + x^{12} + x^9, \\ p_{12}(x) &= x^{116} + x^{115} + x^{113} + x^{111} + x^{109} + x^{108} + x^{104} + x^{103} + x^{101} + x^{100} \\ &\quad + x^{96} + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{84} + x^{80} + x^{79} + x^{77} \\ &\quad + x^{76} + x^{72} + x^{71} + x^{69} + x^{67} + x^{65} + x^{64} + x^{36} + x^{35} + x^{33} + x^{31} \\ &\quad + x^{29} + x^{28} + x^{24} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^{12} + x^8 \\ &\quad + x^7 + x^5 + x^3 + x + 1, \end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 1, 0, 1, 0, 1, 1, 1, 0, 0, 0, 1]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned} p_0(x) &= x^{129} + x^{127} + x^{124} + x^{122} + x^{121} + x^{120} + x^{119} + x^{118} + x^{114} + x^{113} \\ &\quad + x^{111} + x^{108} + x^{107} + x^{106} + x^{105} + x^{104} + x^{103} + x^{102} + x^{101} \\ &\quad + x^{100} + x^{96} + x^{94} + x^{93} + x^{92} + x^{90} + x^{88} + x^{86} + x^{85} + x^{84} + x^{82} \\ &\quad + x^{81} + x^{80} + x^{76} + x^{74} + x^{72} + x^{69} + x^{68} + x^{67} + x^{66} + x^{64} + x^{62} \\ &\quad + x^{59} + x^{58} + x^{52} + x^{51} + x^{47} + x^{45} + x^{43} + x^{42} + x^{40} + x^{39}, \end{aligned}$$

$$\begin{aligned}
p_3(x) &= x^{122} + x^{121} + x^{119} + x^{112} + x^{111} + x^{110} + x^{108} + x^{106} + x^{103} + x^{102} \\
&\quad + x^{101} + x^{99} + x^{90} + x^{89} + x^{87} + x^{80} + x^{79} + x^{78} + x^{76} + x^{74} + x^{71} \\
&\quad + x^{70} + x^{69} + x^{67} + x^{66} + x^{65} + x^{63} + x^{58} + x^{57} + x^{56} + x^{54} + x^{52} \\
&\quad + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} + x^{40} + x^{37} + x^{36} + x^{35} \\
&\quad + x^{34} + x^{31} + x^{30} + x^{29} + x^{27}, \\
p_6(x) &= x^{120} + x^{119} + x^{117} + x^{115} + x^{113} + x^{112} + x^{110} + x^{109} + x^{107} + x^{105} \\
&\quad + x^{104} + x^{94} + x^{93} + x^{92} + x^{86} + x^{85} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} \\
&\quad + x^{76} + x^{75} + x^{74} + x^{68} + x^{67} + x^{65} + x^{64} + x^{58} + x^{57} + x^{56} + x^{54} \\
&\quad + x^{53} + x^{51} + x^{50} + x^{42} + x^{41} + x^{39} + x^{37} + x^{35} + x^{34} + x^{32} + x^{31} \\
&\quad + x^{29} + x^{27} + x^{26} + x^{24} + x^{23} + x^{22} + x^{20} + x^{19} + x^{18}, \\
p_9(x) &= x^{118} + x^{117} + x^{115} + x^{104} + x^{103} + x^{102} + x^{100} + x^{98} + x^{96} + x^{94} \\
&\quad + x^{92} + x^{90} + x^{88} + x^{85} + x^{82} + x^{81} + x^{79} + x^{78} + x^{77} + x^{76} + x^{74} \\
&\quad + x^{71} + x^{70} + x^{69} + x^{67} + x^{66} + x^{65} + x^{63} + x^{60} + x^{59} + x^{57} + x^{54} \\
&\quad + x^{53} + x^{52} + x^{50} + x^{48} + x^{45} + x^{38} + x^{37} + x^{36} + x^{34} + x^{31} + x^{30} \\
&\quad + x^{29} + x^{28} + x^{26} + x^{24} + x^{22} + x^{19} + x^{16} + x^{15} + x^{14} + x^{12} + x^9, \\
p_{12}(x) &= x^{116} + x^{115} + x^{113} + x^{111} + x^{109} + x^{108} + x^{104} + x^{103} + x^{101} + x^{100} \\
&\quad + x^{96} + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{84} + x^{80} + x^{79} + x^{77} \\
&\quad + x^{76} + x^{72} + x^{71} + x^{69} + x^{67} + x^{65} + x^{64} + x^{36} + x^{35} + x^{33} + x^{31} \\
&\quad + x^{29} + x^{28} + x^{24} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} + x^{13} + x^{12} + x^8 \\
&\quad + x^7 + x^5 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 1, 0, 1, 0, 1, 1, 1, 0, 0, 0, 1]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{126} + x^{124} + x^{120} + x^{118} + x^{114} + x^{106} + x^{104} + x^{102} + x^{100} + x^{96} \\
&\quad + x^{90} + x^{80} + x^{78} + x^{76} + x^{66} + x^{60} + x^{56} + x^{54} + x^{52} + x^{50} + x^{42}, \\
p_3(x) &= x^{118} + x^{114} + x^{112} + x^{106} + x^{102} + x^{100} + x^{96} + x^{92} + x^{88} + x^{86} \\
&\quad + x^{82} + x^{80} + x^{70} + x^{68} + x^{62} + x^{60} + x^{58} + x^{56} + x^{54} + x^{50} + x^{44} \\
&\quad + x^{38} + x^{30} + x^{24} + x^{20} + x^{18}, \\
p_6(x) &= x^{118} + x^{108} + x^{106} + x^{102} + x^{98} + x^{86} + x^{82} + x^{76} + x^{66} + x^{56} + x^{54} \\
&\quad + x^{46} + x^{42} + x^{32} + x^{22} + x^{16} + x^{14} + x^{12} + x^6 + x^4 + x^2 + 1, \\
p_9(x) &= x^{116} + x^{114} + x^{110} + x^{106} + x^{104} + x^{102} + x^{100} + x^{98} + x^{96} + x^{92} \\
&\quad + x^{90} + x^{86} + x^{78} + x^{66} + x^{64} + x^{58} + x^{54} + x^{50} + x^{44} + x^{38} + x^{32} \\
&\quad + x^{30} + x^{26} + x^{24} + x^{22} + x^{16} + x^{14} + x^6, \\
p_{12}(x) &= x^{116} + x^{114} + x^{112} + x^{68} + x^{66} + x^{64} + x^{36} + x^{34} + x^{32} + x^4 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 0, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned} p_0(x) = & x^{129} + x^{127} + x^{126} + x^{124} + x^{123} + x^{121} + x^{120} + x^{119} + x^{117} + x^{113} \\ & + x^{112} + x^{110} + x^{106} + x^{105} + x^{104} + x^{103} + x^{102} + x^{100} + x^{95} + x^{93} \\ & + x^{90} + x^{87} + x^{85} + x^{82} + x^{81} + x^{80} + x^{79} + x^{73} + x^{69} + x^{64} + x^{61} \\ & + x^{59} + x^{57} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} + x^{49} + x^{47} + x^{43} + x^{42} \\ & + x^{41} + x^{40} + x^{38} + x^{37} + x^{36}, \end{aligned}$$

$$\begin{aligned} p_3(x) = & x^{124} + x^{121} + x^{120} + x^{114} + x^{106} + x^{104} + x^{101} + x^{99} + x^{98} + x^{91} \\ & + x^{90} + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} + x^{81} + x^{79} + x^{77} + x^{75} + x^{71} \\ & + x^{67} + x^{66} + x^{65} + x^{63} + x^{62} + x^{59} + x^{58} + x^{51} + x^{50} + x^{49} + x^{46} \\ & + x^{44} + x^{43} + x^{41} + x^{40} + x^{39} + x^{36} + x^{35} + x^{31} + x^{30} + x^{29} + x^{28} \\ & + x^{26} + x^{25} + x^{24}, \end{aligned}$$

$$\begin{aligned} p_6(x) = & x^{124} + x^{121} + x^{120} + x^{115} + x^{114} + x^{112} + x^{111} + x^{109} + x^{108} + x^{103} \\ & + x^{99} + x^{97} + x^{95} + x^{93} + x^{92} + x^{90} + x^{88} + x^{87} + x^{84} + x^{83} + x^{82} \\ & + x^{81} + x^{76} + x^{74} + x^{72} + x^{70} + x^{67} + x^{64} + x^{63} + x^{60} + x^{56} + x^{52} \\ & + x^{51} + x^{49} + x^{46} + x^{45} + x^{42} + x^{40} + x^{39} + x^{36} + x^{33} + x^{30} + x^{29} \\ & + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{21} + x^{20} + x^{19} + x^{16} + x^{15} + x^{14} \\ & + x^8 + x^7 + x^5 + x^3 + x + 1, \end{aligned}$$

$$\begin{aligned} p_9(x) = & x^{124} + x^{123} + x^{121} + x^{119} + x^{117} + x^{116} + x^{112} + x^{111} + x^{109} + x^{107} \\ & + x^{105} + x^{103} + x^{101} + x^{100} + x^{96} + x^{95} + x^{93} + x^{91} + x^{89} + x^{87} \\ & + x^{85} + x^{84} + x^{80} + x^{79} + x^{77} + x^{76} + x^{44} + x^{43} + x^{41} + x^{39} + x^{37} \\ & + x^{36} + x^{32} + x^{31} + x^{29} + x^{27} + x^{25} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} \\ & + x^{13} + x^{12}, \end{aligned}$$

$$\begin{aligned} p_{12}(x) = & x^{124} + x^{123} + x^{121} + x^{119} + x^{117} + x^{115} + x^{113} + x^{112} + x^{108} + x^{107} \\ & + x^{105} + x^{104} + x^{92} + x^{91} + x^{89} + x^{88} + x^{72} + x^{71} + x^{69} + x^{67} + x^{65} \\ & + x^{64} + x^{44} + x^{43} + x^{41} + x^{39} + x^{37} + x^{35} + x^{33} + x^{32} + x^{28} + x^{27} \\ & + x^{25} + x^{24} + x^8 + x^7 + x^5 + x^3 + x + 1, \end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 1, 1, 0, 1, 0, 0, 0, 0, 1, 1]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned} p_0(x) = & x^{136} + x^{134} + x^{131} + x^{129} + x^{125} + x^{124} + x^{123} + x^{122} + x^{121} + x^{120} \\ & + x^{119} + x^{117} + x^{115} + x^{113} + x^{112} + x^{111} + x^{110} + x^{109} + x^{107} \\ & + x^{106} + x^{105} + x^{104} + x^{102} + x^{101} + x^{96} + x^{95} + x^{91} + x^{87} + x^{85} \\ & + x^{84} + x^{83} + x^{81} + x^{80} + x^{79} + x^{78} + x^{72} + x^{69} + x^{67} + x^{65} + x^{63} \\ & + x^{61} + x^{60} + x^{56} + x^{55} + x^{53} + x^{50} + x^{46} + x^{44} + x^{43} + x^{39}, \end{aligned}$$

$$\begin{aligned} p_3(x) = & x^{122} + x^{118} + x^{117} + x^{116} + x^{112} + x^{111} + x^{110} + x^{106} + x^{105} + x^{104} \\ & + x^{100} + x^{99} + x^{90} + x^{86} + x^{85} + x^{84} + x^{80} + x^{79} + x^{78} + x^{74} + x^{73} \end{aligned}$$

$$\begin{aligned}
& + x^{72} + x^{68} + x^{67} + x^{66} + x^{62} + x^{61} + x^{60} + x^{58} + x^{56} + x^{55} + x^{53} \\
& + x^{52} + x^{49} + x^{47} + x^{45} + x^{43} + x^{42} + x^{41} + x^{39} + x^{38} + x^{36} + x^{35} \\
& + x^{34} + x^{33} + x^{32} + x^{28} + x^{27}, \\
p_6(x) &= x^{124} + x^{114} + x^{112} + x^{108} + x^{106} + x^{102} + x^{100} + x^{94} + x^{92} + x^{90} \\
& + x^{86} + x^{84} + x^{80} + x^{78} + x^{76} + x^{74} + x^{72} + x^{68} + x^{64} + x^{62} + x^{60} \\
& + x^{58} + x^{52} + x^{48} + x^{44} + x^{42} + x^{40} + x^{38} + x^{32} + x^{28} + x^{24} + x^{22} \\
& + x^{20} + x^{18}, \\
p_9(x) &= x^{126} + x^{122} + x^{121} + x^{120} + x^{118} + x^{115} + x^{114} + x^{113} + x^{111} + x^{108} \\
& + x^{107} + x^{104} + x^{102} + x^{99} + x^{98} + x^{97} + x^{95} + x^{92} + x^{91} + x^{88} + x^{86} \\
& + x^{83} + x^{82} + x^{81} + x^{79} + x^{78} + x^{76} + x^{75} + x^{74} + x^{73} + x^{46} + x^{42} \\
& + x^{41} + x^{40} + x^{38} + x^{35} + x^{34} + x^{33} + x^{31} + x^{28} + x^{27} + x^{24} + x^{22} \\
& + x^{19} + x^{18} + x^{17} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} + x^9, \\
p_{12}(x) &= x^{128} + x^{120} + x^{108} + x^{104} + x^{96} + x^{92} + x^{88} + x^{76} + x^{64} + x^{48} + x^{40} \\
& + x^{28} + x^{24} + x^{12} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 1, 0, 1, 1, 0, 0, 0, 1, 1, 0, 1]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{130} + x^{127} + x^{125} + x^{124} + x^{119} + x^{118} + x^{116} + x^{115} + x^{113} + x^{103} \\
& + x^{102} + x^{101} + x^{99} + x^{96} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{89} + x^{86} \\
& + x^{84} + x^{80} + x^{78} + x^{77} + x^{76} + x^{75} + x^{74} + x^{71} + x^{70} + x^{68} + x^{67} \\
& + x^{66} + x^{64} + x^{60} + x^{57} + x^{51} + x^{50} + x^{49} + x^{48} + x^{39}, \\
p_3(x) &= x^{122} + x^{117} + x^{116} + x^{113} + x^{111} + x^{109} + x^{107} + x^{106} + x^{105} + x^{103} \\
& + x^{100} + x^{99} + x^{90} + x^{85} + x^{84} + x^{81} + x^{79} + x^{77} + x^{75} + x^{74} + x^{73} \\
& + x^{71} + x^{68} + x^{67} + x^{66} + x^{61} + x^{60} + x^{58} + x^{57} + x^{55} + x^{52} + x^{51} \\
& + x^{42} + x^{37} + x^{36} + x^{34} + x^{33} + x^{31} + x^{28} + x^{27}, \\
p_6(x) &= x^{124} + x^{120} + x^{116} + x^{114} + x^{112} + x^{110} + x^{108} + x^{104} + x^{98} + x^{96} \\
& + x^{94} + x^{92} + x^{90} + x^{84} + x^{76} + x^{74} + x^{72} + x^{64} + x^{62} + x^{60} + x^{56} \\
& + x^{50} + x^{46} + x^{42} + x^{38} + x^{36} + x^{34} + x^{32} + x^{30} + x^{28} + x^{20} + x^{18}, \\
p_9(x) &= x^{126} + x^{121} + x^{120} + x^{118} + x^{117} + x^{116} + x^{115} + x^{114} + x^{112} + x^{110} \\
& + x^{109} + x^{108} + x^{107} + x^{106} + x^{104} + x^{102} + x^{101} + x^{100} + x^{99} + x^{98} \\
& + x^{96} + x^{94} + x^{93} + x^{92} + x^{91} + x^{90} + x^{88} + x^{86} + x^{85} + x^{84} + x^{83} \\
& + x^{82} + x^{80} + x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{46} + x^{41} + x^{40} + x^{38} \\
& + x^{37} + x^{36} + x^{35} + x^{34} + x^{32} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{24} \\
& + x^{22} + x^{21} + x^{20} + x^{19} + x^{18} + x^{16} + x^{13} + x^{12} + x^{11} + x^{10} + x^9, \\
p_{12}(x) &= x^{128} + x^{124} + x^{116} + x^{104} + x^{96} + x^{88} + x^{76} + x^{72} + x^{68} + x^{64} + x^{48} \\
& + x^{44} + x^{36} + x^{24} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 1, 0, 1, 0, 0, 0, 1, 0, 1, 0, 1]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{129} + x^{127} + x^{125} + x^{121} + x^{120} + x^{119} + x^{117} + x^{116} + x^{113} + x^{112} \\
&\quad + x^{109} + x^{108} + x^{107} + x^{102} + x^{99} + x^{97} + x^{94} + x^{93} + x^{91} + x^{90} \\
&\quad + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{79} + x^{75} + x^{74} \\
&\quad + x^{73} + x^{72} + x^{71} + x^{70} + x^{65} + x^{64} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} \\
&\quad + x^{55} + x^{54} + x^{52} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{44} + x^{43} + x^{42}, \\
p_3(x) &= x^{124} + x^{121} + x^{119} + x^{117} + x^{116} + x^{114} + x^{110} + x^{109} + x^{108} + x^{106} \\
&\quad + x^{104} + x^{102} + x^{98} + x^{97} + x^{96} + x^{91} + x^{90} + x^{89} + x^{87} + x^{86} + x^{81} \\
&\quad + x^{79} + x^{78} + x^{76} + x^{75} + x^{71} + x^{70} + x^{69} + x^{66} + x^{62} + x^{61} + x^{60} \\
&\quad + x^{59} + x^{58} + x^{56} + x^{55} + x^{54} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} \\
&\quad + x^{45} + x^{44} + x^{39} + x^{33} + x^{32} + x^{31} + x^{28} + x^{27} + x^{26}, \\
p_6(x) &= x^{124} + x^{121} + x^{119} + x^{117} + x^{116} + x^{115} + x^{114} + x^{110} + x^{109} + x^{108} \\
&\quad + x^{103} + x^{100} + x^{94} + x^{93} + x^{92} + x^{90} + x^{88} + x^{87} + x^{86} + x^{85} + x^{83} \\
&\quad + x^{80} + x^{78} + x^{77} + x^{76} + x^{75} + x^{71} + x^{70} + x^{69} + x^{65} + x^{64} + x^{61} \\
&\quad + x^{58} + x^{57} + x^{56} + x^{55} + x^{54} + x^{50} + x^{49} + x^{46} + x^{45} + x^{44} + x^{43} \\
&\quad + x^{37} + x^{34} + x^{31} + x^{30} + x^{25} + x^{24} + x^{23} + x^{22} + x^{20} + x^{18} + x^{14} \\
&\quad + x^{13} + x^{12} + x^8 + x^7 + x^5 + x^3 + x + 1, \\
p_9(x) &= x^{124} + x^{123} + x^{121} + x^{119} + x^{117} + x^{116} + x^{112} + x^{111} + x^{109} + x^{107} \\
&\quad + x^{105} + x^{103} + x^{101} + x^{100} + x^{96} + x^{95} + x^{93} + x^{91} + x^{89} + x^{87} \\
&\quad + x^{85} + x^{84} + x^{80} + x^{79} + x^{77} + x^{76} + x^{44} + x^{43} + x^{41} + x^{39} + x^{37} \\
&\quad + x^{36} + x^{32} + x^{31} + x^{29} + x^{27} + x^{25} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} \\
&\quad + x^{13} + x^{12}, \\
p_{12}(x) &= x^{124} + x^{123} + x^{121} + x^{119} + x^{117} + x^{115} + x^{113} + x^{112} + x^{108} + x^{107} \\
&\quad + x^{105} + x^{104} + x^{92} + x^{91} + x^{89} + x^{88} + x^{72} + x^{71} + x^{69} + x^{67} + x^{65} \\
&\quad + x^{64} + x^{44} + x^{43} + x^{41} + x^{39} + x^{37} + x^{35} + x^{33} + x^{32} + x^{28} + x^{27} \\
&\quad + x^{25} + x^{24} + x^8 + x^7 + x^5 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 0, 0, 0, 1, 1]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{129} + x^{127} + x^{126} + x^{124} + x^{123} + x^{121} + x^{120} + x^{119} + x^{117} + x^{113} \\
&\quad + x^{112} + x^{110} + x^{106} + x^{105} + x^{104} + x^{103} + x^{102} + x^{100} + x^{95} + x^{93} \\
&\quad + x^{90} + x^{87} + x^{85} + x^{82} + x^{81} + x^{80} + x^{79} + x^{73} + x^{69} + x^{64} + x^{61} \\
&\quad + x^{59} + x^{57} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} + x^{49} + x^{47} + x^{43} + x^{42} \\
&\quad + x^{41} + x^{40} + x^{38} + x^{37} + x^{36}, \\
p_3(x) &= x^{124} + x^{121} + x^{120} + x^{114} + x^{106} + x^{104} + x^{101} + x^{99} + x^{98} + x^{91}
\end{aligned}$$

$$\begin{aligned}
& + x^{90} + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} + x^{81} + x^{79} + x^{77} + x^{75} + x^{71} \\
& + x^{67} + x^{66} + x^{65} + x^{63} + x^{62} + x^{59} + x^{58} + x^{51} + x^{50} + x^{49} + x^{46} \\
& + x^{44} + x^{43} + x^{41} + x^{40} + x^{39} + x^{36} + x^{35} + x^{31} + x^{30} + x^{29} + x^{28} \\
& + x^{26} + x^{25} + x^{24}, \\
p_6(x) &= x^{124} + x^{121} + x^{120} + x^{115} + x^{114} + x^{112} + x^{111} + x^{109} + x^{108} + x^{103} \\
& + x^{99} + x^{97} + x^{95} + x^{93} + x^{92} + x^{90} + x^{88} + x^{87} + x^{84} + x^{83} + x^{82} \\
& + x^{81} + x^{76} + x^{74} + x^{72} + x^{70} + x^{67} + x^{64} + x^{63} + x^{60} + x^{56} + x^{52} \\
& + x^{51} + x^{49} + x^{46} + x^{45} + x^{42} + x^{40} + x^{39} + x^{36} + x^{33} + x^{30} + x^{29} \\
& + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{21} + x^{20} + x^{19} + x^{16} + x^{15} + x^{14} \\
& + x^8 + x^7 + x^5 + x^3 + x + 1, \\
p_9(x) &= x^{124} + x^{123} + x^{121} + x^{119} + x^{117} + x^{116} + x^{112} + x^{111} + x^{109} + x^{107} \\
& + x^{105} + x^{103} + x^{101} + x^{100} + x^{96} + x^{95} + x^{93} + x^{91} + x^{89} + x^{87} \\
& + x^{85} + x^{84} + x^{80} + x^{79} + x^{77} + x^{76} + x^{44} + x^{43} + x^{41} + x^{39} + x^{37} \\
& + x^{36} + x^{32} + x^{31} + x^{29} + x^{27} + x^{25} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} \\
& + x^{13} + x^{12}, \\
p_{12}(x) &= x^{124} + x^{123} + x^{121} + x^{119} + x^{117} + x^{115} + x^{113} + x^{112} + x^{108} + x^{107} \\
& + x^{105} + x^{104} + x^{92} + x^{91} + x^{89} + x^{88} + x^{72} + x^{71} + x^{69} + x^{67} + x^{65} \\
& + x^{64} + x^{44} + x^{43} + x^{41} + x^{39} + x^{37} + x^{35} + x^{33} + x^{32} + x^{28} + x^{27} \\
& + x^{25} + x^{24} + x^8 + x^7 + x^5 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 1, 1, 0, 1, 0, 0, 0, 0, 1, 1]$.

For $\phi(W^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{130} + x^{127} + x^{125} + x^{124} + x^{119} + x^{118} + x^{116} + x^{115} + x^{113} + x^{103} \\
& + x^{102} + x^{101} + x^{99} + x^{96} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{89} + x^{86} \\
& + x^{84} + x^{80} + x^{78} + x^{77} + x^{76} + x^{75} + x^{74} + x^{71} + x^{70} + x^{68} + x^{67} \\
& + x^{66} + x^{64} + x^{60} + x^{57} + x^{51} + x^{50} + x^{49} + x^{48} + x^{39}, \\
p_3(x) &= x^{122} + x^{117} + x^{116} + x^{113} + x^{111} + x^{109} + x^{107} + x^{106} + x^{105} + x^{103} \\
& + x^{100} + x^{99} + x^{90} + x^{85} + x^{84} + x^{81} + x^{79} + x^{77} + x^{75} + x^{74} + x^{73} \\
& + x^{71} + x^{68} + x^{67} + x^{66} + x^{61} + x^{60} + x^{58} + x^{57} + x^{55} + x^{52} + x^{51} \\
& + x^{42} + x^{37} + x^{36} + x^{34} + x^{33} + x^{31} + x^{28} + x^{27}, \\
p_6(x) &= x^{124} + x^{120} + x^{116} + x^{114} + x^{112} + x^{110} + x^{108} + x^{104} + x^{98} + x^{96} \\
& + x^{94} + x^{92} + x^{90} + x^{84} + x^{76} + x^{74} + x^{72} + x^{64} + x^{62} + x^{60} + x^{56} \\
& + x^{50} + x^{46} + x^{42} + x^{38} + x^{36} + x^{34} + x^{32} + x^{30} + x^{28} + x^{20} + x^{18}, \\
p_9(x) &= x^{126} + x^{121} + x^{120} + x^{118} + x^{117} + x^{116} + x^{115} + x^{114} + x^{112} + x^{110} \\
& + x^{109} + x^{108} + x^{107} + x^{106} + x^{104} + x^{102} + x^{101} + x^{100} + x^{99} + x^{98} \\
& + x^{96} + x^{94} + x^{93} + x^{92} + x^{91} + x^{90} + x^{88} + x^{86} + x^{85} + x^{84} + x^{83}
\end{aligned}$$

$$\begin{aligned}
& + x^{82} + x^{80} + x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{46} + x^{41} + x^{40} + x^{38} \\
& + x^{37} + x^{36} + x^{35} + x^{34} + x^{32} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{24} \\
& + x^{22} + x^{21} + x^{20} + x^{19} + x^{18} + x^{16} + x^{13} + x^{12} + x^{11} + x^{10} + x^9, \\
p_{12}(x) = & x^{128} + x^{124} + x^{116} + x^{104} + x^{96} + x^{88} + x^{76} + x^{72} + x^{68} + x^{64} + x^{48} \\
& + x^{44} + x^{36} + x^{24} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 1, 0, 1, 0, 1, 0, 0, 0, 1, 0, 1, 0, 1]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned}
p_0(x) = & x^{136} + x^{134} + x^{131} + x^{129} + x^{125} + x^{124} + x^{123} + x^{122} + x^{121} + x^{120} \\
& + x^{119} + x^{117} + x^{115} + x^{113} + x^{112} + x^{111} + x^{110} + x^{109} + x^{107} \\
& + x^{106} + x^{105} + x^{104} + x^{102} + x^{101} + x^{96} + x^{95} + x^{91} + x^{87} + x^{85} \\
& + x^{84} + x^{83} + x^{81} + x^{80} + x^{79} + x^{78} + x^{72} + x^{69} + x^{67} + x^{65} + x^{63} \\
& + x^{61} + x^{60} + x^{56} + x^{55} + x^{53} + x^{50} + x^{46} + x^{44} + x^{43} + x^{39}, \\
p_3(x) = & x^{122} + x^{118} + x^{117} + x^{116} + x^{112} + x^{111} + x^{110} + x^{106} + x^{105} + x^{104} \\
& + x^{100} + x^{99} + x^{90} + x^{86} + x^{85} + x^{84} + x^{80} + x^{79} + x^{78} + x^{74} + x^{73} \\
& + x^{72} + x^{68} + x^{67} + x^{66} + x^{62} + x^{61} + x^{60} + x^{58} + x^{56} + x^{55} + x^{53} \\
& + x^{52} + x^{49} + x^{47} + x^{45} + x^{43} + x^{42} + x^{41} + x^{39} + x^{38} + x^{36} + x^{35} \\
& + x^{34} + x^{33} + x^{32} + x^{28} + x^{27}, \\
p_6(x) = & x^{124} + x^{114} + x^{112} + x^{108} + x^{106} + x^{102} + x^{100} + x^{94} + x^{92} + x^{90} \\
& + x^{86} + x^{84} + x^{80} + x^{78} + x^{76} + x^{74} + x^{72} + x^{68} + x^{64} + x^{62} + x^{60} \\
& + x^{58} + x^{52} + x^{48} + x^{44} + x^{42} + x^{40} + x^{38} + x^{32} + x^{28} + x^{24} + x^{22} \\
& + x^{20} + x^{18}, \\
p_9(x) = & x^{126} + x^{122} + x^{121} + x^{120} + x^{118} + x^{115} + x^{114} + x^{113} + x^{111} + x^{108} \\
& + x^{107} + x^{104} + x^{102} + x^{99} + x^{98} + x^{97} + x^{95} + x^{92} + x^{91} + x^{88} + x^{86} \\
& + x^{83} + x^{82} + x^{81} + x^{79} + x^{78} + x^{76} + x^{75} + x^{74} + x^{73} + x^{46} + x^{42} \\
& + x^{41} + x^{40} + x^{38} + x^{35} + x^{34} + x^{33} + x^{31} + x^{28} + x^{27} + x^{24} + x^{22} \\
& + x^{19} + x^{18} + x^{17} + x^{15} + x^{14} + x^{12} + x^{11} + x^{10} + x^9, \\
p_{12}(x) = & x^{128} + x^{120} + x^{108} + x^{104} + x^{96} + x^{92} + x^{88} + x^{76} + x^{64} + x^{48} + x^{40} \\
& + x^{28} + x^{24} + x^{12} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 1, 0, 1, 1, 0, 0, 0, 1, 1, 0, 1]$.

For $\phi(W^o, 1, 1)$:

$$\begin{aligned}
p_0(x) = & x^{129} + x^{127} + x^{125} + x^{121} + x^{120} + x^{119} + x^{117} + x^{116} + x^{113} + x^{112} \\
& + x^{109} + x^{108} + x^{107} + x^{102} + x^{99} + x^{97} + x^{94} + x^{93} + x^{91} + x^{90} \\
& + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{79} + x^{75} + x^{74} \\
& + x^{73} + x^{72} + x^{71} + x^{70} + x^{65} + x^{64} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} \\
& + x^{55} + x^{54} + x^{52} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{44} + x^{43} + x^{42},
\end{aligned}$$

$$\begin{aligned}
p_3(x) &= x^{124} + x^{121} + x^{119} + x^{117} + x^{116} + x^{114} + x^{110} + x^{109} + x^{108} + x^{106} \\
&\quad + x^{104} + x^{102} + x^{98} + x^{97} + x^{96} + x^{91} + x^{90} + x^{89} + x^{87} + x^{86} + x^{81} \\
&\quad + x^{79} + x^{78} + x^{76} + x^{75} + x^{71} + x^{70} + x^{69} + x^{66} + x^{62} + x^{61} + x^{60} \\
&\quad + x^{59} + x^{58} + x^{56} + x^{55} + x^{54} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} \\
&\quad + x^{45} + x^{44} + x^{39} + x^{33} + x^{32} + x^{31} + x^{28} + x^{27} + x^{26}, \\
p_6(x) &= x^{124} + x^{121} + x^{119} + x^{117} + x^{116} + x^{115} + x^{114} + x^{110} + x^{109} + x^{108} \\
&\quad + x^{103} + x^{100} + x^{94} + x^{93} + x^{92} + x^{90} + x^{88} + x^{87} + x^{86} + x^{85} + x^{83} \\
&\quad + x^{80} + x^{78} + x^{77} + x^{76} + x^{75} + x^{71} + x^{70} + x^{69} + x^{65} + x^{64} + x^{61} \\
&\quad + x^{58} + x^{57} + x^{56} + x^{55} + x^{54} + x^{50} + x^{49} + x^{46} + x^{45} + x^{44} + x^{43} \\
&\quad + x^{37} + x^{34} + x^{31} + x^{30} + x^{25} + x^{24} + x^{23} + x^{22} + x^{20} + x^{18} + x^{14} \\
&\quad + x^{13} + x^{12} + x^8 + x^7 + x^5 + x^3 + x + 1, \\
p_9(x) &= x^{124} + x^{123} + x^{121} + x^{119} + x^{117} + x^{116} + x^{112} + x^{111} + x^{109} + x^{107} \\
&\quad + x^{105} + x^{103} + x^{101} + x^{100} + x^{96} + x^{95} + x^{93} + x^{91} + x^{89} + x^{87} \\
&\quad + x^{85} + x^{84} + x^{80} + x^{79} + x^{77} + x^{76} + x^{44} + x^{43} + x^{41} + x^{39} + x^{37} \\
&\quad + x^{36} + x^{32} + x^{31} + x^{29} + x^{27} + x^{25} + x^{23} + x^{21} + x^{20} + x^{16} + x^{15} \\
&\quad + x^{13} + x^{12}, \\
p_{12}(x) &= x^{124} + x^{123} + x^{121} + x^{119} + x^{117} + x^{115} + x^{113} + x^{112} + x^{108} + x^{107} \\
&\quad + x^{105} + x^{104} + x^{92} + x^{91} + x^{89} + x^{88} + x^{72} + x^{71} + x^{69} + x^{67} + x^{65} \\
&\quad + x^{64} + x^{44} + x^{43} + x^{41} + x^{39} + x^{37} + x^{35} + x^{33} + x^{32} + x^{28} + x^{27} \\
&\quad + x^{25} + x^{24} + x^8 + x^7 + x^5 + x^3 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 0, 0, 0, 0, 1, 1]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^0$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	105	[163, 139]	210	[147, 57]	315	[389, 195]	420	[461, 462]
1	[3, 4]	106	[117, 164]	211	[153, 8]	316	[202, 390]	421	[463, 464]
2	[5, 6]	107	[39, 165]	212	[288, 121]	317	[135, 36]	422	[103, 188]
3	[7, 8]	108	[166, 167]	213	[117, 284]	318	[391, 136]	423	[465, 466]
4	[9, 10]	109	[168, 169]	214	[261, 289]	319	[39, 392]	424	[240, 342]
5	[11, 12]	110	[170, 171]	215	[110, 279]	320	[393, 36]	425	[467, 468]
6	[13, 14]	111	[172, 173]	216	[290, 136]	321	[49, 394]	426	[70, 441]
7	[15, 16]	112	[81, 174]	217	[121, 271]	322	[138, 132]	427	[469, 367]
8	[17, 18]	113	[175, 176]	218	[117, 275]	323	[153, 157]	428	[470, 471]
9	[19, 20]	114	[177, 178]	219	[140, 45]	324	[395, 48]	429	[472, 247]
10	[21, 22]	115	[179, 180]	220	[291, 157]	325	[150, 396]	430	[473, 474]
11	[23, 24]	116	[99, 181]	221	[292, 259]	326	[267, 112]	431	[475, 476]
12	[25, 26]	117	[182, 29]	222	[293, 294]	327	[397, 33]	432	[477, 189]

13	[27, 28]	118	[183, 184]	223	[295, 296]	328	[398, 399]	433	[478, 121]
14	[29, 30]	119	[185, 186]	224	[297, 43]	329	[148, 400]	434	[299, 36]
15	[31, 10]	120	[187, 188]	225	[268, 298]	330	[288, 11]	435	[297, 479]
16	[32, 33]	121	[189, 190]	226	[140, 277]	331	[256, 291]	436	[407, 480]
17	[34, 35]	122	[191, 103]	227	[299, 50]	332	[138, 401]	437	[282, 287]
18	[36, 37]	123	[192, 193]	228	[163, 300]	333	[274, 400]	438	[11, 481]
19	[38, 39]	124	[194, 195]	229	[46, 123]	334	[131, 401]	439	[393, 50]
20	[40, 41]	125	[196, 197]	230	[120, 301]	335	[402, 145]	440	[152, 482]
21	[42, 43]	126	[198, 199]	231	[257, 284]	336	[137, 259]	441	[409, 151]
22	[8, 44]	127	[200, 201]	232	[302, 50]	337	[145, 403]	442	[267, 285]
23	[45, 46]	128	[202, 203]	233	[303, 134]	338	[113, 132]	443	[276, 154]
24	[47, 48]	129	[60, 204]	234	[304, 160]	339	[129, 399]	444	[263, 279]
25	[49, 10]	130	[86, 27]	235	[305, 121]	340	[58, 309]	445	[11, 483]
26	[50, 51]	131	[205, 206]	236	[156, 306]	341	[404, 36]	446	[406, 44]
27	[52, 53]	132	[207, 208]	237	[163, 272]	342	[140, 161]	447	[484, 485]
28	[54, 55]	133	[24, 209]	238	[138, 141]	343	[133, 405]	448	[486, 413]
29	[56, 57]	134	[210, 211]	239	[46, 140]	344	[406, 158]	449	[32, 164]
30	[58, 59]	135	[212, 4]	240	[47, 307]	345	[407, 408]	450	[425, 270]
31	[60, 61]	136	[213, 214]	241	[152, 291]	346	[409, 396]	451	[50, 144]
32	[62, 63]	137	[215, 94]	242	[308, 158]	347	[398, 130]	452	[125, 298]
33	[22, 64]	138	[216, 217]	243	[258, 11]	348	[109, 287]	453	[428, 56]
34	[65, 66]	139	[93, 218]	244	[290, 41]	349	[147, 304]	454	[314, 417]
35	[67, 68]	140	[219, 86]	245	[56, 304]	350	[38, 154]	455	[125, 313]
36	[69, 70]	141	[67, 220]	246	[10, 309]	351	[131, 114]	456	[160, 289]
37	[4, 71]	142	[221, 222]	247	[293, 310]	352	[145, 410]	457	[484, 430]
38	[72, 73]	143	[198, 223]	248	[311, 312]	353	[404, 50]	458	[295, 487]
39	[74, 75]	144	[224, 174]	249	[268, 313]	354	[291, 8]	459	[418, 147]
40	[76, 77]	145	[225, 226]	250	[46, 278]	355	[308, 44]	460	[42, 488]
41	[78, 79]	146	[227, 228]	251	[280, 143]	356	[302, 36]	461	[397, 284]
42	[80, 81]	147	[229, 230]	252	[314, 315]	357	[391, 41]	462	[484, 489]
43	[73, 82]	148	[231, 232]	253	[146, 56]	358	[50, 402]	463	[423, 154]
44	[83, 84]	149	[16, 233]	254	[156, 316]	359	[411, 132]	464	[297, 488]
45	[85, 69]	150	[61, 172]	255	[272, 138]	360	[412, 413]	465	[490, 121]
46	[86, 23]	151	[222, 234]	256	[317, 17]	361	[268, 126]	466	[286, 300]
47	[81, 87]	152	[235, 236]	257	[318, 319]	362	[398, 154]	467	[292, 128]
48	[88, 89]	153	[237, 238]	258	[320, 321]	363	[271, 414]	468	[478, 11]
49	[90, 91]	154	[239, 240]	259	[322, 323]	364	[305, 11]	469	[398, 39]
50	[28, 92]	155	[241, 63]	260	[55, 324]	365	[148, 415]	470	[421, 154]
51	[93, 94]	156	[242, 243]	261	[325, 99]	366	[407, 416]	471	[49, 491]
52	[95, 96]	157	[244, 245]	262	[245, 326]	367	[392, 417]	472	[411, 114]
53	[97, 98]	158	[16, 246]	263	[327, 328]	368	[418, 56]	473	[492, 480]
54	[99, 100]	159	[247, 248]	264	[237, 18]	369	[286, 419]	474	[412, 493]
55	[55, 55]	160	[249, 250]	265	[329, 71]	370	[286, 139]	475	[429, 494]
56	[101, 102]	161	[23, 28]	266	[330, 331]	371	[420, 310]	476	[144, 432]

57	[103, 104]	162	[251, 252]	267	[241, 332]	372	[392, 315]	477	[150, 431]
58	[105, 106]	163	[253, 254]	268	[333, 334]	373	[421, 39]	478	[495, 21]
59	[20, 107]	164	[213, 255]	269	[247, 335]	374	[152, 422]	479	[204, 172]
60	[108, 11]	165	[73, 29]	270	[336, 337]	375	[52, 301]	480	[496, 497]
61	[109, 35]	166	[122, 147]	271	[167, 210]	376	[423, 39]	481	[21, 217]
62	[110, 111]	167	[256, 153]	272	[4, 207]	377	[163, 419]	482	[331, 96]
63	[36, 51]	168	[257, 33]	273	[69, 185]	378	[424, 118]	483	[105, 206]
64	[43, 112]	169	[258, 121]	274	[338, 339]	379	[420, 294]	484	[327, 498]
65	[113, 114]	170	[127, 259]	275	[78, 340]	380	[271, 281]	485	[88, 499]
66	[115, 116]	171	[115, 260]	276	[341, 241]	381	[425, 400]	486	[389, 500]
67	[117, 33]	172	[157, 44]	277	[189, 342]	382	[39, 314]	487	[501, 476]
68	[13, 118]	173	[261, 262]	278	[28, 209]	383	[426, 427]	488	[388, 449]
69	[45, 119]	174	[50, 37]	279	[82, 343]	384	[428, 147]	489	[379, 502]
70	[120, 53]	175	[263, 111]	280	[344, 345]	385	[12, 414]	490	[503, 504]
71	[121, 12]	176	[147, 264]	281	[346, 193]	386	[429, 430]	491	[25, 334]
72	[122, 56]	177	[265, 259]	282	[344, 347]	387	[57, 261]	492	[467, 97]
73	[9, 58]	178	[139, 131]	283	[180, 245]	388	[297, 267]	493	[505, 506]
74	[123, 124]	179	[266, 56]	284	[197, 211]	389	[409, 431]	494	[507, 508]
75	[125, 126]	180	[42, 267]	285	[348, 349]	390	[432, 410]	495	[108, 121]
76	[127, 128]	181	[268, 269]	286	[350, 205]	391	[359, 433]	496	[492, 416]
77	[129, 130]	182	[148, 270]	287	[351, 352]	392	[204, 183]	497	[311, 509]
78	[131, 132]	183	[11, 271]	288	[353, 25]	393	[434, 435]	498	[407, 510]
79	[133, 134]	184	[272, 131]	289	[5, 354]	394	[167, 197]	499	[511, 312]
80	[135, 50]	185	[124, 46]	290	[355, 356]	395	[348, 177]	500	[409, 162]
81	[40, 136]	186	[119, 273]	291	[180, 336]	396	[436, 363]	501	[115, 56]
82	[137, 128]	187	[274, 270]	292	[357, 358]	397	[437, 438]	502	[512, 296]
83	[138, 114]	188	[32, 275]	293	[359, 88]	398	[439, 440]	503	[490, 11]
84	[139, 138]	189	[54, 54]	294	[222, 360]	399	[185, 441]	504	[42, 479]
85	[140, 124]	190	[125, 269]	295	[346, 361]	400	[96, 6]	505	[129, 154]
86	[55, 54]	191	[276, 39]	296	[362, 363]	401	[351, 442]	506	[304, 261]
87	[131, 141]	192	[119, 123]	297	[364, 365]	402	[370, 349]	507	[484, 494]
88	[142, 143]	193	[123, 277]	298	[366, 367]	403	[71, 208]	508	[426, 513]
89	[144, 145]	194	[119, 140]	299	[368, 369]	404	[443, 93]	509	[514, 515]
90	[146, 147]	195	[119, 278]	300	[370, 177]	405	[217, 64]	510	[371, 516]
91	[148, 149]	196	[156, 279]	301	[371, 372]	406	[444, 445]	511	[230, 181]
92	[150, 151]	197	[265, 128]	302	[373, 374]	407	[446, 447]	512	[455, 517]
93	[152, 153]	198	[280, 159]	303	[375, 185]	408	[97, 448]	513	[518, 387]
94	[154, 155]	199	[12, 281]	304	[331, 5]	409	[20, 449]	514	[129, 39]
95	[156, 111]	200	[282, 35]	305	[376, 377]	410	[349, 178]	515	[402, 432]
96	[157, 158]	201	[147, 283]	306	[322, 378]	411	[450, 451]	516	[519, 427]
97	[142, 159]	202	[32, 284]	307	[379, 380]	412	[452, 375]	517	[395, 307]
98	[57, 160]	203	[43, 285]	308	[381, 382]	413	[453, 454]	518	[115, 147]
99	[124, 119]	204	[286, 272]	309	[61, 183]	414	[455, 86]	519	[517, 27]
100	[123, 161]	205	[34, 287]	310	[251, 383]	415	[83, 456]		

101	[123, 45]	206	[154, 165]	311	[324, 324]	416	[457, 458]
102	[150, 162]	207	[8, 158]	312	[384, 385]	417	[452, 69]
103	[49, 58]	208	[10, 59]	313	[386, 387]	418	[459, 460]
104	[39, 155]	209	[46, 273]	314	[388, 107]	419	[224, 87]

Output function $n \mapsto \tau(n)$:

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	75	1	150	1	225	0	300	0	375	1	450	1
1	0	76	0	151	1	226	0	301	0	376	1	451	1
2	0	77	0	152	1	227	1	302	1	377	1	452	1
3	0	78	0	153	1	228	1	303	1	378	0	453	1
4	0	79	0	154	0	229	0	304	0	379	0	454	1
5	0	80	0	155	1	230	0	305	1	380	0	455	1
6	1	81	0	156	1	231	1	306	1	381	1	456	0
7	0	82	0	157	1	232	1	307	0	382	1	457	0
8	0	83	1	158	0	233	1	308	1	383	0	458	0
9	0	84	1	159	1	234	0	309	1	384	1	459	1
10	0	85	0	160	0	235	1	310	0	385	1	460	0
11	0	86	0	161	0	236	1	311	1	386	1	461	0
12	1	87	0	162	0	237	1	312	1	387	1	462	0
13	1	88	1	163	1	238	1	313	1	388	1	463	1
14	1	89	1	164	1	239	0	314	1	389	0	464	1
15	0	90	1	165	0	240	0	315	0	390	1	465	1
16	0	91	1	166	0	241	1	316	0	391	1	466	0
17	0	92	1	167	0	242	1	317	0	392	0	467	1
18	0	93	1	168	1	243	1	318	1	393	1	468	0
19	0	94	0	169	1	244	1	319	1	394	0	469	1
20	0	95	1	170	0	245	1	320	1	395	1	470	1
21	0	96	1	171	0	246	0	321	1	396	0	471	1
22	0	97	1	172	1	247	1	322	1	397	0	472	1
23	0	98	1	173	1	248	1	323	1	398	1	473	1
24	0	99	1	174	1	249	0	324	1	399	1	474	1
25	1	100	1	175	0	250	0	325	1	400	1	475	1
26	1	101	1	176	0	251	0	326	1	401	0	476	1
27	1	102	1	177	1	252	1	327	0	402	0	477	1
28	1	103	1	178	1	253	1	328	1	403	1	478	0
29	1	104	1	179	0	254	1	329	1	404	0	479	0
30	1	105	1	180	0	255	0	330	0	405	1	480	1
31	0	106	1	181	0	256	0	331	0	406	0	481	0
32	0	107	1	182	1	257	1	332	1	407	0	482	0
33	0	108	0	183	0	258	1	333	0	408	1	483	1
34	0	109	1	184	0	259	1	334	0	409	0	484	0
35	1	110	0	185	1	260	0	335	0	410	0	485	1
36	0	111	1	186	1	261	1	336	0	411	1	486	0

37	0	112	0	187	0	262	1	337	0	412	1	487	0
38	0	113	0	188	0	263	0	338	0	413	1	488	1
39	1	114	1	189	1	264	1	339	0	414	1	489	0
40	0	115	0	190	1	265	1	340	1	415	1	490	1
41	0	116	1	191	0	266	0	341	0	416	0	491	1
42	0	117	1	192	1	267	1	342	0	417	1	492	1
43	0	118	0	193	1	268	0	343	0	418	1	493	0
44	1	119	1	194	1	269	1	344	0	419	1	494	0
45	0	120	0	195	1	270	0	345	0	420	0	495	0
46	0	121	1	196	1	271	0	346	0	421	1	496	1
47	0	122	0	197	1	272	0	347	1	422	1	497	1
48	1	123	1	198	0	273	0	348	1	423	1	498	0
49	1	124	1	199	1	274	0	349	0	424	0	499	0
50	1	125	1	200	0	275	0	350	0	425	1	500	0
51	1	126	0	201	0	276	0	351	0	426	0	501	0
52	1	127	0	202	0	277	1	352	0	427	1	502	1
53	1	128	0	203	0	278	1	353	0	428	1	503	1
54	1	129	0	204	0	279	0	354	0	429	1	504	0
55	0	130	0	205	0	280	0	355	1	430	1	505	0
56	1	131	0	206	0	281	0	356	1	431	1	506	0
57	1	132	0	207	0	282	0	357	1	432	1	507	0
58	1	133	0	208	0	283	0	358	1	433	0	508	0
59	0	134	0	209	0	284	1	359	1	434	1	509	0
60	0	135	0	210	0	285	1	360	1	435	1	510	0
61	1	136	1	211	1	286	0	361	0	436	0	511	0
62	0	137	0	212	0	287	0	362	1	437	0	512	1
63	0	138	1	213	1	288	0	363	0	438	0	513	0
64	0	139	1	214	1	289	0	364	1	439	1	514	0
65	0	140	0	215	0	290	1	365	1	440	1	515	0
66	0	141	1	216	1	291	0	366	0	441	0	516	1
67	1	142	1	217	1	292	1	367	0	442	1	517	1
68	1	143	0	218	1	293	1	368	1	443	0	518	0
69	0	144	1	219	0	294	1	369	0	444	0	519	1
70	0	145	0	220	0	295	0	370	0	445	0		
71	1	146	1	221	1	296	1	371	0	446	0		
72	0	147	0	222	1	297	1	372	0	447	0		
73	0	148	1	223	0	298	0	373	1	448	0		
74	1	149	0	224	1	299	1	374	1	449	0		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE
Email address: guoniu.han@unistra.fr

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA
Email address: huyining@hust.edu.cn