

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z, z^6 + z^4 + z^3 + z)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z, z^6 + z^4 + z^3 + z)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 19:27:26 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 13.2 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z, z^6 + z^4 + z^3 + z)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$\begin{aligned} p_0(z) &= z^{18} + z^{15} + z^{12} + z^{10} + z^9 + z^8 + z^7 + z^3 + z^2 + 1, \\ p_1(z) &= z^{21} + z^{19} + z^{16} + z^{11} + z^{10} + z^8 + z^4 + z^3, \\ p_2(z) &= z^{22} + z^{20} + z^{14} + z^{12} + z^8 + z^6 + z^4 + z^2, \\ p_3(z) &= z^{21} + z^{19} + z^{16} + z^{11} + z^{10} + z^8 + z^4 + z^3, \\ p_4(z) &= z^{20} + z^{15} + z^{10} + z^9 + z^7 + z^4 + z^3 + z^2 + 1, \end{aligned}$$

and for $\text{CF}(b, a)$,

$$\begin{aligned} p_0(z) &= z^{15} + z^{12} + z^9 + z^8 + z^7 + z^6 + z^3 + z^2 + 1, \\ p_1(z) &= z^{21} + z^{19} + z^{16} + z^{11} + z^{10} + z^8 + z^4 + z^3, \\ p_2(z) &= z^{22} + z^{20} + z^{14} + z^{12} + z^8 + z^6 + z^4 + z^2, \\ p_3(z) &= z^{21} + z^{19} + z^{16} + z^{11} + z^{10} + z^8 + z^4 + z^3, \\ p_4(z) &= z^{20} + z^{18} + z^{15} + z^9 + z^7 + z^6 + z^4 + z^3 + z^2 + 1. \end{aligned}$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{t}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(175, 175, 175, 175, 175)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 630 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 630, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 770 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 770, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[14u] &= M^e[7u] + x^{3u} M^e[4u] + x^{3u} M^e[7u] + x^{6u} M^e[4u] + x^{6u} M^e[7u] \\ &\quad + x^{9u} M^e[4u] + x^{8u} M^e[6u] + x^{9u} M^e[5u] + x^{12u} M^e[2u] \\ &\quad + (x^{7u} + x^{10u} + x^{13u}) R^e, \\ W^e[14u] &= W^e[7u] + x^{3u} W^e[4u] + x^{3u} W^e[7u] + x^{6u} W^e[4u] + x^{6u} W^e[7u] \\ &\quad + x^{9u} W^e[4u] + x^{8u} W^e[6u] + x^{9u} W^e[5u] + x^{12u} W^e[2u] \\ &\quad + (x^{7u} + x^{10u} + x^{13u}) R^e. \end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned}
M^o[:14u] &= M^o[:7u] + x^{3u}M^o[:4u] + x^{3u}M^o[:7u] + x^{6u}M^o[:4u] + x^{6u}M^o[:7u] \\
&\quad + x^{9u}M^o[:4u] + x^{8u}M^o[:6u] + x^{9u}M^o[:5u] + x^{12u}M^o[:2u] \\
&\quad + (x^{7u} + x^{10u} + x^{13u})R^o, \\
W^o[:14u] &= W^o[:7u] + x^{3u}W^o[:4u] + x^{3u}W^o[:7u] + x^{6u}W^o[:4u] + x^{6u}W^o[:7u] \\
&\quad + x^{9u}W^o[:4u] + x^{8u}W^o[:6u] + x^{9u}W^o[:5u] + x^{12u}W^o[:2u] \\
&\quad + (x^{7u} + x^{10u} + x^{13u})R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$\begin{aligned}
T[:14u] &= T[:7u] + x^{3u}T[:4u] + x^{3u}T[:7u] + x^{6u}T[:4u] + x^{6u}T[:7u] + x^{9u}T[:4u] \\
&\quad + x^{8u}T[:6u] + x^{9u}T[:5u] + x^{12u}T[:2u].
\end{aligned}$$

The proof of the other 15 cases are similar. We break down the above identity into 7 parts:

$$\begin{aligned}
0 &= x^{3u}T[4u:5u] + T[7u:8u], \\
0 &= x^{8u}T[:u] + x^{3u}T[5u:6u] + T[8u:9u], \\
0 &= x^{8u}T[u:2u] + x^{3u}T[6u:7u] + T[9u:10u], \\
0 &= x^{8u}T[2u:3u] + x^{6u}T[4u:5u] + T[10u:11u], \\
0 &= x^{8u}T[3u:4u] + x^{6u}T[5u:6u] + T[11u:12u], \\
0 &= x^{12u}T[:u] + x^{8u}T[4u:5u] + x^{6u}T[6u:7u] + T[12u:13u], \\
0 &= x^{12u}T[u:2u] + x^{9u}T[4u:5u] + x^{8u}T[5u:6u] + T[13u:14u],
\end{aligned}$$

which can be rewritten as

$$\begin{aligned}
(2.7) \quad 0 &= T[[100w]_2] + T[[111w]_2], \\
(2.8) \quad 0 &= T[[w]_2] + T[[101w]_2] + T[[1000w]_2], \\
(2.9) \quad 0 &= T[[1w]_2] + T[[110w]_2] + T[[1001w]_2], \\
(2.10) \quad 0 &= T[[10w]_2] + T[[100w]_2] + T[[1010w]_2], \\
(2.11) \quad 0 &= T[[11w]_2] + T[[101w]_2] + T[[1011w]_2], \\
(2.12) \quad 0 &= T[[w]_2] + T[[100w]_2] + T[[110w]_2] + T[[1100w]_2], \\
(2.13) \quad 0 &= T[[1w]_2] + T[[100w]_2] + T[[101w]_2] + T[[1101w]_2],
\end{aligned}$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$\begin{aligned}
(2.14) \quad 0 &= T[[100w]_2] + T[[111w]_2], \\
(2.15) \quad 0 &= T[[w]_2] + T[[101w]_2] + T[[1000w]_2], \\
(2.16) \quad 0 &= T[[1w]_2] + T[[110w]_2] + T[[1001w]_2], \\
(2.17) \quad 0 &= T[[10w]_2] + T[[100w]_2] + T[[1010w]_2], \\
(2.18) \quad 0 &= T[[11w]_2] + T[[101w]_2] + T[[1011w]_2], \\
(2.19) \quad 0 &= T[[w]_2] + T[[100w]_2] + T[[110w]_2] + T[[1100w]_2],
\end{aligned}$$

$$(2.20) \quad 0 = T[[1w]_2] + T[[100w]_2] + T[[101w]_2] + T[[1101w]_2],$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 555 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.20) can be written as

$$(2.21) \quad 0 = \tau(A(s, 100)) + \tau(A(s, 111)),$$

$$(2.22) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 101)) + \tau(A(s, 1000)),$$

$$(2.23) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 110)) + \tau(A(s, 1001)),$$

$$(2.24) \quad 0 = \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 1010)),$$

$$(2.25) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 101)) + \tau(A(s, 1011)),$$

$$(2.26) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 100)) + \tau(A(s, 110)) + \tau(A(s, 1100)),$$

$$(2.27) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 1101)),$$

for all $s \in E_{2k}$, and

$$(2.28) \quad 0 = \tau(A(s, 100)) + \tau(A(s, 111)),$$

$$(2.29) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 101)) + \tau(A(s, 1000)),$$

$$(2.30) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 110)) + \tau(A(s, 1001)),$$

$$(2.31) \quad 0 = \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 1010)),$$

$$(2.32) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 101)) + \tau(A(s, 1011)),$$

$$(2.33) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 100)) + \tau(A(s, 110)) + \tau(A(s, 1100)),$$

$$(2.34) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 1101)),$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{20}), E_{20}) = (A(i, 0^{16}), E_{16})$, so that we only have to verify that identities (2.21) through (2.34) hold for $2 \leq k \leq 10$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$M_{2k} = M^e[:7u] + x^{3u}M^e[:4u] + x^{7u}R^e,$$

$$W_{2k} = W^e[:7u] + x^{3u}W^e[:4u] + x^{7u}R^e.$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$M_{2k+1} = M^o[:7u] + x^{3u}M^o[:4u] + x^{7u}R^o,$$

$$W_{2k+1} = W^o[:7u] + x^{3u}W^o[:4u] + x^{7u}R^o.$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1} \wedge W_{2k+1},$$

$$M_{2k+1} \wedge W_{2k+1} \Rightarrow M_{2k+2} \wedge W_{2k+2}.$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$(2.35) \quad \begin{aligned} W_{2k} M_{2k} &= (W^e[:7v] + x^{3v} W^e[:4v] + x^{7u} R^e) \times (M^e[:7v] + x^{3v} M^e[:4v] \\ &\quad + x^{7u} R^e); \end{aligned}$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{14v} R^o$. Therefore we only need to prove that their difference is $O(x^{14v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{14v} , to

$$W^e[:14v] M^e[:14v] + x^{6v} W^e[:8v] M^e[:8v].$$

For all $n \leq 14$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.35) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{14}, b_1, \dots, b_{14}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{14})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned} \lim_{n \rightarrow \infty} M_{2n,j,k} &= M_{j,k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1,j,k} &= M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} &= W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} &= W_{j,k}^o. \end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12} \phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e / M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$\begin{aligned} q_0(x) &= x^{22} + x^{20} + x^{19} + x^{15} + x^{14} + x^{13} + x^{12} + x^{10} + x^7 + x^4, \\ q_1(x) &= x^{19} + x^{18} + x^{14} + x^{12} + x^{11} + x^6 + x^3 + x, \\ q_2(x) &= x^{20} + x^{18} + x^{16} + x^{14} + x^{10} + x^8 + x^2 + 1, \\ q_3(x) &= x^{19} + x^{18} + x^{14} + x^{12} + x^{11} + x^6 + x^3 + x, \\ q_4(x) &= x^{22} + x^{20} + x^{19} + x^{18} + x^{15} + x^{13} + x^{12} + x^7 + x^2. \end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 216, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 216, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned} p_0(x) &= x^{132} + x^{128} + x^{126} + x^{116} + x^{112} + x^{108} + x^{102} + x^{96} + x^{94} + x^{92} \\ &\quad + x^{90} + x^{86} + x^{84} + x^{82} + x^{80} + x^{68} + x^{62} + x^{58} + x^{56} + x^{54} + x^{52} \\ &\quad + x^{48} + x^{46} + x^{44} + x^{42} + x^{38} + x^{34} + x^{22} + x^{12}, \\ p_3(x) &= x^{122} + x^{120} + x^{116} + x^{114} + x^{112} + x^{106} + x^{100} + x^{90} + x^{84} + x^{82} \\ &\quad + x^{80} + x^{78} + x^{72} + x^{70} + x^{68} + x^{64} + x^{62} + x^{52} + x^{50} + x^{46} + x^{44} \\ &\quad + x^{40} + x^{36} + x^{34} + x^{32} + x^{30} + x^{28} + x^{26} + x^{22} + x^8, \\ p_6(x) &= x^{124} + x^{122} + x^{120} + x^{110} + x^{106} + x^{104} + x^{96} + x^{94} + x^{92} + x^{90} \\ &\quad + x^{88} + x^{86} + x^{82} + x^{78} + x^{72} + x^{70} + x^{66} + x^{64} + x^{62} + x^{60} + x^{56} \\ &\quad + x^{50} + x^{40} + x^{38} + x^{36} + x^{32} + x^{30} + x^{28} + x^{22} + x^{14} + x^{10} + x^4 \\ &\quad + x^2 + 1, \\ p_9(x) &= x^{118} + x^{110} + x^{104} + x^{100} + x^{96} + x^{84} + x^{82} + x^{78} + x^{76} + x^{74} + x^{72} \\ &\quad + x^{66} + x^{58} + x^{56} + x^{54} + x^{48} + x^{42} + x^{40} + x^{36} + x^{34} + x^{32} + x^{30} \\ &\quad + x^{28} + x^{24} + x^{22} + x^{16} + x^{14} + x^{10} + x^8 + x^6 + x^4 + x^2, \\ p_{12}(x) &= x^{120} + x^{96} + x^{88} + x^{72} + x^{64} + x^{48} + x^{24} + 1, \end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned} p_0(x) = & x^{117} + x^{115} + x^{114} + x^{112} + x^{110} + x^{108} + x^{105} + x^{103} + x^{101} + x^{100} \\ & + x^{96} + x^{95} + x^{93} + x^{91} + x^{90} + x^{87} + x^{83} + x^{80} + x^{77} + x^{70} + x^{67} \\ & + x^{64} + x^{63} + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} + x^{55} + x^{54} + x^{51} + x^{50} \\ & + x^{49} + x^{46} + x^{45} + x^{43} + x^{42} + x^{39} + x^{38} + x^{37} + x^{34} + x^{33} + x^{28} \\ & + x^{26} + x^{25} + x^{24} + x^{23} + x^{20} + x^{18}, \end{aligned}$$

$$\begin{aligned} p_3(x) = & x^{96} + x^{95} + x^{94} + x^{92} + x^{90} + x^{87} + x^{86} + x^{85} + x^{84} + x^{81} + x^{80} \\ & + x^{79} + x^{77} + x^{74} + x^{73} + x^{71} + x^{70} + x^{69} + x^{68} + x^{65} + x^{64} + x^{63} \\ & + x^{61} + x^{58} + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{49} + x^{46} + x^{45} + x^{44} \\ & + x^{41} + x^{40} + x^{39} + x^{38} + x^{36} + x^{34} + x^{32} + x^{29} + x^{26} + x^{25} + x^{23} \\ & + x^{14} + x^{13} + x^{12} + x^9, \end{aligned}$$

$$\begin{aligned} p_6(x) = & x^{99} + x^{96} + x^{89} + x^{86} + x^{83} + x^{81} + x^{80} + x^{78} + x^{71} + x^{68} + x^{67} \\ & + x^{64} + x^{63} + x^{61} + x^{60} + x^{58} + x^{57} + x^{55} + x^{54} + x^{52} + x^{51} + x^{49} \\ & + x^{48} + x^{46} + x^{45} + x^{42} + x^{39} + x^{37} + x^{36} + x^{35} + x^{34} + x^{32} + x^{27} \\ & + x^{25} + x^{24} + x^{23} + x^{22} + x^{20} + x^{19} + x^{16} + x^{15} + x^{13} + x^{12} + x^{11} \\ & + x^{10} + x^9 + x^8 + x^6, \end{aligned}$$

$$\begin{aligned} p_9(x) = & x^{102} + x^{101} + x^{99} + x^{90} + x^{89} + x^{88} + x^{85} + x^{84} + x^{83} + x^{81} + x^{78} \\ & + x^{77} + x^{75} + x^{72} + x^{71} + x^{69} + x^{62} + x^{61} + x^{59} + x^{56} + x^{55} + x^{54} \\ & + x^{52} + x^{49} + x^{48} + x^{47} + x^{46} + x^{43} + x^{42} + x^{41} + x^{40} + x^{37} + x^{34} \\ & + x^{33} + x^{32} + x^{30} + x^{27} + x^{26} + x^{25} + x^{23} + x^{22} + x^{21} + x^{20} + x^{18} \\ & + x^{16} + x^{13} + x^{12} + x^{11} + x^{10} + x^8 + x^6 + x^3, \end{aligned}$$

$$\begin{aligned} p_{12}(x) = & x^{105} + x^{103} + x^{102} + x^{100} + x^{97} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{90} \\ & + x^{89} + x^{88} + x^{87} + x^{86} + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{80} + x^{79} \\ & + x^{78} + x^{77} + x^{76} + x^{75} + x^{74} + x^{72} + x^{69} + x^{67} + x^{66} + x^{64} + x^{57} \\ & + x^{55} + x^{54} + x^{52} + x^{49} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} \\ & + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} \\ & + x^{29} + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} \\ & + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^8 + x^5 + x^3 \\ & + x^2 + 1, \end{aligned}$$

and the initial terms are $[0, 1, 0, 0, 0, 1, 0, 0, 1, 0, 1, 1, 0, 0, 1, 0]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned} p_0(x) = & x^{117} + x^{115} + x^{114} + x^{112} + x^{110} + x^{108} + x^{105} + x^{103} + x^{101} + x^{100} \\ & + x^{96} + x^{95} + x^{93} + x^{91} + x^{90} + x^{87} + x^{83} + x^{80} + x^{77} + x^{70} + x^{67} \\ & + x^{64} + x^{63} + x^{62} + x^{61} + x^{59} + x^{58} + x^{56} + x^{55} + x^{54} + x^{51} + x^{50} \\ & + x^{49} + x^{46} + x^{45} + x^{43} + x^{42} + x^{39} + x^{38} + x^{37} + x^{34} + x^{33} + x^{28} \end{aligned}$$

$$\begin{aligned}
& + x^{26} + x^{25} + x^{24} + x^{23} + x^{20} + x^{18}, \\
p_3(x) &= x^{96} + x^{95} + x^{94} + x^{92} + x^{90} + x^{87} + x^{86} + x^{85} + x^{84} + x^{81} + x^{80} \\
& + x^{79} + x^{77} + x^{74} + x^{73} + x^{71} + x^{70} + x^{69} + x^{68} + x^{65} + x^{64} + x^{63} \\
& + x^{61} + x^{58} + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{49} + x^{46} + x^{45} + x^{44} \\
& + x^{41} + x^{40} + x^{39} + x^{38} + x^{36} + x^{34} + x^{32} + x^{29} + x^{26} + x^{25} + x^{23} \\
& + x^{14} + x^{13} + x^{12} + x^9, \\
p_6(x) &= x^{99} + x^{96} + x^{89} + x^{86} + x^{83} + x^{81} + x^{80} + x^{78} + x^{71} + x^{68} + x^{67} \\
& + x^{64} + x^{63} + x^{61} + x^{60} + x^{58} + x^{57} + x^{55} + x^{54} + x^{52} + x^{51} + x^{49} \\
& + x^{48} + x^{46} + x^{45} + x^{42} + x^{39} + x^{37} + x^{36} + x^{35} + x^{34} + x^{32} + x^{27} \\
& + x^{25} + x^{24} + x^{23} + x^{22} + x^{20} + x^{19} + x^{16} + x^{15} + x^{13} + x^{12} + x^{11} \\
& + x^{10} + x^9 + x^8 + x^6, \\
p_9(x) &= x^{102} + x^{101} + x^{99} + x^{90} + x^{89} + x^{88} + x^{85} + x^{84} + x^{83} + x^{81} + x^{78} \\
& + x^{77} + x^{75} + x^{72} + x^{71} + x^{69} + x^{62} + x^{61} + x^{59} + x^{56} + x^{55} + x^{54} \\
& + x^{52} + x^{49} + x^{48} + x^{47} + x^{46} + x^{43} + x^{42} + x^{41} + x^{40} + x^{37} + x^{34} \\
& + x^{33} + x^{32} + x^{30} + x^{27} + x^{26} + x^{25} + x^{23} + x^{22} + x^{21} + x^{20} + x^{18} \\
& + x^{16} + x^{13} + x^{12} + x^{11} + x^{10} + x^8 + x^6 + x^3, \\
p_{12}(x) &= x^{105} + x^{103} + x^{102} + x^{100} + x^{97} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{90} \\
& + x^{89} + x^{88} + x^{87} + x^{86} + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{80} + x^{79} \\
& + x^{78} + x^{77} + x^{76} + x^{75} + x^{74} + x^{72} + x^{69} + x^{67} + x^{66} + x^{64} + x^{57} \\
& + x^{55} + x^{54} + x^{52} + x^{49} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} \\
& + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} \\
& + x^{29} + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} \\
& + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^8 + x^5 + x^3 \\
& + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 0, 0, 1, 0, 0, 1, 0, 1, 1, 0, 0, 1, 0]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{102} + x^{92} + x^{84} + x^{82} + x^{80} + x^{76} + x^{72} + x^{66} + x^{64} + x^{60} + x^{58} \\
& + x^{50} + x^{44} + x^{40} + x^{36} + x^{28} + x^{24}, \\
p_3(x) &= x^{92} + x^{90} + x^{88} + x^{86} + x^{84} + x^{80} + x^{78} + x^{72} + x^{70} + x^{68} + x^{64} \\
& + x^{62} + x^{58} + x^{48} + x^{46} + x^{40} + x^{38} + x^{36} + x^{28} + x^{26} + x^{20} + x^{18} \\
& + x^{16} + x^{14} + x^8 + x^6, \\
p_6(x) &= x^{94} + x^{92} + x^{86} + x^{84} + x^{82} + x^{80} + x^{72} + x^{66} + x^{62} + x^{58} + x^{50} \\
& + x^{48} + x^{44} + x^{40} + x^{38} + x^{26} + x^{16} + x^{14} + x^6 + x^4 + x^2 + 1, \\
p_9(x) &= x^{88} + x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{72} + x^{70} + x^{66} + x^{58} + x^{56} \\
& + x^{54} + x^{48} + x^{46} + x^{42} + x^{38} + x^{32} + x^{28} + x^{24} + x^{18} + x^{16} + x^{12}
\end{aligned}$$

$$\begin{aligned}
& + x^{10} + x^8 + x^4 + x^2, \\
p_{12}(x) &= x^{90} + x^{86} + x^{84} + x^{80} + x^{74} + x^{70} + x^{68} + x^{64} + x^{42} + x^{38} + x^{36} \\
& + x^{32} + x^{26} + x^{22} + x^{20} + x^{16} + x^{10} + x^6 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 1, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{102} + x^{94} + x^{92} + x^{88} + x^{84} + x^{76} + x^{72} + x^{58} + x^{50} + x^{44} + x^{42} \\
& + x^{30} + x^{28} + x^{26} + x^{22} + x^{18} + x^{12}, \\
p_3(x) &= x^{92} + x^{90} + x^{88} + x^{86} + x^{82} + x^{78} + x^{74} + x^{72} + x^{70} + x^{68} + x^{56} \\
& + x^{54} + x^{52} + x^{48} + x^{40} + x^{38} + x^{36} + x^{32} + x^{30} + x^{28} + x^{16} + x^{12} \\
& + x^{10} + x^8, \\
p_6(x) &= x^{94} + x^{92} + x^{80} + x^{78} + x^{74} + x^{64} + x^{62} + x^{60} + x^{58} + x^{54} + x^{48} \\
& + x^{46} + x^{40} + x^{38} + x^{34} + x^{32} + x^{28} + x^{24} + x^{22} + x^{20} + x^{14} + x^8 \\
& + x^2 + 1, \\
p_9(x) &= x^{88} + x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{72} + x^{70} + x^{66} + x^{58} + x^{56} \\
& + x^{54} + x^{48} + x^{46} + x^{42} + x^{38} + x^{32} + x^{28} + x^{24} + x^{18} + x^{16} + x^{12} \\
& + x^{10} + x^8 + x^4 + x^2, \\
p_{12}(x) &= x^{90} + x^{86} + x^{84} + x^{80} + x^{74} + x^{70} + x^{68} + x^{64} + x^{42} + x^{38} + x^{36} \\
& + x^{32} + x^{26} + x^{22} + x^{20} + x^{16} + x^{10} + x^6 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 1, 0, 1, 0, 0, 0, 0, 0, 0, 1, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{117} + x^{115} + x^{114} + x^{112} + x^{110} + x^{108} + x^{107} + x^{105} + x^{104} + x^{101} \\
& + x^{99} + x^{95} + x^{90} + x^{89} + x^{83} + x^{82} + x^{80} + x^{77} + x^{74} + x^{73} + x^{71} \\
& + x^{69} + x^{68} + x^{66} + x^{63} + x^{60} + x^{59} + x^{58} + x^{57} + x^{51} + x^{49} + x^{48} \\
& + x^{47} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{39} + x^{36} + x^{35} + x^{33} \\
& + x^{32} + x^{27}, \\
p_3(x) &= x^{96} + x^{95} + x^{94} + x^{92} + x^{90} + x^{87} + x^{86} + x^{85} + x^{84} + x^{81} + x^{80} \\
& + x^{79} + x^{77} + x^{74} + x^{73} + x^{71} + x^{70} + x^{69} + x^{68} + x^{65} + x^{64} + x^{63} \\
& + x^{61} + x^{58} + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{49} + x^{46} + x^{45} + x^{44} \\
& + x^{41} + x^{40} + x^{39} + x^{38} + x^{36} + x^{34} + x^{32} + x^{29} + x^{26} + x^{25} + x^{23} \\
& + x^{14} + x^{13} + x^{12} + x^9, \\
p_6(x) &= x^{99} + x^{96} + x^{89} + x^{86} + x^{83} + x^{81} + x^{80} + x^{78} + x^{71} + x^{68} + x^{67} \\
& + x^{64} + x^{63} + x^{61} + x^{60} + x^{58} + x^{57} + x^{55} + x^{54} + x^{52} + x^{51} + x^{49} \\
& + x^{48} + x^{46} + x^{45} + x^{42} + x^{39} + x^{37} + x^{36} + x^{35} + x^{34} + x^{32} + x^{27} \\
& + x^{25} + x^{24} + x^{23} + x^{22} + x^{20} + x^{19} + x^{16} + x^{15} + x^{13} + x^{12} + x^{11} \\
& + x^{10} + x^9 + x^8 + x^6,
\end{aligned}$$

$$\begin{aligned}
p_9(x) &= x^{102} + x^{101} + x^{99} + x^{90} + x^{89} + x^{88} + x^{85} + x^{84} + x^{83} + x^{81} + x^{78} \\
&\quad + x^{77} + x^{75} + x^{72} + x^{71} + x^{69} + x^{62} + x^{61} + x^{59} + x^{56} + x^{55} + x^{54} \\
&\quad + x^{52} + x^{49} + x^{48} + x^{47} + x^{46} + x^{43} + x^{42} + x^{41} + x^{40} + x^{37} + x^{34} \\
&\quad + x^{33} + x^{32} + x^{30} + x^{27} + x^{26} + x^{25} + x^{23} + x^{22} + x^{21} + x^{20} + x^{18} \\
&\quad + x^{16} + x^{13} + x^{12} + x^{11} + x^{10} + x^8 + x^6 + x^3, \\
p_{12}(x) &= x^{105} + x^{103} + x^{102} + x^{100} + x^{97} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{90} \\
&\quad + x^{89} + x^{88} + x^{87} + x^{86} + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{80} + x^{79} \\
&\quad + x^{78} + x^{77} + x^{76} + x^{75} + x^{74} + x^{72} + x^{69} + x^{67} + x^{66} + x^{64} + x^{57} \\
&\quad + x^{55} + x^{54} + x^{52} + x^{49} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} \\
&\quad + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} \\
&\quad + x^{29} + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} \\
&\quad + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^8 + x^5 + x^3 \\
&\quad + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 1, 0, 1, 0, 0, 1]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{117} + x^{115} + x^{114} + x^{112} + x^{110} + x^{108} + x^{107} + x^{105} + x^{104} + x^{101} \\
&\quad + x^{99} + x^{95} + x^{90} + x^{89} + x^{83} + x^{82} + x^{80} + x^{77} + x^{74} + x^{73} + x^{71} \\
&\quad + x^{69} + x^{68} + x^{66} + x^{63} + x^{60} + x^{59} + x^{58} + x^{57} + x^{51} + x^{49} + x^{48} \\
&\quad + x^{47} + x^{46} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{39} + x^{36} + x^{35} + x^{33} \\
&\quad + x^{32} + x^{27}, \\
p_3(x) &= x^{96} + x^{95} + x^{94} + x^{92} + x^{90} + x^{87} + x^{86} + x^{85} + x^{84} + x^{81} + x^{80} \\
&\quad + x^{79} + x^{77} + x^{74} + x^{73} + x^{71} + x^{70} + x^{69} + x^{68} + x^{65} + x^{64} + x^{63} \\
&\quad + x^{61} + x^{58} + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{49} + x^{46} + x^{45} + x^{44} \\
&\quad + x^{41} + x^{40} + x^{39} + x^{38} + x^{36} + x^{34} + x^{32} + x^{29} + x^{26} + x^{25} + x^{23} \\
&\quad + x^{14} + x^{13} + x^{12} + x^9, \\
p_6(x) &= x^{99} + x^{96} + x^{89} + x^{86} + x^{83} + x^{81} + x^{80} + x^{78} + x^{71} + x^{68} + x^{67} \\
&\quad + x^{64} + x^{63} + x^{61} + x^{60} + x^{58} + x^{57} + x^{55} + x^{54} + x^{52} + x^{51} + x^{49} \\
&\quad + x^{48} + x^{46} + x^{45} + x^{42} + x^{39} + x^{37} + x^{36} + x^{35} + x^{34} + x^{32} + x^{27} \\
&\quad + x^{25} + x^{24} + x^{23} + x^{22} + x^{20} + x^{19} + x^{16} + x^{15} + x^{13} + x^{12} + x^{11} \\
&\quad + x^{10} + x^9 + x^8 + x^6, \\
p_9(x) &= x^{102} + x^{101} + x^{99} + x^{90} + x^{89} + x^{88} + x^{85} + x^{84} + x^{83} + x^{81} + x^{78} \\
&\quad + x^{77} + x^{75} + x^{72} + x^{71} + x^{69} + x^{62} + x^{61} + x^{59} + x^{56} + x^{55} + x^{54} \\
&\quad + x^{52} + x^{49} + x^{48} + x^{47} + x^{46} + x^{43} + x^{42} + x^{41} + x^{40} + x^{37} + x^{34} \\
&\quad + x^{33} + x^{32} + x^{30} + x^{27} + x^{26} + x^{25} + x^{23} + x^{22} + x^{21} + x^{20} + x^{18} \\
&\quad + x^{16} + x^{13} + x^{12} + x^{11} + x^{10} + x^8 + x^6 + x^3,
\end{aligned}$$

$$\begin{aligned}
p_{12}(x) = & x^{105} + x^{103} + x^{102} + x^{100} + x^{97} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{90} \\
& + x^{89} + x^{88} + x^{87} + x^{86} + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{80} + x^{79} \\
& + x^{78} + x^{77} + x^{76} + x^{75} + x^{74} + x^{72} + x^{69} + x^{67} + x^{66} + x^{64} + x^{57} \\
& + x^{55} + x^{54} + x^{52} + x^{49} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} \\
& + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} \\
& + x^{29} + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} \\
& + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^8 + x^5 + x^3 \\
& + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 1, 0, 1, 0, 0, 1]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) = & x^{132} + x^{128} + x^{126} + x^{124} + x^{120} + x^{112} + x^{110} + x^{104} + x^{102} + x^{100} \\
& + x^{98} + x^{94} + x^{92} + x^{80} + x^{78} + x^{76} + x^{74} + x^{72} + x^{66} + x^{58} + x^{56} \\
& + x^{48} + x^{42}, \\
p_3(x) = & x^{122} + x^{120} + x^{116} + x^{98} + x^{96} + x^{92} + x^{88} + x^{86} + x^{82} + x^{80} + x^{76} \\
& + x^{74} + x^{72} + x^{68} + x^{66} + x^{64} + x^{60} + x^{50} + x^{48} + x^{44} + x^{42} + x^{38} \\
& + x^{36} + x^{32} + x^{30} + x^{26} + x^{22} + x^{20} + x^{16} + x^{14} + x^8 + x^6, \\
p_6(x) = & x^{124} + x^{122} + x^{120} + x^{116} + x^{114} + x^{110} + x^{104} + x^{98} + x^{94} + x^{92} \\
& + x^{82} + x^{80} + x^{74} + x^{68} + x^{64} + x^{60} + x^{50} + x^{48} + x^{46} + x^{42} + x^{40} \\
& + x^{34} + x^{32} + x^{30} + x^{24} + x^{22} + x^{16} + x^{12} + x^{10} + x^6 + x^2 + 1, \\
p_9(x) = & x^{118} + x^{110} + x^{104} + x^{100} + x^{96} + x^{84} + x^{82} + x^{78} + x^{76} + x^{74} + x^{72} \\
& + x^{66} + x^{58} + x^{56} + x^{54} + x^{48} + x^{42} + x^{40} + x^{36} + x^{34} + x^{32} + x^{30} \\
& + x^{28} + x^{24} + x^{22} + x^{16} + x^{14} + x^{10} + x^8 + x^6 + x^4 + x^2, \\
p_{12}(x) = & x^{120} + x^{96} + x^{88} + x^{72} + x^{64} + x^{48} + x^{24} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) = & x^{117} + x^{115} + x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{106} + x^{105} + x^{103} \\
& + x^{102} + x^{96} + x^{95} + x^{94} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{84} + x^{83} \\
& + x^{82} + x^{81} + x^{79} + x^{76} + x^{74} + x^{73} + x^{71} + x^{70} + x^{69} + x^{68} + x^{66} \\
& + x^{63} + x^{62} + x^{61} + x^{59} + x^{55} + x^{53} + x^{52} + x^{50} + x^{49} + x^{48} + x^{47} \\
& + x^{46} + x^{43} + x^{42} + x^{40} + x^{38} + x^{36} + x^{33} + x^{31} + x^{29} + x^{24} + x^{23} \\
& + x^{22} + x^{21} + x^{19} + x^{15} + x^{12}, \\
p_3(x) = & x^{105} + x^{103} + x^{102} + x^{100} + x^{96} + x^{94} + x^{92} + x^{90} + x^{87} + x^{86} + x^{85} \\
& + x^{83} + x^{82} + x^{81} + x^{78} + x^{74} + x^{70} + x^{68} + x^{67} + x^{63} + x^{61} + x^{60} \\
& + x^{57} + x^{55} + x^{53} + x^{50} + x^{49} + x^{47} + x^{45} + x^{43} + x^{42} + x^{38} + x^{37} \\
& + x^{36} + x^{33} + x^{32} + x^{30} + x^{26} + x^{23} + x^{21} + x^{20} + x^{18} + x^{15} + x^{14}
\end{aligned}$$

$$\begin{aligned}
& + x^{11} + x^8, \\
p_6(x) &= x^{109} + x^{107} + x^{106} + x^{105} + x^{104} + x^{103} + x^{102} + x^{98} + x^{97} + x^{96} \\
& + x^{95} + x^{92} + x^{91} + x^{90} + x^{83} + x^{82} + x^{75} + x^{71} + x^{70} + x^{68} + x^{62} \\
& + x^{59} + x^{50} + x^{49} + x^{46} + x^{43} + x^{42} + x^{39} + x^{37} + x^{34} + x^{33} + x^{30} \\
& + x^{26} + x^{25} + x^{14} + x^{13} + x^{12} + x^{11} + x^7 + x^5 + x^4 + x^3 + x^2 + 1, \\
p_9(x) &= x^{101} + x^{99} + x^{98} + x^{97} + x^{96} + x^{95} + x^{94} + x^{92} + x^{89} + x^{87} + x^{86} \\
& + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{80} + x^{79} + x^{78} + x^{76} + x^{73} + x^{71} \\
& + x^{70} + x^{68} + x^{53} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} \\
& + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{28} \\
& + x^{25} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} \\
& + x^{12} + x^9 + x^7 + x^6 + x^4, \\
p_{12}(x) &= x^{105} + x^{103} + x^{102} + x^{101} + x^{100} + x^{99} + x^{98} + x^{96} + x^{93} + x^{91} + x^{90} \\
& + x^{88} + x^{77} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} + x^{70} + x^{69} + x^{68} + x^{67} \\
& + x^{66} + x^{64} + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} + x^{48} + x^{45} \\
& + x^{43} + x^{42} + x^{40} + x^{29} + x^{27} + x^{26} + x^{24} + x^{13} + x^{11} + x^{10} + x^9 \\
& + x^8 + x^7 + x^6 + x^5 + x^4 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 0, 0, 0, 1, 1, 0, 0, 0, 1, 1, 1, 1]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{112} + x^{106} + x^{105} + x^{104} + x^{103} + x^{100} + x^{99} + x^{96} + x^{95} + x^{94} \\
& + x^{93} + x^{92} + x^{89} + x^{87} + x^{86} + x^{85} + x^{84} + x^{82} + x^{81} + x^{80} + x^{74} \\
& + x^{73} + x^{72} + x^{66} + x^{58} + x^{56} + x^{55} + x^{51} + x^{49} + x^{48} + x^{46} + x^{45} \\
& + x^{43} + x^{38} + x^{37} + x^{36} + x^{35} + x^{32} + x^{29} + x^{26} + x^{25} + x^{24} + x^{22} \\
& + x^{21} + x^{20} + x^{18}, \\
p_3(x) &= x^{91} + x^{90} + x^{89} + x^{88} + x^{86} + x^{83} + x^{82} + x^{80} + x^{78} + x^{75} + x^{74} \\
& + x^{72} + x^{70} + x^{67} + x^{66} + x^{64} + x^{62} + x^{59} + x^{58} + x^{56} + x^{54} + x^{51} \\
& + x^{50} + x^{48} + x^{46} + x^{41} + x^{35} + x^{34} + x^{33} + x^{32} + x^{30} + x^{25} + x^{19} \\
& + x^{18} + x^{17} + x^{16} + x^{14} + x^9, \\
p_6(x) &= x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{78} + x^{66} + x^{64} + x^{58} + x^{52} + x^{46} \\
& + x^{40} + x^{38} + x^{36} + x^{32} + x^{22} + x^{18} + x^{16} + x^{10} + x^6, \\
p_9(x) &= x^{97} + x^{96} + x^{92} + x^{90} + x^{88} + x^{83} + x^{81} + x^{80} + x^{76} + x^{74} + x^{72} \\
& + x^{67} + x^{49} + x^{48} + x^{44} + x^{42} + x^{40} + x^{35} + x^{33} + x^{32} + x^{28} + x^{26} \\
& + x^{24} + x^{19} + x^{17} + x^{16} + x^{12} + x^{10} + x^8 + x^3, \\
p_{12}(x) &= x^{100} + x^{96} + x^{88} + x^{72} + x^{68} + x^{64} + x^{52} + x^{48} + x^{40} + x^{24} + x^8 + x^4 \\
& + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 0, 1, 0, 1]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{132} + x^{126} + x^{125} + x^{123} + x^{122} + x^{119} + x^{118} + x^{117} + x^{112} + x^{110} \\
&\quad + x^{109} + x^{107} + x^{103} + x^{102} + x^{101} + x^{99} + x^{97} + x^{96} + x^{93} + x^{92} \\
&\quad + x^{90} + x^{88} + x^{86} + x^{84} + x^{83} + x^{82} + x^{80} + x^{76} + x^{74} + x^{73} + x^{69} \\
&\quad + x^{62} + x^{60} + x^{58} + x^{54} + x^{49} + x^{46} + x^{44} + x^{43} + x^{41} + x^{38} + x^{34} \\
&\quad + x^{32} + x^{30} + x^{27}, \\
p_3(x) &= x^{111} + x^{110} + x^{109} + x^{108} + x^{106} + x^{101} + x^{99} + x^{98} + x^{97} + x^{96} \\
&\quad + x^{94} + x^{89} + x^{63} + x^{62} + x^{61} + x^{60} + x^{58} + x^{55} + x^{54} + x^{52} + x^{51} \\
&\quad + x^{49} + x^{48} + x^{47} + x^{44} + x^{43} + x^{40} + x^{39} + x^{36} + x^{35} + x^{32} + x^{31} \\
&\quad + x^{28} + x^{27} + x^{24} + x^{22} + x^{21} + x^{19} + x^{18} + x^{16} + x^{14} + x^9, \\
p_6(x) &= x^{114} + x^{112} + x^{110} + x^{108} + x^{104} + x^{98} + x^{96} + x^{92} + x^{88} + x^{86} + x^{84} \\
&\quad + x^{78} + x^{76} + x^{74} + x^{70} + x^{66} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{42} \\
&\quad + x^{34} + x^{32} + x^{30} + x^{28} + x^{24} + x^{18} + x^{16} + x^{14} + x^{10} + x^6, \\
p_9(x) &= x^{117} + x^{116} + x^{112} + x^{110} + x^{109} + x^{105} + x^{103} + x^{102} + x^{101} + x^{100} \\
&\quad + x^{98} + x^{97} + x^{96} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{90} + x^{89} + x^{88} \\
&\quad + x^{87} + x^{86} + x^{83} + x^{82} + x^{81} + x^{79} + x^{76} + x^{75} + x^{74} + x^{72} + x^{69} \\
&\quad + x^{68} + x^{67} + x^{64} + x^{62} + x^{61} + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{50} \\
&\quad + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{40} + x^{39} \\
&\quad + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{29} + x^{28} \\
&\quad + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{22} + x^{19} + x^{18} + x^{17} + x^{15} + x^{12} \\
&\quad + x^{11} + x^{10} + x^8 + x^3, \\
p_{12}(x) &= x^{120} + x^{116} + x^{112} + x^{108} + x^{104} + x^{92} + x^{72} + x^{60} + x^{56} + x^{44} + x^{40} \\
&\quad + x^{36} + x^{32} + x^{28} + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 0, 0, 1, 0, 1, 0]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{117} + x^{115} + x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{109} + x^{103} + x^{97} \\
&\quad + x^{96} + x^{95} + x^{93} + x^{91} + x^{90} + x^{89} + x^{88} + x^{87} + x^{84} + x^{83} + x^{82} \\
&\quad + x^{81} + x^{80} + x^{79} + x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{71} + x^{70} + x^{69} \\
&\quad + x^{68} + x^{67} + x^{66} + x^{65} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} + x^{57} \\
&\quad + x^{56} + x^{54} + x^{53} + x^{51} + x^{49} + x^{46} + x^{45} + x^{44} + x^{40} + x^{39} + x^{38} \\
&\quad + x^{36} + x^{35} + x^{33}, \\
p_3(x) &= x^{105} + x^{103} + x^{102} + x^{100} + x^{97} + x^{96} + x^{92} + x^{90} + x^{89} + x^{85} + x^{84} \\
&\quad + x^{82} + x^{80} + x^{79} + x^{76} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} + x^{65} + x^{64} \\
&\quad + x^{62} + x^{61} + x^{59} + x^{56} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} + x^{49} + x^{48} \\
&\quad + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{37} + x^{36} + x^{33} + x^{32} + x^{31} + x^{30}
\end{aligned}$$

$$\begin{aligned}
& + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{22} + x^{21} + x^{20} + x^{18} + x^{14} \\
& + x^{12}, \\
p_6(x) &= x^{109} + x^{107} + x^{106} + x^{105} + x^{104} + x^{103} + x^{102} + x^{101} + x^{97} + x^{96} \\
& + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{84} + x^{82} + x^{80} + x^{79} + x^{76} + x^{75} \\
& + x^{73} + x^{71} + x^{69} + x^{68} + x^{66} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} \\
& + x^{57} + x^{55} + x^{54} + x^{52} + x^{51} + x^{50} + x^{48} + x^{42} + x^{40} + x^{36} + x^{35} \\
& + x^{33} + x^{32} + x^{30} + x^{27} + x^{26} + x^{24} + x^{23} + x^{22} + x^{21} + x^{20} + x^{18} \\
& + x^{15} + x^{14} + x^{13} + x^{11} + x^5 + x^3 + x^2 + 1, \\
p_9(x) &= x^{101} + x^{99} + x^{98} + x^{97} + x^{96} + x^{95} + x^{94} + x^{92} + x^{89} + x^{87} + x^{86} \\
& + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{80} + x^{79} + x^{78} + x^{76} + x^{73} + x^{71} \\
& + x^{70} + x^{68} + x^{53} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} \\
& + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{28} \\
& + x^{25} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} \\
& + x^{12} + x^9 + x^7 + x^6 + x^4, \\
p_{12}(x) &= x^{105} + x^{103} + x^{102} + x^{101} + x^{100} + x^{99} + x^{98} + x^{96} + x^{93} + x^{91} + x^{90} \\
& + x^{88} + x^{77} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} + x^{70} + x^{69} + x^{68} + x^{67} \\
& + x^{66} + x^{64} + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} + x^{48} + x^{45} \\
& + x^{43} + x^{42} + x^{40} + x^{29} + x^{27} + x^{26} + x^{24} + x^{13} + x^{11} + x^{10} + x^9 \\
& + x^8 + x^7 + x^6 + x^5 + x^4 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 0, 0, 1, 1, 1]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{117} + x^{115} + x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{106} + x^{105} + x^{103} \\
& + x^{102} + x^{96} + x^{95} + x^{94} + x^{93} + x^{92} + x^{88} + x^{87} + x^{85} + x^{84} + x^{83} \\
& + x^{82} + x^{81} + x^{79} + x^{76} + x^{74} + x^{73} + x^{71} + x^{70} + x^{69} + x^{68} + x^{66} \\
& + x^{63} + x^{62} + x^{61} + x^{59} + x^{55} + x^{53} + x^{52} + x^{50} + x^{49} + x^{48} + x^{47} \\
& + x^{46} + x^{43} + x^{42} + x^{40} + x^{38} + x^{36} + x^{33} + x^{31} + x^{29} + x^{24} + x^{23} \\
& + x^{22} + x^{21} + x^{19} + x^{15} + x^{12}, \\
p_3(x) &= x^{105} + x^{103} + x^{102} + x^{100} + x^{96} + x^{94} + x^{92} + x^{90} + x^{87} + x^{86} + x^{85} \\
& + x^{83} + x^{82} + x^{81} + x^{78} + x^{74} + x^{70} + x^{68} + x^{67} + x^{63} + x^{61} + x^{60} \\
& + x^{57} + x^{55} + x^{53} + x^{50} + x^{49} + x^{47} + x^{45} + x^{43} + x^{42} + x^{38} + x^{37} \\
& + x^{36} + x^{33} + x^{32} + x^{30} + x^{26} + x^{23} + x^{21} + x^{20} + x^{18} + x^{15} + x^{14} \\
& + x^{11} + x^8, \\
p_6(x) &= x^{109} + x^{107} + x^{106} + x^{105} + x^{104} + x^{103} + x^{102} + x^{98} + x^{97} + x^{96} \\
& + x^{95} + x^{92} + x^{91} + x^{90} + x^{83} + x^{82} + x^{75} + x^{71} + x^{70} + x^{68} + x^{62} \\
& + x^{59} + x^{50} + x^{49} + x^{46} + x^{43} + x^{42} + x^{39} + x^{37} + x^{34} + x^{33} + x^{30}
\end{aligned}$$

$$\begin{aligned}
& + x^{26} + x^{25} + x^{14} + x^{13} + x^{12} + x^{11} + x^7 + x^5 + x^4 + x^3 + x^2 + 1, \\
p_9(x) = & x^{101} + x^{99} + x^{98} + x^{97} + x^{96} + x^{95} + x^{94} + x^{92} + x^{89} + x^{87} + x^{86} \\
& + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{80} + x^{79} + x^{78} + x^{76} + x^{73} + x^{71} \\
& + x^{70} + x^{68} + x^{53} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} \\
& + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{28} \\
& + x^{25} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} \\
& + x^{12} + x^9 + x^7 + x^6 + x^4, \\
p_{12}(x) = & x^{105} + x^{103} + x^{102} + x^{101} + x^{100} + x^{99} + x^{98} + x^{96} + x^{93} + x^{91} + x^{90} \\
& + x^{88} + x^{77} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} + x^{70} + x^{69} + x^{68} + x^{67} \\
& + x^{66} + x^{64} + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} + x^{48} + x^{45} \\
& + x^{43} + x^{42} + x^{40} + x^{29} + x^{27} + x^{26} + x^{24} + x^{13} + x^{11} + x^{10} + x^9 \\
& + x^8 + x^7 + x^6 + x^5 + x^4 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 0, 0, 0, 1, 1, 0, 0, 0, 1, 1, 1, 1]$.

For $\phi(W^o, 0, 1)$:

$$\begin{aligned}
p_0(x) = & x^{132} + x^{126} + x^{125} + x^{123} + x^{122} + x^{119} + x^{118} + x^{117} + x^{112} + x^{110} \\
& + x^{109} + x^{107} + x^{103} + x^{102} + x^{101} + x^{99} + x^{97} + x^{96} + x^{93} + x^{92} \\
& + x^{90} + x^{88} + x^{86} + x^{84} + x^{83} + x^{82} + x^{80} + x^{76} + x^{74} + x^{73} + x^{69} \\
& + x^{62} + x^{60} + x^{58} + x^{54} + x^{49} + x^{46} + x^{44} + x^{43} + x^{41} + x^{38} + x^{34} \\
& + x^{32} + x^{30} + x^{27}, \\
p_3(x) = & x^{111} + x^{110} + x^{109} + x^{108} + x^{106} + x^{101} + x^{99} + x^{98} + x^{97} + x^{96} \\
& + x^{94} + x^{89} + x^{63} + x^{62} + x^{61} + x^{60} + x^{58} + x^{55} + x^{54} + x^{52} + x^{51} \\
& + x^{49} + x^{48} + x^{47} + x^{44} + x^{43} + x^{40} + x^{39} + x^{36} + x^{35} + x^{32} + x^{31} \\
& + x^{28} + x^{27} + x^{24} + x^{22} + x^{21} + x^{19} + x^{18} + x^{16} + x^{14} + x^9, \\
p_6(x) = & x^{114} + x^{112} + x^{110} + x^{108} + x^{104} + x^{98} + x^{96} + x^{92} + x^{88} + x^{86} + x^{84} \\
& + x^{78} + x^{76} + x^{74} + x^{70} + x^{66} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{42} \\
& + x^{34} + x^{32} + x^{30} + x^{28} + x^{24} + x^{18} + x^{16} + x^{14} + x^{10} + x^6, \\
p_9(x) = & x^{117} + x^{116} + x^{112} + x^{110} + x^{109} + x^{105} + x^{103} + x^{102} + x^{101} + x^{100} \\
& + x^{98} + x^{97} + x^{96} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{90} + x^{89} + x^{88} \\
& + x^{87} + x^{86} + x^{83} + x^{82} + x^{81} + x^{79} + x^{76} + x^{75} + x^{74} + x^{72} + x^{69} \\
& + x^{68} + x^{67} + x^{64} + x^{62} + x^{61} + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{50} \\
& + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{40} + x^{39} \\
& + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{29} + x^{28} \\
& + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{22} + x^{19} + x^{18} + x^{17} + x^{15} + x^{12} \\
& + x^{11} + x^{10} + x^8 + x^3, \\
p_{12}(x) = & x^{120} + x^{116} + x^{112} + x^{108} + x^{104} + x^{92} + x^{72} + x^{60} + x^{56} + x^{44} + x^{40}
\end{aligned}$$

$$+ x^{36} + x^{32} + x^{28} + x^4 + 1,$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 0, 0, 1, 0, 1, 0]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned} p_0(x) &= x^{112} + x^{106} + x^{105} + x^{104} + x^{103} + x^{100} + x^{99} + x^{96} + x^{95} + x^{94} \\ &\quad + x^{93} + x^{92} + x^{89} + x^{87} + x^{86} + x^{85} + x^{84} + x^{82} + x^{81} + x^{80} + x^{74} \\ &\quad + x^{73} + x^{72} + x^{66} + x^{58} + x^{56} + x^{55} + x^{51} + x^{49} + x^{48} + x^{46} + x^{45} \\ &\quad + x^{43} + x^{38} + x^{37} + x^{36} + x^{35} + x^{32} + x^{29} + x^{26} + x^{25} + x^{24} + x^{22} \\ &\quad + x^{21} + x^{20} + x^{18}, \\ p_3(x) &= x^{91} + x^{90} + x^{89} + x^{88} + x^{86} + x^{83} + x^{82} + x^{80} + x^{78} + x^{75} + x^{74} \\ &\quad + x^{72} + x^{70} + x^{67} + x^{66} + x^{64} + x^{62} + x^{59} + x^{58} + x^{56} + x^{54} + x^{51} \\ &\quad + x^{50} + x^{48} + x^{46} + x^{41} + x^{35} + x^{34} + x^{33} + x^{32} + x^{30} + x^{25} + x^{19} \\ &\quad + x^{18} + x^{17} + x^{16} + x^{14} + x^9, \\ p_6(x) &= x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{78} + x^{66} + x^{64} + x^{58} + x^{52} + x^{46} \\ &\quad + x^{40} + x^{38} + x^{36} + x^{32} + x^{22} + x^{18} + x^{16} + x^{10} + x^6, \\ p_9(x) &= x^{97} + x^{96} + x^{92} + x^{90} + x^{88} + x^{83} + x^{81} + x^{80} + x^{76} + x^{74} + x^{72} \\ &\quad + x^{67} + x^{49} + x^{48} + x^{44} + x^{42} + x^{40} + x^{35} + x^{33} + x^{32} + x^{28} + x^{26} \\ &\quad + x^{24} + x^{19} + x^{17} + x^{16} + x^{12} + x^{10} + x^8 + x^3, \\ p_{12}(x) &= x^{100} + x^{96} + x^{88} + x^{72} + x^{68} + x^{64} + x^{52} + x^{48} + x^{40} + x^{24} + x^8 + x^4 \\ &\quad + 1, \end{aligned}$$

and the initial terms are $[0, 1, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 0, 1, 0, 1]$.

For $\phi(W^o, 1, 1)$:

$$\begin{aligned} p_0(x) &= x^{117} + x^{115} + x^{114} + x^{113} + x^{112} + x^{111} + x^{110} + x^{109} + x^{103} + x^{97} \\ &\quad + x^{96} + x^{95} + x^{93} + x^{91} + x^{90} + x^{89} + x^{88} + x^{87} + x^{84} + x^{83} + x^{82} \\ &\quad + x^{81} + x^{80} + x^{79} + x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{71} + x^{70} + x^{69} \\ &\quad + x^{68} + x^{67} + x^{66} + x^{65} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} + x^{57} \\ &\quad + x^{56} + x^{54} + x^{53} + x^{51} + x^{49} + x^{46} + x^{45} + x^{44} + x^{40} + x^{39} + x^{38} \\ &\quad + x^{36} + x^{35} + x^{33}, \\ p_3(x) &= x^{105} + x^{103} + x^{102} + x^{100} + x^{97} + x^{96} + x^{92} + x^{90} + x^{89} + x^{85} + x^{84} \\ &\quad + x^{82} + x^{80} + x^{79} + x^{76} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} + x^{65} + x^{64} \\ &\quad + x^{62} + x^{61} + x^{59} + x^{56} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} + x^{49} + x^{48} \\ &\quad + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{37} + x^{36} + x^{33} + x^{32} + x^{31} + x^{30} \\ &\quad + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{22} + x^{21} + x^{20} + x^{18} + x^{14} \\ &\quad + x^{12}, \\ p_6(x) &= x^{109} + x^{107} + x^{106} + x^{105} + x^{104} + x^{103} + x^{102} + x^{101} + x^{97} + x^{96} \\ &\quad + x^{95} + x^{93} + x^{92} + x^{88} + x^{87} + x^{84} + x^{82} + x^{80} + x^{79} + x^{76} + x^{75} \end{aligned}$$

$$\begin{aligned}
& + x^{73} + x^{71} + x^{69} + x^{68} + x^{66} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} \\
& + x^{57} + x^{55} + x^{54} + x^{52} + x^{51} + x^{50} + x^{48} + x^{42} + x^{40} + x^{36} + x^{35} \\
& + x^{33} + x^{32} + x^{30} + x^{27} + x^{26} + x^{24} + x^{23} + x^{22} + x^{21} + x^{20} + x^{18} \\
& + x^{15} + x^{14} + x^{13} + x^{11} + x^5 + x^3 + x^2 + 1, \\
p_9(x) = & x^{101} + x^{99} + x^{98} + x^{97} + x^{96} + x^{95} + x^{94} + x^{92} + x^{89} + x^{87} + x^{86} \\
& + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{80} + x^{79} + x^{78} + x^{76} + x^{73} + x^{71} \\
& + x^{70} + x^{68} + x^{53} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} \\
& + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{28} \\
& + x^{25} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} \\
& + x^{12} + x^9 + x^7 + x^6 + x^4, \\
p_{12}(x) = & x^{105} + x^{103} + x^{102} + x^{101} + x^{100} + x^{99} + x^{98} + x^{96} + x^{93} + x^{91} + x^{90} \\
& + x^{88} + x^{77} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} + x^{70} + x^{69} + x^{68} + x^{67} \\
& + x^{66} + x^{64} + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} + x^{48} + x^{45} \\
& + x^{43} + x^{42} + x^{40} + x^{29} + x^{27} + x^{26} + x^{24} + x^{13} + x^{11} + x^{10} + x^9 \\
& + x^8 + x^7 + x^6 + x^5 + x^4 + x^3 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 0, 0, 1, 1, 1]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	112	[184, 131]	224	[126, 333]	336	[18, 225]	448	[169, 384]
1	[3, 4]	113	[185, 133]	225	[36, 333]	337	[429, 430]	449	[39, 504]
2	[5, 6]	114	[48, 186]	226	[334, 58]	338	[431, 20]	450	[505, 150]
3	[7, 8]	115	[53, 187]	227	[8, 335]	339	[432, 298]	451	[491, 58]
4	[9, 10]	116	[188, 36]	228	[335, 336]	340	[433, 434]	452	[337, 313]
5	[11, 12]	117	[189, 190]	229	[337, 317]	341	[435, 287]	453	[126, 351]
6	[13, 14]	118	[190, 191]	230	[338, 331]	342	[270, 436]	454	[181, 53]
7	[15, 16]	119	[62, 192]	231	[339, 340]	343	[405, 437]	455	[488, 506]
8	[17, 18]	120	[193, 63]	232	[341, 342]	344	[438, 197]	456	[499, 357]
9	[19, 20]	121	[194, 195]	233	[343, 137]	345	[272, 439]	457	[507, 146]
10	[21, 22]	122	[97, 196]	234	[344, 40]	346	[279, 440]	458	[485, 336]
11	[23, 24]	123	[197, 198]	235	[339, 167]	347	[439, 441]	459	[344, 129]
12	[25, 26]	124	[199, 200]	236	[345, 346]	348	[442, 443]	460	[352, 506]
13	[27, 28]	125	[201, 202]	237	[346, 347]	349	[444, 445]	461	[325, 168]
14	[29, 30]	126	[203, 204]	238	[319, 34]	350	[28, 62]	462	[172, 183]
15	[31, 32]	127	[4, 205]	239	[348, 154]	351	[247, 446]	463	[383, 170]
16	[33, 34]	128	[206, 207]	240	[315, 342]	352	[24, 447]	464	[168, 43]
17	[35, 36]	129	[91, 208]	241	[349, 139]	353	[448, 449]	465	[487, 122]
18	[37, 12]	130	[209, 210]	242	[135, 350]	354	[216, 448]	466	[165, 42]
19	[38, 39]	131	[211, 212]	243	[36, 351]	355	[450, 245]	467	[508, 345]

20	[40, 41]	132	[213, 214]	244	[352, 353]	356	[231, 247]	468	[372, 36]
21	[42, 43]	133	[215, 216]	245	[354, 352]	357	[451, 452]	469	[509, 316]
22	[44, 45]	134	[217, 218]	246	[121, 43]	358	[453, 454]	470	[488, 353]
23	[46, 47]	135	[116, 219]	247	[182, 174]	359	[455, 70]	471	[327, 374]
24	[48, 49]	136	[220, 221]	248	[180, 125]	360	[456, 451]	472	[157, 161]
25	[50, 51]	137	[222, 103]	249	[355, 10]	361	[457, 81]	473	[39, 510]
26	[52, 53]	138	[223, 224]	250	[356, 126]	362	[458, 205]	474	[350, 511]
27	[31, 54]	139	[225, 17]	251	[357, 335]	363	[459, 426]	475	[324, 165]
28	[55, 56]	140	[226, 227]	252	[137, 161]	364	[275, 398]	476	[303, 304]
29	[57, 58]	141	[228, 229]	253	[332, 358]	365	[460, 461]	477	[125, 163]
30	[59, 60]	142	[230, 220]	254	[359, 360]	366	[462, 463]	478	[356, 36]
31	[61, 62]	143	[99, 231]	255	[361, 148]	367	[106, 274]	479	[152, 331]
32	[63, 64]	144	[232, 233]	256	[362, 363]	368	[464, 282]	480	[512, 321]
33	[65, 66]	145	[234, 235]	257	[364, 58]	369	[465, 466]	481	[368, 493]
34	[67, 68]	146	[198, 236]	258	[125, 323]	370	[467, 198]	482	[368, 513]
35	[69, 70]	147	[195, 237]	259	[365, 321]	371	[468, 469]	483	[176, 375]
36	[71, 72]	148	[236, 195]	260	[366, 367]	372	[218, 443]	484	[253, 514]
37	[73, 74]	149	[238, 239]	261	[57, 368]	373	[470, 98]	485	[515, 191]
38	[26, 75]	150	[240, 241]	262	[349, 12]	374	[251, 453]	486	[516, 403]
39	[76, 77]	151	[242, 243]	263	[369, 56]	375	[471, 415]	487	[517, 440]
40	[78, 79]	152	[244, 245]	264	[120, 304]	376	[472, 393]	488	[445, 391]
41	[80, 81]	153	[246, 247]	265	[370, 148]	377	[20, 473]	489	[518, 251]
42	[82, 83]	154	[248, 249]	266	[371, 39]	378	[474, 242]	490	[395, 519]
43	[84, 85]	155	[250, 251]	267	[130, 318]	379	[475, 292]	491	[520, 461]
44	[86, 87]	156	[252, 253]	268	[372, 126]	380	[476, 389]	492	[79, 521]
45	[85, 88]	157	[254, 63]	269	[315, 336]	381	[249, 477]	493	[110, 522]
46	[89, 75]	158	[255, 256]	270	[59, 358]	382	[478, 242]	494	[523, 447]
47	[90, 91]	159	[257, 258]	271	[309, 186]	383	[479, 480]	495	[524, 477]
48	[92, 93]	160	[259, 192]	272	[345, 148]	384	[294, 276]	496	[525, 526]
49	[94, 95]	161	[241, 260]	273	[373, 34]	385	[262, 481]	497	[514, 527]
50	[96, 97]	162	[261, 262]	274	[156, 374]	386	[298, 482]	498	[528, 441]
51	[98, 99]	163	[263, 264]	275	[166, 340]	387	[212, 483]	499	[529, 530]
52	[100, 98]	164	[265, 82]	276	[371, 141]	388	[117, 178]	500	[531, 417]
53	[101, 102]	165	[266, 267]	277	[44, 375]	389	[304, 32]	501	[532, 533]
54	[103, 104]	166	[268, 214]	278	[376, 133]	390	[323, 484]	502	[534, 302]
55	[105, 106]	167	[269, 270]	279	[306, 306]	391	[147, 148]	503	[535, 391]
56	[107, 108]	168	[271, 272]	280	[10, 377]	392	[146, 345]	504	[227, 536]
57	[109, 110]	169	[273, 222]	281	[347, 147]	393	[357, 315]	505	[454, 533]
58	[111, 112]	170	[274, 275]	282	[142, 314]	394	[485, 342]	506	[204, 406]
59	[113, 114]	171	[276, 277]	283	[340, 308]	395	[14, 136]	507	[537, 83]
60	[115, 116]	172	[278, 279]	284	[373, 320]	396	[486, 304]	508	[538, 279]
61	[117, 118]	173	[205, 280]	285	[33, 320]	397	[487, 43]	509	[68, 223]
62	[54, 119]	174	[114, 281]	286	[120, 177]	398	[387, 488]	510	[75, 404]
63	[32, 120]	175	[282, 283]	287	[119, 177]	399	[489, 49]	511	[77, 115]

64	[54, 120]	176	[284, 285]	288	[378, 379]	400	[355, 366]	512	[539, 427]
65	[121, 122]	177	[64, 286]	289	[380, 120]	401	[327, 490]	513	[427, 471]
66	[40, 123]	178	[191, 287]	290	[381, 39]	402	[330, 34]	514	[50, 187]
67	[124, 125]	179	[288, 236]	291	[165, 168]	403	[119, 304]	515	[540, 321]
68	[35, 126]	180	[289, 263]	292	[382, 128]	404	[53, 51]	516	[486, 177]
69	[127, 128]	181	[290, 291]	293	[383, 384]	405	[491, 368]	517	[541, 379]
70	[129, 41]	182	[292, 293]	294	[128, 151]	406	[156, 490]	518	[350, 322]
71	[42, 122]	183	[293, 294]	295	[338, 56]	407	[326, 156]	519	[366, 377]
72	[130, 131]	184	[295, 296]	296	[369, 331]	408	[41, 492]	520	[505, 128]
73	[132, 133]	185	[297, 298]	297	[323, 385]	409	[7, 357]	521	[141, 504]
74	[46, 134]	186	[299, 266]	298	[14, 350]	410	[52, 50]	522	[141, 510]
75	[135, 136]	187	[66, 300]	299	[158, 129]	411	[124, 162]	523	[542, 345]
76	[137, 138]	188	[301, 302]	300	[167, 386]	412	[58, 493]	524	[341, 336]
77	[37, 139]	189	[303, 177]	301	[381, 141]	413	[494, 307]	525	[500, 49]
78	[140, 141]	190	[32, 119]	302	[387, 352]	414	[495, 47]	526	[495, 134]
79	[142, 143]	191	[177, 54]	303	[388, 103]	415	[382, 150]	527	[9, 366]
80	[144, 145]	192	[118, 118]	304	[389, 193]	416	[364, 368]	528	[543, 47]
81	[146, 147]	193	[304, 54]	305	[390, 227]	417	[343, 316]	529	[544, 120]
82	[144, 133]	194	[305, 47]	306	[391, 392]	418	[335, 342]	530	[153, 360]
83	[148, 146]	195	[306, 307]	307	[307, 307]	419	[496, 497]	531	[163, 385]
84	[149, 143]	196	[167, 308]	308	[393, 25]	420	[185, 145]	532	[160, 138]
85	[150, 151]	197	[309, 49]	309	[394, 395]	421	[498, 175]	533	[509, 137]
86	[152, 56]	198	[307, 306]	310	[396, 221]	422	[354, 488]	534	[41, 545]
87	[153, 154]	199	[310, 32]	311	[397, 398]	423	[499, 8]	535	[546, 146]
88	[155, 156]	200	[311, 1]	312	[399, 271]	424	[500, 186]	536	[58, 513]
89	[157, 138]	201	[188, 126]	313	[224, 400]	425	[501, 379]	537	[507, 347]
90	[158, 40]	202	[312, 313]	314	[401, 78]	426	[155, 327]	538	[546, 347]
91	[159, 128]	203	[172, 175]	315	[16, 190]	427	[129, 123]	539	[179, 183]
92	[160, 161]	204	[149, 314]	316	[402, 403]	428	[118, 178]	540	[547, 110]
93	[162, 163]	205	[8, 315]	317	[404, 405]	429	[132, 145]	541	[548, 258]
94	[164, 165]	206	[316, 161]	318	[406, 407]	430	[362, 379]	542	[549, 281]
95	[166, 167]	207	[312, 317]	319	[408, 291]	431	[123, 492]	543	[550, 469]
96	[168, 122]	208	[184, 318]	320	[409, 410]	432	[334, 368]	544	[551, 264]
97	[169, 170]	209	[319, 320]	321	[411, 29]	433	[316, 138]	545	[463, 401]
98	[171, 172]	210	[311, 321]	322	[30, 412]	434	[328, 497]	546	[552, 272]
99	[150, 173]	211	[128, 173]	323	[285, 389]	435	[502, 360]	547	[123, 545]
100	[127, 150]	212	[159, 150]	324	[413, 414]	436	[10, 367]	548	[163, 484]
101	[174, 175]	213	[136, 322]	325	[415, 84]	437	[496, 329]	549	[542, 147]
102	[176, 45]	214	[162, 323]	326	[416, 417]	438	[503, 307]	550	[136, 511]
103	[177, 32]	215	[324, 325]	327	[418, 419]	439	[147, 346]	551	[553, 118]
104	[178, 118]	216	[140, 39]	328	[420, 80]	440	[347, 345]	552	[508, 147]
105	[179, 175]	217	[164, 325]	329	[243, 261]	441	[148, 347]	553	[554, 428]
106	[171, 174]	218	[326, 327]	330	[421, 422]	442	[498, 183]	554	[553, 178]
107	[180, 162]	219	[328, 329]	331	[423, 201]	443	[325, 42]		

108	[181, 50]	220	[330, 320]	332	[424, 425]	444	[489, 186]
109	[38, 141]	221	[178, 178]	333	[70, 211]	445	[376, 145]
110	[182, 172]	222	[55, 331]	334	[426, 427]	446	[340, 386]
111	[174, 183]	223	[332, 60]	335	[296, 428]	447	[346, 146]

Output function $n \mapsto \tau(n)$:

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	80	1	160	1	240	0	320	0	400	1	480	0
1	0	81	0	161	0	241	0	321	1	401	1	481	0
2	0	82	1	162	0	242	1	322	0	402	1	482	0
3	0	83	0	163	1	243	1	323	0	403	1	483	0
4	0	84	1	164	0	244	1	324	1	404	1	484	1
5	0	85	0	165	1	245	0	325	0	405	1	485	0
6	0	86	1	166	1	246	0	326	1	406	0	486	1
7	0	87	0	167	0	247	0	327	1	407	1	487	1
8	0	88	0	168	0	248	0	328	0	408	1	488	0
9	0	89	0	169	0	249	1	329	1	409	0	489	0
10	1	90	1	170	0	250	0	330	1	410	0	490	0
11	0	91	1	171	1	251	1	331	1	411	1	491	1
12	0	92	1	172	0	252	0	332	1	412	1	492	0
13	0	93	0	173	0	253	1	333	1	413	1	493	0
14	0	94	0	174	1	254	0	334	0	414	1	494	1
15	0	95	1	175	0	255	1	335	1	415	0	495	1
16	0	96	0	176	0	256	0	336	1	416	1	496	1
17	0	97	0	177	1	257	1	337	1	417	1	497	0
18	1	98	1	178	1	258	1	338	0	418	1	498	1
19	0	99	0	179	0	259	1	339	0	419	1	499	1
20	0	100	0	180	0	260	0	340	1	420	0	500	1
21	1	101	1	181	1	261	0	341	1	421	1	501	1
22	1	102	0	182	0	262	0	342	0	422	0	502	1
23	0	103	1	183	1	263	1	343	1	423	1	503	0
24	1	104	1	184	0	264	0	344	0	424	1	504	0
25	0	105	0	185	0	265	0	345	0	425	1	505	1
26	0	106	1	186	1	266	1	346	1	426	0	506	1
27	0	107	0	187	0	267	1	347	1	427	1	507	1
28	0	108	1	188	1	268	1	348	1	428	0	508	0
29	0	109	0	189	0	269	0	349	0	429	1	509	0
30	0	110	0	190	0	270	0	350	0	430	0	510	1
31	0	111	1	191	1	271	0	351	0	431	0	511	1
32	0	112	0	192	0	272	0	352	1	432	0	512	0
33	0	113	0	193	0	273	0	353	0	433	1	513	1
34	1	114	1	194	0	274	0	354	0	434	0	514	0
35	0	115	1	195	1	275	1	355	1	435	1	515	0
36	1	116	1	196	0	276	1	356	0	436	1	516	1

37	1	117	0	197	0	277	1	357	1	437	1	517	1
38	0	118	0	198	0	278	0	358	0	438	0	518	0
39	0	119	1	199	1	279	1	359	0	439	1	519	0
40	0	120	0	200	1	280	1	360	1	440	1	520	1
41	1	121	0	201	1	281	1	361	1	441	0	521	1
42	1	122	0	202	0	282	0	362	0	442	1	522	1
43	1	123	0	203	0	283	1	363	0	443	0	523	1
44	1	124	1	204	1	284	0	364	1	444	0	524	1
45	0	125	1	205	0	285	0	365	1	445	0	525	1
46	0	126	0	206	1	286	0	366	0	446	1	526	1
47	1	127	0	207	0	287	1	367	1	447	1	527	0
48	1	128	1	208	0	288	0	368	0	448	0	528	1
49	0	129	1	209	1	289	0	369	1	449	0	529	1
50	0	130	1	210	1	290	1	370	0	450	1	530	0
51	1	131	1	211	1	291	1	371	1	451	1	531	1
52	0	132	1	212	1	292	0	372	1	452	1	532	1
53	1	133	1	213	1	293	1	373	0	453	0	533	0
54	1	134	0	214	0	294	1	374	1	454	1	534	1
55	0	135	1	215	1	295	0	375	1	455	0	535	0
56	0	136	1	216	0	296	1	376	0	456	1	536	1
57	0	137	0	217	0	297	0	377	0	457	1	537	1
58	1	138	1	218	1	298	0	378	0	458	0	538	0
59	0	139	1	219	0	299	1	379	1	459	0	539	0
60	1	140	0	220	1	300	0	380	0	460	1	540	0
61	0	141	1	221	1	301	1	381	1	461	0	541	1
62	1	142	0	222	0	302	1	382	0	462	0	542	1
63	0	143	0	223	1	303	0	383	1	463	1	543	1
64	1	144	1	224	0	304	0	384	1	464	0	544	1
65	0	145	0	225	1	305	0	385	0	465	1	545	1
66	0	146	0	226	0	306	1	386	0	466	1	546	0
67	1	147	1	227	0	307	0	387	1	467	0	547	0
68	0	148	0	228	1	308	1	388	0	468	1	548	1
69	0	149	1	229	1	309	0	389	0	469	0	549	1
70	1	150	0	230	0	310	1	390	0	470	0	550	1
71	1	151	1	231	0	311	1	391	1	471	1	551	1
72	1	152	1	232	1	312	0	392	0	472	0	552	0
73	1	153	0	233	1	313	0	393	1	473	0	553	1
74	0	154	0	234	0	314	1	394	0	474	0	554	1
75	1	155	0	235	0	315	0	395	0	475	1		
76	0	156	0	236	0	316	1	396	1	476	0		
77	1	157	0	237	1	317	1	397	1	477	1		
78	0	158	1	238	1	318	0	398	1	478	0		
79	0	159	1	239	1	319	1	399	0	479	1		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE
Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA
Email address: `huyining@hust.edu.cn`