

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z, z^6 + z^4 + z^2 + 1)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z, z^6 + z^4 + z^2 + 1)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 19:45:32 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 10.8 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z, z^6 + z^4 + z^2 + 1)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$p_0(z) = z^{24} + z^{21} + z^{17} + z^{16} + z^{14} + z^{10} + z^9 + z^8 + z^7 + z^6 + z^3 + z^2 + z + 1,$$

$$p_1(z) = z^{27} + z^{25} + z^{22} + z^{19} + z^{18} + z^{17} + z^{15} + z^{10} + z^9 + z^8 + z^7 + z^4 + z^2 + z,$$

$$p_2(z) = z^{28} + z^{26} + z^{20} + z^{18} + z^{16} + z^{10} + z^8 + z^2,$$

$$p_3(z) = z^{27} + z^{25} + z^{22} + z^{19} + z^{18} + z^{17} + z^{15} + z^{10} + z^9 + z^8 + z^7 + z^4 + z^2 + z,$$

$$p_4(z) = z^{26} + z^{21} + z^{18} + z^{17} + z^{16} + z^{14} + z^{12} + z^9 + z^8 + z^7 + z^6 + z^3 + z,$$

and for $\text{CF}(b, a)$,

$$p_0(z) = z^{21} + z^{17} + z^{14} + z^{10} + z^9 + z^7 + z^6 + z^4 + z^3 + z^2 + z,$$

$$p_1(z) = z^{27} + z^{25} + z^{22} + z^{19} + z^{18} + z^{17} + z^{15} + z^{10} + z^9 + z^8 + z^7 + z^4 + z^2 + z,$$

$$p_2(z) = z^{28} + z^{26} + z^{20} + z^{18} + z^{16} + z^{10} + z^8 + z^2,$$

$$p_3(z) = z^{27} + z^{25} + z^{22} + z^{19} + z^{18} + z^{17} + z^{15} + z^{10} + z^9 + z^8 + z^7 + z^4 + z^2 + z,$$

$$p_4(z) = z^{26} + z^{24} + z^{21} + z^{18} + z^{17} + z^{14} + z^{12} + z^9 + z^7 + z^6 + z^4 + z^3 + z + 1.$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{\mathbf{t}}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2n}-1}(a, b) = \frac{\tilde{P}_{2^{2n}-1}(x)}{\tilde{Q}_{2^{2n}-1}(x)} = \frac{M_{2n}(x)_{0,1}}{M_{2n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2n}(x)_{0,1}$ and $M_{2n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2n}(x)_{i,j})_n$, $(M_{2n+1}(x)_{i,j})_n$, $(W_{2n}(x)_{i,j})_n$, and $(W_{2n+1}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2n}(x))_n$, $(M_{2n+1}(x))_n$, $(W_{2n}(x))_n$, and $(W_{2n+1}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(175, 175, 175, 175, 175)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 630 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 630, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 770 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 770, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:14u] &= M^e[:7u] + x^{4u} M^e[:3u] + x^{4u} M^e[:7u] + x^{8u} M^e[:3u] \\ &\quad + x^{12u} M^e[:2u] + (x^{7u} + x^{11u}) R^e, \\ W^e[:14u] &= W^e[:7u] + x^{4u} W^e[:3u] + x^{4u} W^e[:7u] + x^{8u} W^e[:3u] \\ &\quad + x^{12u} W^e[:2u] + (x^{7u} + x^{11u}) R^e. \end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned} M^o[:14u] &= M^o[:7u] + x^{4u}M^o[:3u] + x^{4u}M^o[:7u] + x^{8u}M^o[:3u] \\ &\quad + x^{12u}M^o[:2u] + (x^{7u} + x^{11u})R^o, \\ W^o[:14u] &= W^o[:7u] + x^{4u}W^o[:3u] + x^{4u}W^o[:7u] + x^{8u}W^o[:3u] \\ &\quad + x^{12u}W^o[:2u] + (x^{7u} + x^{11u})R^o. \end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$T[:14u] = T[:7u] + x^{4u}T[:3u] + x^{4u}T[:7u] + x^{8u}T[:3u] + x^{12u}T[:2u].$$

The proof of the other 15 cases are similar. We break down the above identity into 7 parts:

$$\begin{aligned} 0 &= x^{4u}T[3u:4u] + T[7u:8u], \\ 0 &= x^{8u}T[:u] + x^{4u}T[4u:5u] + T[8u:9u], \\ 0 &= x^{8u}T[u:2u] + x^{4u}T[5u:6u] + T[9u:10u], \\ 0 &= x^{8u}T[2u:3u] + x^{4u}T[6u:7u] + T[10u:11u], \\ 0 &= T[11u:12u], \\ 0 &= x^{12u}T[:u] + T[12u:13u], \\ 0 &= x^{12u}T[u:2u] + T[13u:14u], \end{aligned}$$

which can be rewritten as

$$\begin{aligned} (2.7) \quad 0 &= T[[11w]_2] + T[[111w]_2], \\ (2.8) \quad 0 &= T[[w]_2] + T[[100w]_2] + T[[1000w]_2], \\ (2.9) \quad 0 &= T[[1w]_2] + T[[101w]_2] + T[[1001w]_2], \\ (2.10) \quad 0 &= T[[10w]_2] + T[[110w]_2] + T[[1010w]_2], \\ (2.11) \quad 0 &= T[[1011w]_2], \\ (2.12) \quad 0 &= T[[w]_2] + T[[1100w]_2], \\ (2.13) \quad 0 &= T[[1w]_2] + T[[1101w]_2], \end{aligned}$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$\begin{aligned} (2.14) \quad 0 &= T[[11w]_2] + T[[111w]_2], \\ (2.15) \quad 0 &= T[[w]_2] + T[[100w]_2] + T[[1000w]_2], \\ (2.16) \quad 0 &= T[[1w]_2] + T[[101w]_2] + T[[1001w]_2], \\ (2.17) \quad 0 &= T[[10w]_2] + T[[110w]_2] + T[[1010w]_2], \\ (2.18) \quad 0 &= T[[1011w]_2], \\ (2.19) \quad 0 &= T[[w]_2] + T[[1100w]_2], \\ (2.20) \quad 0 &= T[[1w]_2] + T[[1101w]_2], \end{aligned}$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 305 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.20) can be written as

$$(2.21) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 111)),$$

$$(2.22) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 100)) + \tau(A(s, 1000)),$$

$$(2.23) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 101)) + \tau(A(s, 1001)),$$

$$(2.24) \quad 0 = \tau(A(s, 10)) + \tau(A(s, 110)) + \tau(A(s, 1010)),$$

$$(2.25) \quad 0 = \tau(A(s, 1011)),$$

$$(2.26) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 1100)),$$

$$(2.27) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 1101)),$$

for all $s \in E_{2k}$, and

$$(2.28) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 111)),$$

$$(2.29) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 100)) + \tau(A(s, 1000)),$$

$$(2.30) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 101)) + \tau(A(s, 1001)),$$

$$(2.31) \quad 0 = \tau(A(s, 10)) + \tau(A(s, 110)) + \tau(A(s, 1010)),$$

$$(2.32) \quad 0 = \tau(A(s, 1011)),$$

$$(2.33) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 1100)),$$

$$(2.34) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 1101)),$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{28}), E_{28}) = (A(i, 0^{16}), E_{16})$, so that we only have to verify that identities (2.21) through (2.34) hold for $2 \leq k \leq 14$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$M_{2k} = M^e[:7u] + x^{4u}M^e[:3u] + x^{7u}R^e,$$

$$W_{2k} = W^e[:7u] + x^{4u}W^e[:3u] + x^{7u}R^e.$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$M_{2k+1} = M^o[:7u] + x^{4u}M^o[:3u] + x^{7u}R^o,$$

$$W_{2k+1} = W^o[:7u] + x^{4u}W^o[:3u] + x^{7u}R^o.$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$\begin{aligned} M_{2k} \wedge W_{2k} &\Rightarrow M_{2k+1} \wedge W_{2k+1}, \\ M_{2k+1} \wedge W_{2k+1} &\Rightarrow M_{2k+2} \wedge W_{2k+2}. \end{aligned}$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$(2.35) \quad \begin{aligned} W_{2k} M_{2k} &= (W^e[:7v] + x^{4v} W^e[:3v] + x^{7u} R^e) \times (M^e[:7v] + x^{4v} M^e[:3v] \\ &\quad + x^{7u} R^e); \end{aligned}$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{14v} R^o$. Therefore we only need to prove that their difference is $O(x^{14v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{14v} , to

$$W^e[:14v] M^e[:14v] + x^{8v} W^e[:6v] M^e[:6v].$$

For all $n \leq 14$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.35) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{14}, b_1, \dots, b_{14}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{14})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned} \lim_{n \rightarrow \infty} M_{2n,j,k} &= M_{j,k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1,j,k} &= M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} &= W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} &= W_{j,k}^o. \end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12} \phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e / M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$\begin{aligned}
q_0(x) &= x^{28} + x^{27} + x^{26} + x^{25} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18} + x^{14} + x^{12} + x^{11} \\
&\quad + x^7 + x^4, \\
q_1(x) &= x^{27} + x^{26} + x^{24} + x^{21} + x^{20} + x^{19} + x^{18} + x^{13} + x^{11} + x^{10} + x^9 + x^6 \\
&\quad + x^3 + x, \\
q_2(x) &= x^{26} + x^{20} + x^{18} + x^{12} + x^{10} + x^8 + x^2 + 1, \\
q_3(x) &= x^{27} + x^{26} + x^{24} + x^{21} + x^{20} + x^{19} + x^{18} + x^{13} + x^{11} + x^{10} + x^9 + x^6 \\
&\quad + x^3 + x, \\
q_4(x) &= x^{27} + x^{25} + x^{22} + x^{21} + x^{20} + x^{19} + x^{16} + x^{14} + x^{12} + x^{11} + x^{10} + x^7 \\
&\quad + x^2.
\end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 216, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 216, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{162} + x^{158} + x^{154} + x^{152} + x^{148} + x^{146} + x^{144} + x^{138} + x^{136} + x^{132} \\
&\quad + x^{126} + x^{124} + x^{118} + x^{116} + x^{114} + x^{108} + x^{106} + x^{104} + x^{100} \\
&\quad + x^{98} + x^{96} + x^{92} + x^{90} + x^{88} + x^{86} + x^{84} + x^{82} + x^{76} + x^{70} + x^{68} \\
&\quad + x^{62} + x^{60} + x^{56} + x^{54} + x^{52} + x^{48} + x^{46} + x^{44} + x^{42} + x^{40} + x^{36} \\
&\quad + x^{30} + x^{28} + x^{22} + x^{12}, \\
p_3(x) &= x^{154} + x^{152} + x^{148} + x^{146} + x^{144} + x^{138} + x^{136} + x^{132} + x^{128} + x^{124} \\
&\quad + x^{112} + x^{108} + x^{96} + x^{84} + x^{82} + x^{80} + x^{76} + x^{74} + x^{68} + x^{60} + x^{48} \\
&\quad + x^{26} + x^{24} + x^8, \\
p_6(x) &= x^{158} + x^{154} + x^{152} + x^{148} + x^{142} + x^{136} + x^{134} + x^{120} + x^{116} + x^{110} \\
&\quad + x^{108} + x^{98} + x^{94} + x^{88} + x^{86} + x^{84} + x^{80} + x^{78} + x^{76} + x^{72} + x^{68} \\
&\quad + x^{64} + x^{62} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{48} + x^{42} + x^{38} + x^{30} \\
&\quad + x^{18} + x^{14} + x^{10} + x^4 + x^2 + 1, \\
p_9(x) &= x^{160} + x^{158} + x^{152} + x^{146} + x^{144} + x^{142} + x^{134} + x^{130} + x^{118} + x^{116}
\end{aligned}$$

$$\begin{aligned}
& + x^{114} + x^{112} + x^{108} + x^{92} + x^{86} + x^{76} + x^{74} + x^{60} + x^{56} + x^{54} + x^{50} \\
& + x^{48} + x^{40} + x^{36} + x^{32} + x^{30} + x^{22} + x^{20} + x^{18} + x^{16} + x^{14} + x^{10} \\
& + x^8 + x^6 + x^4 + x^2,
\end{aligned}$$

$$p_{12}(x) = x^{160} + x^{144} + x^{112} + x^{96} + x^{32} + 1,$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned}
p_0(x) = & x^{147} + x^{146} + x^{143} + x^{141} + x^{139} + x^{137} + x^{136} + x^{135} + x^{134} + x^{133} \\
& + x^{130} + x^{129} + x^{127} + x^{126} + x^{125} + x^{123} + x^{121} + x^{120} + x^{119} \\
& + x^{118} + x^{117} + x^{115} + x^{114} + x^{109} + x^{106} + x^{103} + x^{101} + x^{96} + x^{93} \\
& + x^{90} + x^{89} + x^{87} + x^{85} + x^{84} + x^{81} + x^{78} + x^{77} + x^{73} + x^{72} + x^{69} \\
& + x^{66} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} + x^{55} + x^{54} + x^{53} + x^{52} \\
& + x^{50} + x^{47} + x^{45} + x^{44} + x^{43} + x^{41} + x^{40} + x^{37} + x^{36} + x^{35} + x^{33} \\
& + x^{32} + x^{31} + x^{30} + x^{29} + x^{27} + x^{26} + x^{25} + x^{22} + x^{21} + x^{20} + x^{18},
\end{aligned}$$

$$\begin{aligned}
p_3(x) = & x^{145} + x^{144} + x^{143} + x^{141} + x^{138} + x^{137} + x^{135} + x^{133} + x^{127} + x^{126} \\
& + x^{125} + x^{122} + x^{119} + x^{117} + x^{113} + x^{112} + x^{110} + x^{104} + x^{103} \\
& + x^{101} + x^{98} + x^{97} + x^{95} + x^{93} + x^{87} + x^{86} + x^{85} + x^{82} + x^{79} + x^{77} \\
& + x^{71} + x^{70} + x^{69} + x^{66} + x^{65} + x^{64} + x^{58} + x^{56} + x^{55} + x^{54} + x^{53} \\
& + x^{49} + x^{47} + x^{46} + x^{45} + x^{42} + x^{39} + x^{37} + x^{31} + x^{30} + x^{29} + x^{26} \\
& + x^{23} + x^{21} + x^{17} + x^{16} + x^{14} + x^9,
\end{aligned}$$

$$\begin{aligned}
p_6(x) = & x^{144} + x^{140} + x^{138} + x^{136} + x^{128} + x^{126} + x^{124} + x^{118} + x^{114} + x^{112} \\
& + x^{106} + x^{104} + x^{98} + x^{96} + x^{90} + x^{88} + x^{82} + x^{70} + x^{64} + x^{62} + x^{60} \\
& + x^{56} + x^{54} + x^{48} + x^{46} + x^{44} + x^{42} + x^{38} + x^{36} + x^{24} + x^{22} + x^{20} \\
& + x^{18} + x^{14} + x^8 + x^6,
\end{aligned}$$

$$\begin{aligned}
p_9(x) = & x^{143} + x^{142} + x^{140} + x^{135} + x^{133} + x^{132} + x^{131} + x^{128} + x^{124} + x^{120} \\
& + x^{119} + x^{118} + x^{112} + x^{110} + x^{104} + x^{103} + x^{101} + x^{98} + x^{97} + x^{94} \\
& + x^{91} + x^{89} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} + x^{77} + x^{75} + x^{74} + x^{73} \\
& + x^{72} + x^{69} + x^{68} + x^{65} + x^{62} + x^{60} + x^{59} + x^{58} + x^{56} + x^{55} + x^{51} \\
& + x^{47} + x^{46} + x^{45} + x^{43} + x^{40} + x^{38} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} \\
& + x^{30} + x^{29} + x^{27} + x^{26} + x^{23} + x^{21} + x^{19} + x^{18} + x^{17} + x^{14} + x^{13} \\
& + x^{12} + x^{11} + x^{10} + x^8 + x^7 + x^3,
\end{aligned}$$

$$\begin{aligned}
p_{12}(x) = & x^{142} + x^{140} + x^{138} + x^{136} + x^{134} + x^{132} + x^{130} + x^{128} + x^{126} + x^{124} \\
& + x^{122} + x^{120} + x^{118} + x^{116} + x^{114} + x^{112} + x^{110} + x^{108} + x^{106} \\
& + x^{104} + x^{102} + x^{100} + x^{98} + x^{96} + x^{14} + x^{12} + x^{10} + x^8 + x^6 + x^4 \\
& + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 0, 0, 1, 0, 0, 1, 0, 1, 0, 1, 1, 1, 0]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{147} + x^{146} + x^{143} + x^{141} + x^{139} + x^{137} + x^{136} + x^{135} + x^{134} + x^{133} \\
&\quad + x^{130} + x^{129} + x^{127} + x^{126} + x^{125} + x^{123} + x^{121} + x^{120} + x^{119} \\
&\quad + x^{118} + x^{117} + x^{115} + x^{114} + x^{109} + x^{106} + x^{103} + x^{101} + x^{96} + x^{93} \\
&\quad + x^{90} + x^{89} + x^{87} + x^{85} + x^{84} + x^{81} + x^{78} + x^{77} + x^{73} + x^{72} + x^{69} \\
&\quad + x^{66} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} + x^{55} + x^{54} + x^{53} + x^{52} \\
&\quad + x^{50} + x^{47} + x^{45} + x^{44} + x^{43} + x^{41} + x^{40} + x^{37} + x^{36} + x^{35} + x^{33} \\
&\quad + x^{32} + x^{31} + x^{30} + x^{29} + x^{27} + x^{26} + x^{25} + x^{22} + x^{21} + x^{20} + x^{18}, \\
p_3(x) &= x^{145} + x^{144} + x^{143} + x^{141} + x^{138} + x^{137} + x^{135} + x^{133} + x^{127} + x^{126} \\
&\quad + x^{125} + x^{122} + x^{119} + x^{117} + x^{113} + x^{112} + x^{110} + x^{104} + x^{103} \\
&\quad + x^{101} + x^{98} + x^{97} + x^{95} + x^{93} + x^{87} + x^{86} + x^{85} + x^{82} + x^{79} + x^{77} \\
&\quad + x^{71} + x^{70} + x^{69} + x^{66} + x^{65} + x^{64} + x^{58} + x^{56} + x^{55} + x^{54} + x^{53} \\
&\quad + x^{49} + x^{47} + x^{46} + x^{45} + x^{42} + x^{39} + x^{37} + x^{31} + x^{30} + x^{29} + x^{26} \\
&\quad + x^{23} + x^{21} + x^{17} + x^{16} + x^{14} + x^9, \\
p_6(x) &= x^{144} + x^{140} + x^{138} + x^{136} + x^{128} + x^{126} + x^{124} + x^{118} + x^{114} + x^{112} \\
&\quad + x^{106} + x^{104} + x^{98} + x^{96} + x^{90} + x^{88} + x^{82} + x^{70} + x^{64} + x^{62} + x^{60} \\
&\quad + x^{56} + x^{54} + x^{48} + x^{46} + x^{44} + x^{42} + x^{38} + x^{36} + x^{24} + x^{22} + x^{20} \\
&\quad + x^{18} + x^{14} + x^8 + x^6, \\
p_9(x) &= x^{143} + x^{142} + x^{140} + x^{135} + x^{133} + x^{132} + x^{131} + x^{128} + x^{124} + x^{120} \\
&\quad + x^{119} + x^{118} + x^{112} + x^{110} + x^{104} + x^{103} + x^{101} + x^{98} + x^{97} + x^{94} \\
&\quad + x^{91} + x^{89} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} + x^{77} + x^{75} + x^{74} + x^{73} \\
&\quad + x^{72} + x^{69} + x^{68} + x^{65} + x^{62} + x^{60} + x^{59} + x^{58} + x^{56} + x^{55} + x^{51} \\
&\quad + x^{47} + x^{46} + x^{45} + x^{43} + x^{40} + x^{38} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} \\
&\quad + x^{30} + x^{29} + x^{27} + x^{26} + x^{23} + x^{21} + x^{19} + x^{18} + x^{17} + x^{14} + x^{13} \\
&\quad + x^{12} + x^{11} + x^{10} + x^8 + x^7 + x^3, \\
p_{12}(x) &= x^{142} + x^{140} + x^{138} + x^{136} + x^{134} + x^{132} + x^{130} + x^{128} + x^{126} + x^{124} \\
&\quad + x^{122} + x^{120} + x^{118} + x^{116} + x^{114} + x^{112} + x^{110} + x^{108} + x^{106} \\
&\quad + x^{104} + x^{102} + x^{100} + x^{98} + x^{96} + x^{14} + x^{12} + x^{10} + x^8 + x^6 + x^4 \\
&\quad + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 0, 0, 1, 0, 0, 1, 0, 1, 0, 1, 1, 1, 0]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{132} + x^{130} + x^{128} + x^{126} + x^{124} + x^{122} + x^{116} + x^{114} + x^{110} + x^{104} \\
&\quad + x^{102} + x^{100} + x^{98} + x^{94} + x^{90} + x^{86} + x^{84} + x^{82} + x^{80} + x^{76} + x^{72} \\
&\quad + x^{70} + x^{62} + x^{58} + x^{56} + x^{54} + x^{52} + x^{46} + x^{42} + x^{40} + x^{34} + x^{32} \\
&\quad + x^{30} + x^{28} + x^{24},
\end{aligned}$$

$$\begin{aligned}
p_3(x) &= x^{126} + x^{124} + x^{120} + x^{118} + x^{116} + x^{114} + x^{106} + x^{104} + x^{98} + x^{94} \\
&\quad + x^{92} + x^{86} + x^{80} + x^{78} + x^{70} + x^{68} + x^{64} + x^{62} + x^{54} + x^{50} + x^{48} \\
&\quad + x^{46} + x^{44} + x^{40} + x^{38} + x^{36} + x^{30} + x^{28} + x^{24} + x^{22} + x^{14} + x^{12} \\
&\quad + x^8 + x^6, \\
p_6(x) &= x^{126} + x^{122} + x^{120} + x^{116} + x^{108} + x^{104} + x^{88} + x^{86} + x^{80} + x^{74} \\
&\quad + x^{72} + x^{70} + x^{66} + x^{62} + x^{54} + x^{40} + x^{38} + x^{36} + x^{34} + x^{30} + x^{28} \\
&\quad + x^{26} + x^{22} + x^{16} + x^{12} + x^4 + x^2 + 1, \\
p_9(x) &= x^{124} + x^{122} + x^{120} + x^{118} + x^{114} + x^{108} + x^{106} + x^{104} + x^{102} + x^{100} \\
&\quad + x^{96} + x^{94} + x^{84} + x^{82} + x^{78} + x^{72} + x^{68} + x^{66} + x^{64} + x^{58} + x^{56} \\
&\quad + x^{54} + x^{50} + x^{48} + x^{46} + x^{44} + x^{40} + x^{38} + x^{36} + x^{32} + x^{30} + x^{18} \\
&\quad + x^{16} + x^{10} + x^4 + x^2, \\
p_{12}(x) &= x^{124} + x^{120} + x^{116} + x^{112} + x^{92} + x^{88} + x^{84} + x^{80} + x^{76} + x^{72} + x^{68} \\
&\quad + x^{64} + x^{60} + x^{56} + x^{52} + x^{48} + x^{44} + x^{40} + x^{36} + x^{32} + x^{28} + x^{24} \\
&\quad + x^{20} + x^{16} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 1, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{132} + x^{130} + x^{126} + x^{124} + x^{112} + x^{108} + x^{104} + x^{94} + x^{92} + x^{86} \\
&\quad + x^{84} + x^{80} + x^{78} + x^{76} + x^{72} + x^{70} + x^{68} + x^{66} + x^{60} + x^{54} + x^{52} \\
&\quad + x^{44} + x^{42} + x^{36} + x^{34} + x^{30} + x^{28} + x^{26} + x^{22} + x^{20} + x^{12}, \\
p_3(x) &= x^{126} + x^{124} + x^{122} + x^{118} + x^{114} + x^{110} + x^{108} + x^{106} + x^{104} + x^{102} \\
&\quad + x^{98} + x^{96} + x^{94} + x^{90} + x^{88} + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} + x^{74} \\
&\quad + x^{70} + x^{68} + x^{66} + x^{56} + x^{52} + x^{44} + x^{40} + x^{38} + x^{34} + x^{28} + x^{16} \\
&\quad + x^{14} + x^{12} + x^{10} + x^8, \\
p_6(x) &= x^{126} + x^{120} + x^{110} + x^{108} + x^{104} + x^{102} + x^{100} + x^{96} + x^{92} + x^{90} \\
&\quad + x^{88} + x^{86} + x^{84} + x^{82} + x^{70} + x^{60} + x^{56} + x^{50} + x^{46} + x^{44} + x^{40} \\
&\quad + x^{38} + x^{32} + x^{26} + x^{24} + x^{20} + x^{12} + x^{10} + x^8 + x^6 + x^2 + 1, \\
p_9(x) &= x^{124} + x^{122} + x^{120} + x^{118} + x^{114} + x^{108} + x^{106} + x^{104} + x^{102} + x^{100} \\
&\quad + x^{96} + x^{94} + x^{84} + x^{82} + x^{78} + x^{72} + x^{68} + x^{66} + x^{64} + x^{58} + x^{56} \\
&\quad + x^{54} + x^{50} + x^{48} + x^{46} + x^{44} + x^{40} + x^{38} + x^{36} + x^{32} + x^{30} + x^{18} \\
&\quad + x^{16} + x^{10} + x^4 + x^2, \\
p_{12}(x) &= x^{124} + x^{120} + x^{116} + x^{112} + x^{92} + x^{88} + x^{84} + x^{80} + x^{76} + x^{72} + x^{68} \\
&\quad + x^{64} + x^{60} + x^{56} + x^{52} + x^{48} + x^{44} + x^{40} + x^{36} + x^{32} + x^{28} + x^{24} \\
&\quad + x^{20} + x^{16} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 1, 0, 1, 0, 0, 0, 0, 0, 0, 1, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{147} + x^{145} + x^{144} + x^{139} + x^{137} + x^{136} + x^{134} + x^{133} + x^{132} + x^{127} \\
&\quad + x^{126} + x^{125} + x^{122} + x^{121} + x^{116} + x^{113} + x^{110} + x^{108} + x^{107} \\
&\quad + x^{106} + x^{105} + x^{104} + x^{99} + x^{96} + x^{95} + x^{92} + x^{84} + x^{83} + x^{82} + x^{81} \\
&\quad + x^{80} + x^{78} + x^{76} + x^{75} + x^{74} + x^{73} + x^{72} + x^{69} + x^{67} + x^{66} + x^{65} \\
&\quad + x^{61} + x^{59} + x^{58} + x^{57} + x^{56} + x^{54} + x^{52} + x^{51} + x^{49} + x^{48} + x^{43} \\
&\quad + x^{42} + x^{41} + x^{35} + x^{32} + x^{27}, \\
p_3(x) &= x^{145} + x^{144} + x^{143} + x^{141} + x^{138} + x^{137} + x^{135} + x^{133} + x^{127} + x^{126} \\
&\quad + x^{125} + x^{122} + x^{119} + x^{117} + x^{113} + x^{112} + x^{110} + x^{104} + x^{103} \\
&\quad + x^{101} + x^{98} + x^{97} + x^{95} + x^{93} + x^{87} + x^{86} + x^{85} + x^{82} + x^{79} + x^{77} \\
&\quad + x^{71} + x^{70} + x^{69} + x^{66} + x^{65} + x^{64} + x^{58} + x^{56} + x^{55} + x^{54} + x^{53} \\
&\quad + x^{49} + x^{47} + x^{46} + x^{45} + x^{42} + x^{39} + x^{37} + x^{31} + x^{30} + x^{29} + x^{26} \\
&\quad + x^{23} + x^{21} + x^{17} + x^{16} + x^{14} + x^9, \\
p_6(x) &= x^{144} + x^{140} + x^{138} + x^{136} + x^{128} + x^{126} + x^{124} + x^{118} + x^{114} + x^{112} \\
&\quad + x^{106} + x^{104} + x^{98} + x^{96} + x^{90} + x^{88} + x^{82} + x^{70} + x^{64} + x^{62} + x^{60} \\
&\quad + x^{56} + x^{54} + x^{48} + x^{46} + x^{44} + x^{42} + x^{38} + x^{36} + x^{24} + x^{22} + x^{20} \\
&\quad + x^{18} + x^{14} + x^8 + x^6, \\
p_9(x) &= x^{143} + x^{142} + x^{140} + x^{135} + x^{133} + x^{132} + x^{131} + x^{128} + x^{124} + x^{120} \\
&\quad + x^{119} + x^{118} + x^{112} + x^{110} + x^{104} + x^{103} + x^{101} + x^{98} + x^{97} + x^{94} \\
&\quad + x^{91} + x^{89} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} + x^{77} + x^{75} + x^{74} + x^{73} \\
&\quad + x^{72} + x^{69} + x^{68} + x^{65} + x^{62} + x^{60} + x^{59} + x^{58} + x^{56} + x^{55} + x^{51} \\
&\quad + x^{47} + x^{46} + x^{45} + x^{43} + x^{40} + x^{38} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} \\
&\quad + x^{30} + x^{29} + x^{27} + x^{26} + x^{23} + x^{21} + x^{19} + x^{18} + x^{17} + x^{14} + x^{13} \\
&\quad + x^{12} + x^{11} + x^{10} + x^8 + x^7 + x^3, \\
p_{12}(x) &= x^{142} + x^{140} + x^{138} + x^{136} + x^{134} + x^{132} + x^{130} + x^{128} + x^{126} + x^{124} \\
&\quad + x^{122} + x^{120} + x^{118} + x^{116} + x^{114} + x^{112} + x^{110} + x^{108} + x^{106} \\
&\quad + x^{104} + x^{102} + x^{100} + x^{98} + x^{96} + x^{14} + x^{12} + x^{10} + x^8 + x^6 + x^4 \\
&\quad + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 0]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{147} + x^{145} + x^{144} + x^{139} + x^{137} + x^{136} + x^{134} + x^{133} + x^{132} + x^{127} \\
&\quad + x^{126} + x^{125} + x^{122} + x^{121} + x^{116} + x^{113} + x^{110} + x^{108} + x^{107} \\
&\quad + x^{106} + x^{105} + x^{104} + x^{99} + x^{96} + x^{95} + x^{92} + x^{84} + x^{83} + x^{82} + x^{81} \\
&\quad + x^{80} + x^{78} + x^{76} + x^{75} + x^{74} + x^{73} + x^{72} + x^{69} + x^{67} + x^{66} + x^{65} \\
&\quad + x^{61} + x^{59} + x^{58} + x^{57} + x^{56} + x^{54} + x^{52} + x^{51} + x^{49} + x^{48} + x^{43}
\end{aligned}$$

$$\begin{aligned}
& + x^{42} + x^{41} + x^{35} + x^{32} + x^{27}, \\
p_3(x) &= x^{145} + x^{144} + x^{143} + x^{141} + x^{138} + x^{137} + x^{135} + x^{133} + x^{127} + x^{126} \\
& + x^{125} + x^{122} + x^{119} + x^{117} + x^{113} + x^{112} + x^{110} + x^{104} + x^{103} \\
& + x^{101} + x^{98} + x^{97} + x^{95} + x^{93} + x^{87} + x^{86} + x^{85} + x^{82} + x^{79} + x^{77} \\
& + x^{71} + x^{70} + x^{69} + x^{66} + x^{65} + x^{64} + x^{58} + x^{56} + x^{55} + x^{54} + x^{53} \\
& + x^{49} + x^{47} + x^{46} + x^{45} + x^{42} + x^{39} + x^{37} + x^{31} + x^{30} + x^{29} + x^{26} \\
& + x^{23} + x^{21} + x^{17} + x^{16} + x^{14} + x^9, \\
p_6(x) &= x^{144} + x^{140} + x^{138} + x^{136} + x^{128} + x^{126} + x^{124} + x^{118} + x^{114} + x^{112} \\
& + x^{106} + x^{104} + x^{98} + x^{96} + x^{90} + x^{88} + x^{82} + x^{70} + x^{64} + x^{62} + x^{60} \\
& + x^{56} + x^{54} + x^{48} + x^{46} + x^{44} + x^{42} + x^{38} + x^{36} + x^{24} + x^{22} + x^{20} \\
& + x^{18} + x^{14} + x^8 + x^6, \\
p_9(x) &= x^{143} + x^{142} + x^{140} + x^{135} + x^{133} + x^{132} + x^{131} + x^{128} + x^{124} + x^{120} \\
& + x^{119} + x^{118} + x^{112} + x^{110} + x^{104} + x^{103} + x^{101} + x^{98} + x^{97} + x^{94} \\
& + x^{91} + x^{89} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} + x^{77} + x^{75} + x^{74} + x^{73} \\
& + x^{72} + x^{69} + x^{68} + x^{65} + x^{62} + x^{60} + x^{59} + x^{58} + x^{56} + x^{55} + x^{51} \\
& + x^{47} + x^{46} + x^{45} + x^{43} + x^{40} + x^{38} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} \\
& + x^{30} + x^{29} + x^{27} + x^{26} + x^{23} + x^{21} + x^{19} + x^{18} + x^{17} + x^{14} + x^{13} \\
& + x^{12} + x^{11} + x^{10} + x^8 + x^7 + x^3, \\
p_{12}(x) &= x^{142} + x^{140} + x^{138} + x^{136} + x^{134} + x^{132} + x^{130} + x^{128} + x^{126} + x^{124} \\
& + x^{122} + x^{120} + x^{118} + x^{116} + x^{114} + x^{112} + x^{110} + x^{108} + x^{106} \\
& + x^{104} + x^{102} + x^{100} + x^{98} + x^{96} + x^{14} + x^{12} + x^{10} + x^8 + x^6 + x^4 \\
& + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 1, 0, 0]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{162} + x^{160} + x^{152} + x^{150} + x^{148} + x^{146} + x^{144} + x^{142} + x^{140} + x^{130} \\
& + x^{128} + x^{126} + x^{120} + x^{118} + x^{114} + x^{102} + x^{96} + x^{94} + x^{90} + x^{88} \\
& + x^{84} + x^{76} + x^{64} + x^{58} + x^{56} + x^{50} + x^{42}, \\
p_3(x) &= x^{158} + x^{156} + x^{152} + x^{142} + x^{140} + x^{136} + x^{134} + x^{128} + x^{118} + x^{92} \\
& + x^{86} + x^{76} + x^{72} + x^{68} + x^{64} + x^{60} + x^{56} + x^{54} + x^{52} + x^{48} + x^{40} \\
& + x^{36} + x^{30} + x^{28} + x^{22} + x^{20} + x^{16} + x^{14} + x^8 + x^6, \\
p_6(x) &= x^{146} + x^{138} + x^{124} + x^{120} + x^{118} + x^{112} + x^{110} + x^{98} + x^{96} + x^{94} \\
& + x^{92} + x^{88} + x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{72} + x^{68} + x^{62} \\
& + x^{58} + x^{52} + x^{50} + x^{48} + x^{42} + x^{40} + x^{38} + x^{36} + x^{26} + x^{22} + x^{18} \\
& + x^{16} + x^{12} + x^{10} + x^6 + x^2 + 1, \\
p_9(x) &= x^{160} + x^{158} + x^{152} + x^{146} + x^{144} + x^{142} + x^{134} + x^{130} + x^{118} + x^{116}
\end{aligned}$$

$$\begin{aligned}
& + x^{114} + x^{112} + x^{108} + x^{92} + x^{86} + x^{76} + x^{74} + x^{60} + x^{56} + x^{54} + x^{50} \\
& + x^{48} + x^{40} + x^{36} + x^{32} + x^{30} + x^{22} + x^{20} + x^{18} + x^{16} + x^{14} + x^{10} \\
& + x^8 + x^6 + x^4 + x^2,
\end{aligned}$$

$$p_{12}(x) = x^{160} + x^{144} + x^{112} + x^{96} + x^{32} + 1,$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{147} + x^{146} + x^{145} + x^{142} + x^{138} + x^{137} + x^{135} + x^{134} + x^{132} + x^{131} \\
&+ x^{130} + x^{128} + x^{127} + x^{124} + x^{120} + x^{118} + x^{117} + x^{114} + x^{113} \\
&+ x^{111} + x^{110} + x^{109} + x^{103} + x^{101} + x^{100} + x^{97} + x^{93} + x^{91} + x^{86} \\
&+ x^{85} + x^{84} + x^{83} + x^{81} + x^{80} + x^{78} + x^{77} + x^{75} + x^{74} + x^{72} + x^{68} \\
&+ x^{66} + x^{65} + x^{61} + x^{60} + x^{56} + x^{54} + x^{52} + x^{50} + x^{49} + x^{46} + x^{43} \\
&+ x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{34} + x^{30} + x^{29} + x^{27} + x^{26} \\
&+ x^{25} + x^{23} + x^{22} + x^{21} + x^{19} + x^{16} + x^{12}, \\
p_3(x) &= x^{146} + x^{145} + x^{142} + x^{139} + x^{136} + x^{134} + x^{130} + x^{127} + x^{123} + x^{122} \\
&+ x^{120} + x^{113} + x^{111} + x^{110} + x^{105} + x^{99} + x^{96} + x^{94} + x^{92} + x^{87} \\
&+ x^{83} + x^{82} + x^{78} + x^{74} + x^{72} + x^{71} + x^{70} + x^{67} + x^{65} + x^{64} + x^{62} \\
&+ x^{59} + x^{57} + x^{56} + x^{55} + x^{52} + x^{50} + x^{48} + x^{47} + x^{44} + x^{43} + x^{38} \\
&+ x^{36} + x^{32} + x^{31} + x^{30} + x^{27} + x^{26} + x^{22} + x^{17} + x^{15} + x^{14} + x^{12} \\
&+ x^8, \\
p_6(x) &= x^{146} + x^{145} + x^{142} + x^{141} + x^{140} + x^{139} + x^{138} + x^{137} + x^{135} + x^{133} \\
&+ x^{131} + x^{125} + x^{122} + x^{119} + x^{118} + x^{116} + x^{107} + x^{106} + x^{103} \\
&+ x^{100} + x^{98} + x^{94} + x^{91} + x^{90} + x^{87} + x^{84} + x^{81} + x^{80} + x^{73} + x^{72} \\
&+ x^{71} + x^{70} + x^{69} + x^{67} + x^{64} + x^{61} + x^{60} + x^{57} + x^{56} + x^{55} + x^{52} \\
&+ x^{51} + x^{50} + x^{46} + x^{44} + x^{43} + x^{42} + x^{41} + x^{40} + x^{38} + x^{34} + x^{33} \\
&+ x^{32} + x^{24} + x^{23} + x^{18} + x^{17} + x^{15} + x^{13} + x^{11} + x^8 + x^6 + x^2 + 1, \\
p_9(x) &= x^{146} + x^{144} + x^{134} + x^{132} + x^{130} + x^{128} + x^{126} + x^{124} + x^{122} + x^{120} \\
&+ x^{118} + x^{116} + x^{114} + x^{112} + x^{102} + x^{100} + x^{94} + x^{92} + x^{90} + x^{88} \\
&+ x^{78} + x^{76} + x^{74} + x^{72} + x^{62} + x^{60} + x^{58} + x^{56} + x^{46} + x^{44} + x^{42} \\
&+ x^{40} + x^{30} + x^{28} + x^{26} + x^{24} + x^{18} + x^{16} + x^{14} + x^{12} + x^{10} + x^8 \\
&+ x^6 + x^4, \\
p_{12}(x) &= x^{146} + x^{144} + x^{142} + x^{140} + x^{138} + x^{136} + x^{110} + x^{108} + x^{106} + x^{104} \\
&+ x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{78} + x^{76} + x^{74} + x^{72} + x^{62} \\
&+ x^{60} + x^{58} + x^{56} + x^{46} + x^{44} + x^{42} + x^{40} + x^{30} + x^{28} + x^{26} + x^{24} \\
&+ x^{18} + x^{16} + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 0, 0, 0, 1, 1, 0, 1, 1, 1, 0, 1, 0]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{144} + x^{141} + x^{140} + x^{138} + x^{137} + x^{135} + x^{134} + x^{132} + x^{127} + x^{126} \\
&\quad + x^{125} + x^{123} + x^{122} + x^{120} + x^{118} + x^{117} + x^{112} + x^{105} + x^{104} \\
&\quad + x^{102} + x^{100} + x^{99} + x^{95} + x^{89} + x^{88} + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} \\
&\quad + x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{65} + x^{64} + x^{62} \\
&\quad + x^{61} + x^{59} + x^{58} + x^{57} + x^{56} + x^{54} + x^{52} + x^{50} + x^{45} + x^{44} + x^{41} \\
&\quad + x^{39} + x^{37} + x^{35} + x^{33} + x^{29} + x^{28} + x^{27} + x^{26} + x^{22} + x^{21} + x^{20} \\
&\quad + x^{18}, \\
p_3(x) &= x^{137} + x^{136} + x^{134} + x^{128} + x^{126} + x^{120} + x^{118} + x^{112} + x^{110} + x^{105} \\
&\quad + x^{97} + x^{96} + x^{94} + x^{88} + x^{86} + x^{80} + x^{78} + x^{72} + x^{70} + x^{64} + x^{62} \\
&\quad + x^{57} + x^{49} + x^{48} + x^{46} + x^{40} + x^{38} + x^{32} + x^{30} + x^{24} + x^{22} + x^{16} \\
&\quad + x^{14} + x^9, \\
p_6(x) &= x^{138} + x^{136} + x^{134} + x^{130} + x^{126} + x^{118} + x^{116} + x^{112} + x^{100} + x^{96} \\
&\quad + x^{84} + x^{80} + x^{74} + x^{72} + x^{66} + x^{62} + x^{54} + x^{52} + x^{50} + x^{44} + x^{36} \\
&\quad + x^{34} + x^{32} + x^{26} + x^{24} + x^{16} + x^{10} + x^6, \\
p_9(x) &= x^{139} + x^{138} + x^{137} + x^{134} + x^{133} + x^{132} + x^{131} + x^{130} + x^{129} + x^{125} \\
&\quad + x^{123} + x^{122} + x^{120} + x^{115} + x^{107} + x^{106} + x^{105} + x^{102} + x^{101} \\
&\quad + x^{100} + x^{99} + x^{98} + x^{97} + x^{93} + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} + x^{82} \\
&\quad + x^{81} + x^{77} + x^{73} + x^{72} + x^{70} + x^{69} + x^{68} + x^{66} + x^{65} + x^{61} + x^{57} \\
&\quad + x^{56} + x^{54} + x^{53} + x^{52} + x^{50} + x^{49} + x^{45} + x^{41} + x^{40} + x^{38} + x^{37} \\
&\quad + x^{36} + x^{34} + x^{33} + x^{29} + x^{25} + x^{24} + x^{22} + x^{21} + x^{20} + x^{18} + x^{17} \\
&\quad + x^{13} + x^{11} + x^{10} + x^8 + x^3, \\
p_{12}(x) &= x^{140} + x^{132} + x^{128} + x^{124} + x^{120} + x^{116} + x^{112} + x^{108} + x^{100} + x^{96} \\
&\quad + x^{88} + x^{72} + x^{56} + x^{40} + x^{24} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 0, 1, 0, 1]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{162} + x^{161} + x^{160} + x^{159} + x^{158} + x^{157} + x^{155} + x^{153} + x^{152} + x^{150} \\
&\quad + x^{149} + x^{145} + x^{143} + x^{142} + x^{140} + x^{139} + x^{134} + x^{130} + x^{129} \\
&\quad + x^{128} + x^{125} + x^{124} + x^{123} + x^{119} + x^{116} + x^{115} + x^{114} + x^{110} \\
&\quad + x^{108} + x^{107} + x^{106} + x^{105} + x^{104} + x^{101} + x^{100} + x^{96} + x^{95} + x^{93} \\
&\quad + x^{92} + x^{91} + x^{90} + x^{89} + x^{84} + x^{83} + x^{80} + x^{79} + x^{77} + x^{73} + x^{72} \\
&\quad + x^{70} + x^{67} + x^{66} + x^{64} + x^{63} + x^{62} + x^{59} + x^{58} + x^{57} + x^{54} + x^{51} \\
&\quad + x^{49} + x^{46} + x^{44} + x^{43} + x^{41} + x^{39} + x^{38} + x^{34} + x^{32} + x^{31} + x^{27}, \\
p_3(x) &= x^{161} + x^{160} + x^{158} + x^{153} + x^{145} + x^{144} + x^{142} + x^{137} + x^{129} + x^{128} \\
&\quad + x^{126} + x^{120} + x^{118} + x^{112} + x^{110} + x^{104} + x^{102} + x^{97} + x^{81} + x^{80}
\end{aligned}$$

$$\begin{aligned}
& + x^{78} + x^{72} + x^{70} + x^{64} + x^{62} + x^{56} + x^{54} + x^{49} + x^{33} + x^{32} + x^{30} \\
& + x^{25} + x^{17} + x^{16} + x^{14} + x^9, \\
p_6(x) &= x^{162} + x^{160} + x^{158} + x^{152} + x^{144} + x^{142} + x^{140} + x^{134} + x^{132} + x^{130} \\
& + x^{128} + x^{118} + x^{98} + x^{96} + x^{92} + x^{86} + x^{84} + x^{76} + x^{74} + x^{72} + x^{60} \\
& + x^{56} + x^{54} + x^{52} + x^{50} + x^{40} + x^{36} + x^{34} + x^{32} + x^{30} + x^{22} + x^{18} \\
& + x^{16} + x^{14} + x^{10} + x^6, \\
p_9(x) &= x^{163} + x^{162} + x^{161} + x^{158} + x^{157} + x^{156} + x^{150} + x^{148} + x^{147} + x^{146} \\
& + x^{144} + x^{142} + x^{140} + x^{138} + x^{136} + x^{134} + x^{132} + x^{130} + x^{128} \\
& + x^{126} + x^{124} + x^{122} + x^{120} + x^{118} + x^{116} + x^{115} + x^{113} + x^{112} \\
& + x^{109} + x^{106} + x^{104} + x^{99} + x^{95} + x^{84} + x^{83} + x^{80} + x^{79} + x^{78} + x^{77} + x^{76} \\
& + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} + x^{70} + x^{69} + x^{68} + x^{67} + x^{66} + x^{65} + x^{64} \\
& + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} + x^{57} + x^{56} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} \\
& + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} \\
& + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{22} + x^{21} + x^{20} \\
& + x^{19} + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^9 + x^8 + x^7 + x^6 + x^5 + x^4 + x^3 + x^2 + x + 1, \\
p_{12}(x) &= x^{164} + x^{152} + x^{148} + x^{136} + x^{128} + x^{120} + x^{116} + x^{112} + x^{100} + x^{96} \\
& + x^{36} + x^{24} + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 0, 1]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{147} + x^{142} + x^{141} + x^{140} + x^{139} + x^{138} + x^{137} + x^{136} + x^{134} + x^{131} \\
& + x^{130} + x^{129} + x^{126} + x^{123} + x^{120} + x^{119} + x^{116} + x^{112} + x^{110} \\
& + x^{105} + x^{104} + x^{103} + x^{102} + x^{100} + x^{97} + x^{95} + x^{94} + x^{92} + x^{89} \\
& + x^{86} + x^{84} + x^{83} + x^{81} + x^{75} + x^{74} + x^{72} + x^{68} + x^{67} + x^{64} + x^{62} \\
& + x^{61} + x^{58} + x^{57} + x^{53} + x^{52} + x^{50} + x^{46} + x^{45} + x^{42} + x^{41} + x^{39} \\
& + x^{38} + x^{36} + x^{35} + x^{33}, \\
p_3(x) &= x^{146} + x^{145} + x^{144} + x^{140} + x^{139} + x^{132} + x^{130} + x^{127} + x^{126} + x^{124} \\
& + x^{123} + x^{122} + x^{120} + x^{118} + x^{116} + x^{113} + x^{112} + x^{111} + x^{110} \\
& + x^{105} + x^{102} + x^{100} + x^{99} + x^{87} + x^{86} + x^{84} + x^{83} + x^{82} + x^{76} + x^{74} \\
& + x^{72} + x^{71} + x^{68} + x^{67} + x^{65} + x^{62} + x^{59} + x^{57} + x^{56} + x^{55} + x^{54} \\
& + x^{50} + x^{47} + x^{46} + x^{43} + x^{32} + x^{31} + x^{28} + x^{27} + x^{26} + x^{20} + x^{17} \\
& + x^{16} + x^{15} + x^{14} + x^{12}, \\
p_6(x) &= x^{146} + x^{145} + x^{144} + x^{141} + x^{140} + x^{139} + x^{137} + x^{136} + x^{135} + x^{133} \\
& + x^{131} + x^{128} + x^{125} + x^{120} + x^{119} + x^{118} + x^{114} + x^{112} + x^{107} \\
& + x^{104} + x^{103} + x^{100} + x^{96} + x^{94} + x^{91} + x^{88} + x^{87} + x^{84} + x^{82} + x^{81} \\
& + x^{80} + x^{78} + x^{76} + x^{74} + x^{73} + x^{71} + x^{70} + x^{69} + x^{68} + x^{67} + x^{61} \\
& + x^{60} + x^{58} + x^{57} + x^{56} + x^{55} + x^{54} + x^{52} + x^{51} + x^{43} + x^{41} + x^{40} \\
& + x^{38} + x^{33} + x^{30} + x^{28} + x^{26} + x^{24} + x^{23} + x^{22} + x^{20} + x^{17} + x^{15} \\
& + x^{13} + x^{12} + x^{11} + x^6 + x^4 + x^2 + 1, \\
p_9(x) &= x^{146} + x^{144} + x^{134} + x^{132} + x^{130} + x^{128} + x^{126} + x^{124} + x^{122} + x^{120}
\end{aligned}$$

$$\begin{aligned}
& + x^{118} + x^{116} + x^{114} + x^{112} + x^{102} + x^{100} + x^{94} + x^{92} + x^{90} + x^{88} \\
& + x^{78} + x^{76} + x^{74} + x^{72} + x^{62} + x^{60} + x^{58} + x^{56} + x^{46} + x^{44} + x^{42} \\
& + x^{40} + x^{30} + x^{28} + x^{26} + x^{24} + x^{18} + x^{16} + x^{14} + x^{12} + x^{10} + x^8 \\
& + x^6 + x^4, \\
p_{12}(x) = & x^{146} + x^{144} + x^{142} + x^{140} + x^{138} + x^{136} + x^{110} + x^{108} + x^{106} + x^{104} \\
& + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{78} + x^{76} + x^{74} + x^{72} + x^{62} \\
& + x^{60} + x^{58} + x^{56} + x^{46} + x^{44} + x^{42} + x^{40} + x^{30} + x^{28} + x^{26} + x^{24} \\
& + x^{18} + x^{16} + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 0, 1, 0]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned}
p_0(x) = & x^{147} + x^{146} + x^{145} + x^{142} + x^{138} + x^{137} + x^{135} + x^{134} + x^{132} + x^{131} \\
& + x^{130} + x^{128} + x^{127} + x^{124} + x^{120} + x^{118} + x^{117} + x^{114} + x^{113} \\
& + x^{111} + x^{110} + x^{109} + x^{103} + x^{101} + x^{100} + x^{97} + x^{93} + x^{91} + x^{86} \\
& + x^{85} + x^{84} + x^{83} + x^{81} + x^{80} + x^{78} + x^{77} + x^{75} + x^{74} + x^{72} + x^{68} \\
& + x^{66} + x^{65} + x^{61} + x^{60} + x^{56} + x^{54} + x^{52} + x^{50} + x^{49} + x^{46} + x^{43} \\
& + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{34} + x^{30} + x^{29} + x^{27} + x^{26} \\
& + x^{25} + x^{23} + x^{22} + x^{21} + x^{19} + x^{16} + x^{12}, \\
p_3(x) = & x^{146} + x^{145} + x^{142} + x^{139} + x^{136} + x^{134} + x^{130} + x^{127} + x^{123} + x^{122} \\
& + x^{120} + x^{113} + x^{111} + x^{110} + x^{105} + x^{99} + x^{96} + x^{94} + x^{92} + x^{87} \\
& + x^{83} + x^{82} + x^{78} + x^{74} + x^{72} + x^{71} + x^{70} + x^{67} + x^{65} + x^{64} + x^{62} \\
& + x^{59} + x^{57} + x^{56} + x^{55} + x^{52} + x^{50} + x^{48} + x^{47} + x^{44} + x^{43} + x^{38} \\
& + x^{36} + x^{32} + x^{31} + x^{30} + x^{27} + x^{26} + x^{22} + x^{17} + x^{15} + x^{14} + x^{12} \\
& + x^8, \\
p_6(x) = & x^{146} + x^{145} + x^{142} + x^{141} + x^{140} + x^{139} + x^{138} + x^{137} + x^{135} + x^{133} \\
& + x^{131} + x^{125} + x^{122} + x^{119} + x^{118} + x^{116} + x^{107} + x^{106} + x^{103} \\
& + x^{100} + x^{98} + x^{94} + x^{91} + x^{90} + x^{87} + x^{84} + x^{81} + x^{80} + x^{73} + x^{72} \\
& + x^{71} + x^{70} + x^{69} + x^{67} + x^{64} + x^{61} + x^{60} + x^{57} + x^{56} + x^{55} + x^{52} \\
& + x^{51} + x^{50} + x^{46} + x^{44} + x^{43} + x^{42} + x^{41} + x^{40} + x^{38} + x^{34} + x^{33} \\
& + x^{32} + x^{24} + x^{23} + x^{18} + x^{17} + x^{15} + x^{13} + x^{11} + x^8 + x^6 + x^2 + 1, \\
p_9(x) = & x^{146} + x^{144} + x^{134} + x^{132} + x^{130} + x^{128} + x^{126} + x^{124} + x^{122} + x^{120} \\
& + x^{118} + x^{116} + x^{114} + x^{112} + x^{102} + x^{100} + x^{94} + x^{92} + x^{90} + x^{88} \\
& + x^{78} + x^{76} + x^{74} + x^{72} + x^{62} + x^{60} + x^{58} + x^{56} + x^{46} + x^{44} + x^{42} \\
& + x^{40} + x^{30} + x^{28} + x^{26} + x^{24} + x^{18} + x^{16} + x^{14} + x^{12} + x^{10} + x^8 \\
& + x^6 + x^4, \\
p_{12}(x) = & x^{146} + x^{144} + x^{142} + x^{140} + x^{138} + x^{136} + x^{110} + x^{108} + x^{106} + x^{104}
\end{aligned}$$

$$\begin{aligned}
& + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{78} + x^{76} + x^{74} + x^{72} + x^{62} \\
& + x^{60} + x^{58} + x^{56} + x^{46} + x^{44} + x^{42} + x^{40} + x^{30} + x^{28} + x^{26} + x^{24} \\
& + x^{18} + x^{16} + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 1, 0, 0, 0, 0, 1, 1, 0, 1, 1, 1, 0, 1, 0]$.

For $\phi(W^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{162} + x^{161} + x^{160} + x^{159} + x^{158} + x^{157} + x^{155} + x^{153} + x^{152} + x^{150} \\
&+ x^{149} + x^{145} + x^{143} + x^{142} + x^{140} + x^{139} + x^{134} + x^{130} + x^{129} \\
&+ x^{128} + x^{125} + x^{124} + x^{123} + x^{119} + x^{116} + x^{115} + x^{114} + x^{110} \\
&+ x^{108} + x^{107} + x^{106} + x^{105} + x^{104} + x^{101} + x^{100} + x^{96} + x^{95} + x^{93} \\
&+ x^{92} + x^{91} + x^{90} + x^{89} + x^{84} + x^{83} + x^{80} + x^{79} + x^{77} + x^{73} + x^{72} \\
&+ x^{70} + x^{67} + x^{66} + x^{64} + x^{63} + x^{62} + x^{59} + x^{58} + x^{57} + x^{54} + x^{51} \\
&+ x^{49} + x^{46} + x^{44} + x^{43} + x^{41} + x^{39} + x^{38} + x^{34} + x^{32} + x^{31} + x^{27}, \\
p_3(x) &= x^{161} + x^{160} + x^{158} + x^{153} + x^{145} + x^{144} + x^{142} + x^{137} + x^{129} + x^{128} \\
&+ x^{126} + x^{120} + x^{118} + x^{112} + x^{110} + x^{104} + x^{102} + x^{97} + x^{81} + x^{80} \\
&+ x^{78} + x^{72} + x^{70} + x^{64} + x^{62} + x^{56} + x^{54} + x^{49} + x^{33} + x^{32} + x^{30} \\
&+ x^{25} + x^{17} + x^{16} + x^{14} + x^9, \\
p_6(x) &= x^{162} + x^{160} + x^{158} + x^{152} + x^{144} + x^{142} + x^{140} + x^{134} + x^{132} + x^{130} \\
&+ x^{128} + x^{118} + x^{98} + x^{96} + x^{92} + x^{86} + x^{84} + x^{76} + x^{74} + x^{72} + x^{60} \\
&+ x^{56} + x^{54} + x^{52} + x^{50} + x^{40} + x^{36} + x^{34} + x^{32} + x^{30} + x^{22} + x^{18} \\
&+ x^{16} + x^{14} + x^{10} + x^6, \\
p_9(x) &= x^{163} + x^{162} + x^{161} + x^{158} + x^{157} + x^{156} + x^{150} + x^{148} + x^{147} + x^{146} \\
&+ x^{144} + x^{142} + x^{140} + x^{138} + x^{136} + x^{134} + x^{132} + x^{130} + x^{128} \\
&+ x^{126} + x^{124} + x^{122} + x^{120} + x^{118} + x^{116} + x^{115} + x^{113} + x^{112} \\
&+ x^{109} + x^{106} + x^{104} + x^{99} + x^{35} + x^{34} + x^{33} + x^{30} + x^{29} + x^{28} + x^{22} \\
&+ x^{20} + x^{17} + x^{16} + x^{13} + x^{10} + x^8 + x^3, \\
p_{12}(x) &= x^{164} + x^{152} + x^{148} + x^{136} + x^{128} + x^{120} + x^{116} + x^{112} + x^{100} + x^{96} \\
&+ x^{36} + x^{24} + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 0, 1]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{144} + x^{141} + x^{140} + x^{138} + x^{137} + x^{135} + x^{134} + x^{132} + x^{127} + x^{126} \\
&+ x^{125} + x^{123} + x^{122} + x^{120} + x^{118} + x^{117} + x^{112} + x^{105} + x^{104} \\
&+ x^{102} + x^{100} + x^{99} + x^{95} + x^{89} + x^{88} + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} \\
&+ x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{70} + x^{69} + x^{68} + x^{65} + x^{64} + x^{62} \\
&+ x^{61} + x^{59} + x^{58} + x^{57} + x^{56} + x^{54} + x^{52} + x^{50} + x^{45} + x^{44} + x^{41} \\
&+ x^{39} + x^{37} + x^{35} + x^{33} + x^{29} + x^{28} + x^{27} + x^{26} + x^{22} + x^{21} + x^{20}
\end{aligned}$$

$$\begin{aligned}
& + x^{18}, \\
p_3(x) &= x^{137} + x^{136} + x^{134} + x^{128} + x^{126} + x^{120} + x^{118} + x^{112} + x^{110} + x^{105} \\
& + x^{97} + x^{96} + x^{94} + x^{88} + x^{86} + x^{80} + x^{78} + x^{72} + x^{70} + x^{64} + x^{62} \\
& + x^{57} + x^{49} + x^{48} + x^{46} + x^{40} + x^{38} + x^{32} + x^{30} + x^{24} + x^{22} + x^{16} \\
& + x^{14} + x^9, \\
p_6(x) &= x^{138} + x^{136} + x^{134} + x^{130} + x^{126} + x^{118} + x^{116} + x^{112} + x^{100} + x^{96} \\
& + x^{84} + x^{80} + x^{74} + x^{72} + x^{66} + x^{62} + x^{54} + x^{52} + x^{50} + x^{44} + x^{36} \\
& + x^{34} + x^{32} + x^{26} + x^{24} + x^{16} + x^{10} + x^6, \\
p_9(x) &= x^{139} + x^{138} + x^{137} + x^{134} + x^{133} + x^{132} + x^{131} + x^{130} + x^{129} + x^{125} \\
& + x^{123} + x^{122} + x^{120} + x^{115} + x^{107} + x^{106} + x^{105} + x^{102} + x^{101} \\
& + x^{100} + x^{99} + x^{98} + x^{97} + x^{93} + x^{89} + x^{88} + x^{86} + x^{85} + x^{84} + x^{82} \\
& + x^{81} + x^{77} + x^{73} + x^{72} + x^{70} + x^{69} + x^{68} + x^{66} + x^{65} + x^{61} + x^{57} \\
& + x^{56} + x^{54} + x^{53} + x^{52} + x^{50} + x^{49} + x^{45} + x^{41} + x^{40} + x^{38} + x^{37} \\
& + x^{36} + x^{34} + x^{33} + x^{29} + x^{25} + x^{24} + x^{22} + x^{21} + x^{20} + x^{18} + x^{17} \\
& + x^{13} + x^{11} + x^{10} + x^8 + x^3, \\
p_{12}(x) &= x^{140} + x^{132} + x^{128} + x^{124} + x^{120} + x^{116} + x^{112} + x^{108} + x^{100} + x^{96} \\
& + x^{88} + x^{72} + x^{56} + x^{40} + x^{24} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 1, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 0, 1, 0, 1]$.

For $\phi(W^\circ, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{147} + x^{142} + x^{141} + x^{140} + x^{139} + x^{138} + x^{137} + x^{136} + x^{134} + x^{131} \\
& + x^{130} + x^{129} + x^{126} + x^{123} + x^{120} + x^{119} + x^{116} + x^{112} + x^{110} \\
& + x^{105} + x^{104} + x^{103} + x^{102} + x^{100} + x^{97} + x^{95} + x^{94} + x^{92} + x^{89} \\
& + x^{86} + x^{84} + x^{83} + x^{81} + x^{75} + x^{74} + x^{72} + x^{68} + x^{67} + x^{64} + x^{62} \\
& + x^{61} + x^{58} + x^{57} + x^{53} + x^{52} + x^{50} + x^{46} + x^{45} + x^{42} + x^{41} + x^{39} \\
& + x^{38} + x^{36} + x^{35} + x^{33}, \\
p_3(x) &= x^{146} + x^{145} + x^{144} + x^{140} + x^{139} + x^{132} + x^{130} + x^{127} + x^{126} + x^{124} \\
& + x^{123} + x^{122} + x^{120} + x^{118} + x^{116} + x^{113} + x^{112} + x^{111} + x^{110} \\
& + x^{105} + x^{102} + x^{100} + x^{99} + x^{87} + x^{86} + x^{84} + x^{83} + x^{82} + x^{76} + x^{74} \\
& + x^{72} + x^{71} + x^{68} + x^{67} + x^{65} + x^{62} + x^{59} + x^{57} + x^{56} + x^{55} + x^{54} \\
& + x^{50} + x^{47} + x^{46} + x^{43} + x^{32} + x^{31} + x^{28} + x^{27} + x^{26} + x^{20} + x^{17} \\
& + x^{16} + x^{15} + x^{14} + x^{12}, \\
p_6(x) &= x^{146} + x^{145} + x^{144} + x^{141} + x^{140} + x^{139} + x^{137} + x^{136} + x^{135} + x^{133} \\
& + x^{131} + x^{128} + x^{125} + x^{120} + x^{119} + x^{118} + x^{114} + x^{112} + x^{107} \\
& + x^{104} + x^{103} + x^{100} + x^{96} + x^{94} + x^{91} + x^{88} + x^{87} + x^{84} + x^{82} + x^{81} \\
& + x^{80} + x^{78} + x^{76} + x^{74} + x^{73} + x^{71} + x^{70} + x^{69} + x^{68} + x^{67} + x^{61}
\end{aligned}$$

$$\begin{aligned}
& + x^{60} + x^{58} + x^{57} + x^{56} + x^{55} + x^{54} + x^{52} + x^{51} + x^{43} + x^{41} + x^{40} \\
& + x^{38} + x^{33} + x^{30} + x^{28} + x^{26} + x^{24} + x^{23} + x^{22} + x^{20} + x^{17} + x^{15} \\
& + x^{13} + x^{12} + x^{11} + x^6 + x^4 + x^2 + 1, \\
p_9(x) &= x^{146} + x^{144} + x^{134} + x^{132} + x^{130} + x^{128} + x^{126} + x^{124} + x^{122} + x^{120} \\
& + x^{118} + x^{116} + x^{114} + x^{112} + x^{102} + x^{100} + x^{94} + x^{92} + x^{90} + x^{88} \\
& + x^{78} + x^{76} + x^{74} + x^{72} + x^{62} + x^{60} + x^{58} + x^{56} + x^{46} + x^{44} + x^{42} \\
& + x^{40} + x^{30} + x^{28} + x^{26} + x^{24} + x^{18} + x^{16} + x^{14} + x^{12} + x^{10} + x^8 \\
& + x^6 + x^4, \\
p_{12}(x) &= x^{146} + x^{144} + x^{142} + x^{140} + x^{138} + x^{136} + x^{110} + x^{108} + x^{106} + x^{104} \\
& + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{78} + x^{76} + x^{74} + x^{72} + x^{62} \\
& + x^{60} + x^{58} + x^{56} + x^{46} + x^{44} + x^{42} + x^{40} + x^{30} + x^{28} + x^{26} + x^{24} \\
& + x^{18} + x^{16} + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 0, 1, 0]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	62	[8, 28]	124	[178, 179]	186	[220, 221]	248	[119, 191]
1	[3, 4]	63	[103, 92]	125	[180, 15]	187	[222, 223]	249	[265, 124]
2	[5, 6]	64	[104, 105]	126	[181, 182]	188	[224, 70]	250	[267, 29]
3	[7, 8]	65	[106, 107]	127	[183, 8]	189	[158, 225]	251	[74, 268]
4	[9, 10]	66	[108, 109]	128	[105, 93]	190	[77, 226]	252	[269, 146]
5	[11, 2]	67	[92, 10]	129	[184, 99]	191	[181, 134]	253	[270, 271]
6	[12, 13]	68	[110, 111]	130	[185, 10]	192	[227, 159]	254	[272, 273]
7	[14, 15]	69	[112, 45]	131	[8, 97]	193	[228, 229]	255	[179, 274]
8	[16, 17]	70	[12, 113]	132	[36, 85]	194	[222, 230]	256	[249, 168]
9	[18, 19]	71	[114, 115]	133	[45, 125]	195	[229, 78]	257	[275, 276]
10	[20, 21]	72	[32, 116]	134	[114, 124]	196	[77, 231]	258	[244, 75]
11	[22, 23]	73	[117, 118]	135	[186, 187]	197	[232, 233]	259	[3, 61]
12	[24, 25]	74	[119, 120]	136	[188, 29]	198	[19, 178]	260	[171, 277]
13	[25, 26]	75	[29, 40]	137	[189, 85]	199	[56, 154]	261	[278, 279]
14	[27, 28]	76	[121, 122]	138	[90, 190]	200	[64, 234]	262	[71, 280]
15	[29, 30]	77	[123, 30]	139	[122, 191]	201	[235, 131]	263	[69, 132]
16	[31, 32]	78	[32, 34]	140	[192, 84]	202	[180, 149]	264	[281, 71]
17	[33, 34]	79	[124, 125]	141	[33, 116]	203	[151, 236]	265	[282, 171]
18	[35, 36]	80	[126, 13]	142	[102, 102]	204	[163, 237]	266	[283, 284]
19	[37, 38]	81	[113, 13]	143	[94, 105]	205	[238, 223]	267	[285, 24]
20	[39, 40]	82	[46, 46]	144	[102, 93]	206	[135, 239]	268	[196, 198]
21	[28, 41]	83	[127, 128]	145	[193, 100]	207	[240, 241]	269	[286, 9]
22	[42, 43]	84	[129, 130]	146	[101, 93]	208	[242, 243]	270	[287, 109]

23	[44, 45]	85	[128, 131]	147	[194, 120]	209	[161, 244]	271	[185, 100]
24	[13, 46]	86	[50, 132]	148	[10, 195]	210	[19, 220]	272	[288, 208]
25	[47, 46]	87	[133, 134]	149	[196, 195]	211	[245, 246]	273	[208, 30]
26	[46, 48]	88	[135, 70]	150	[197, 28]	212	[247, 248]	274	[254, 90]
27	[49, 50]	89	[136, 74]	151	[10, 198]	213	[239, 78]	275	[289, 253]
28	[15, 51]	90	[137, 138]	152	[199, 94]	214	[169, 249]	276	[37, 85]
29	[52, 53]	91	[4, 139]	153	[199, 105]	215	[250, 180]	277	[260, 86]
30	[24, 54]	92	[140, 141]	154	[200, 93]	216	[193, 10]	278	[290, 9]
31	[55, 56]	93	[142, 143]	155	[94, 94]	217	[251, 41]	279	[105, 102]
32	[57, 58]	94	[143, 144]	156	[100, 86]	218	[252, 253]	280	[209, 34]
33	[59, 60]	95	[21, 145]	157	[92, 100]	219	[84, 38]	281	[291, 118]
34	[61, 62]	96	[59, 146]	158	[201, 96]	220	[210, 190]	282	[292, 122]
35	[63, 64]	97	[147, 148]	159	[104, 94]	221	[254, 45]	283	[293, 112]
36	[65, 14]	98	[149, 150]	160	[202, 198]	222	[255, 88]	284	[48, 113]
37	[66, 4]	99	[66, 61]	161	[203, 107]	223	[204, 46]	285	[294, 44]
38	[64, 67]	100	[139, 151]	162	[115, 190]	224	[256, 114]	286	[236, 295]
39	[68, 69]	101	[61, 152]	163	[204, 48]	225	[257, 28]	287	[277, 216]
40	[70, 71]	102	[152, 142]	164	[205, 119]	226	[122, 120]	288	[296, 6]
41	[17, 72]	103	[62, 20]	165	[206, 120]	227	[258, 257]	289	[297, 298]
42	[17, 73]	104	[128, 153]	166	[207, 208]	228	[259, 32]	290	[271, 226]
43	[74, 75]	105	[154, 155]	167	[123, 40]	229	[253, 116]	291	[229, 245]
44	[76, 77]	106	[156, 157]	168	[209, 116]	230	[112, 90]	292	[299, 181]
45	[78, 79]	107	[158, 159]	169	[124, 118]	231	[260, 41]	293	[221, 300]
46	[80, 81]	108	[160, 62]	170	[210, 43]	232	[261, 84]	294	[54, 137]
47	[70, 80]	109	[161, 64]	171	[208, 40]	233	[253, 34]	295	[39, 30]
48	[26, 82]	110	[162, 54]	172	[211, 2]	234	[200, 102]	296	[301, 112]
49	[83, 36]	111	[68, 163]	173	[212, 124]	235	[97, 195]	297	[302, 257]
50	[84, 85]	112	[164, 165]	174	[213, 44]	236	[197, 97]	298	[93, 105]
51	[28, 86]	113	[113, 113]	175	[214, 111]	237	[47, 48]	299	[303, 114]
52	[87, 88]	114	[166, 167]	176	[89, 90]	238	[262, 215]	300	[189, 38]
53	[89, 45]	115	[168, 169]	177	[215, 115]	239	[215, 124]	301	[243, 72]
54	[44, 90]	116	[56, 157]	178	[36, 38]	240	[263, 215]	302	[157, 304]
55	[91, 92]	117	[50, 170]	179	[90, 43]	241	[13, 48]	303	[176, 178]
56	[93, 94]	118	[171, 139]	180	[206, 191]	242	[264, 187]	304	[194, 191]
57	[95, 96]	119	[172, 173]	181	[48, 13]	243	[212, 115]		
58	[27, 97]	120	[163, 23]	182	[126, 113]	244	[257, 97]		
59	[98, 99]	121	[174, 163]	183	[216, 147]	245	[117, 125]		
60	[9, 100]	122	[175, 176]	184	[217, 67]	246	[265, 115]		
61	[101, 102]	123	[5, 177]	185	[218, 219]	247	[266, 119]		

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	44	0	88	1	132	1	176	0	220	1
1	0	45	0	89	0	133	0	177	0	221	1

2	0	46	1	90	0	134	1	178	1	222	0	266	1
3	0	47	0	91	0	135	1	179	0	223	1	267	0
4	0	48	1	92	1	136	0	180	1	224	0	268	0
5	0	49	0	93	0	137	0	181	1	225	1	269	1
6	0	50	0	94	1	138	0	182	1	226	1	270	1
7	0	51	0	95	0	139	1	183	0	227	1	271	1
8	0	52	0	96	0	140	1	184	0	228	0	272	1
9	0	53	0	97	0	141	0	185	1	229	1	273	1
10	1	54	0	98	0	142	0	186	1	230	1	274	1
11	0	55	0	99	1	143	1	187	0	231	1	275	1
12	0	56	0	100	1	144	0	188	0	232	1	276	1
13	0	57	0	101	0	145	0	189	0	233	1	277	1
14	0	58	0	102	0	146	0	190	0	234	1	278	1
15	0	59	0	103	0	147	0	191	1	235	0	279	1
16	0	60	0	104	1	148	1	192	1	236	1	280	1
17	0	61	0	105	1	149	0	193	0	237	0	281	1
18	0	62	0	106	1	150	1	194	0	238	1	282	0
19	1	63	0	107	0	151	1	195	1	239	0	283	1
20	1	64	1	108	1	152	0	196	0	240	1	284	1
21	0	65	1	109	1	153	0	197	1	241	0	285	0
22	0	66	1	110	1	154	1	198	1	242	1	286	1
23	0	67	1	111	1	155	1	199	0	243	1	287	1
24	0	68	1	112	1	156	1	200	1	244	1	288	1
25	0	69	1	113	0	157	1	201	0	245	0	289	1
26	1	70	0	114	1	158	0	202	1	246	0	290	1
27	0	71	1	115	1	159	1	203	1	247	1	291	1
28	0	72	0	116	0	160	1	204	1	248	0	292	0
29	0	73	0	117	0	161	1	205	1	249	0	293	1
30	0	74	0	118	1	162	1	206	1	250	0	294	0
31	0	75	0	119	0	163	1	207	1	251	0	295	1
32	0	76	0	120	1	164	1	208	1	252	1	296	1
33	0	77	0	121	0	165	1	209	1	253	1	297	1
34	0	78	0	122	1	166	1	210	1	254	1	298	0
35	0	79	1	123	0	167	0	211	0	255	0	299	0
36	1	80	1	124	1	168	1	212	1	256	0	300	0
37	1	81	0	125	1	169	1	213	0	257	1	301	1
38	1	82	1	126	1	170	1	214	1	258	1	302	1
39	1	83	0	127	0	171	1	215	0	259	0	303	0
40	0	84	0	128	1	172	0	216	0	260	1	304	0
41	0	85	1	129	0	173	1	217	0	261	1		
42	0	86	0	130	1	174	0	218	1	262	1		
43	0	87	0	131	0	175	1	219	0	263	1		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE
Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA
Email address: `huyining@hust.edu.cn`