

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z^5 + z^4 + z^2 + z, z^2 + z + 1)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z^5 + z^4 + z^2 + z, z^2 + z + 1)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: 9/04/2020 23:26:26 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 15.9 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z^5 + z^4 + z^2 + z, z^2 + z + 1)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$\begin{aligned} p_0(z) &= z^{13} + z^6 + z^5 + z^3 + z^2 + z + 1, \\ p_1(z) &= z^{18} + z^{17} + z^{13} + z^{10} + z^9 + z^8 + z^7 + z^6 + z^3 + z, \\ p_2(z) &= z^{20} + z^{14} + z^{12} + z^{10} + z^8 + z^6 + z^4 + z^2, \\ p_3(z) &= z^{18} + z^{17} + z^{13} + z^{10} + z^9 + z^8 + z^7 + z^6 + z^3 + z, \\ p_4(z) &= z^{16} + z^{14} + z^{13} + z^{10} + z^5 + z^4 + z^3 + z, \end{aligned}$$

and for $\text{CF}(b, a)$,

$$\begin{aligned} p_0(z) &= z^{13} + z^{12} + z^6 + z^5 + z^4 + z^3 + z^2 + z, \\ p_1(z) &= z^{18} + z^{17} + z^{13} + z^{10} + z^9 + z^8 + z^7 + z^6 + z^3 + z, \\ p_2(z) &= z^{20} + z^{14} + z^{12} + z^{10} + z^8 + z^6 + z^4 + z^2, \\ p_3(z) &= z^{18} + z^{17} + z^{13} + z^{10} + z^9 + z^8 + z^7 + z^6 + z^3 + z, \\ p_4(z) &= z^{16} + z^{14} + z^{13} + z^{12} + z^{10} + z^5 + z^3 + z + 1. \end{aligned}$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{\mathbf{t}}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(175, 175, 175, 175, 175)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 630 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 630, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 770 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 770, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:14u] &= M^e[:7u] + x^{4u} M^e[:3u] + x^{4u} M^e[:7u] + x^{8u} M^e[:3u] \\ &\quad + x^{10u} M^e[:4u] + (x^{7u} + x^{11u}) R^e, \\ W^e[:14u] &= W^e[:7u] + x^{4u} W^e[:3u] + x^{4u} W^e[:7u] + x^{8u} W^e[:3u] \\ &\quad + x^{10u} W^e[:4u] + (x^{7u} + x^{11u}) R^e. \end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$M^o[:14u] = M^o[:7u] + x^{4u} M^o[:3u] + x^{4u} M^o[:7u] + x^{8u} M^o[:3u]$$

$$\begin{aligned}
& + x^{10u} M^o[:4u] + (x^{7u} + x^{11u}) R^o, \\
W^o[:14u] &= W^o[:7u] + x^{4u} W^o[:3u] + x^{4u} W^o[:7u] + x^{8u} W^o[:3u] \\
& + x^{10u} W^o[:4u] + (x^{7u} + x^{11u}) R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$T[:14u] = T[:7u] + x^{4u} T[:3u] + x^{4u} T[:7u] + x^{8u} T[:3u] + x^{10u} T[:4u].$$

The proof of the other 15 cases are similar. We break down the above identity into 7 parts:

$$\begin{aligned}
0 &= x^{4u} T[3u:4u] + T[7u:8u], \\
0 &= x^{8u} T[:u] + x^{4u} T[4u:5u] + T[8u:9u], \\
0 &= x^{8u} T[u:2u] + x^{4u} T[5u:6u] + T[9u:10u], \\
0 &= x^{10u} T[:u] + x^{8u} T[2u:3u] + x^{4u} T[6u:7u] + T[10u:11u], \\
0 &= x^{10u} T[u:2u] + T[11u:12u], \\
0 &= x^{10u} T[2u:3u] + T[12u:13u], \\
0 &= x^{10u} T[3u:4u] + T[13u:14u],
\end{aligned}$$

which can be rewritten as

$$\begin{aligned}
(2.7) \quad 0 &= T[[11w]_2] + T[[111w]_2], \\
(2.8) \quad 0 &= T[[w]_2] + T[[100w]_2] + T[[1000w]_2], \\
(2.9) \quad 0 &= T[[1w]_2] + T[[101w]_2] + T[[1001w]_2], \\
(2.10) \quad 0 &= T[[w]_2] + T[[10w]_2] + T[[110w]_2] + T[[1010w]_2], \\
(2.11) \quad 0 &= T[[1w]_2] + T[[1011w]_2], \\
(2.12) \quad 0 &= T[[10w]_2] + T[[1100w]_2], \\
(2.13) \quad 0 &= T[[11w]_2] + T[[1101w]_2],
\end{aligned}$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$\begin{aligned}
(2.14) \quad 0 &= T[[11w]_2] + T[[111w]_2], \\
(2.15) \quad 0 &= T[[w]_2] + T[[100w]_2] + T[[1000w]_2], \\
(2.16) \quad 0 &= T[[1w]_2] + T[[101w]_2] + T[[1001w]_2], \\
(2.17) \quad 0 &= T[[w]_2] + T[[10w]_2] + T[[110w]_2] + T[[1010w]_2], \\
(2.18) \quad 0 &= T[[1w]_2] + T[[1011w]_2], \\
(2.19) \quad 0 &= T[[10w]_2] + T[[1100w]_2], \\
(2.20) \quad 0 &= T[[11w]_2] + T[[1101w]_2],
\end{aligned}$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 673 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached

after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.20) can be written as

$$(2.21) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 111)),$$

$$(2.22) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 100)) + \tau(A(s, 1000)),$$

$$(2.23) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 101)) + \tau(A(s, 1001)),$$

$$(2.24) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 110)) + \tau(A(s, 1010)),$$

$$(2.25) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 1011)),$$

$$(2.26) \quad 0 = \tau(A(s, 10)) + \tau(A(s, 1100)),$$

$$(2.27) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 1101)),$$

for all $s \in E_{2k}$, and

$$(2.28) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 111)),$$

$$(2.29) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 100)) + \tau(A(s, 1000)),$$

$$(2.30) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 101)) + \tau(A(s, 1001)),$$

$$(2.31) \quad 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 110)) + \tau(A(s, 1010)),$$

$$(2.32) \quad 0 = \tau(A(s, 1)) + \tau(A(s, 1011)),$$

$$(2.33) \quad 0 = \tau(A(s, 10)) + \tau(A(s, 1100)),$$

$$(2.34) \quad 0 = \tau(A(s, 11)) + \tau(A(s, 1101)),$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{46}), E_{46}) = (A(i, 0^{18}), E_{18})$, so that we only have to verify that identities (2.21) through (2.34) hold for $2 \leq k \leq 23$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$M_{2k} = M^e[:7u] + x^{4u}M^e[:3u] + x^{7u}R^e,$$

$$W_{2k} = W^e[:7u] + x^{4u}W^e[:3u] + x^{7u}R^e.$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$M_{2k+1} = M^o[:7u] + x^{4u}M^o[:3u] + x^{7u}R^o,$$

$$W_{2k+1} = W^o[:7u] + x^{4u}W^o[:3u] + x^{7u}R^o.$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$\begin{aligned} M_{2k} \wedge W_{2k} &\Rightarrow M_{2k+1} \wedge W_{2k+1}, \\ M_{2k+1} \wedge W_{2k+1} &\Rightarrow M_{2k+2} \wedge W_{2k+2}. \end{aligned}$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$(2.35) \quad W_{2k}M_{2k} = (W^e[:7v] + x^{4v}W^e[:3v] + x^{7u}R^e) \times (M^e[:7v] + x^{4v}M^e[:3v] + x^{7u}R^e);$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{14v}R^o$. Therefore we only need to prove that their difference is $O(x^{14v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{14v} , to

$$W^e[:14v]M^e[:14v] + x^{8v}W^e[:6v]M^e[:6v].$$

For all $n \leq 14$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.35) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{14}, b_1, \dots, b_{14}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{14})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned} \lim_{n \rightarrow \infty} M_{2n,j,k} &= M_{j,k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1,j,k} &= M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} &= W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} &= W_{j,k}^o. \end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12}\phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e/M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$q_0(x) = x^{20} + x^{19} + x^{18} + x^{17} + x^{15} + x^{14} + x^7,$$

$$\begin{aligned}
q_1(x) &= x^{19} + x^{17} + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^7 + x^3 + x^2, \\
q_2(x) &= x^{18} + x^{16} + x^{14} + x^{12} + x^{10} + x^8 + x^6 + 1, \\
q_3(x) &= x^{19} + x^{17} + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^7 + x^3 + x^2, \\
q_4(x) &= x^{19} + x^{17} + x^{16} + x^{15} + x^{10} + x^7 + x^6 + x^4.
\end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 216, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 216, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{102} + x^{96} + x^{94} + x^{92} + x^{88} + x^{84} + x^{82} + x^{78} + x^{72} + x^{70} + x^{68} \\
&\quad + x^{62} + x^{60} + x^{58} + x^{56} + x^{54} + x^{50} + x^{46} + x^{40} + x^{38} + x^{34} + x^{30} \\
&\quad + x^{24}, \\
p_3(x) &= x^{98} + x^{96} + x^{90} + x^{88} + x^{78} + x^{74} + x^{66} + x^{62} + x^{60} + x^{58} + x^{54} \\
&\quad + x^{50} + x^{48} + x^{46} + x^{44} + x^{42} + x^{40} + x^{38} + x^{36} + x^{28} + x^{26} + x^{20} \\
&\quad + x^{18} + x^{16}, \\
p_6(x) &= x^{96} + x^{94} + x^{90} + x^{88} + x^{80} + x^{70} + x^{66} + x^{60} + x^{50} + x^{48} + x^{44} \\
&\quad + x^{42} + x^{40} + x^{38} + x^{36} + x^{30} + x^{28} + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} \\
&\quad + x^{16} + x^{14} + x^{10} + x^8 + x^6 + 1, \\
p_9(x) &= x^{100} + x^{98} + x^{92} + x^{88} + x^{86} + x^{84} + x^{82} + x^{76} + x^{74} + x^{68} + x^{66} \\
&\quad + x^{64} + x^{58} + x^{56} + x^{50} + x^{34} + x^{30} + x^{26} + x^{24} + x^{20} + x^{18} + x^{16} \\
&\quad + x^{14} + x^{10} + x^6 + x^4, \\
p_{12}(x) &= x^{100} + x^{96} + x^{92} + x^{88} + x^{84} + x^{80} + x^{68} + x^{64} + x^{60} + x^{56} + x^{44} \\
&\quad + x^{40} + x^{28} + x^{24} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 0, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{111} + x^{110} + x^{108} + x^{106} + x^{102} + x^{101} + x^{100} + x^{98} + x^{97} + x^{96} \\
&\quad + x^{95} + x^{94} + x^{91} + x^{87} + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} + x^{77} + x^{75} \\
&\quad + x^{74} + x^{72} + x^{71} + x^{70} + x^{67} + x^{65} + x^{62} + x^{58} + x^{51} + x^{49} + x^{48}
\end{aligned}$$

$$\begin{aligned}
& + x^{47} + x^{44} + x^{38} + x^{36} + x^{33}, \\
p_3(x) &= x^{109} + x^{104} + x^{103} + x^{101} + x^{100} + x^{98} + x^{94} + x^{93} + x^{91} + x^{90} + x^{88} \\
& + x^{84} + x^{80} + x^{77} + x^{76} + x^{71} + x^{66} + x^{63} + x^{62} + x^{61} + x^{59} + x^{56} \\
& + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{47} + x^{46} + x^{43} + x^{38} + x^{35} + x^{34} \\
& + x^{31} + x^{29} + x^{26} + x^{24} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18}, \\
p_6(x) &= x^{108} + x^{106} + x^{104} + x^{102} + x^{98} + x^{86} + x^{84} + x^{82} + x^{80} + x^{76} + x^{74} \\
& + x^{70} + x^{66} + x^{64} + x^{62} + x^{60} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{40} \\
& + x^{36} + x^{34} + x^{32} + x^{30} + x^{26} + x^{24} + x^{22} + x^{12}, \\
p_9(x) &= x^{107} + x^{103} + x^{102} + x^{101} + x^{96} + x^{95} + x^{92} + x^{91} + x^{90} + x^{88} + x^{85} \\
& + x^{84} + x^{83} + x^{79} + x^{78} + x^{77} + x^{73} + x^{72} + x^{69} + x^{65} + x^{64} + x^{63} \\
& + x^{59} + x^{58} + x^{57} + x^{55} + x^{52} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} + x^{44} \\
& + x^{42} + x^{38} + x^{37} + x^{35} + x^{34} + x^{32} + x^{29} + x^{28} + x^{25} + x^{23} + x^{21} \\
& + x^{20} + x^{19} + x^{18} + x^{11} + x^7 + x^6, \\
p_{12}(x) &= x^{106} + x^{104} + x^{82} + x^{80} + x^{74} + x^{72} + x^{58} + x^{56} + x^{50} + x^{48} + x^{42} \\
& + x^{40} + x^{34} + x^{32} + x^{26} + x^{24} + x^{18} + x^{16} + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 0, 1, 1, 1, 1, 0, 0, 1]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{111} + x^{110} + x^{108} + x^{106} + x^{102} + x^{101} + x^{100} + x^{98} + x^{97} + x^{96} \\
& + x^{95} + x^{94} + x^{91} + x^{87} + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} + x^{77} + x^{75} \\
& + x^{74} + x^{72} + x^{71} + x^{70} + x^{67} + x^{65} + x^{62} + x^{58} + x^{51} + x^{49} + x^{48} \\
& + x^{47} + x^{44} + x^{38} + x^{36} + x^{33}, \\
p_3(x) &= x^{109} + x^{104} + x^{103} + x^{101} + x^{100} + x^{98} + x^{94} + x^{93} + x^{91} + x^{90} + x^{88} \\
& + x^{84} + x^{80} + x^{77} + x^{76} + x^{71} + x^{66} + x^{63} + x^{62} + x^{61} + x^{59} + x^{56} \\
& + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{47} + x^{46} + x^{43} + x^{38} + x^{35} + x^{34} \\
& + x^{31} + x^{29} + x^{26} + x^{24} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18}, \\
p_6(x) &= x^{108} + x^{106} + x^{104} + x^{102} + x^{98} + x^{86} + x^{84} + x^{82} + x^{80} + x^{76} + x^{74} \\
& + x^{70} + x^{66} + x^{64} + x^{62} + x^{60} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{40} \\
& + x^{36} + x^{34} + x^{32} + x^{30} + x^{26} + x^{24} + x^{22} + x^{12}, \\
p_9(x) &= x^{107} + x^{103} + x^{102} + x^{101} + x^{96} + x^{95} + x^{92} + x^{91} + x^{90} + x^{88} + x^{85} \\
& + x^{84} + x^{83} + x^{79} + x^{78} + x^{77} + x^{73} + x^{72} + x^{69} + x^{65} + x^{64} + x^{63} \\
& + x^{59} + x^{58} + x^{57} + x^{55} + x^{52} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} + x^{44} \\
& + x^{42} + x^{38} + x^{37} + x^{35} + x^{34} + x^{32} + x^{29} + x^{28} + x^{25} + x^{23} + x^{21} \\
& + x^{20} + x^{19} + x^{18} + x^{11} + x^7 + x^6, \\
p_{12}(x) &= x^{106} + x^{104} + x^{82} + x^{80} + x^{74} + x^{72} + x^{58} + x^{56} + x^{50} + x^{48} + x^{42} \\
& + x^{40} + x^{34} + x^{32} + x^{26} + x^{24} + x^{18} + x^{16} + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 0, 1, 1, 1, 1, 0, 0, 1]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{120} + x^{118} + x^{110} + x^{108} + x^{106} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{84} \\
&\quad + x^{82} + x^{74} + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} + x^{58} + x^{56} + x^{42}, \\
p_3(x) &= x^{114} + x^{108} + x^{100} + x^{98} + x^{94} + x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} \\
&\quad + x^{72} + x^{64} + x^{54} + x^{52} + x^{50} + x^{38} + x^{32} + x^{30} + x^{26} + x^{14} + x^{12}, \\
p_6(x) &= x^{114} + x^{112} + x^{110} + x^{100} + x^{98} + x^{90} + x^{88} + x^{80} + x^{76} + x^{70} + x^{66} \\
&\quad + x^{62} + x^{58} + x^{54} + x^{48} + x^{46} + x^{42} + x^{36} + x^{30} + x^{26} + x^{24} + x^{22} \\
&\quad + x^{18} + x^{16} + x^8 + x^6 + x^4 + 1, \\
p_9(x) &= x^{112} + x^{110} + x^{108} + x^{106} + x^{102} + x^{100} + x^{96} + x^{92} + x^{88} + x^{86} \\
&\quad + x^{76} + x^{68} + x^{60} + x^{56} + x^{54} + x^{50} + x^{46} + x^{38} + x^{36} + x^{34} + x^{30} \\
&\quad + x^{28} + x^{26} + x^{24} + x^{22} + x^{14} + x^{12} + x^8 + x^6 + x^4, \\
p_{12}(x) &= x^{112} + x^{104} + x^{88} + x^{72} + x^{64} + x^{16} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{120} + x^{118} + x^{116} + x^{108} + x^{102} + x^{88} + x^{82} + x^{80} + x^{78} + x^{64} + x^{62} \\
&\quad + x^{60} + x^{54} + x^{50} + x^{48} + x^{44} + x^{42} + x^{40} + x^{38} + x^{36} + x^{30} + x^{28} \\
&\quad + x^{24}, \\
p_3(x) &= x^{114} + x^{110} + x^{108} + x^{102} + x^{88} + x^{82} + x^{78} + x^{74} + x^{68} + x^{60} + x^{56} \\
&\quad + x^{50} + x^{48} + x^{46} + x^{42} + x^{40} + x^{38} + x^{36} + x^{32} + x^{30} + x^{28} + x^{20} \\
&\quad + x^{18} + x^{16}, \\
p_6(x) &= x^{114} + x^{112} + x^{108} + x^{102} + x^{94} + x^{92} + x^{90} + x^{88} + x^{84} + x^{72} + x^{70} \\
&\quad + x^{68} + x^{66} + x^{64} + x^{62} + x^{60} + x^{58} + x^{56} + x^{40} + x^{32} + x^{30} + x^{24} \\
&\quad + x^{22} + x^{16} + x^{14} + x^6 + x^4 + 1, \\
p_9(x) &= x^{112} + x^{110} + x^{108} + x^{106} + x^{102} + x^{100} + x^{96} + x^{92} + x^{88} + x^{86} \\
&\quad + x^{76} + x^{68} + x^{60} + x^{56} + x^{54} + x^{50} + x^{46} + x^{38} + x^{36} + x^{34} + x^{30} \\
&\quad + x^{28} + x^{26} + x^{24} + x^{22} + x^{14} + x^{12} + x^8 + x^6 + x^4, \\
p_{12}(x) &= x^{112} + x^{104} + x^{88} + x^{72} + x^{64} + x^{16} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 0, 0, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{111} + x^{109} + x^{108} + x^{107} + x^{106} + x^{105} + x^{101} + x^{99} + x^{96} + x^{94} \\
&\quad + x^{90} + x^{88} + x^{87} + x^{86} + x^{85} + x^{83} + x^{80} + x^{79} + x^{77} + x^{76} + x^{75} \\
&\quad + x^{73} + x^{70} + x^{66} + x^{64} + x^{63} + x^{60} + x^{59} + x^{58} + x^{56} + x^{54} + x^{52} \\
&\quad + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{40} \\
&\quad + x^{38} + x^{35} + x^{34} + x^{33}, \\
p_3(x) &= x^{109} + x^{104} + x^{103} + x^{101} + x^{100} + x^{98} + x^{94} + x^{93} + x^{91} + x^{90} + x^{88}
\end{aligned}$$

$$\begin{aligned}
& + x^{84} + x^{80} + x^{77} + x^{76} + x^{71} + x^{66} + x^{63} + x^{62} + x^{61} + x^{59} + x^{56} \\
& + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{47} + x^{46} + x^{43} + x^{38} + x^{35} + x^{34} \\
& + x^{31} + x^{29} + x^{26} + x^{24} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18}, \\
p_6(x) &= x^{108} + x^{106} + x^{104} + x^{102} + x^{98} + x^{86} + x^{84} + x^{82} + x^{80} + x^{76} + x^{74} \\
& + x^{70} + x^{66} + x^{64} + x^{62} + x^{60} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{40} \\
& + x^{36} + x^{34} + x^{32} + x^{30} + x^{26} + x^{24} + x^{22} + x^{12}, \\
p_9(x) &= x^{107} + x^{103} + x^{102} + x^{101} + x^{96} + x^{95} + x^{92} + x^{91} + x^{90} + x^{88} + x^{85} \\
& + x^{84} + x^{83} + x^{79} + x^{78} + x^{77} + x^{73} + x^{72} + x^{69} + x^{65} + x^{64} + x^{63} \\
& + x^{59} + x^{58} + x^{57} + x^{55} + x^{52} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} + x^{44} \\
& + x^{42} + x^{38} + x^{37} + x^{35} + x^{34} + x^{32} + x^{29} + x^{28} + x^{25} + x^{23} + x^{21} \\
& + x^{20} + x^{19} + x^{18} + x^{11} + x^7 + x^6, \\
p_{12}(x) &= x^{106} + x^{104} + x^{82} + x^{80} + x^{74} + x^{72} + x^{58} + x^{56} + x^{50} + x^{48} + x^{42} \\
& + x^{40} + x^{34} + x^{32} + x^{26} + x^{24} + x^{18} + x^{16} + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 0, 1, 1, 0, 1, 0, 0, 0, 1, 1, 0, 0]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{111} + x^{109} + x^{108} + x^{107} + x^{106} + x^{105} + x^{101} + x^{99} + x^{96} + x^{94} \\
& + x^{90} + x^{88} + x^{87} + x^{86} + x^{85} + x^{83} + x^{80} + x^{79} + x^{77} + x^{76} + x^{75} \\
& + x^{73} + x^{70} + x^{66} + x^{64} + x^{63} + x^{60} + x^{59} + x^{58} + x^{56} + x^{54} + x^{52} \\
& + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{40} \\
& + x^{38} + x^{35} + x^{34} + x^{33}, \\
p_3(x) &= x^{109} + x^{104} + x^{103} + x^{101} + x^{100} + x^{98} + x^{94} + x^{93} + x^{91} + x^{90} + x^{88} \\
& + x^{84} + x^{80} + x^{77} + x^{76} + x^{71} + x^{66} + x^{63} + x^{62} + x^{61} + x^{59} + x^{56} \\
& + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{47} + x^{46} + x^{43} + x^{38} + x^{35} + x^{34} \\
& + x^{31} + x^{29} + x^{26} + x^{24} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18}, \\
p_6(x) &= x^{108} + x^{106} + x^{104} + x^{102} + x^{98} + x^{86} + x^{84} + x^{82} + x^{80} + x^{76} + x^{74} \\
& + x^{70} + x^{66} + x^{64} + x^{62} + x^{60} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{40} \\
& + x^{36} + x^{34} + x^{32} + x^{30} + x^{26} + x^{24} + x^{22} + x^{12}, \\
p_9(x) &= x^{107} + x^{103} + x^{102} + x^{101} + x^{96} + x^{95} + x^{92} + x^{91} + x^{90} + x^{88} + x^{85} \\
& + x^{84} + x^{83} + x^{79} + x^{78} + x^{77} + x^{73} + x^{72} + x^{69} + x^{65} + x^{64} + x^{63} \\
& + x^{59} + x^{58} + x^{57} + x^{55} + x^{52} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} + x^{44} \\
& + x^{42} + x^{38} + x^{37} + x^{35} + x^{34} + x^{32} + x^{29} + x^{28} + x^{25} + x^{23} + x^{21} \\
& + x^{20} + x^{19} + x^{18} + x^{11} + x^7 + x^6, \\
p_{12}(x) &= x^{106} + x^{104} + x^{82} + x^{80} + x^{74} + x^{72} + x^{58} + x^{56} + x^{50} + x^{48} + x^{42} \\
& + x^{40} + x^{34} + x^{32} + x^{26} + x^{24} + x^{18} + x^{16} + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 0, 1, 1, 0, 1, 0, 0, 0, 1, 1, 0, 0]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{102} + x^{100} + x^{98} + x^{96} + x^{94} + x^{92} + x^{86} + x^{84} + x^{82} + x^{78} + x^{74} \\
&\quad + x^{72} + x^{66} + x^{62} + x^{56} + x^{52} + x^{50} + x^{44} + x^{42}, \\
p_3(x) &= x^{96} + x^{94} + x^{84} + x^{82} + x^{78} + x^{76} + x^{72} + x^{68} + x^{62} + x^{56} + x^{54} \\
&\quad + x^{52} + x^{48} + x^{46} + x^{42} + x^{32} + x^{28} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} \\
&\quad + x^{14} + x^{12}, \\
p_6(x) &= x^{98} + x^{92} + x^{84} + x^{82} + x^{80} + x^{74} + x^{70} + x^{68} + x^{60} + x^{58} + x^{52} \\
&\quad + x^{48} + x^{44} + x^{42} + x^{36} + x^{32} + x^{30} + x^{20} + x^{18} + x^{16} + x^{12} + x^{10} \\
&\quad + x^6 + 1, \\
p_9(x) &= x^{100} + x^{98} + x^{92} + x^{88} + x^{86} + x^{84} + x^{82} + x^{76} + x^{74} + x^{68} + x^{66} \\
&\quad + x^{64} + x^{58} + x^{56} + x^{50} + x^{34} + x^{30} + x^{26} + x^{24} + x^{20} + x^{18} + x^{16} \\
&\quad + x^{14} + x^{10} + x^6 + x^4, \\
p_{12}(x) &= x^{100} + x^{96} + x^{92} + x^{88} + x^{84} + x^{80} + x^{68} + x^{64} + x^{60} + x^{56} + x^{44} \\
&\quad + x^{40} + x^{28} + x^{24} + x^{12} + x^8 + x^4 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 1, 0, 0, 0, 1, 0, 0, 0, 0, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{111} + x^{110} + x^{109} + x^{108} + x^{106} + x^{105} + x^{103} + x^{101} + x^{100} + x^{99} \\
&\quad + x^{98} + x^{95} + x^{94} + x^{91} + x^{89} + x^{88} + x^{87} + x^{85} + x^{84} + x^{83} + x^{78} \\
&\quad + x^{76} + x^{75} + x^{74} + x^{73} + x^{70} + x^{69} + x^{67} + x^{66} + x^{63} + x^{62} + x^{53} \\
&\quad + x^{51} + x^{47} + x^{46} + x^{45} + x^{43} + x^{40} + x^{39} + x^{36} + x^{33} + x^{32} + x^{31} \\
&\quad + x^{26} + x^{24}, \\
p_3(x) &= x^{110} + x^{109} + x^{105} + x^{103} + x^{100} + x^{99} + x^{95} + x^{93} + x^{92} + x^{89} + x^{88} \\
&\quad + x^{86} + x^{85} + x^{84} + x^{81} + x^{80} + x^{78} + x^{74} + x^{72} + x^{71} + x^{70} + x^{67} \\
&\quad + x^{64} + x^{62} + x^{61} + x^{60} + x^{59} + x^{57} + x^{56} + x^{54} + x^{52} + x^{51} + x^{50} \\
&\quad + x^{48} + x^{46} + x^{44} + x^{43} + x^{40} + x^{39} + x^{38} + x^{36} + x^{31} + x^{29} + x^{28} \\
&\quad + x^{27} + x^{26} + x^{25} + x^{23} + x^{22} + x^{20} + x^{18} + x^{16}, \\
p_6(x) &= x^{110} + x^{109} + x^{104} + x^{103} + x^{101} + x^{100} + x^{96} + x^{93} + x^{92} + x^{91} \\
&\quad + x^{90} + x^{89} + x^{83} + x^{82} + x^{78} + x^{75} + x^{71} + x^{69} + x^{68} + x^{65} + x^{64} \\
&\quad + x^{62} + x^{61} + x^{60} + x^{58} + x^{57} + x^{53} + x^{50} + x^{46} + x^{45} + x^{44} + x^{43} \\
&\quad + x^{42} + x^{40} + x^{37} + x^{34} + x^{31} + x^{30} + x^{29} + x^{26} + x^{25} + x^{18} + x^{17} \\
&\quad + x^{15} + x^{10} + x^8 + x^2 + 1, \\
p_9(x) &= x^{110} + x^{108} + x^{94} + x^{92} + x^{90} + x^{88} + x^{78} + x^{76} + x^{58} + x^{56} + x^{42} \\
&\quad + x^{40} + x^{26} + x^{24} + x^{14} + x^{12} + x^{10} + x^8, \\
p_{12}(x) &= x^{110} + x^{108} + x^{106} + x^{104} + x^{94} + x^{92} + x^{90} + x^{88} + x^{82} + x^{80} + x^{78} \\
&\quad + x^{76} + x^{74} + x^{72} + x^{50} + x^{48} + x^{34} + x^{32} + x^{18} + x^{16} + x^{14} + x^{12}
\end{aligned}$$

$$+ x^{10} + x^8 + x^2 + 1,$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 1, 1, 0, 0, 0, 1, 0, 0, 0, 0]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned} p_0(x) &= x^{120} + x^{117} + x^{115} + x^{114} + x^{110} + x^{109} + x^{107} + x^{104} + x^{103} + x^{102} \\ &\quad + x^{100} + x^{97} + x^{94} + x^{92} + x^{91} + x^{90} + x^{88} + x^{84} + x^{81} + x^{79} + x^{78} \\ &\quad + x^{75} + x^{74} + x^{72} + x^{61} + x^{58} + x^{56} + x^{55} + x^{53} + x^{52} + x^{50} + x^{48} \\ &\quad + x^{47} + x^{46} + x^{45} + x^{39} + x^{36} + x^{35} + x^{33}, \\ p_3(x) &= x^{113} + x^{109} + x^{108} + x^{107} + x^{103} + x^{102} + x^{101} + x^{97} + x^{96} + x^{95} \\ &\quad + x^{91} + x^{90} + x^{81} + x^{77} + x^{76} + x^{75} + x^{73} + x^{71} + x^{70} + x^{68} + x^{67} \\ &\quad + x^{64} + x^{62} + x^{60} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{49} + x^{48} + x^{46} \\ &\quad + x^{45} + x^{43} + x^{42} + x^{40} + x^{39} + x^{37} + x^{36} + x^{34} + x^{31} + x^{30} + x^{29} \\ &\quad + x^{25} + x^{24} + x^{23} + x^{19} + x^{18}, \\ p_6(x) &= x^{114} + x^{110} + x^{106} + x^{104} + x^{100} + x^{98} + x^{92} + x^{88} + x^{84} + x^{82} + x^{80} \\ &\quad + x^{76} + x^{70} + x^{68} + x^{54} + x^{50} + x^{46} + x^{44} + x^{40} + x^{38} + x^{34} + x^{32} \\ &\quad + x^{30} + x^{28} + x^{26} + x^{22} + x^{18} + x^{16} + x^{14} + x^{12}, \\ p_9(x) &= x^{115} + x^{111} + x^{110} + x^{109} + x^{104} + x^{101} + x^{100} + x^{97} + x^{92} + x^{91} \\ &\quad + x^{89} + x^{88} + x^{87} + x^{86} + x^{83} + x^{79} + x^{78} + x^{77} + x^{72} + x^{69} + x^{68} \\ &\quad + x^{67} + x^{65} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{57} + x^{55} + x^{54} + x^{53} \\ &\quad + x^{52} + x^{51} + x^{49} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{41} + x^{39} + x^{38} \\ &\quad + x^{37} + x^{36} + x^{35} + x^{33} + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} + x^{25} + x^{23} \\ &\quad + x^{22} + x^{21} + x^{20} + x^{17} + x^{12} + x^{11} + x^9 + x^8 + x^7 + x^6, \\ p_{12}(x) &= x^{116} + x^{112} + x^{108} + x^{104} + x^{100} + x^{96} + x^{92} + x^{84} + x^{76} + x^{72} + x^{56} \\ &\quad + x^{48} + x^{40} + x^{32} + x^{24} + x^{20} + x^{12} + 1, \end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 0, 1, 1, 1, 0, 0, 0, 1]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned} p_0(x) &= x^{106} + x^{105} + x^{104} + x^{101} + x^{97} + x^{93} + x^{92} + x^{91} + x^{87} + x^{86} + x^{83} \\ &\quad + x^{82} + x^{79} + x^{77} + x^{76} + x^{75} + x^{74} + x^{68} + x^{66} + x^{65} + x^{64} + x^{62} \\ &\quad + x^{59} + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{49} + x^{47} + x^{46} + x^{44} \\ &\quad + x^{41} + x^{39} + x^{38} + x^{37} + x^{36} + x^{34} + x^{33}, \\ p_3(x) &= x^{105} + x^{101} + x^{100} + x^{99} + x^{97} + x^{95} + x^{94} + x^{92} + x^{91} + x^{88} + x^{86} \\ &\quad + x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{73} + x^{72} + x^{70} + x^{69} + x^{67} \\ &\quad + x^{66} + x^{64} + x^{63} + x^{61} + x^{60} + x^{58} + x^{55} + x^{54} + x^{53} + x^{48} + x^{47} \\ &\quad + x^{45} + x^{44} + x^{42} + x^{41} + x^{39} + x^{38} + x^{36} + x^{35} + x^{33} + x^{32} + x^{30} \\ &\quad + x^{29} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{19} + x^{18}, \\ p_6(x) &= x^{106} + x^{102} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{82} + x^{78} + x^{76} \end{aligned}$$

$$\begin{aligned}
& + x^{72} + x^{70} + x^{64} + x^{60} + x^{56} + x^{52} + x^{48} + x^{46} + x^{44} + x^{42} + x^{40} \\
& + x^{34} + x^{30} + x^{24} + x^{20} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_9(x) &= x^{107} + x^{103} + x^{102} + x^{101} + x^{99} + x^{96} + x^{95} + x^{94} + x^{92} + x^{91} + x^{89} \\
& + x^{88} + x^{87} + x^{86} + x^{75} + x^{71} + x^{70} + x^{69} + x^{67} + x^{64} + x^{63} + x^{62} \\
& + x^{60} + x^{57} + x^{56} + x^{53} + x^{51} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} + x^{40} \\
& + x^{37} + x^{35} + x^{32} + x^{31} + x^{30} + x^{28} + x^{25} + x^{24} + x^{21} + x^{19} + x^{16} \\
& + x^{15} + x^{14} + x^{12} + x^{11} + x^9 + x^8 + x^7 + x^6, \\
p_{12}(x) &= x^{108} + x^{104} + x^{92} + x^{88} + x^{80} + x^{76} + x^{72} + x^{48} + x^{32} + x^{16} + x^{12} \\
& + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 0, 1, 0, 1, 0, 1, 1, 0, 1, 1, 0, 1]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{111} + x^{106} + x^{105} + x^{104} + x^{102} + x^{101} + x^{100} + x^{99} + x^{96} + x^{94} \\
& + x^{93} + x^{84} + x^{83} + x^{81} + x^{79} + x^{78} + x^{77} + x^{72} + x^{70} + x^{68} + x^{64} \\
& + x^{61} + x^{60} + x^{59} + x^{57} + x^{55} + x^{54} + x^{53} + x^{51} + x^{47} + x^{46} + x^{43} \\
& + x^{42}, \\
p_3(x) &= x^{110} + x^{109} + x^{108} + x^{105} + x^{104} + x^{103} + x^{100} + x^{99} + x^{96} + x^{95} \\
& + x^{94} + x^{93} + x^{92} + x^{89} + x^{88} + x^{85} + x^{82} + x^{81} + x^{72} + x^{71} + x^{67} \\
& + x^{66} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} + x^{57} + x^{51} + x^{50} + x^{48} + x^{46} \\
& + x^{43} + x^{42} + x^{40} + x^{39} + x^{32} + x^{31} + x^{30} + x^{29} + x^{27} + x^{25} + x^{23} \\
& + x^{22}, \\
p_6(x) &= x^{110} + x^{109} + x^{108} + x^{104} + x^{103} + x^{101} + x^{94} + x^{93} + x^{91} + x^{89} \\
& + x^{88} + x^{86} + x^{84} + x^{83} + x^{82} + x^{78} + x^{76} + x^{75} + x^{74} + x^{71} + x^{70} \\
& + x^{69} + x^{68} + x^{65} + x^{64} + x^{61} + x^{57} + x^{56} + x^{54} + x^{53} + x^{52} + x^{45} \\
& + x^{43} + x^{40} + x^{38} + x^{37} + x^{34} + x^{31} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} \\
& + x^{22} + x^{17} + x^{16} + x^{15} + x^{14} + x^2 + 1, \\
p_9(x) &= x^{110} + x^{108} + x^{94} + x^{92} + x^{90} + x^{88} + x^{78} + x^{76} + x^{58} + x^{56} + x^{42} \\
& + x^{40} + x^{26} + x^{24} + x^{14} + x^{12} + x^{10} + x^8, \\
p_{12}(x) &= x^{110} + x^{108} + x^{106} + x^{104} + x^{94} + x^{92} + x^{90} + x^{88} + x^{82} + x^{80} + x^{78} \\
& + x^{76} + x^{74} + x^{72} + x^{50} + x^{48} + x^{34} + x^{32} + x^{18} + x^{16} + x^{14} + x^{12} \\
& + x^{10} + x^8 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 0, 1, 0]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{111} + x^{110} + x^{109} + x^{108} + x^{106} + x^{105} + x^{103} + x^{101} + x^{100} + x^{99} \\
& + x^{98} + x^{95} + x^{94} + x^{91} + x^{89} + x^{88} + x^{87} + x^{85} + x^{84} + x^{83} + x^{78} \\
& + x^{76} + x^{75} + x^{74} + x^{73} + x^{70} + x^{69} + x^{67} + x^{66} + x^{63} + x^{62} + x^{53}
\end{aligned}$$

$$\begin{aligned}
& + x^{51} + x^{47} + x^{46} + x^{45} + x^{43} + x^{40} + x^{39} + x^{36} + x^{33} + x^{32} + x^{31} \\
& + x^{26} + x^{24}, \\
p_3(x) &= x^{110} + x^{109} + x^{105} + x^{103} + x^{100} + x^{99} + x^{95} + x^{93} + x^{92} + x^{89} + x^{88} \\
& + x^{86} + x^{85} + x^{84} + x^{81} + x^{80} + x^{78} + x^{74} + x^{72} + x^{71} + x^{70} + x^{67} \\
& + x^{64} + x^{62} + x^{61} + x^{60} + x^{59} + x^{57} + x^{56} + x^{54} + x^{52} + x^{51} + x^{50} \\
& + x^{48} + x^{46} + x^{44} + x^{43} + x^{40} + x^{39} + x^{38} + x^{36} + x^{31} + x^{29} + x^{28} \\
& + x^{27} + x^{26} + x^{25} + x^{23} + x^{22} + x^{20} + x^{18} + x^{16}, \\
p_6(x) &= x^{110} + x^{109} + x^{104} + x^{103} + x^{101} + x^{100} + x^{96} + x^{93} + x^{92} + x^{91} \\
& + x^{90} + x^{89} + x^{83} + x^{82} + x^{78} + x^{75} + x^{71} + x^{69} + x^{68} + x^{65} + x^{64} \\
& + x^{62} + x^{61} + x^{60} + x^{58} + x^{57} + x^{53} + x^{50} + x^{46} + x^{45} + x^{44} + x^{43} \\
& + x^{42} + x^{40} + x^{37} + x^{34} + x^{31} + x^{30} + x^{29} + x^{26} + x^{25} + x^{18} + x^{17} \\
& + x^{15} + x^{10} + x^8 + x^2 + 1, \\
p_9(x) &= x^{110} + x^{108} + x^{94} + x^{92} + x^{90} + x^{88} + x^{78} + x^{76} + x^{58} + x^{56} + x^{42} \\
& + x^{40} + x^{26} + x^{24} + x^{14} + x^{12} + x^{10} + x^8, \\
p_{12}(x) &= x^{110} + x^{108} + x^{106} + x^{104} + x^{94} + x^{92} + x^{90} + x^{88} + x^{82} + x^{80} + x^{78} \\
& + x^{76} + x^{74} + x^{72} + x^{50} + x^{48} + x^{34} + x^{32} + x^{18} + x^{16} + x^{14} + x^{12} \\
& + x^{10} + x^8 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 1, 1, 0, 0, 0, 1, 0, 0, 0, 0]$.

For $\phi(W^\circ, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{106} + x^{105} + x^{104} + x^{101} + x^{97} + x^{93} + x^{92} + x^{91} + x^{87} + x^{86} + x^{83} \\
& + x^{82} + x^{79} + x^{77} + x^{76} + x^{75} + x^{74} + x^{68} + x^{66} + x^{65} + x^{64} + x^{62} \\
& + x^{59} + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{49} + x^{47} + x^{46} + x^{44} \\
& + x^{41} + x^{39} + x^{38} + x^{37} + x^{36} + x^{34} + x^{33}, \\
p_3(x) &= x^{105} + x^{101} + x^{100} + x^{99} + x^{97} + x^{95} + x^{94} + x^{92} + x^{91} + x^{88} + x^{86} \\
& + x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{73} + x^{72} + x^{70} + x^{69} + x^{67} \\
& + x^{66} + x^{64} + x^{63} + x^{61} + x^{60} + x^{58} + x^{55} + x^{54} + x^{53} + x^{48} + x^{47} \\
& + x^{45} + x^{44} + x^{42} + x^{41} + x^{39} + x^{38} + x^{36} + x^{35} + x^{33} + x^{32} + x^{30} \\
& + x^{29} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{19} + x^{18}, \\
p_6(x) &= x^{106} + x^{102} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{82} + x^{78} + x^{76} \\
& + x^{72} + x^{70} + x^{64} + x^{60} + x^{56} + x^{52} + x^{48} + x^{46} + x^{44} + x^{42} + x^{40} \\
& + x^{34} + x^{30} + x^{24} + x^{20} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_9(x) &= x^{107} + x^{103} + x^{102} + x^{101} + x^{99} + x^{96} + x^{95} + x^{94} + x^{92} + x^{91} + x^{89} \\
& + x^{88} + x^{87} + x^{86} + x^{75} + x^{71} + x^{70} + x^{69} + x^{67} + x^{64} + x^{63} + x^{62} \\
& + x^{60} + x^{57} + x^{56} + x^{53} + x^{51} + x^{48} + x^{47} + x^{46} + x^{44} + x^{41} + x^{40} \\
& + x^{37} + x^{35} + x^{32} + x^{31} + x^{30} + x^{28} + x^{25} + x^{24} + x^{21} + x^{19} + x^{16}
\end{aligned}$$

$$\begin{aligned}
& + x^{15} + x^{14} + x^{12} + x^{11} + x^9 + x^8 + x^7 + x^6, \\
p_{12}(x) = & x^{108} + x^{104} + x^{92} + x^{88} + x^{80} + x^{76} + x^{72} + x^{48} + x^{32} + x^{16} + x^{12} \\
& + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 0, 1, 0, 1, 0, 1, 1, 0, 1, 1, 0, 1]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned}
p_0(x) = & x^{120} + x^{117} + x^{115} + x^{114} + x^{110} + x^{109} + x^{107} + x^{104} + x^{103} + x^{102} \\
& + x^{100} + x^{97} + x^{94} + x^{92} + x^{91} + x^{90} + x^{88} + x^{84} + x^{81} + x^{79} + x^{78} \\
& + x^{75} + x^{74} + x^{72} + x^{61} + x^{58} + x^{56} + x^{55} + x^{53} + x^{52} + x^{50} + x^{48} \\
& + x^{47} + x^{46} + x^{45} + x^{39} + x^{36} + x^{35} + x^{33}, \\
p_3(x) = & x^{113} + x^{109} + x^{108} + x^{107} + x^{103} + x^{102} + x^{101} + x^{97} + x^{96} + x^{95} \\
& + x^{91} + x^{90} + x^{81} + x^{77} + x^{76} + x^{75} + x^{73} + x^{71} + x^{70} + x^{68} + x^{67} \\
& + x^{64} + x^{62} + x^{60} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{49} + x^{48} + x^{46} \\
& + x^{45} + x^{43} + x^{42} + x^{40} + x^{39} + x^{37} + x^{36} + x^{34} + x^{31} + x^{30} + x^{29} \\
& + x^{25} + x^{24} + x^{23} + x^{19} + x^{18}, \\
p_6(x) = & x^{114} + x^{110} + x^{106} + x^{104} + x^{100} + x^{98} + x^{92} + x^{88} + x^{84} + x^{82} + x^{80} \\
& + x^{76} + x^{70} + x^{68} + x^{54} + x^{50} + x^{46} + x^{44} + x^{40} + x^{38} + x^{34} + x^{32} \\
& + x^{30} + x^{28} + x^{26} + x^{22} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_9(x) = & x^{115} + x^{111} + x^{110} + x^{109} + x^{104} + x^{101} + x^{100} + x^{97} + x^{92} + x^{91} \\
& + x^{89} + x^{88} + x^{87} + x^{86} + x^{83} + x^{79} + x^{78} + x^{77} + x^{72} + x^{69} + x^{68} \\
& + x^{67} + x^{65} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{57} + x^{55} + x^{54} + x^{53} \\
& + x^{52} + x^{51} + x^{49} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{41} + x^{39} + x^{38} \\
& + x^{37} + x^{36} + x^{35} + x^{33} + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} + x^{25} + x^{23} \\
& + x^{22} + x^{21} + x^{20} + x^{17} + x^{12} + x^{11} + x^9 + x^8 + x^7 + x^6, \\
p_{12}(x) = & x^{116} + x^{112} + x^{108} + x^{104} + x^{100} + x^{96} + x^{92} + x^{84} + x^{76} + x^{72} + x^{56} \\
& + x^{48} + x^{40} + x^{32} + x^{24} + x^{20} + x^{12} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 1, 0, 1, 1, 1, 0, 0, 0, 1]$.

For $\phi(W^o, 1, 1)$:

$$\begin{aligned}
p_0(x) = & x^{111} + x^{106} + x^{105} + x^{104} + x^{102} + x^{101} + x^{100} + x^{99} + x^{96} + x^{94} \\
& + x^{93} + x^{84} + x^{83} + x^{81} + x^{79} + x^{78} + x^{77} + x^{72} + x^{70} + x^{68} + x^{64} \\
& + x^{61} + x^{60} + x^{59} + x^{57} + x^{55} + x^{54} + x^{53} + x^{51} + x^{47} + x^{46} + x^{43} \\
& + x^{42}, \\
p_3(x) = & x^{110} + x^{109} + x^{108} + x^{105} + x^{104} + x^{103} + x^{100} + x^{99} + x^{96} + x^{95} \\
& + x^{94} + x^{93} + x^{92} + x^{89} + x^{88} + x^{85} + x^{82} + x^{81} + x^{72} + x^{71} + x^{67} \\
& + x^{66} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} + x^{57} + x^{51} + x^{50} + x^{48} + x^{46} \\
& + x^{43} + x^{42} + x^{40} + x^{39} + x^{32} + x^{31} + x^{30} + x^{29} + x^{27} + x^{25} + x^{23}
\end{aligned}$$

$$\begin{aligned}
& + x^{22}, \\
p_6(x) &= x^{110} + x^{109} + x^{108} + x^{104} + x^{103} + x^{101} + x^{94} + x^{93} + x^{91} + x^{89} \\
& + x^{88} + x^{86} + x^{84} + x^{83} + x^{82} + x^{78} + x^{76} + x^{75} + x^{74} + x^{71} + x^{70} \\
& + x^{69} + x^{68} + x^{65} + x^{64} + x^{61} + x^{57} + x^{56} + x^{54} + x^{53} + x^{52} + x^{45} \\
& + x^{43} + x^{40} + x^{38} + x^{37} + x^{34} + x^{31} + x^{30} + x^{29} + x^{28} + x^{26} + x^{25} \\
& + x^{22} + x^{17} + x^{16} + x^{15} + x^{14} + x^2 + 1, \\
p_9(x) &= x^{110} + x^{108} + x^{94} + x^{92} + x^{90} + x^{88} + x^{78} + x^{76} + x^{58} + x^{56} + x^{42} \\
& + x^{40} + x^{26} + x^{24} + x^{14} + x^{12} + x^{10} + x^8, \\
p_{12}(x) &= x^{110} + x^{108} + x^{106} + x^{104} + x^{94} + x^{92} + x^{90} + x^{88} + x^{82} + x^{80} + x^{78} \\
& + x^{76} + x^{74} + x^{72} + x^{50} + x^{48} + x^{34} + x^{32} + x^{18} + x^{16} + x^{14} + x^{12} \\
& + x^{10} + x^8 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 0, 1, 0]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	135	[227, 88]	270	[372, 128]	405	[508, 509]	540	[607, 240]
1	[3, 4]	136	[228, 73]	271	[373, 331]	406	[135, 171]	541	[88, 229]
2	[5, 6]	137	[229, 191]	272	[156, 36]	407	[510, 511]	542	[221, 16]
3	[7, 8]	138	[230, 231]	273	[32, 10]	408	[318, 44]	543	[588, 73]
4	[9, 10]	139	[204, 232]	274	[301, 140]	409	[512, 127]	544	[608, 61]
5	[11, 12]	140	[76, 233]	275	[374, 375]	410	[513, 127]	545	[609, 594]
6	[13, 14]	141	[231, 234]	276	[37, 299]	411	[514, 143]	546	[595, 610]
7	[15, 16]	142	[16, 67]	277	[13, 140]	412	[515, 496]	547	[611, 456]
8	[3, 17]	143	[17, 235]	278	[146, 50]	413	[44, 176]	548	[28, 485]
9	[18, 19]	144	[236, 237]	279	[296, 163]	414	[48, 317]	549	[247, 70]
10	[20, 21]	145	[238, 85]	280	[222, 67]	415	[315, 148]	550	[597, 72]
11	[22, 23]	146	[239, 240]	281	[376, 88]	416	[127, 123]	551	[395, 574]
12	[24, 25]	147	[241, 217]	282	[377, 257]	417	[516, 334]	552	[612, 475]
13	[26, 27]	148	[242, 18]	283	[4, 378]	418	[517, 518]	553	[396, 413]
14	[28, 29]	149	[243, 3]	284	[379, 380]	419	[519, 161]	554	[252, 480]
15	[30, 31]	150	[244, 181]	285	[381, 382]	420	[520, 521]	555	[610, 611]
16	[32, 33]	151	[245, 200]	286	[383, 384]	421	[42, 294]	556	[570, 605]
17	[34, 35]	152	[246, 247]	287	[385, 386]	422	[522, 315]	557	[214, 201]
18	[36, 33]	153	[248, 249]	288	[387, 388]	423	[523, 524]	558	[613, 25]
19	[37, 38]	154	[89, 213]	289	[389, 390]	424	[525, 149]	559	[614, 477]
20	[39, 40]	155	[226, 84]	290	[233, 391]	425	[526, 31]	560	[615, 68]
21	[41, 42]	156	[237, 20]	291	[392, 393]	426	[527, 294]	561	[193, 381]
22	[43, 44]	157	[104, 250]	292	[81, 242]	427	[528, 529]	562	[616, 429]
23	[45, 46]	158	[251, 252]	293	[394, 395]	428	[530, 337]	563	[617, 180]
24	[47, 48]	159	[253, 254]	294	[22, 396]	429	[517, 531]	564	[251, 414]

25	[49, 50]	160	[201, 255]	295	[397, 259]	430	[532, 321]	565	[618, 39]
26	[51, 38]	161	[245, 256]	296	[216, 398]	431	[533, 316]	566	[619, 349]
27	[52, 53]	162	[257, 258]	297	[399, 400]	432	[534, 305]	567	[365, 285]
28	[54, 55]	163	[259, 260]	298	[401, 202]	433	[535, 153]	568	[620, 489]
29	[48, 56]	164	[261, 262]	299	[395, 402]	434	[527, 164]	569	[321, 41]
30	[57, 58]	165	[263, 264]	300	[403, 28]	435	[536, 537]	570	[621, 153]
31	[59, 60]	166	[265, 266]	301	[62, 404]	436	[118, 53]	571	[138, 150]
32	[61, 62]	167	[267, 268]	302	[405, 406]	437	[282, 116]	572	[622, 150]
33	[63, 64]	168	[269, 189]	303	[407, 408]	438	[538, 171]	573	[364, 150]
34	[65, 66]	169	[270, 104]	304	[409, 69]	439	[307, 137]	574	[516, 345]
35	[67, 68]	170	[271, 272]	305	[410, 411]	440	[539, 2]	575	[623, 337]
36	[69, 70]	171	[201, 273]	306	[197, 277]	441	[540, 51]	576	[559, 41]
37	[71, 72]	172	[274, 258]	307	[412, 395]	442	[9, 33]	577	[624, 295]
38	[73, 74]	173	[219, 275]	308	[23, 413]	443	[541, 307]	578	[625, 315]
39	[75, 76]	174	[218, 250]	309	[414, 415]	444	[542, 323]	579	[174, 142]
40	[77, 78]	175	[276, 277]	310	[416, 229]	445	[300, 40]	580	[626, 173]
41	[79, 22]	176	[83, 278]	311	[417, 234]	446	[543, 144]	581	[627, 367]
42	[80, 81]	177	[190, 279]	312	[405, 418]	447	[544, 545]	582	[628, 629]
43	[82, 83]	178	[280, 34]	313	[74, 261]	448	[546, 547]	583	[358, 301]
44	[84, 85]	179	[281, 282]	314	[78, 193]	449	[304, 119]	584	[630, 291]
45	[86, 87]	180	[283, 164]	315	[419, 58]	450	[121, 289]	585	[631, 39]
46	[88, 89]	181	[153, 141]	316	[420, 244]	451	[111, 162]	586	[169, 140]
47	[58, 27]	182	[284, 285]	317	[78, 421]	452	[548, 325]	587	[375, 357]
48	[90, 91]	183	[286, 287]	318	[422, 414]	453	[549, 502]	588	[632, 133]
49	[92, 93]	184	[288, 289]	319	[423, 210]	454	[497, 53]	589	[514, 114]
50	[85, 94]	185	[290, 291]	320	[424, 384]	455	[504, 56]	590	[44, 309]
51	[95, 96]	186	[284, 292]	321	[425, 426]	456	[357, 360]	591	[622, 139]
52	[97, 98]	187	[293, 51]	322	[427, 268]	457	[550, 336]	592	[547, 375]
53	[99, 100]	188	[163, 294]	323	[428, 417]	458	[45, 116]	593	[359, 547]
54	[101, 102]	189	[295, 296]	324	[76, 429]	459	[551, 135]	594	[52, 124]
55	[98, 103]	190	[297, 285]	325	[430, 270]	460	[552, 107]	595	[562, 555]
56	[104, 105]	191	[155, 126]	326	[431, 210]	461	[354, 177]	596	[343, 36]
57	[106, 107]	192	[298, 299]	327	[432, 197]	462	[531, 518]	597	[633, 34]
58	[108, 36]	193	[300, 301]	328	[433, 244]	463	[546, 360]	598	[333, 345]
59	[109, 110]	194	[162, 125]	329	[434, 77]	464	[537, 547]	599	[634, 305]
60	[111, 112]	195	[302, 303]	330	[242, 63]	465	[553, 146]	600	[635, 133]
61	[113, 114]	196	[304, 156]	331	[263, 435]	466	[375, 537]	601	[288, 148]
62	[115, 116]	197	[119, 32]	332	[436, 17]	467	[554, 518]	602	[636, 502]
63	[117, 118]	198	[305, 162]	333	[437, 389]	468	[374, 555]	603	[637, 362]
64	[119, 36]	199	[306, 307]	334	[438, 439]	469	[547, 555]	604	[638, 521]
65	[120, 121]	200	[146, 137]	335	[440, 28]	470	[556, 115]	605	[41, 163]
66	[122, 55]	201	[308, 309]	336	[441, 442]	471	[155, 177]	606	[639, 493]
67	[31, 123]	202	[305, 112]	337	[443, 438]	472	[557, 54]	607	[640, 321]
68	[118, 124]	203	[12, 308]	338	[444, 99]	473	[372, 123]	608	[641, 511]

69	[125, 126]	204	[296, 42]	339	[383, 445]	474	[558, 506]	609	[642, 43]
70	[127, 128]	205	[310, 309]	340	[446, 80]	475	[559, 296]	610	[536, 357]
71	[129, 130]	206	[311, 312]	341	[85, 254]	476	[560, 54]	611	[555, 537]
72	[131, 119]	207	[313, 42]	342	[447, 448]	477	[36, 10]	612	[643, 12]
73	[8, 132]	208	[314, 158]	343	[449, 63]	478	[561, 297]	613	[644, 2]
74	[133, 112]	209	[107, 8]	344	[229, 213]	479	[310, 176]	614	[645, 282]
75	[134, 135]	210	[315, 289]	345	[380, 450]	480	[562, 375]	615	[159, 155]
76	[136, 137]	211	[316, 317]	346	[447, 380]	481	[491, 123]	616	[537, 360]
77	[138, 139]	212	[51, 299]	347	[451, 193]	482	[563, 509]	617	[646, 369]
78	[40, 140]	213	[318, 308]	348	[452, 426]	483	[564, 303]	618	[20, 77]
79	[107, 141]	214	[156, 32]	349	[453, 454]	484	[554, 531]	619	[647, 259]
80	[142, 143]	215	[319, 152]	350	[455, 456]	485	[356, 537]	620	[648, 400]
81	[144, 38]	216	[320, 119]	351	[457, 458]	486	[531, 531]	621	[585, 649]
82	[145, 146]	217	[112, 125]	352	[459, 406]	487	[565, 237]	622	[650, 649]
83	[147, 148]	218	[321, 296]	353	[460, 93]	488	[566, 438]	623	[651, 260]
84	[149, 150]	219	[322, 323]	354	[461, 23]	489	[427, 567]	624	[609, 79]
85	[35, 53]	220	[121, 148]	355	[246, 69]	490	[244, 389]	625	[194, 382]
86	[151, 152]	221	[324, 325]	356	[462, 463]	491	[568, 569]	626	[479, 190]
87	[153, 8]	222	[326, 118]	357	[456, 464]	492	[438, 463]	627	[185, 80]
88	[154, 155]	223	[327, 115]	358	[465, 264]	493	[570, 571]	628	[210, 610]
89	[131, 156]	224	[282, 46]	359	[466, 467]	494	[190, 572]	629	[577, 591]
90	[157, 158]	225	[328, 149]	360	[468, 469]	495	[6, 203]	630	[652, 464]
91	[159, 125]	226	[329, 10]	361	[470, 471]	496	[440, 484]	631	[63, 19]
92	[160, 161]	227	[330, 331]	362	[472, 99]	497	[573, 574]	632	[478, 189]
93	[162, 155]	228	[332, 312]	363	[103, 473]	498	[575, 96]	633	[653, 224]
94	[163, 164]	229	[333, 334]	364	[474, 475]	499	[5, 202]	634	[654, 196]
95	[165, 166]	230	[335, 166]	365	[476, 220]	500	[576, 255]	635	[453, 87]
96	[167, 141]	231	[336, 156]	366	[265, 477]	501	[577, 204]	636	[655, 62]
97	[168, 46]	232	[295, 41]	367	[478, 479]	502	[578, 184]	637	[213, 192]
98	[169, 14]	233	[135, 55]	368	[414, 480]	503	[579, 404]	638	[656, 398]
99	[170, 56]	234	[337, 292]	369	[460, 481]	504	[580, 204]	639	[380, 468]
100	[54, 171]	235	[8, 142]	370	[392, 272]	505	[581, 83]	640	[657, 60]
101	[172, 173]	236	[338, 339]	371	[482, 76]	506	[582, 583]	641	[658, 518]
102	[174, 132]	237	[340, 41]	372	[483, 79]	507	[217, 104]	642	[659, 84]
103	[132, 143]	238	[313, 163]	373	[389, 182]	508	[584, 249]	643	[261, 473]
104	[175, 176]	239	[341, 342]	374	[484, 485]	509	[585, 586]	644	[660, 411]
105	[125, 177]	240	[343, 32]	375	[391, 486]	510	[278, 587]	645	[661, 102]
106	[178, 3]	241	[344, 342]	376	[487, 131]	511	[588, 97]	646	[83, 593]
107	[179, 180]	242	[292, 345]	377	[488, 489]	512	[430, 217]	647	[662, 529]
108	[181, 182]	243	[346, 130]	378	[168, 116]	513	[457, 388]	648	[663, 524]
109	[183, 184]	244	[347, 142]	379	[490, 121]	514	[589, 572]	649	[133, 162]
110	[185, 186]	245	[348, 349]	380	[307, 50]	515	[590, 20]	650	[664, 339]
111	[187, 188]	246	[350, 351]	381	[491, 128]	516	[591, 205]	651	[12, 44]
112	[189, 190]	247	[352, 308]	382	[301, 14]	517	[592, 593]	652	[49, 137]

113	[191, 192]	248	[353, 144]	383	[492, 493]	518	[518, 518]	653	[502, 40]
114	[193, 194]	249	[354, 126]	384	[42, 164]	519	[98, 261]	654	[665, 43]
115	[195, 196]	250	[352, 44]	385	[494, 362]	520	[594, 22]	655	[337, 285]
116	[197, 198]	251	[355, 287]	386	[175, 309]	521	[423, 595]	656	[285, 345]
117	[199, 200]	252	[356, 357]	387	[495, 496]	522	[596, 242]	657	[666, 297]
118	[192, 201]	253	[167, 8]	388	[141, 142]	523	[582, 188]	658	[122, 171]
119	[202, 203]	254	[358, 40]	389	[497, 124]	524	[597, 598]	659	[362, 35]
120	[204, 205]	255	[326, 35]	390	[142, 114]	525	[599, 91]	660	[667, 351]
121	[206, 207]	256	[359, 360]	391	[360, 375]	526	[600, 207]	661	[668, 295]
122	[208, 197]	257	[361, 162]	392	[498, 131]	527	[421, 381]	662	[211, 611]
123	[58, 209]	258	[362, 118]	393	[298, 38]	528	[601, 486]	663	[407, 471]
124	[210, 211]	259	[363, 177]	394	[499, 336]	529	[432, 276]	664	[669, 66]
125	[188, 212]	260	[364, 139]	395	[500, 163]	530	[186, 81]	665	[583, 212]
126	[213, 214]	261	[365, 292]	396	[141, 132]	531	[593, 587]	666	[17, 378]
127	[215, 216]	262	[112, 155]	397	[501, 364]	532	[602, 216]	667	[450, 469]
128	[217, 218]	263	[366, 367]	398	[502, 301]	533	[21, 78]	668	[385, 569]
129	[219, 220]	264	[316, 56]	399	[503, 316]	534	[603, 257]	669	[670, 545]
130	[221, 222]	265	[368, 369]	400	[504, 317]	535	[428, 231]	670	[671, 442]
131	[223, 61]	266	[117, 35]	401	[505, 506]	536	[448, 468]	671	[672, 629]
132	[180, 224]	267	[370, 364]	402	[336, 119]	537	[429, 391]	672	[99, 467]
133	[225, 226]	268	[132, 114]	403	[507, 48]	538	[604, 605]		
134	[73, 98]	269	[371, 110]	404	[285, 334]	539	[606, 226]		

Output function $n \mapsto \tau(n)$:

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	97	0	194	1	291	1	388	1	485	1	582	0
1	0	98	0	195	1	292	0	389	1	486	1	583	1
2	0	99	1	196	0	293	0	390	0	487	0	584	1
3	0	100	1	197	1	294	0	391	1	488	0	585	1
4	1	101	1	198	1	295	0	392	1	489	1	586	0
5	0	102	1	199	1	296	1	393	0	490	0	587	1
6	1	103	1	200	1	297	1	394	0	491	1	588	0
7	0	104	1	201	1	298	0	395	1	492	1	589	1
8	0	105	1	202	1	299	1	396	1	493	1	590	0
9	1	106	0	203	1	300	0	397	0	494	1	591	1
10	0	107	0	204	1	301	1	398	1	495	1	592	0
11	0	108	1	205	0	302	1	399	1	496	0	593	1
12	1	109	1	206	1	303	1	400	0	497	1	594	0
13	1	110	0	207	0	304	0	401	0	498	1	595	0
14	1	111	0	208	0	305	1	402	1	499	0	596	0
15	0	112	0	209	0	306	1	403	0	500	1	597	1
16	0	113	0	210	0	307	0	404	1	501	0	598	0
17	1	114	0	211	0	308	1	405	1	502	1	599	1
18	1	115	1	212	1	309	1	406	0	503	1	600	1

19	1	116	1	213	0	310	0	407	1	504	0	601	1
20	0	117	1	214	0	311	1	408	0	505	0	602	0
21	0	118	0	215	0	312	1	409	0	506	0	603	0
22	0	119	1	216	1	313	0	410	1	507	0	604	1
23	1	120	1	217	0	314	0	411	1	508	1	605	0
24	1	121	1	218	1	315	0	412	0	509	1	606	0
25	1	122	0	219	1	316	0	413	0	510	1	607	1
26	1	123	1	220	1	317	0	414	1	511	0	608	0
27	0	124	0	221	0	318	0	415	0	512	0	609	0
28	1	125	1	222	0	319	0	416	0	513	1	610	0
29	1	126	0	223	0	320	1	417	1	514	1	611	0
30	0	127	0	224	0	321	1	418	0	515	0	612	1
31	1	128	0	225	0	322	1	419	0	516	1	613	1
32	0	129	1	226	0	323	0	420	0	517	0	614	1
33	1	130	0	227	0	324	0	421	0	518	0	615	1
34	1	131	0	228	0	325	0	422	0	519	0	616	0
35	1	132	1	229	0	326	0	423	0	520	0	617	0
36	1	133	0	230	0	327	0	424	1	521	0	618	0
37	1	134	0	231	1	328	0	425	1	522	0	619	0
38	0	135	0	232	0	329	0	426	0	523	0	620	1
39	0	136	0	233	0	330	0	427	1	524	1	621	1
40	0	137	0	234	0	331	1	428	0	525	1	622	1
41	0	138	0	235	0	332	0	429	0	526	1	623	1
42	0	139	1	236	0	333	0	430	0	527	0	624	0
43	0	140	0	237	0	334	1	431	0	528	1	625	1
44	0	141	1	238	0	335	0	432	0	529	0	626	0
45	1	142	0	239	1	336	1	433	0	530	0	627	0
46	0	143	1	240	0	337	0	434	0	531	1	628	0
47	1	144	0	241	0	338	0	435	0	532	0	629	0
48	1	145	0	242	0	339	1	436	0	533	0	630	1
49	1	146	1	243	0	340	0	437	0	534	0	631	1
50	1	147	0	244	0	341	1	438	1	535	0	632	0
51	1	148	0	245	1	342	0	439	0	536	0	633	1
52	0	149	0	246	0	343	0	440	0	537	0	634	1
53	1	150	0	247	1	344	0	441	1	538	1	635	1
54	1	151	1	248	1	345	0	442	1	539	0	636	0
55	0	152	0	249	0	346	0	443	0	540	1	637	0
56	1	153	1	250	1	347	0	444	0	541	0	638	1
57	0	154	0	251	0	348	1	445	0	542	0	639	0
58	1	155	0	252	1	349	1	446	0	543	0	640	1
59	1	156	0	253	1	350	0	447	0	544	0	641	0
60	0	157	1	254	1	351	1	448	0	545	0	642	0
61	0	158	0	255	0	352	1	449	0	546	0	643	1
62	1	159	1	256	1	353	1	450	1	547	0	644	1

63	1	160	1	257	1	354	0	451	0	548	1	645	1
64	1	161	1	258	0	355	0	452	1	549	1	646	0
65	1	162	1	259	1	356	1	453	1	550	1	647	0
66	0	163	1	260	1	357	1	454	1	551	1	648	1
67	1	164	1	261	1	358	1	455	0	552	1	649	0
68	0	165	1	262	0	359	1	456	1	553	1	650	1
69	1	166	1	263	1	360	1	457	1	554	1	651	1
70	0	167	1	264	0	361	1	458	1	555	0	652	1
71	1	168	0	265	1	362	0	459	1	556	1	653	1
72	0	169	0	266	1	363	1	460	1	557	0	654	1
73	0	170	1	267	1	364	1	461	0	558	1	655	0
74	0	171	1	268	1	365	1	462	1	559	1	656	1
75	0	172	1	269	0	366	1	463	0	560	1	657	1
76	0	173	1	270	0	367	0	464	0	561	0	658	0
77	0	174	1	271	1	368	1	465	1	562	0	659	0
78	0	175	1	272	0	369	1	466	1	563	0	660	1
79	0	176	0	273	0	370	1	467	1	564	0	661	1
80	0	177	1	274	1	371	0	468	1	565	0	662	0
81	0	178	0	275	1	372	0	469	0	566	0	663	1
82	0	179	0	276	1	373	1	470	1	567	1	664	1
83	0	180	1	277	1	374	1	471	0	568	1	665	1
84	0	181	1	278	1	375	1	472	0	569	1	666	1
85	1	182	0	279	1	376	0	473	0	570	1	667	1
86	1	183	1	280	0	377	0	474	1	571	0	668	1
87	1	184	1	281	0	378	0	475	1	572	1	669	1
88	0	185	0	282	0	379	0	476	1	573	1	670	1
89	0	186	0	283	1	380	0	477	1	574	1	671	1
90	1	187	0	284	0	381	1	478	0	575	1	672	1
91	1	188	1	285	1	382	1	479	0	576	1		
92	1	189	0	286	1	383	1	480	0	577	0		
93	1	190	1	287	1	384	0	481	1	578	1		
94	1	191	0	288	1	385	1	482	0	579	1		
95	1	192	0	289	1	386	1	483	0	580	0		
96	1	193	0	290	0	387	1	484	1	581	0		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE

Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA

Email address: `huyining@hust.edu.cn`