

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z^5 + z^4 + z^3 + 1, z^2 + 1)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z^5 + z^4 + z^3 + 1, z^2 + 1)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: runone at : 30/04/2020 02:52:13 .

2010 *Mathematics Subject Classification.* 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 14.5 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z^5 + z^4 + z^3 + 1, z^2 + 1)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$\begin{aligned} p_0(z) &= z^{10} + z^7 + z^6 + z^5 + z^2 + z + 1, \\ p_1(z) &= z^{15} + z^{14} + z^{13} + z^{10} + z^9 + z^8 + z^6 + z^5 + z^4 + z^2, \\ p_2(z) &= z^{17} + z^{16} + z^{13} + z^{12} + z^7 + z^6 + z + 1, \\ p_3(z) &= z^{15} + z^{14} + z^{13} + z^{10} + z^9 + z^8 + z^6 + z^5 + z^4 + z^2, \\ p_4(z) &= z^{13} + z^{12} + z^{10} + z^4 + z^2 + z + 1, \end{aligned}$$

and for $\text{CF}(b, a)$,

$$\begin{aligned} p_0(z) &= z^{10} + z^9 + z^8 + z^7 + z^6 + z^5 + z^2 + z + 1, \\ p_1(z) &= z^{15} + z^{14} + z^{13} + z^{10} + z^9 + z^8 + z^6 + z^5 + z^4 + z^2, \\ p_2(z) &= z^{17} + z^{16} + z^{13} + z^{12} + z^7 + z^6 + z + 1, \\ p_3(z) &= z^{15} + z^{14} + z^{13} + z^{10} + z^9 + z^8 + z^6 + z^5 + z^4 + z^2, \\ p_4(z) &= z^{13} + z^{12} + z^{10} + z^9 + z^8 + z^4 + z^2 + z + 1. \end{aligned}$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{t}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$\begin{aligned} M_{n+1}(x) &= W_n(x) \cdot M_n(x), \\ W_{n+1}(x) &= M_n(x) \cdot W_n(x). \end{aligned}$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(175, 175, 175, 175, 175)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 630 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 630, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 770 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 770, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 1 \\ 1 & 0 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 0 & 1 \\ 1 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:14u] &= M^e[:7u] + x^u M^e[:6u] + x^{3u} M^e[:4u] + x^u M^e[:7u] + x^{2u} M^e[:6u] \\ &\quad + x^{4u} M^e[:4u] + x^{2u} M^e[:7u] + x^{3u} M^e[:6u] + x^{5u} M^e[:4u] \\ &\quad + x^{4u} M^e[:7u] + x^{5u} M^e[:6u] + x^{7u} M^e[:4u] + x^{7u} M^e[:7u] \\ &\quad + x^{8u} M^e[:6u] + x^{10u} M^e[:4u] + x^{12u} M^e[:2u] \\ &\quad + (x^{7u} + x^{8u} + x^{9u} + x^{11u}) R^e, \\ W^e[:14u] &= W^e[:7u] + x^u W^e[:6u] + x^{3u} W^e[:4u] + x^u W^e[:7u] + x^{2u} W^e[:6u] \end{aligned}$$

$$\begin{aligned}
& + x^{4u}W^e[:4u] + x^{2u}W^e[:7u] + x^{3u}W^e[:6u] + x^{5u}W^e[:4u] \\
& + x^{4u}W^e[:7u] + x^{5u}W^e[:6u] + x^{7u}W^e[:4u] + x^{7u}W^e[:7u] \\
& + x^{8u}W^e[:6u] + x^{10u}W^e[:4u] + x^{12u}W^e[:2u] \\
& + (x^{7u} + x^{8u} + x^{9u} + x^{11u})R^e.
\end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned}
M^o[:14u] &= M^o[:7u] + x^u M^o[:6u] + x^{3u} M^o[:4u] + x^u M^o[:7u] + x^{2u} M^o[:6u] \\
&+ x^{4u} M^o[:4u] + x^{2u} M^o[:7u] + x^{3u} M^o[:6u] + x^{5u} M^o[:4u] \\
&+ x^{4u} M^o[:7u] + x^{5u} M^o[:6u] + x^{7u} M^o[:4u] + x^{7u} M^o[:7u] \\
&+ x^{8u} M^o[:6u] + x^{10u} M^o[:4u] + x^{12u} M^o[:2u] \\
&+ (x^{7u} + x^{8u} + x^{9u} + x^{11u})R^o, \\
W^o[:14u] &= W^o[:7u] + x^u W^o[:6u] + x^{3u} W^o[:4u] + x^u W^o[:7u] + x^{2u} W^o[:6u] \\
&+ x^{4u} W^o[:4u] + x^{2u} W^o[:7u] + x^{3u} W^o[:6u] + x^{5u} W^o[:4u] \\
&+ x^{4u} W^o[:7u] + x^{5u} W^o[:6u] + x^{7u} W^o[:4u] + x^{7u} W^o[:7u] \\
&+ x^{8u} W^o[:6u] + x^{10u} W^o[:4u] + x^{12u} W^o[:2u] \\
&+ (x^{7u} + x^{8u} + x^{9u} + x^{11u})R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$\begin{aligned}
T[:14u] &= T[:7u] + x^u T[:6u] + x^{3u} T[:4u] + x^u T[:7u] + x^{2u} T[:6u] + x^{4u} T[:4u] \\
&+ x^{2u} T[:7u] + x^{3u} T[:6u] + x^{5u} T[:4u] + x^{4u} T[:7u] + x^{5u} T[:6u] \\
&+ x^{7u} T[:4u] + x^{7u} T[:7u] + x^{8u} T[:6u] + x^{10u} T[:4u] + x^{12u} T[:2u] \\
&+ (x^{7u} + x^{8u} + x^{9u} + x^{11u}).
\end{aligned}$$

The proof of the other 15 cases are similar. We break down the above identity into 7 parts:

$$\begin{aligned}
x^7u &= x^{3u}T[4u:5u] + x^uT[6u:7u] + T[7u:8u], \\
x^8u &= x^{8u}T[:u] + x^{4u}T[4u:5u] + x^{3u}T[5u:6u] + x^{2u}T[6u:7u] \\
&+ T[8u:9u], \\
x^9u &= x^{8u}T[u:2u] + x^{5u}T[4u:5u] + x^{4u}T[5u:6u] + T[9u:10u], \\
0 &= x^{10u}T[:u] + x^{8u}T[2u:3u] + x^{5u}T[5u:6u] + x^{4u}T[6u:7u] \\
&+ T[10u:11u], \\
x^{11}u &= x^{10u}T[u:2u] + x^{8u}T[3u:4u] + x^{7u}T[4u:5u] + T[11u:12u], \\
0 &= x^{12u}T[:u] + x^{10u}T[2u:3u] + x^{8u}T[4u:5u] + x^{7u}T[5u:6u] \\
&+ T[12u:13u], \\
0 &= x^{12u}T[u:2u] + x^{10u}T[3u:4u] + x^{8u}T[5u:6u] + x^{7u}T[6u:7u] \\
&+ T[13u:14u],
\end{aligned}$$

which can be rewritten as

$$\begin{aligned}
(2.7) \quad & 0 = T[[100w]_2] + T[[110w]_2] + T[[111w]_2], \\
(2.8) \quad & 0 = T[[w]_2] + T[[100w]_2] + T[[101w]_2] + T[[110w]_2] + T[[1000w]_2], \\
(2.9) \quad & 0 = T[[1w]_2] + T[[100w]_2] + T[[101w]_2] + T[[1001w]_2], \\
(2.10) \quad & 0 = T[[w]_2] + T[[10w]_2] + T[[101w]_2] + T[[110w]_2] + T[[1010w]_2], \\
(2.11) \quad & 0 = T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[1011w]_2], \\
(2.12) \quad & 0 = T[[w]_2] + T[[10w]_2] + T[[100w]_2] + T[[101w]_2] + T[[1100w]_2], \\
(2.13) \quad & 0 = T[[1w]_2] + T[[11w]_2] + T[[101w]_2] + T[[110w]_2] + T[[1101w]_2],
\end{aligned}$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$\begin{aligned}
(2.14) \quad & 1 = T[[100w]_2] + T[[110w]_2] + T[[111w]_2], \\
(2.15) \quad & 1 = T[[w]_2] + T[[100w]_2] + T[[101w]_2] + T[[110w]_2] + T[[1000w]_2], \\
(2.16) \quad & 1 = T[[1w]_2] + T[[100w]_2] + T[[101w]_2] + T[[1001w]_2], \\
(2.17) \quad & 0 = T[[w]_2] + T[[10w]_2] + T[[101w]_2] + T[[110w]_2] + T[[1010w]_2], \\
(2.18) \quad & 1 = T[[1w]_2] + T[[11w]_2] + T[[100w]_2] + T[[1011w]_2], \\
(2.19) \quad & 0 = T[[w]_2] + T[[10w]_2] + T[[100w]_2] + T[[101w]_2] + T[[1100w]_2], \\
(2.20) \quad & 0 = T[[1w]_2] + T[[11w]_2] + T[[101w]_2] + T[[110w]_2] + T[[1101w]_2],
\end{aligned}$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 850 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.20) can be written as

$$\begin{aligned}
(2.21) \quad & 0 = \tau(A(s, 100)) + \tau(A(s, 110)) + \tau(A(s, 111)), \\
& 0 = \tau(A(s, \epsilon)) + \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 110)) \\
(2.22) \quad & + \tau(A(s, 1000)), \\
(2.23) \quad & 0 = \tau(A(s, 1)) + \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 1001)), \\
& 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 101)) + \tau(A(s, 110)) \\
(2.24) \quad & + \tau(A(s, 1010)), \\
(2.25) \quad & 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 1011)), \\
& 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 101)) \\
(2.26) \quad & + \tau(A(s, 1100)), \\
& 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 101)) + \tau(A(s, 110)) \\
(2.27) \quad & + \tau(A(s, 1101)),
\end{aligned}$$

for all $s \in E_{2k}$, and

$$\begin{aligned}
(2.28) \quad & 1 = \tau(A(s, 100)) + \tau(A(s, 110)) + \tau(A(s, 111)), \\
& 1 = \tau(A(s, \epsilon)) + \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 110))
\end{aligned}$$

$$\begin{aligned}
(2.29) \quad & + \tau(A(s, 1000)), \\
(2.30) \quad & 1 = \tau(A(s, 1)) + \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 1001)), \\
& 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 101)) + \tau(A(s, 110)) \\
(2.31) \quad & + \tau(A(s, 1010)), \\
(2.32) \quad & 1 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 1011)), \\
& 0 = \tau(A(s, \epsilon)) + \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 101)) \\
(2.33) \quad & + \tau(A(s, 1100)), \\
& 0 = \tau(A(s, 1)) + \tau(A(s, 11)) + \tau(A(s, 101)) + \tau(A(s, 110)) \\
(2.34) \quad & + \tau(A(s, 1101)),
\end{aligned}$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{30}), E_{30}) = (A(i, 0^{14}), E_{14})$, so that we only have to verify that identities (2.21) through (2.34) hold for $2 \leq k \leq 15$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$\begin{aligned}
M_{2k} &= M^e[:7u] + x^u M^e[:6u] + x^{3u} M^e[:4u] + x^{7u} R^e, \\
W_{2k} &= W^e[:7u] + x^u W^e[:6u] + x^{3u} W^e[:4u] + x^{7u} R^e.
\end{aligned}$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$\begin{aligned}
M_{2k+1} &= M^o[:7u] + x^u M^o[:6u] + x^{3u} M^o[:4u] + x^{7u} R^o, \\
W_{2k+1} &= W^o[:7u] + x^u W^o[:6u] + x^{3u} W^o[:4u] + x^{7u} R^o.
\end{aligned}$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$\begin{aligned}
M_{2k} \wedge W_{2k} &\Rightarrow M_{2k+1} \wedge W_{2k+1}, \\
M_{2k+1} \wedge W_{2k+1} &\Rightarrow M_{2k+2} \wedge W_{2k+2}.
\end{aligned}$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$\begin{aligned}
(2.35) \quad W_{2k} M_{2k} &= (W^e[:7v] + x^v W^e[:6v] + x^{3v} W^e[:4v] + x^{7v} R^e) \times (M^e[:7v] \\
&+ x^v M^e[:6v] + x^{3v} M^e[:4v] + x^{7v} R^e);
\end{aligned}$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{14v} R^o$. Therefore we only need to prove that their difference is $O(x^{14v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{14v} , to

$$W^e[:14v] M^e[:14v] + x^{2v} W^e[:12v] M^e[:12v] + x^{6v} W^e[:8v] M^e[:8v].$$

For all $n \leq 14$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding

identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v]/X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v]/X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.35) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{14}, b_1, \dots, b_{14}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{14})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned} \lim_{n \rightarrow \infty} M_{2n, j, k} &= M_{j, k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1, j, k} &= M_{j, k}^o, \\ \lim_{n \rightarrow \infty} W_{2n, j, k} &= W_{j, k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1, j, k} &= W_{j, k}^o. \end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12} \phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e/M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$\begin{aligned} q_0(x) &= x^{17} + x^{16} + x^{15} + x^{12} + x^{11} + x^{10} + x^7, \\ q_1(x) &= x^{15} + x^{13} + x^{12} + x^{11} + x^9 + x^8 + x^7 + x^4 + x^3 + x^2, \\ q_2(x) &= x^{17} + x^{16} + x^{11} + x^{10} + x^5 + x^4 + x + 1, \\ q_3(x) &= x^{15} + x^{13} + x^{12} + x^{11} + x^9 + x^8 + x^7 + x^4 + x^3 + x^2, \\ q_4(x) &= x^{17} + x^{16} + x^{15} + x^{13} + x^7 + x^5 + x^4. \end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 216, and substitute it for y in $R(z, y)$, we get a series with valuation

smaller than 216, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned} p_0(x) &= x^{84} + x^{82} + x^{80} + x^{78} + x^{64} + x^{60} + x^{44} + x^{42} + x^{24}, \\ p_3(x) &= x^{80} + x^{74} + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} + x^{56} + x^{54} + x^{52} + x^{50} \\ &\quad + x^{48} + x^{46} + x^{38} + x^{36} + x^{28} + x^{24} + x^{22} + x^{18} + x^{16}, \\ p_6(x) &= x^{80} + x^{76} + x^{74} + x^{66} + x^{60} + x^{56} + x^{52} + x^{46} + x^{40} + x^{34} + x^{32} \\ &\quad + x^{30} + x^{28} + x^{24} + x^{20} + x^{16} + x^{14} + x^{10} + x^8 + x^6 + x^4 + 1, \\ p_9(x) &= x^{80} + x^{74} + x^{72} + x^{68} + x^{66} + x^{64} + x^{54} + x^{50} + x^{48} + x^{44} + x^{40} \\ &\quad + x^{38} + x^{32} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{14} + x^4, \\ p_{12}(x) &= x^{84} + x^{82} + x^{78} + x^{76} + x^{74} + x^{72} + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} \\ &\quad + x^{60} + x^{58} + x^{56} + x^{54} + x^{48} + x^{20} + x^{18} + x^{14} + x^{12} + x^{10} + x^8 \\ &\quad + x^6 + 1, \end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned} p_0(x) &= x^{93} + x^{90} + x^{88} + x^{87} + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{80} + x^{79} \\ &\quad + x^{76} + x^{74} + x^{73} + x^{70} + x^{68} + x^{65} + x^{64} + x^{62} + x^{61} + x^{59} + x^{55} \\ &\quad + x^{53} + x^{52} + x^{50} + x^{42} + x^{39} + x^{38} + x^{37} + x^{36} + x^{33}, \\ p_3(x) &= x^{75} + x^{74} + x^{69} + x^{68} + x^{63} + x^{62} + x^{53} + x^{52} + x^{47} + x^{46} + x^{37} \\ &\quad + x^{36} + x^{35} + x^{34} + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{23} + x^{22} \\ &\quad + x^{19} + x^{18}, \\ p_6(x) &= x^{81} + x^{79} + x^{78} + x^{77} + x^{74} + x^{72} + x^{71} + x^{70} + x^{69} + x^{66} + x^{65} \\ &\quad + x^{64} + x^{61} + x^{59} + x^{58} + x^{55} + x^{52} + x^{50} + x^{49} + x^{48} + x^{45} + x^{43} \\ &\quad + x^{42} + x^{41} + x^{38} + x^{37} + x^{36} + x^{29} + x^{27} + x^{26} + x^{23} + x^{21} + x^{20} \\ &\quad + x^{19} + x^{16} + x^{14} + x^{13} + x^{12}, \\ p_9(x) &= x^{87} + x^{86} + x^{85} + x^{84} + x^{79} + x^{78} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} \\ &\quad + x^{70} + x^{69} + x^{68} + x^{67} + x^{66} + x^{61} + x^{60} + x^{59} + x^{58} + x^{57} + x^{56} \\ &\quad + x^{55} + x^{54} + x^{51} + x^{50} + x^{43} + x^{42} + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} \\ &\quad + x^{36} + x^{33} + x^{32} + x^{29} + x^{28} + x^{27} + x^{26} + x^{23} + x^{22} + x^{15} + x^{14} \\ &\quad + x^{13} + x^{12} + x^7 + x^6, \\ p_{12}(x) &= x^{93} + x^{90} + x^{88} + x^{86} + x^{85} + x^{84} + x^{81} + x^{78} + x^{76} + x^{74} + x^{72} \end{aligned}$$

$$\begin{aligned}
& + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} + x^{61} + x^{60} + x^{53} + x^{50} + x^{49} + x^{48} \\
& + x^{29} + x^{26} + x^{24} + x^{22} + x^{21} + x^{20} + x^{17} + x^{14} + x^{13} + x^{12} + x^5 \\
& + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 0, 1, 0, 0, 1, 0, 1, 0, 1]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{93} + x^{90} + x^{88} + x^{87} + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{80} + x^{79} \\
&+ x^{76} + x^{74} + x^{73} + x^{70} + x^{68} + x^{65} + x^{64} + x^{62} + x^{61} + x^{59} + x^{55} \\
&+ x^{53} + x^{52} + x^{50} + x^{42} + x^{39} + x^{38} + x^{37} + x^{36} + x^{33}, \\
p_3(x) &= x^{75} + x^{74} + x^{69} + x^{68} + x^{63} + x^{62} + x^{53} + x^{52} + x^{47} + x^{46} + x^{37} \\
&+ x^{36} + x^{35} + x^{34} + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{23} + x^{22} \\
&+ x^{19} + x^{18}, \\
p_6(x) &= x^{81} + x^{79} + x^{78} + x^{77} + x^{74} + x^{72} + x^{71} + x^{70} + x^{69} + x^{66} + x^{65} \\
&+ x^{64} + x^{61} + x^{59} + x^{58} + x^{55} + x^{52} + x^{50} + x^{49} + x^{48} + x^{45} + x^{43} \\
&+ x^{42} + x^{41} + x^{38} + x^{37} + x^{36} + x^{29} + x^{27} + x^{26} + x^{23} + x^{21} + x^{20} \\
&+ x^{19} + x^{16} + x^{14} + x^{13} + x^{12}, \\
p_9(x) &= x^{87} + x^{86} + x^{85} + x^{84} + x^{79} + x^{78} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} \\
&+ x^{70} + x^{69} + x^{68} + x^{67} + x^{66} + x^{61} + x^{60} + x^{59} + x^{58} + x^{57} + x^{56} \\
&+ x^{55} + x^{54} + x^{51} + x^{50} + x^{43} + x^{42} + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} \\
&+ x^{36} + x^{33} + x^{32} + x^{29} + x^{28} + x^{27} + x^{26} + x^{23} + x^{22} + x^{15} + x^{14} \\
&+ x^{13} + x^{12} + x^7 + x^6, \\
p_{12}(x) &= x^{93} + x^{90} + x^{88} + x^{86} + x^{85} + x^{84} + x^{81} + x^{78} + x^{76} + x^{74} + x^{72} \\
&+ x^{70} + x^{68} + x^{66} + x^{64} + x^{62} + x^{61} + x^{60} + x^{53} + x^{50} + x^{49} + x^{48} \\
&+ x^{29} + x^{26} + x^{24} + x^{22} + x^{21} + x^{20} + x^{17} + x^{14} + x^{13} + x^{12} + x^5 \\
&+ x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 0, 1, 0, 0, 1, 0, 1, 0, 1]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{102} + x^{100} + x^{96} + x^{86} + x^{82} + x^{78} + x^{76} + x^{74} + x^{66} + x^{62} + x^{54} \\
&+ x^{52} + x^{50} + x^{48} + x^{42}, \\
p_3(x) &= x^{98} + x^{94} + x^{86} + x^{84} + x^{80} + x^{78} + x^{74} + x^{72} + x^{68} + x^{60} + x^{58} \\
&+ x^{50} + x^{42} + x^{40} + x^{36} + x^{34} + x^{28} + x^{26} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_6(x) &= x^{98} + x^{94} + x^{92} + x^{90} + x^{84} + x^{82} + x^{80} + x^{72} + x^{64} + x^{62} + x^{60} \\
&+ x^{54} + x^{44} + x^{42} + x^{38} + x^{36} + x^{30} + x^{26} + x^{22} + x^{18} + x^{12} + x^{10} \\
&+ x^2 + 1, \\
p_9(x) &= x^{98} + x^{94} + x^{88} + x^{86} + x^{80} + x^{74} + x^{72} + x^{68} + x^{64} + x^{62} + x^{56} \\
&+ x^{50} + x^{48} + x^{44} + x^{40} + x^{38} + x^{34} + x^{32} + x^{30} + x^{20} + x^{16} + x^8
\end{aligned}$$

$$\begin{aligned}
& + x^6 + x^4, \\
p_{12}(x) = & x^{102} + x^{100} + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{78} + x^{76} + x^{74} \\
& + x^{72} + x^{54} + x^{52} + x^{50} + x^{48} + x^{38} + x^{36} + x^{34} + x^{32} + x^{30} + x^{28} \\
& + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^6 + x^4 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 1, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) = & x^{102} + x^{100} + x^{96} + x^{94} + x^{92} + x^{86} + x^{82} + x^{80} + x^{72} + x^{70} + x^{68} \\
& + x^{66} + x^{64} + x^{54} + x^{46} + x^{42} + x^{40} + x^{32} + x^{28} + x^{26} + x^{24}, \\
p_3(x) = & x^{98} + x^{94} + x^{90} + x^{82} + x^{80} + x^{76} + x^{74} + x^{72} + x^{68} + x^{66} + x^{62} \\
& + x^{54} + x^{52} + x^{50} + x^{40} + x^{38} + x^{30} + x^{22} + x^{20} + x^{16}, \\
p_6(x) = & x^{98} + x^{86} + x^{82} + x^{74} + x^{70} + x^{68} + x^{66} + x^{64} + x^{56} + x^{54} + x^{50} \\
& + x^{48} + x^{46} + x^{32} + x^{28} + x^{26} + x^{24} + x^{20} + x^{18} + x^{16} + x^{12} + x^8 \\
& + x^2 + 1, \\
p_9(x) = & x^{98} + x^{94} + x^{88} + x^{86} + x^{80} + x^{74} + x^{72} + x^{68} + x^{64} + x^{62} + x^{56} \\
& + x^{50} + x^{48} + x^{44} + x^{40} + x^{38} + x^{34} + x^{32} + x^{30} + x^{20} + x^{16} + x^8 \\
& + x^6 + x^4, \\
p_{12}(x) = & x^{102} + x^{100} + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{78} + x^{76} + x^{74} \\
& + x^{72} + x^{54} + x^{52} + x^{50} + x^{48} + x^{38} + x^{36} + x^{34} + x^{32} + x^{30} + x^{28} \\
& + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^6 + x^4 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 1, 0, 1, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned}
p_0(x) = & x^{93} + x^{90} + x^{88} + x^{87} + x^{85} + x^{84} + x^{83} + x^{82} + x^{80} + x^{78} + x^{77} \\
& + x^{76} + x^{72} + x^{70} + x^{69} + x^{68} + x^{67} + x^{66} + x^{64} + x^{62} + x^{58} + x^{57} \\
& + x^{56} + x^{55} + x^{53} + x^{49} + x^{46} + x^{45} + x^{43} + x^{42} + x^{39} + x^{34} + x^{33}, \\
p_3(x) = & x^{75} + x^{74} + x^{69} + x^{68} + x^{63} + x^{62} + x^{53} + x^{52} + x^{47} + x^{46} + x^{37} \\
& + x^{36} + x^{35} + x^{34} + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{23} + x^{22} \\
& + x^{19} + x^{18}, \\
p_6(x) = & x^{81} + x^{79} + x^{78} + x^{77} + x^{74} + x^{72} + x^{71} + x^{70} + x^{69} + x^{66} + x^{65} \\
& + x^{64} + x^{61} + x^{59} + x^{58} + x^{55} + x^{52} + x^{50} + x^{49} + x^{48} + x^{45} + x^{43} \\
& + x^{42} + x^{41} + x^{38} + x^{37} + x^{36} + x^{29} + x^{27} + x^{26} + x^{23} + x^{21} + x^{20} \\
& + x^{19} + x^{16} + x^{14} + x^{13} + x^{12}, \\
p_9(x) = & x^{87} + x^{86} + x^{85} + x^{84} + x^{79} + x^{78} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} \\
& + x^{70} + x^{69} + x^{68} + x^{67} + x^{66} + x^{61} + x^{60} + x^{59} + x^{58} + x^{57} + x^{56} \\
& + x^{55} + x^{54} + x^{51} + x^{50} + x^{43} + x^{42} + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} \\
& + x^{36} + x^{33} + x^{32} + x^{29} + x^{28} + x^{27} + x^{26} + x^{23} + x^{22} + x^{15} + x^{14}
\end{aligned}$$

$$\begin{aligned}
& + x^{13} + x^{12} + x^7 + x^6, \\
p_{12}(x) = & x^{93} + x^{90} + x^{88} + x^{86} + x^{85} + x^{84} + x^{81} + x^{78} + x^{76} + x^{74} + x^{72} \\
& + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} + x^{61} + x^{60} + x^{53} + x^{50} + x^{49} + x^{48} \\
& + x^{29} + x^{26} + x^{24} + x^{22} + x^{21} + x^{20} + x^{17} + x^{14} + x^{13} + x^{12} + x^5 \\
& + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 1, 0, 1, 0, 1, 1, 1, 0, 0, 0, 0, 1]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) = & x^{93} + x^{90} + x^{88} + x^{87} + x^{85} + x^{84} + x^{83} + x^{82} + x^{80} + x^{78} + x^{77} \\
& + x^{76} + x^{72} + x^{70} + x^{69} + x^{68} + x^{67} + x^{66} + x^{64} + x^{62} + x^{58} + x^{57} \\
& + x^{56} + x^{55} + x^{53} + x^{49} + x^{46} + x^{45} + x^{43} + x^{42} + x^{39} + x^{34} + x^{33}, \\
p_3(x) = & x^{75} + x^{74} + x^{69} + x^{68} + x^{63} + x^{62} + x^{53} + x^{52} + x^{47} + x^{46} + x^{37} \\
& + x^{36} + x^{35} + x^{34} + x^{31} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{23} + x^{22} \\
& + x^{19} + x^{18}, \\
p_6(x) = & x^{81} + x^{79} + x^{78} + x^{77} + x^{74} + x^{72} + x^{71} + x^{70} + x^{69} + x^{66} + x^{65} \\
& + x^{64} + x^{61} + x^{59} + x^{58} + x^{55} + x^{52} + x^{50} + x^{49} + x^{48} + x^{45} + x^{43} \\
& + x^{42} + x^{41} + x^{38} + x^{37} + x^{36} + x^{29} + x^{27} + x^{26} + x^{23} + x^{21} + x^{20} \\
& + x^{19} + x^{16} + x^{14} + x^{13} + x^{12}, \\
p_9(x) = & x^{87} + x^{86} + x^{85} + x^{84} + x^{79} + x^{78} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} \\
& + x^{70} + x^{69} + x^{68} + x^{67} + x^{66} + x^{61} + x^{60} + x^{59} + x^{58} + x^{57} + x^{56} \\
& + x^{55} + x^{54} + x^{51} + x^{50} + x^{43} + x^{42} + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} \\
& + x^{36} + x^{33} + x^{32} + x^{29} + x^{28} + x^{27} + x^{26} + x^{23} + x^{22} + x^{15} + x^{14} \\
& + x^{13} + x^{12} + x^7 + x^6, \\
p_{12}(x) = & x^{93} + x^{90} + x^{88} + x^{86} + x^{85} + x^{84} + x^{81} + x^{78} + x^{76} + x^{74} + x^{72} \\
& + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} + x^{61} + x^{60} + x^{53} + x^{50} + x^{49} + x^{48} \\
& + x^{29} + x^{26} + x^{24} + x^{22} + x^{21} + x^{20} + x^{17} + x^{14} + x^{13} + x^{12} + x^5 \\
& + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 1, 0, 1, 0, 1, 1, 1, 0, 0, 0, 0, 1]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) = & x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{72} + x^{68} + x^{64} + x^{62} + x^{60} \\
& + x^{58} + x^{54} + x^{50} + x^{48} + x^{46} + x^{42}, \\
p_3(x) = & x^{80} + x^{74} + x^{72} + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} + x^{60} + x^{56} + x^{54} \\
& + x^{50} + x^{48} + x^{46} + x^{44} + x^{38} + x^{32} + x^{22} + x^{18} + x^{12}, \\
p_6(x) = & x^{80} + x^{68} + x^{66} + x^{64} + x^{62} + x^{60} + x^{56} + x^{54} + x^{52} + x^{40} + x^{38} \\
& + x^{36} + x^{32} + x^{28} + x^{26} + x^{20} + x^{18} + x^{12} + x^{10} + x^6 + x^4 + 1, \\
p_9(x) = & x^{80} + x^{74} + x^{72} + x^{68} + x^{66} + x^{64} + x^{54} + x^{50} + x^{48} + x^{44} + x^{40}
\end{aligned}$$

$$\begin{aligned}
& + x^{38} + x^{32} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{14} + x^4, \\
p_{12}(x) = & x^{84} + x^{82} + x^{78} + x^{76} + x^{74} + x^{72} + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} \\
& + x^{60} + x^{58} + x^{56} + x^{54} + x^{48} + x^{20} + x^{18} + x^{14} + x^{12} + x^{10} + x^8 \\
& + x^6 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 0, 1, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) = & x^{93} + x^{90} + x^{89} + x^{88} + x^{87} + x^{84} + x^{83} + x^{81} + x^{78} + x^{77} + x^{75} \\
& + x^{72} + x^{71} + x^{69} + x^{67} + x^{66} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} \\
& + x^{55} + x^{54} + x^{53} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} + x^{42} + x^{41} \\
& + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{32} + x^{28} + x^{26} + x^{25} + x^{24}, \\
p_3(x) = & x^{85} + x^{82} + x^{80} + x^{79} + x^{78} + x^{74} + x^{73} + x^{69} + x^{67} + x^{66} + x^{63} \\
& + x^{62} + x^{60} + x^{56} + x^{53} + x^{51} + x^{50} + x^{47} + x^{46} + x^{45} + x^{44} + x^{42} \\
& + x^{39} + x^{38} + x^{35} + x^{34} + x^{33} + x^{32} + x^{28} + x^{27} + x^{26} + x^{25} + x^{20} \\
& + x^{18} + x^{17} + x^{16}, \\
p_6(x) = & x^{89} + x^{87} + x^{86} + x^{85} + x^{83} + x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{71} \\
& + x^{67} + x^{66} + x^{65} + x^{64} + x^{62} + x^{61} + x^{57} + x^{55} + x^{54} + x^{51} + x^{50} \\
& + x^{48} + x^{47} + x^{45} + x^{43} + x^{42} + x^{41} + x^{40} + x^{36} + x^{35} + x^{33} + x^{32} \\
& + x^{28} + x^{27} + x^{26} + x^{20} + x^{19} + x^{18} + x^{14} + x^{13} + x^{10} + x^9 + x^8 + x^5 \\
& + x^2 + x + 1, \\
p_9(x) = & x^{85} + x^{82} + x^{81} + x^{80} + x^{77} + x^{74} + x^{73} + x^{72} + x^{69} + x^{66} + x^{65} \\
& + x^{64} + x^{61} + x^{58} + x^{57} + x^{56} + x^{21} + x^{18} + x^{17} + x^{16} + x^{13} + x^{10} \\
& + x^9 + x^8, \\
p_{12}(x) = & x^{93} + x^{90} + x^{88} + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} + x^{77} + x^{76} + x^{73} \\
& + x^{70} + x^{69} + x^{68} + x^{65} + x^{62} + x^{60} + x^{58} + x^{57} + x^{56} + x^{53} + x^{50} \\
& + x^{49} + x^{48} + x^{29} + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{14} + x^{12} \\
& + x^{10} + x^9 + x^8 + x^5 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 1, 0, 1, 1, 1, 0, 0, 0, 0]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) = & x^{102} + x^{100} + x^{98} + x^{95} + x^{94} + x^{91} + x^{90} + x^{89} + x^{86} + x^{85} + x^{82} \\
& + x^{81} + x^{79} + x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{72} + x^{69} + x^{67} + x^{66} \\
& + x^{64} + x^{63} + x^{62} + x^{61} + x^{59} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} \\
& + x^{44} + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33}, \\
p_3(x) = & x^{84} + x^{83} + x^{82} + x^{80} + x^{78} + x^{77} + x^{76} + x^{73} + x^{71} + x^{70} + x^{69} \\
& + x^{66} + x^{64} + x^{63} + x^{62} + x^{60} + x^{58} + x^{57} + x^{55} + x^{54} + x^{53} + x^{50} \\
& + x^{48} + x^{47} + x^{46} + x^{43} + x^{41} + x^{40} + x^{39} + x^{35} + x^{33} + x^{30} + x^{28}
\end{aligned}$$

$$\begin{aligned}
& + x^{27} + x^{26} + x^{23} + x^{21} + x^{18}, \\
p_6(x) &= x^{90} + x^{86} + x^{84} + x^{78} + x^{72} + x^{70} + x^{68} + x^{66} + x^{60} + x^{58} + x^{56} \\
& + x^{46} + x^{40} + x^{36} + x^{32} + x^{30} + x^{28} + x^{18} + x^{14} + x^{12}, \\
p_9(x) &= x^{96} + x^{95} + x^{93} + x^{90} + x^{84} + x^{83} + x^{81} + x^{78} + x^{76} + x^{75} + x^{73} \\
& + x^{70} + x^{68} + x^{67} + x^{65} + x^{64} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} \\
& + x^{57} + x^{54} + x^{32} + x^{31} + x^{29} + x^{26} + x^{20} + x^{19} + x^{17} + x^{16} + x^{15} \\
& + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^9 + x^6, \\
p_{12}(x) &= x^{102} + x^{100} + x^{98} + x^{96} + x^{90} + x^{88} + x^{82} + x^{80} + x^{78} + x^{76} + x^{66} \\
& + x^{64} + x^{62} + x^{60} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{48} + x^{38} + x^{36} \\
& + x^{34} + x^{32} + x^{26} + x^{24} + x^{22} + x^{20} + x^{14} + x^{12} + x^{10} + x^8 + x^6 + x^4 \\
& + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 0, 1, 0, 0, 1, 1, 0, 1, 0]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{90} + x^{88} + x^{86} + x^{83} + x^{80} + x^{79} + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} \\
& + x^{70} + x^{68} + x^{67} + x^{66} + x^{65} + x^{60} + x^{58} + x^{56} + x^{49} + x^{48} + x^{46} \\
& + x^{45} + x^{42} + x^{41} + x^{39} + x^{38} + x^{36} + x^{33}, \\
p_3(x) &= x^{72} + x^{71} + x^{70} + x^{68} + x^{66} + x^{65} + x^{63} + x^{62} + x^{61} + x^{58} + x^{56} \\
& + x^{55} + x^{54} + x^{52} + x^{50} + x^{49} + x^{47} + x^{46} + x^{45} + x^{42} + x^{40} + x^{39} \\
& + x^{38} + x^{36} + x^{34} + x^{33} + x^{32} + x^{29} + x^{28} + x^{25} + x^{23} + x^{22} + x^{21} \\
& + x^{18}, \\
p_6(x) &= x^{78} + x^{74} + x^{72} + x^{70} + x^{66} + x^{64} + x^{58} + x^{52} + x^{50} + x^{48} + x^{42} \\
& + x^{38} + x^{36} + x^{26} + x^{20} + x^{16} + x^{14} + x^{12}, \\
p_9(x) &= x^{84} + x^{83} + x^{81} + x^{78} + x^{76} + x^{75} + x^{73} + x^{70} + x^{68} + x^{67} + x^{65} \\
& + x^{62} + x^{60} + x^{59} + x^{57} + x^{54} + x^{20} + x^{19} + x^{17} + x^{14} + x^{12} + x^{11} \\
& + x^9 + x^6, \\
p_{12}(x) &= x^{90} + x^{88} + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{70} + x^{68} + x^{62} \\
& + x^{60} + x^{58} + x^{56} + x^{50} + x^{48} + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} \\
& + x^{14} + x^{12} + x^{10} + x^8 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{93} + x^{90} + x^{89} + x^{88} + x^{87} + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{80} \\
& + x^{79} + x^{77} + x^{75} + x^{72} + x^{71} + x^{69} + x^{64} + x^{63} + x^{61} + x^{60} + x^{58} \\
& + x^{57} + x^{55} + x^{54} + x^{53} + x^{49} + x^{44} + x^{42}, \\
p_3(x) &= x^{85} + x^{82} + x^{80} + x^{79} + x^{78} + x^{77} + x^{72} + x^{71} + x^{69} + x^{68} + x^{65} \\
& + x^{63} + x^{61} + x^{56} + x^{55} + x^{53} + x^{52} + x^{49} + x^{47} + x^{42} + x^{38} + x^{37}
\end{aligned}$$

$$\begin{aligned}
& + x^{36} + x^{34} + x^{33} + x^{31} + x^{30} + x^{28} + x^{26} + x^{25} + x^{24} + x^{22}, \\
p_6(x) &= x^{89} + x^{87} + x^{86} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} + x^{72} \\
& + x^{69} + x^{68} + x^{67} + x^{66} + x^{65} + x^{64} + x^{62} + x^{61} + x^{59} + x^{57} + x^{56} \\
& + x^{53} + x^{51} + x^{49} + x^{47} + x^{41} + x^{40} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} \\
& + x^{30} + x^{29} + x^{26} + x^{25} + x^{24} + x^{23} + x^{21} + x^{18} + x^{16} + x^{13} + x^{12} \\
& + x^5 + x^2 + x + 1, \\
p_9(x) &= x^{85} + x^{82} + x^{81} + x^{80} + x^{77} + x^{74} + x^{73} + x^{72} + x^{69} + x^{66} + x^{65} \\
& + x^{64} + x^{61} + x^{58} + x^{57} + x^{56} + x^{21} + x^{18} + x^{17} + x^{16} + x^{13} + x^{10} \\
& + x^9 + x^8, \\
p_{12}(x) &= x^{93} + x^{90} + x^{88} + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} + x^{77} + x^{76} + x^{73} \\
& + x^{70} + x^{69} + x^{68} + x^{65} + x^{62} + x^{60} + x^{58} + x^{57} + x^{56} + x^{53} + x^{50} \\
& + x^{49} + x^{48} + x^{29} + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{14} + x^{12} \\
& + x^{10} + x^9 + x^8 + x^5 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 0, 1, 0, 0, 0, 0]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{93} + x^{90} + x^{89} + x^{88} + x^{87} + x^{84} + x^{83} + x^{81} + x^{78} + x^{77} + x^{75} \\
& + x^{72} + x^{71} + x^{69} + x^{67} + x^{66} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} \\
& + x^{55} + x^{54} + x^{53} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} + x^{45} + x^{42} + x^{41} \\
& + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{32} + x^{28} + x^{26} + x^{25} + x^{24}, \\
p_3(x) &= x^{85} + x^{82} + x^{80} + x^{79} + x^{78} + x^{74} + x^{73} + x^{69} + x^{67} + x^{66} + x^{63} \\
& + x^{62} + x^{60} + x^{56} + x^{53} + x^{51} + x^{50} + x^{47} + x^{46} + x^{45} + x^{44} + x^{42} \\
& + x^{39} + x^{38} + x^{35} + x^{34} + x^{33} + x^{32} + x^{28} + x^{27} + x^{26} + x^{25} + x^{20} \\
& + x^{18} + x^{17} + x^{16}, \\
p_6(x) &= x^{89} + x^{87} + x^{86} + x^{85} + x^{83} + x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{71} \\
& + x^{67} + x^{66} + x^{65} + x^{64} + x^{62} + x^{61} + x^{57} + x^{55} + x^{54} + x^{51} + x^{50} \\
& + x^{48} + x^{47} + x^{45} + x^{43} + x^{42} + x^{41} + x^{40} + x^{36} + x^{35} + x^{33} + x^{32} \\
& + x^{28} + x^{27} + x^{26} + x^{20} + x^{19} + x^{18} + x^{14} + x^{13} + x^{10} + x^9 + x^8 + x^5 \\
& + x^2 + x + 1, \\
p_9(x) &= x^{85} + x^{82} + x^{81} + x^{80} + x^{77} + x^{74} + x^{73} + x^{72} + x^{69} + x^{66} + x^{65} \\
& + x^{64} + x^{61} + x^{58} + x^{57} + x^{56} + x^{21} + x^{18} + x^{17} + x^{16} + x^{13} + x^{10} \\
& + x^9 + x^8, \\
p_{12}(x) &= x^{93} + x^{90} + x^{88} + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} + x^{77} + x^{76} + x^{73} \\
& + x^{70} + x^{69} + x^{68} + x^{65} + x^{62} + x^{60} + x^{58} + x^{57} + x^{56} + x^{53} + x^{50} \\
& + x^{49} + x^{48} + x^{29} + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{14} + x^{12} \\
& + x^{10} + x^9 + x^8 + x^5 + x^2 + x + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 0, 1, 0, 1, 1, 1, 0, 0, 0, 0]$.

For $\phi(W^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{90} + x^{88} + x^{86} + x^{83} + x^{80} + x^{79} + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} \\
&\quad + x^{70} + x^{68} + x^{67} + x^{66} + x^{65} + x^{60} + x^{58} + x^{56} + x^{49} + x^{48} + x^{46} \\
&\quad + x^{45} + x^{42} + x^{41} + x^{39} + x^{38} + x^{36} + x^{33}, \\
p_3(x) &= x^{72} + x^{71} + x^{70} + x^{68} + x^{66} + x^{65} + x^{63} + x^{62} + x^{61} + x^{58} + x^{56} \\
&\quad + x^{55} + x^{54} + x^{52} + x^{50} + x^{49} + x^{47} + x^{46} + x^{45} + x^{42} + x^{40} + x^{39} \\
&\quad + x^{38} + x^{36} + x^{34} + x^{33} + x^{32} + x^{29} + x^{28} + x^{25} + x^{23} + x^{22} + x^{21} \\
&\quad + x^{18}, \\
p_6(x) &= x^{78} + x^{74} + x^{72} + x^{70} + x^{66} + x^{64} + x^{58} + x^{52} + x^{50} + x^{48} + x^{42} \\
&\quad + x^{38} + x^{36} + x^{26} + x^{20} + x^{16} + x^{14} + x^{12}, \\
p_9(x) &= x^{84} + x^{83} + x^{81} + x^{78} + x^{76} + x^{75} + x^{73} + x^{70} + x^{68} + x^{67} + x^{65} \\
&\quad + x^{62} + x^{60} + x^{59} + x^{57} + x^{54} + x^{20} + x^{19} + x^{17} + x^{14} + x^{12} + x^{11} \\
&\quad + x^9 + x^6, \\
p_{12}(x) &= x^{90} + x^{88} + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} + x^{76} + x^{70} + x^{68} + x^{62} \\
&\quad + x^{60} + x^{58} + x^{56} + x^{50} + x^{48} + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} \\
&\quad + x^{14} + x^{12} + x^{10} + x^8 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 0, 1, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{102} + x^{100} + x^{98} + x^{95} + x^{94} + x^{91} + x^{90} + x^{89} + x^{86} + x^{85} + x^{82} \\
&\quad + x^{81} + x^{79} + x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{72} + x^{69} + x^{67} + x^{66} \\
&\quad + x^{64} + x^{63} + x^{62} + x^{61} + x^{59} + x^{51} + x^{50} + x^{49} + x^{48} + x^{47} + x^{46} \\
&\quad + x^{44} + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33}, \\
p_3(x) &= x^{84} + x^{83} + x^{82} + x^{80} + x^{78} + x^{77} + x^{76} + x^{73} + x^{71} + x^{70} + x^{69} \\
&\quad + x^{66} + x^{64} + x^{63} + x^{62} + x^{60} + x^{58} + x^{57} + x^{55} + x^{54} + x^{53} + x^{50} \\
&\quad + x^{48} + x^{47} + x^{46} + x^{43} + x^{41} + x^{40} + x^{39} + x^{35} + x^{33} + x^{30} + x^{28} \\
&\quad + x^{27} + x^{26} + x^{23} + x^{21} + x^{18}, \\
p_6(x) &= x^{90} + x^{86} + x^{84} + x^{78} + x^{72} + x^{70} + x^{68} + x^{66} + x^{60} + x^{58} + x^{56} \\
&\quad + x^{46} + x^{40} + x^{36} + x^{32} + x^{30} + x^{28} + x^{18} + x^{14} + x^{12}, \\
p_9(x) &= x^{96} + x^{95} + x^{93} + x^{90} + x^{84} + x^{83} + x^{81} + x^{78} + x^{76} + x^{75} + x^{73} \\
&\quad + x^{70} + x^{68} + x^{67} + x^{65} + x^{64} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} \\
&\quad + x^{57} + x^{54} + x^{32} + x^{31} + x^{29} + x^{26} + x^{20} + x^{19} + x^{17} + x^{16} + x^{15} \\
&\quad + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^9 + x^6, \\
p_{12}(x) &= x^{102} + x^{100} + x^{98} + x^{96} + x^{90} + x^{88} + x^{82} + x^{80} + x^{78} + x^{76} + x^{66} \\
&\quad + x^{64} + x^{62} + x^{60} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{48} + x^{38} + x^{36}
\end{aligned}$$

$$+ x^{34} + x^{32} + x^{26} + x^{24} + x^{22} + x^{20} + x^{14} + x^{12} + x^{10} + x^8 + x^6 + x^4 \\ + x^2 + 1,$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 0, 1, 0, 0, 1, 1, 0, 1, 0]$.

For $\phi(W^o, 1, 1)$:

$$p_0(x) = x^{93} + x^{90} + x^{89} + x^{88} + x^{87} + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{80} \\ + x^{79} + x^{77} + x^{75} + x^{72} + x^{71} + x^{69} + x^{64} + x^{63} + x^{61} + x^{60} + x^{58} \\ + x^{57} + x^{55} + x^{54} + x^{53} + x^{49} + x^{44} + x^{42},$$

$$p_3(x) = x^{85} + x^{82} + x^{80} + x^{79} + x^{78} + x^{77} + x^{72} + x^{71} + x^{69} + x^{68} + x^{65} \\ + x^{63} + x^{61} + x^{56} + x^{55} + x^{53} + x^{52} + x^{49} + x^{47} + x^{42} + x^{38} + x^{37} \\ + x^{36} + x^{34} + x^{33} + x^{31} + x^{30} + x^{28} + x^{26} + x^{25} + x^{24} + x^{22},$$

$$p_6(x) = x^{89} + x^{87} + x^{86} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} + x^{76} + x^{75} + x^{72} \\ + x^{69} + x^{68} + x^{67} + x^{66} + x^{65} + x^{64} + x^{62} + x^{61} + x^{59} + x^{57} + x^{56} \\ + x^{53} + x^{51} + x^{49} + x^{47} + x^{41} + x^{40} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} \\ + x^{30} + x^{29} + x^{26} + x^{25} + x^{24} + x^{23} + x^{21} + x^{18} + x^{16} + x^{13} + x^{12} \\ + x^5 + x^2 + x + 1,$$

$$p_9(x) = x^{85} + x^{82} + x^{81} + x^{80} + x^{77} + x^{74} + x^{73} + x^{72} + x^{69} + x^{66} + x^{65} \\ + x^{64} + x^{61} + x^{58} + x^{57} + x^{56} + x^{21} + x^{18} + x^{17} + x^{16} + x^{13} + x^{10} \\ + x^9 + x^8,$$

$$p_{12}(x) = x^{93} + x^{90} + x^{88} + x^{86} + x^{84} + x^{82} + x^{80} + x^{78} + x^{77} + x^{76} + x^{73} \\ + x^{70} + x^{69} + x^{68} + x^{65} + x^{62} + x^{60} + x^{58} + x^{57} + x^{56} + x^{53} + x^{50} \\ + x^{49} + x^{48} + x^{29} + x^{26} + x^{24} + x^{22} + x^{20} + x^{18} + x^{16} + x^{14} + x^{12} \\ + x^{10} + x^9 + x^8 + x^5 + x^2 + x + 1,$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 0, 1, 0, 0, 0, 0]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	171	[304, 305]	342	[522, 523]	513	[716, 717]	684	[763, 751]
1	[3, 4]	172	[306, 307]	343	[412, 49]	514	[625, 718]	685	[379, 551]
2	[5, 6]	173	[91, 308]	344	[524, 521]	515	[317, 719]	686	[380, 382]
3	[7, 8]	174	[309, 310]	345	[424, 525]	516	[6, 223]	687	[455, 486]
4	[9, 10]	175	[311, 254]	346	[526, 527]	517	[720, 356]	688	[765, 778]
5	[11, 12]	176	[312, 313]	347	[528, 504]	518	[721, 637]	689	[466, 436]
6	[13, 14]	177	[263, 314]	348	[529, 530]	519	[604, 720]	690	[428, 524]
7	[15, 16]	178	[315, 228]	349	[531, 128]	520	[722, 626]	691	[471, 527]
8	[17, 18]	179	[269, 316]	350	[505, 532]	521	[339, 723]	692	[394, 187]
9	[19, 20]	180	[282, 317]	351	[533, 514]	522	[80, 614]	693	[184, 508]
10	[21, 22]	181	[318, 319]	352	[56, 496]	523	[724, 725]	694	[788, 763]

11	[23, 24]	182	[320, 321]	353	[9, 534]	524	[333, 83]	695	[44, 792]
12	[25, 26]	183	[322, 323]	354	[442, 505]	525	[606, 649]	696	[210, 759]
13	[27, 28]	184	[252, 324]	355	[535, 469]	526	[82, 350]	697	[787, 186]
14	[29, 30]	185	[325, 326]	356	[393, 517]	527	[726, 727]	698	[504, 433]
15	[31, 32]	186	[327, 328]	357	[145, 461]	528	[728, 650]	699	[446, 795]
16	[33, 34]	187	[329, 330]	358	[536, 403]	529	[714, 729]	700	[407, 789]
17	[35, 36]	188	[308, 331]	359	[537, 61]	530	[595, 690]	701	[749, 794]
18	[37, 38]	189	[332, 333]	360	[535, 479]	531	[362, 730]	702	[166, 8]
19	[39, 40]	190	[334, 89]	361	[210, 538]	532	[112, 634]	703	[489, 772]
20	[41, 42]	191	[335, 336]	362	[488, 539]	533	[351, 630]	704	[784, 798]
21	[43, 44]	192	[16, 337]	363	[32, 540]	534	[731, 616]	705	[143, 137]
22	[45, 46]	193	[338, 339]	364	[521, 154]	535	[324, 671]	706	[407, 799]
23	[47, 48]	194	[340, 262]	365	[147, 541]	536	[677, 577]	707	[433, 532]
24	[49, 50]	195	[341, 4]	366	[542, 543]	537	[114, 121]	708	[517, 138]
25	[51, 52]	196	[342, 343]	367	[544, 131]	538	[360, 732]	709	[164, 800]
26	[53, 54]	197	[344, 345]	368	[172, 477]	539	[733, 589]	710	[517, 187]
27	[55, 56]	198	[235, 346]	369	[207, 545]	540	[117, 361]	711	[767, 10]
28	[57, 58]	199	[347, 329]	370	[546, 547]	541	[261, 734]	712	[412, 455]
29	[59, 60]	200	[348, 349]	371	[500, 176]	542	[685, 735]	713	[395, 384]
30	[61, 62]	201	[350, 351]	372	[397, 400]	543	[736, 737]	714	[801, 798]
31	[63, 64]	202	[250, 277]	373	[548, 549]	544	[738, 716]	715	[755, 164]
32	[65, 66]	203	[28, 352]	374	[162, 151]	545	[737, 297]	716	[405, 165]
33	[67, 68]	204	[353, 113]	375	[550, 551]	546	[653, 739]	717	[202, 397]
34	[69, 70]	205	[354, 355]	376	[215, 438]	547	[740, 741]	718	[211, 408]
35	[71, 72]	206	[356, 357]	377	[552, 553]	548	[284, 661]	719	[179, 173]
36	[73, 74]	207	[358, 260]	378	[554, 555]	549	[741, 306]	720	[773, 145]
37	[75, 76]	208	[359, 29]	379	[556, 557]	550	[231, 742]	721	[463, 149]
38	[77, 78]	209	[84, 360]	380	[558, 559]	551	[555, 107]	722	[33, 458]
39	[79, 80]	210	[361, 362]	381	[560, 561]	552	[561, 743]	723	[545, 459]
40	[81, 82]	211	[363, 364]	382	[303, 562]	553	[629, 639]	724	[536, 393]
41	[83, 84]	212	[76, 365]	383	[559, 563]	554	[744, 196]	725	[423, 482]
42	[85, 86]	213	[366, 367]	384	[24, 315]	555	[39, 507]	726	[437, 216]
43	[87, 88]	214	[368, 369]	385	[564, 565]	556	[424, 745]	727	[796, 530]
44	[89, 90]	215	[370, 371]	386	[566, 251]	557	[34, 388]	728	[422, 163]
45	[18, 91]	216	[372, 373]	387	[567, 568]	558	[131, 550]	729	[764, 37]
46	[92, 93]	217	[374, 77]	388	[569, 570]	559	[47, 124]	730	[802, 161]
47	[94, 95]	218	[267, 375]	389	[571, 572]	560	[178, 746]	731	[392, 38]
48	[96, 97]	219	[376, 377]	390	[563, 573]	561	[747, 748]	732	[125, 450]
49	[98, 99]	220	[378, 379]	391	[574, 289]	562	[749, 750]	733	[174, 766]
50	[100, 101]	221	[380, 381]	392	[575, 576]	563	[550, 501]	734	[200, 781]
51	[102, 103]	222	[382, 383]	393	[321, 246]	564	[449, 126]	735	[381, 383]
52	[104, 105]	223	[12, 384]	394	[577, 578]	565	[502, 751]	736	[494, 543]
53	[93, 106]	224	[14, 203]	395	[579, 580]	566	[546, 748]	737	[802, 485]
54	[107, 108]	225	[385, 386]	396	[581, 582]	567	[416, 154]	738	[199, 521]

55	[109, 110]	226	[55, 387]	397	[243, 94]	568	[752, 476]	739	[382, 451]
56	[111, 112]	227	[388, 389]	398	[583, 584]	569	[753, 754]	740	[390, 539]
57	[113, 114]	228	[390, 391]	399	[585, 586]	570	[392, 211]	741	[544, 195]
58	[115, 5]	229	[217, 392]	400	[30, 587]	571	[13, 202]	742	[394, 138]
59	[116, 117]	230	[393, 394]	401	[588, 270]	572	[460, 183]	743	[528, 442]
60	[118, 119]	231	[395, 396]	402	[72, 295]	573	[124, 493]	744	[803, 344]
61	[120, 17]	232	[14, 397]	403	[589, 275]	574	[747, 547]	745	[687, 222]
62	[121, 122]	233	[398, 399]	404	[355, 293]	575	[458, 388]	746	[804, 805]
63	[123, 124]	234	[203, 400]	405	[590, 591]	576	[506, 40]	747	[672, 806]
64	[125, 126]	235	[401, 143]	406	[343, 592]	577	[755, 405]	748	[807, 340]
65	[127, 128]	236	[402, 403]	407	[294, 593]	578	[549, 14]	749	[732, 808]
66	[129, 52]	237	[404, 405]	408	[594, 595]	579	[756, 411]	750	[809, 120]
67	[130, 131]	238	[406, 407]	409	[562, 596]	580	[127, 757]	751	[810, 699]
68	[132, 133]	239	[38, 408]	410	[597, 598]	581	[496, 758]	752	[811, 655]
69	[134, 135]	240	[409, 410]	411	[599, 600]	582	[510, 759]	753	[584, 621]
70	[136, 137]	241	[409, 411]	412	[601, 602]	583	[185, 760]	754	[812, 813]
71	[138, 139]	242	[190, 412]	413	[603, 604]	584	[8, 761]	755	[328, 322]
72	[140, 141]	243	[413, 414]	414	[598, 605]	585	[176, 419]	756	[316, 814]
73	[142, 143]	244	[415, 32]	415	[302, 606]	586	[762, 763]	757	[652, 285]
74	[144, 145]	245	[199, 416]	416	[607, 85]	587	[60, 540]	758	[568, 815]
75	[146, 147]	246	[417, 418]	417	[608, 358]	588	[193, 545]	759	[683, 816]
76	[148, 149]	247	[156, 419]	418	[108, 609]	589	[764, 392]	760	[817, 238]
77	[135, 150]	248	[420, 150]	419	[610, 611]	590	[53, 553]	761	[296, 818]
78	[151, 152]	249	[421, 422]	420	[612, 613]	591	[765, 214]	762	[665, 810]
79	[148, 153]	250	[423, 424]	421	[614, 304]	592	[447, 407]	763	[819, 820]
80	[154, 155]	251	[425, 387]	422	[615, 569]	593	[515, 766]	764	[821, 280]
81	[156, 157]	252	[426, 427]	423	[616, 64]	594	[767, 534]	765	[670, 822]
82	[158, 124]	253	[428, 199]	424	[617, 618]	595	[203, 768]	766	[823, 654]
83	[159, 160]	254	[429, 43]	425	[619, 556]	596	[769, 156]	767	[824, 676]
84	[161, 125]	255	[430, 431]	426	[265, 249]	597	[167, 761]	768	[723, 825]
85	[162, 163]	256	[432, 381]	427	[600, 620]	598	[770, 141]	769	[826, 363]
86	[164, 165]	257	[433, 434]	428	[621, 607]	599	[41, 155]	770	[656, 69]
87	[166, 167]	258	[435, 436]	429	[622, 623]	600	[401, 136]	771	[827, 828]
88	[168, 169]	259	[437, 438]	430	[326, 588]	601	[151, 184]	772	[70, 829]
89	[60, 170]	260	[439, 200]	431	[369, 624]	602	[475, 771]	773	[681, 664]
90	[171, 172]	261	[403, 394]	432	[307, 625]	603	[388, 772]	774	[375, 819]
91	[158, 48]	262	[440, 441]	433	[626, 627]	604	[198, 524]	775	[815, 724]
92	[46, 173]	263	[442, 433]	434	[628, 629]	605	[773, 460]	776	[693, 812]
93	[174, 175]	264	[204, 443]	435	[630, 631]	606	[513, 497]	777	[830, 98]
94	[176, 157]	265	[172, 444]	436	[101, 632]	607	[404, 164]	778	[703, 236]
95	[177, 178]	266	[445, 446]	437	[593, 633]	608	[397, 768]	779	[638, 290]
96	[179, 180]	267	[447, 448]	438	[634, 635]	609	[465, 135]	780	[239, 706]
97	[181, 182]	268	[449, 450]	439	[586, 636]	610	[472, 774]	781	[636, 684]
98	[145, 183]	269	[381, 451]	440	[637, 638]	611	[137, 462]	782	[831, 283]

99	[163, 184]	270	[11, 395]	441	[639, 640]	612	[129, 775]	783	[832, 23]
100	[185, 186]	271	[452, 166]	442	[641, 642]	613	[529, 776]	784	[805, 833]
101	[187, 139]	272	[453, 454]	443	[643, 644]	614	[548, 13]	785	[834, 67]
102	[188, 189]	273	[191, 455]	444	[305, 645]	615	[777, 445]	786	[122, 835]
103	[190, 191]	274	[37, 211]	445	[646, 594]	616	[177, 533]	787	[836, 71]
104	[8, 192]	275	[456, 457]	446	[623, 647]	617	[531, 757]	788	[570, 837]
105	[193, 194]	276	[445, 44]	447	[247, 648]	618	[213, 778]	789	[837, 564]
106	[130, 195]	277	[141, 458]	448	[649, 366]	619	[545, 146]	790	[673, 92]
107	[196, 197]	278	[12, 396]	449	[650, 651]	620	[59, 32]	791	[828, 268]
108	[198, 199]	279	[459, 196]	450	[288, 652]	621	[779, 162]	792	[576, 368]
109	[61, 166]	280	[460, 461]	451	[314, 653]	622	[194, 459]	793	[718, 838]
110	[200, 201]	281	[146, 196]	452	[654, 342]	623	[420, 780]	794	[839, 242]
111	[202, 203]	282	[45, 179]	453	[655, 656]	624	[481, 424]	795	[88, 597]
112	[204, 205]	283	[147, 197]	454	[632, 657]	625	[432, 382]	796	[820, 840]
113	[187, 206]	284	[402, 393]	455	[658, 659]	626	[219, 781]	797	[330, 804]
114	[207, 194]	285	[140, 33]	456	[300, 359]	627	[458, 489]	798	[841, 347]
115	[208, 13]	286	[415, 60]	457	[373, 660]	628	[782, 783]	799	[592, 309]
116	[209, 210]	287	[171, 462]	458	[661, 344]	629	[138, 206]	800	[257, 96]
117	[211, 212]	288	[463, 153]	459	[346, 571]	630	[784, 785]	801	[816, 842]
118	[213, 214]	289	[464, 191]	460	[662, 663]	631	[516, 485]	802	[843, 709]
119	[215, 216]	290	[465, 420]	461	[664, 560]	632	[421, 162]	803	[844, 424]
120	[217, 37]	291	[466, 467]	462	[255, 665]	633	[777, 43]	804	[797, 533]
121	[218, 219]	292	[435, 467]	463	[666, 667]	634	[152, 786]	805	[513, 758]
122	[194, 146]	293	[157, 468]	464	[668, 658]	635	[779, 422]	806	[448, 799]
123	[220, 221]	294	[469, 470]	465	[644, 581]	636	[419, 498]	807	[188, 386]
124	[222, 102]	295	[471, 472]	466	[97, 669]	637	[184, 786]	808	[479, 470]
125	[223, 224]	296	[422, 151]	467	[365, 115]	638	[770, 33]	809	[542, 495]
126	[4, 104]	297	[473, 474]	468	[336, 599]	639	[537, 452]	810	[478, 469]
127	[225, 226]	298	[195, 379]	469	[582, 670]	640	[526, 472]	811	[518, 205]
128	[227, 73]	299	[475, 476]	470	[671, 672]	641	[137, 172]	812	[519, 61]
129	[228, 229]	300	[462, 477]	471	[22, 673]	642	[787, 760]	813	[134, 420]
130	[230, 231]	301	[191, 49]	472	[674, 675]	643	[387, 496]	814	[429, 445]
131	[232, 233]	302	[478, 479]	473	[676, 677]	644	[788, 502]	815	[154, 42]
132	[234, 235]	303	[124, 480]	474	[635, 678]	645	[482, 745]	816	[455, 50]
133	[236, 237]	304	[481, 482]	475	[679, 608]	646	[163, 152]	817	[485, 125]
134	[238, 239]	305	[143, 171]	476	[680, 681]	647	[459, 147]	818	[472, 790]
135	[240, 241]	306	[483, 484]	477	[578, 682]	648	[209, 510]	819	[479, 487]
136	[242, 243]	307	[485, 449]	478	[352, 683]	649	[448, 789]	820	[845, 499]
137	[244, 245]	308	[38, 212]	479	[684, 370]	650	[482, 525]	821	[141, 34]
138	[246, 247]	309	[49, 486]	480	[221, 685]	651	[62, 167]	822	[520, 504]
139	[245, 248]	310	[469, 487]	481	[686, 687]	652	[462, 444]	823	[385, 189]
140	[249, 250]	311	[488, 391]	482	[688, 689]	653	[419, 468]	824	[398, 169]
141	[251, 252]	312	[34, 489]	483	[20, 253]	654	[769, 176]	825	[527, 774]
142	[253, 244]	313	[490, 491]	484	[690, 691]	655	[196, 541]	826	[549, 202]

143	[254, 255]	314	[492, 46]	485	[692, 555]	656	[142, 136]	827	[161, 449]
144	[256, 257]	315	[48, 493]	486	[602, 693]	657	[439, 219]	828	[492, 179]
145	[258, 259]	316	[494, 495]	487	[694, 695]	658	[527, 790]	829	[135, 780]
146	[260, 261]	317	[496, 497]	488	[695, 696]	659	[416, 41]	830	[452, 62]
147	[262, 263]	318	[157, 498]	489	[68, 558]	660	[218, 200]	831	[752, 771]
148	[264, 265]	319	[48, 480]	490	[697, 234]	661	[791, 12]	832	[56, 513]
149	[266, 267]	320	[181, 499]	491	[698, 256]	662	[552, 54]	833	[533, 746]
150	[268, 269]	321	[500, 156]	492	[276, 221]	663	[51, 775]	834	[801, 785]
151	[270, 271]	322	[379, 501]	493	[95, 318]	664	[446, 792]	835	[405, 800]
152	[272, 273]	323	[502, 503]	494	[699, 700]	665	[43, 446]	836	[168, 399]
153	[274, 116]	324	[504, 505]	495	[701, 27]	666	[782, 491]	837	[762, 502]
154	[275, 276]	325	[506, 507]	496	[110, 702]	667	[167, 192]	838	[46, 180]
155	[277, 278]	326	[152, 508]	497	[642, 227]	668	[524, 416]	839	[793, 750]
156	[279, 100]	327	[131, 379]	498	[313, 703]	669	[425, 56]	840	[464, 412]
157	[280, 281]	328	[509, 510]	499	[704, 615]	670	[793, 794]	841	[845, 182]
158	[273, 282]	329	[511, 512]	500	[705, 610]	671	[406, 448]	842	[763, 503]
159	[283, 284]	330	[387, 513]	501	[233, 372]	672	[505, 434]	843	[136, 171]
160	[285, 286]	331	[178, 514]	502	[706, 225]	673	[44, 795]	844	[846, 606]
161	[287, 288]	332	[515, 175]	503	[648, 707]	674	[796, 776]	845	[707, 847]
162	[289, 272]	333	[516, 161]	504	[708, 628]	675	[756, 410]	846	[848, 448]
163	[290, 16]	334	[403, 517]	505	[709, 710]	676	[489, 389]	847	[510, 538]
164	[291, 292]	335	[62, 8]	506	[711, 603]	677	[208, 549]	848	[849, 837]
165	[293, 294]	336	[518, 443]	507	[712, 686]	678	[791, 395]	849	[1, 449]
166	[295, 296]	337	[32, 170]	508	[271, 713]	679	[490, 783]		
167	[297, 298]	338	[519, 452]	509	[298, 694]	680	[195, 550]		
168	[299, 300]	339	[144, 460]	510	[323, 714]	681	[797, 178]		
169	[301, 302]	340	[520, 442]	511	[667, 338]	682	[219, 201]		
170	[64, 303]	341	[521, 41]	512	[105, 715]	683	[509, 210]		

Output function $n \mapsto \tau(n)$:

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	122	0	244	1	366	0	488	0	610	0	732	0
1	0	123	0	245	1	367	1	489	0	611	1	733	0
2	0	124	1	246	1	368	1	490	1	612	1	734	1
3	0	125	0	247	1	369	0	491	0	613	1	735	0
4	1	126	1	248	1	370	0	492	1	614	1	736	1
5	0	127	1	249	1	371	0	493	1	615	1	737	1
6	0	128	1	250	1	372	1	494	1	616	1	738	1
7	0	129	1	251	1	373	1	495	0	617	0	739	1
8	1	130	0	252	1	374	0	496	1	618	0	740	1
9	1	131	0	253	0	375	1	497	1	619	1	741	1
10	0	132	0	254	0	376	0	498	1	620	0	742	1
11	0	133	1	255	0	377	1	499	0	621	0	743	1
12	0	134	0	256	1	378	0	500	0	622	0	744	0

13	0	135	0	257	0	379	0	501	0	623	1	745	1
14	0	136	1	258	0	380	0	502	1	624	0	746	0
15	0	137	1	259	1	381	0	503	0	625	1	747	1
16	0	138	1	260	0	382	1	504	0	626	0	748	0
17	1	139	1	261	1	383	0	505	1	627	1	749	0
18	0	140	1	262	1	384	0	506	0	628	0	750	0
19	1	141	1	263	1	385	1	507	0	629	1	751	1
20	1	142	0	264	1	386	0	508	1	630	0	752	0
21	0	143	0	265	1	387	0	509	1	631	0	753	1
22	0	144	1	266	1	388	1	510	1	632	1	754	1
23	0	145	0	267	1	389	0	511	0	633	1	755	1
24	0	146	0	268	1	390	1	512	1	634	0	756	1
25	0	147	1	269	0	391	1	513	0	635	0	757	0
26	0	148	1	270	0	392	1	514	1	636	0	758	0
27	0	149	1	271	1	393	0	515	1	637	1	759	1
28	0	150	1	272	0	394	1	516	0	638	0	760	1
29	0	151	0	273	1	395	1	517	0	639	0	761	1
30	0	152	0	274	0	396	1	518	0	640	1	762	0
31	0	153	0	275	0	397	1	519	1	641	1	763	0
32	1	154	0	276	1	398	0	520	0	642	1	764	1
33	0	155	1	277	1	399	0	521	1	643	0	765	1
34	0	156	1	278	0	400	0	522	0	644	1	766	1
35	1	157	1	279	1	401	1	523	0	645	1	767	0
36	0	158	1	280	1	402	1	524	0	646	1	768	1
37	0	159	1	281	0	403	1	525	0	647	1	769	1
38	0	160	1	282	0	404	0	526	1	648	0	770	0
39	1	161	0	283	1	405	0	527	1	649	0	771	0
40	1	162	0	284	1	406	0	528	1	650	1	772	1
41	1	163	1	285	1	407	1	529	1	651	1	773	0
42	0	164	1	286	1	408	0	530	0	652	0	774	1
43	0	165	1	287	0	409	0	531	0	653	0	775	0
44	0	166	0	288	0	410	0	532	1	654	1	776	1
45	0	167	0	289	0	411	1	533	1	655	0	777	1
46	1	168	1	290	1	412	0	534	1	656	0	778	0
47	0	169	1	291	1	413	1	535	0	657	0	779	0
48	0	170	0	292	0	414	0	536	0	658	1	780	0
49	0	171	0	293	1	415	1	537	0	659	0	781	0
50	0	172	1	294	1	416	0	538	0	660	1	782	0
51	0	173	1	295	0	417	1	539	0	661	1	783	1
52	1	174	0	296	1	418	1	540	1	662	1	784	0
53	0	175	0	297	0	419	0	541	1	663	0	785	1
54	0	176	0	298	1	420	1	542	0	664	1	786	0
55	0	177	1	299	1	421	1	543	1	665	0	787	1
56	1	178	0	300	0	422	1	544	1	666	0	788	1

57	0	179	0	301	1	423	1	545	1	667	0	789	0
58	0	180	0	302	1	424	0	546	0	668	0	790	0
59	0	181	1	303	1	425	1	547	1	669	1	791	1
60	0	182	1	304	0	426	1	548	1	670	1	792	0
61	0	183	0	305	0	427	1	549	1	671	0	793	1
62	1	184	1	306	1	428	0	550	1	672	1	794	1
63	0	185	0	307	1	429	0	551	1	673	0	795	1
64	0	186	0	308	0	430	0	552	1	674	0	796	0
65	1	187	0	309	0	431	0	553	1	675	1	797	0
66	1	188	0	310	1	432	1	554	0	676	0	798	0
67	0	189	1	311	0	433	0	555	1	677	0	799	1
68	0	190	1	312	0	434	0	556	0	678	1	800	0
69	0	191	1	313	1	435	0	557	0	679	1	801	1
70	1	192	0	314	1	436	0	558	0	680	1	802	1
71	1	193	1	315	0	437	1	559	0	681	0	803	0
72	1	194	0	316	1	438	0	560	0	682	0	804	0
73	0	195	1	317	1	439	0	561	1	683	1	805	0
74	1	196	0	318	1	440	1	562	0	684	0	806	0
75	0	197	0	319	0	441	0	563	1	685	0	807	0
76	1	198	1	320	1	442	1	564	1	686	0	808	0
77	0	199	1	321	0	443	0	565	1	687	1	809	0
78	0	200	1	322	0	444	0	566	0	688	1	810	1
79	1	201	1	323	1	445	1	567	0	689	1	811	0
80	0	202	1	324	0	446	1	568	0	690	0	812	1
81	1	203	0	325	0	447	1	569	1	691	0	813	0
82	1	204	1	326	0	448	0	570	1	692	1	814	0
83	1	205	1	327	0	449	1	571	0	693	1	815	0
84	0	206	0	328	1	450	0	572	1	694	1	816	1
85	0	207	0	329	0	451	1	573	1	695	0	817	1
86	1	208	0	330	0	452	1	574	1	696	0	818	0
87	0	209	0	331	0	453	0	575	1	697	1	819	0
88	1	210	0	332	1	454	1	576	0	698	0	820	0
89	0	211	1	333	0	455	1	577	1	699	1	821	1
90	0	212	1	334	1	456	0	578	1	700	1	822	0
91	1	213	0	335	1	457	1	579	1	701	0	823	1
92	1	214	1	336	0	458	1	580	1	702	0	824	0
93	0	215	0	337	1	459	1	581	1	703	0	825	1
94	0	216	1	338	1	460	1	582	1	704	0	826	1
95	1	217	0	339	1	461	1	583	0	705	0	827	0
96	0	218	1	340	0	462	0	584	1	706	1	828	1
97	1	219	0	341	1	463	0	585	0	707	0	829	0
98	0	220	0	342	0	464	0	586	0	708	0	830	1
99	1	221	0	343	0	465	1	587	0	709	1	831	0
100	0	222	1	344	0	466	1	588	1	710	0	832	1

101	0	223	0	345	0	467	1	589	1	711	0	833	1
102	0	224	0	346	1	468	0	590	0	712	0	834	1
103	1	225	1	347	1	469	1	591	1	713	1	835	0
104	1	226	0	348	1	470	0	592	1	714	1	836	1
105	1	227	1	349	0	471	0	593	1	715	1	837	0
106	0	228	1	350	1	472	0	594	0	716	0	838	1
107	0	229	0	351	1	473	0	595	0	717	1	839	1
108	1	230	0	352	1	474	0	596	1	718	1	840	0
109	0	231	1	353	1	475	1	597	0	719	0	841	0
110	1	232	0	354	1	476	1	598	0	720	0	842	0
111	1	233	0	355	0	477	1	599	1	721	0	843	1
112	1	234	0	356	0	478	1	600	1	722	0	844	0
113	0	235	1	357	0	479	0	601	0	723	1	845	0
114	0	236	1	358	0	480	0	602	1	724	0	846	0
115	0	237	0	359	0	481	0	603	1	725	1	847	1
116	0	238	0	360	0	482	1	604	1	726	1	848	0
117	1	239	0	361	0	483	1	605	0	727	0	849	0
118	0	240	0	362	0	484	0	606	0	728	1		
119	0	241	0	363	1	485	1	607	0	729	1		
120	0	242	1	364	1	486	1	608	1	730	1		
121	1	243	1	365	1	487	1	609	1	731	1		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE
Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA
Email address: `huyining@hust.edu.cn`