

PROOF OF THE CONTINUED FRACTION CONJECTURE FOR

$$(a, b) = (z^2 + z + 1, z^5 + z^4 + z^3 + z^2 + z + 1)$$

GUO-NIU HAN* AND YINING HU*

ABSTRACT. The continued fraction conjecture claims that the continued fraction defined by the (a, b) -Thue-Morse sequence is algebraic over $\mathbb{F}_2(x)$ for all pairs of distinct elements (a, b) in $\mathbb{F}_2[x] \setminus \mathbb{F}_2$. In this paper we prove the conjecture for $(a, b) = (z^2 + z + 1, z^5 + z^4 + z^3 + z^2 + z + 1)$.

1. INTRODUCTION

Let $\mathbb{F}_2$ be the finite field of cardinality 2. Given a sequence of polynomials $\mathbf{a} = (a_0(z), a_1(z), a_2(z), \dots)$ of elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$, we define the infinite continued fraction

$$(1.1) \quad \text{CF}(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{a_2(z) + \frac{1}{\ddots}}}}$$

as the limit of the finite continued fractions

$$(1.2) \quad \text{CF}_n(\mathbf{a}(z)) = \frac{1}{a_0(z) + \frac{1}{a_1(z) + \frac{1}{\ddots + \frac{1}{a_n(z)}}}} \in \mathbb{F}_2((1/z)).$$

Conversely, each power series in $\mathbb{F}_2[[1/z]]$ without constant term

$$(1.3) \quad c_{-1}z^{-1} + c_{-2}z^{-2} + c_{-3}z^{-3} + \dots$$

admits a continued fraction expansion of form (1.1).

Let a and b be two distinct elements from $\mathbb{F}_2[z] \setminus \mathbb{F}_2$. We consider the continued fraction (1.1) associated with the (a, b) -Thue-Morse sequence

$$\mathbf{t} = (t_0(z), t_1(z), t_2(z), \dots) = (a, b, b, a, b, a, a, b, \dots)$$

that we shall denote

$$(1.4) \quad \text{CF}(a, b) := \text{CF}(\mathbf{t}).$$

Date: runone at : 30/04/2020 17:28:40 .

2010 Mathematics Subject Classification. 11B85, 11J70, 11B50, 11Y65, 05A15.

Key words and phrases. automatic sequence, continued fraction, Thue-Morse sequence.

* This paper was automatically generated from a computer program developed by the authors, with 11.9 minutes CPU time used.

Theorem 1.1. *When $(a, b) = (z^2 + z + 1, z^5 + z^4 + z^3 + z^2 + z + 1)$, the two power series $\text{CF}(a, b)$ and $\text{CF}(b, a)$ are algebraic over $\mathbb{F}_2(z)$, with minimal polynomials of the form*

$$p_4(z)y^4 + p_3(z)y^3 + p_2(z)y^2 + p_1(z)y + p_0(z) = 0$$

where, for $\text{CF}(a, b)$,

$$p_0(z) = z^{13} + z^{12} + z^{11} + z^{10} + z^8 + z^7 + z^6 + z^5 + z^4 + z^3 + z^2 + 1,$$

$$p_1(z) = z^{18} + z^{17} + z^8 + z^7 + z^4 + z^3,$$

$$p_2(z) = z^{20} + z^{14} + z^{10} + z^6 + z^4 + 1,$$

$$p_3(z) = z^{18} + z^{17} + z^8 + z^7 + z^4 + z^3,$$

$$p_4(z) = z^{16} + z^{14} + z^{13} + z^{12} + z^{11} + z^7 + z^5 + z^4 + z^3 + z^2 + 1,$$

and for $\text{CF}(b, a)$,

$$p_0(z) = z^{13} + z^{11} + z^{10} + z^8 + z^7 + z^6 + z^5 + z^4 + z^3 + z^2 + 1,$$

$$p_1(z) = z^{18} + z^{17} + z^8 + z^7 + z^4 + z^3,$$

$$p_2(z) = z^{20} + z^{14} + z^{10} + z^6 + z^4 + 1,$$

$$p_3(z) = z^{18} + z^{17} + z^8 + z^7 + z^4 + z^3,$$

$$p_4(z) = z^{16} + z^{14} + z^{13} + z^{11} + z^7 + z^5 + z^4 + z^3 + z^2 + 1.$$

2. PROOF

Define the sequences of polynomials $(P_n(z))_{n \geq 0}$ and $(Q_n(z))_{n \geq 0}$ by

$$\begin{pmatrix} P_n(z) & Q_n(z) \\ P_{n-1}(z) & Q_{n-1}(z) \end{pmatrix} := \begin{pmatrix} t_n(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} t_{n-1}(z) & 1 \\ 1 & 0 \end{pmatrix} \cdots \begin{pmatrix} t_0(z) & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

By the basic properties of continued fractions, we have

$$(2.1) \quad \text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} \in \mathbb{F}_2((1/z)).$$

As formula (2.1) is not efficient for calculating $\text{CF}_n(a, b)$, a fast method is to be derived and described as follows. Define

$$\begin{aligned} M_n(x) &= x^{\deg(t_{2^n-1})} \begin{pmatrix} t_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(t_{2^n-2})} \begin{pmatrix} t_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(t_0)} \begin{pmatrix} t_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \\ W_n(x) &= x^{\deg(\bar{t}_{2^n-1})} \begin{pmatrix} \bar{t}_{2^n-1}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times x^{\deg(\bar{t}_{2^n-2})} \begin{pmatrix} \bar{t}_{2^n-2}(1/x) & 1 \\ 1 & 0 \end{pmatrix} \times \\ &\quad \cdots \times x^{\deg(\bar{t}_0)} \begin{pmatrix} \bar{t}_0(1/x) & 1 \\ 1 & 0 \end{pmatrix}, \end{aligned}$$

where $\bar{t}$ is the (b, a) -Thue-Morse sequence. By the properties of the Thue-Morse sequence, we have for $n \geq 0$

$$M_{n+1}(x) = W_n(x) \cdot M_n(x),$$

$$W_{n+1}(x) = M_n(x) \cdot W_n(x).$$

Let $x := 1/z$. For each non-zero polynomial $P(z)$, define $\tilde{P}(x)$ to be $P(1/x)$. Then,

$$\text{CF}_n(a, b) = \frac{P_n(z)}{Q_n(z)} = \frac{\tilde{P}_n(x)}{\tilde{Q}_n(x)} \in \mathbb{F}_2((x)) = \mathbb{F}_2((1/z)).$$

Comparing the definition of $M_n(x)$ with the definition of $P_n(x)$ and $Q_n(x)$, we see that

$$\begin{aligned} M_n(x)_{0,1} &= x^{d_n} \tilde{P}_{2^n-1}(x), \\ M_n(x)_{0,0} &= x^{d_n} \tilde{Q}_{2^n-1}(x), \end{aligned}$$

for some positive integer d_n . Hence,

$$(2.2) \quad \text{CF}_{2^{2^n}-1}(a, b) = \frac{\tilde{P}_{2^{2^n}-1}(x)}{\tilde{Q}_{2^{2^n}-1}(x)} = \frac{M_{2^n}(x)_{0,1}}{M_{2^n}(x)_{0,0}}.$$

Therefore, by the convergence theorem of continued fraction, the algebraicity of $\text{CF}(a, b)$ will be established if it is shown that both $M_{2^n}(x)_{0,1}$ and $M_{2^n}(x)_{0,0}$ converge to algebraic series in $\mathbb{F}_2[[x]]$.

Actually, we will prove that for all $0 \leq i, j \leq 1$ the four sequences $(M_{2^n}(x)_{i,j})_n$, $(M_{2^{n+1}}(x)_{i,j})_n$, $(W_{2^n}(x)_{i,j})_n$, and $(W_{2^{n+1}}(x)_{i,j})_n$ converge to algebraic series in $\mathbb{F}_2[[x]]$. For this purpose, we define four 2×2 matrices M^e, M^o, W^e, W^o as follows: For each $T \in \{M^e, M^o, W^e, W^o\}$ and $0 \leq i, j \leq 1$, $T_{i,j}$ is defined to be the unique solution in $\mathbb{F}_2[[x]]$ of the polynomial $\phi(T, i, j)$ under certain initial conditions; the polynomials $\phi(T, i, j)$ and initial conditions are given in Section 3. We will prove that these four matrices, whose components are algebraic by definition, are the limits of $(M_{2^n}(x))_n$, $(M_{2^{n+1}}(x))_n$, $(W_{2^n}(x))_n$, and $(W_{2^{n+1}}(x))_n$.

Let us explain how the polynomials $\phi(T, i, j)$ and initial conditions are found, and why the solutions exist and are unique. For $0 \leq i, j \leq 1$, the coefficients of the polynomial $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$) are the Padé-Hermite approximants of type

$$(175, 175, 175, 175, 175)$$

of the vector

$$(1, T^3, T^6, T^9, T^{12}),$$

where $T = M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$), found by the Derksen algorithm. We take the first 8 terms of $M_{12,i,j}$ (resp. $M_{11,i,j}$, $W_{12,i,j}$, and $W_{11,i,j}$) as initial conditions for $\phi(M^e, i, j)$ (resp. $\phi(M^o, i, j)$, $\phi(W^e, i, j)$, and $\phi(W^o, i, j)$). The following fact will be used to ensure that the solution exists and is unique: let $P(x, y) \in \mathbb{F}_2[x, y]$ and for each series $f(x) = \sum_{n=0}^{\infty} a_n x^n \in \mathbb{F}_2[[x]]$ denote the partial sum $\sum_{j=0}^{n-1} a_j x^j$ by $f_n(x)$ for $n \geq 0$. If for some $n \geq 0$ and $a_0, a_1, \dots, a_{n-1} \in \mathbb{F}_2$ $P(x, \sum_{j=0}^{n-1} a_j x^j) = O(x^n)$ and $Q(x, y) := P(x, \sum_{j=0}^{n-1} a_j x^j + x^n y)$ can be written as $x^m \sum_{j=0}^{\infty} q_j(x) y^j$ where $q_j(x)$ are polynomials for $j \geq 0$, $q_1(0) = 1$, and $q_j(0) = 0$ for $j > 1$, then there exists a unique solution $f(x) \in \mathbb{F}_2[[x]]$ of $P(x, f(x)) = 0$ that satisfies the initial condition $f_n(x) = \sum_{j=0}^{n-1} a_j x^j$.

We state two lemmas concerning the four matrices M^e, M^o, W^e, W^o . The first one is about relations between them; the second, about the structure of the each matrix.

Lemma 2.1. *We have*

$$(2.3) \quad M^e = W^o \cdot M^o,$$

$$(2.4) \quad M^o = W^e \cdot M^e,$$

$$(2.5) \quad W^e = M^o \cdot W^o,$$

$$(2.6) \quad W^o = M^e \cdot W^e.$$

Proof. We give the proof of the identity

$$M_{0,0}^e = W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o,$$

the proofs of the others being similar.

First, we compute the minimal polynomials of $W_{0,0}^o M_{0,0}^o$ and $W_{0,1}^o M_{1,0}^o$. We know that

$$P(x, y) = \text{Res}_z (\phi(W^o, 0, 0)(x, z), z^{12} \cdot \phi(M^o, 0, 0)(x, y/z))$$

is an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We use Padé-Hermite approximation to find a candidate for the minimal polynomial of $W_{0,0}^o M_{0,0}^o$, that will be called $\phi_0(x, y)$. To prove that $\phi_0(x, y)$ is indeed the minimal polynomial, it suffices to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and that $Q(x, y) := P(x, y)/\phi_0(x, y)^m$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We verify the first point directly. For the second point, we truncate $W_{0,0}^o M_{0,0}^o$ to order 630 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 630, which proves that $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o$. We find the minimal polynomial $\phi_1(x, y)$ of $W_{0,1}^o M_{1,0}^o$ in a similar way.

Now we prove that $\phi(M^e, 0, 0)$ is the minimal polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We know that

$$S(x, y) = \text{Res}_z (\phi_0(x, z), \phi_1(x, y + z))$$

is an annihilating of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. We verify that $\phi(M^e, 0, 0)$ is an irreducible factor of $S(x, y)$ of multiplicity μ , and that $Q(x, y) := S(x, y)/\phi(M^e, 0, 0)^\mu$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$. To see the last point, we truncate $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ to order 770 and substitute it for y in $Q(x, y)$. We get a series of valuation less than 770, and therefore $Q(x, y)$ is not an annihilating polynomial of $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$.

Finally, the first 16 terms of $M_{0,0}^e$ and $W_{0,0}^o M_{0,0}^o + W_{0,1}^o M_{1,0}^o$ coincide. As these first terms determine a unique solution of $\phi(M^e, 0, 0)$, we know that the two series are one and the same. $\square$

Define

$$R^e = \begin{pmatrix} 1 & 1 \\ 1 & 0 \end{pmatrix} \quad \text{and} \quad R^o = \begin{pmatrix} 0 & 1 \\ 1 & 1 \end{pmatrix}.$$

Lemma 2.2. *For all integers $k \geq 2$ and $u = 2^{2k-1}$, the following identities hold.*

$$\begin{aligned} M^e[:14u] &= M^e[:7u] + x^{2u} M^e[:5u] + x^{3u} M^e[:4u] + x^{5u} M^e[:2u] + x^{2u} M^e[:7u] \\ &\quad + x^{4u} M^e[:5u] + x^{5u} M^e[:4u] + x^{7u} M^e[:2u] + x^{3u} M^e[:7u] \\ &\quad + x^{5u} M^e[:5u] + x^{6u} M^e[:4u] + x^{8u} M^e[:2u] + x^{4u} M^e[:7u] \\ &\quad + x^{6u} M^e[:5u] + x^{7u} M^e[:4u] + x^{9u} M^e[:2u] + x^{5u} M^e[:7u] \\ &\quad + x^{7u} M^e[:5u] + x^{8u} M^e[:4u] + x^{10u} M^e[:2u] + x^{7u} M^e[:7u] \\ &\quad + x^{9u} M^e[:5u] + x^{8u} M^e[:6u] \end{aligned}$$

$$\begin{aligned}
& + (x^{7u} + x^{9u} + x^{10u} + x^{11u} + x^{12u})R^e, \\
W^e[:14u] &= W^e[:7u] + x^{2u}W^e[:5u] + x^{3u}W^e[:4u] + x^{5u}W^e[:2u] + x^{2u}W^e[:7u] \\
& + x^{4u}W^e[:5u] + x^{5u}W^e[:4u] + x^{7u}W^e[:2u] + x^{3u}W^e[:7u] \\
& + x^{5u}W^e[:5u] + x^{6u}W^e[:4u] + x^{8u}W^e[:2u] + x^{4u}W^e[:7u] \\
& + x^{6u}W^e[:5u] + x^{7u}W^e[:4u] + x^{9u}W^e[:2u] + x^{5u}W^e[:7u] \\
& + x^{7u}W^e[:5u] + x^{8u}W^e[:4u] + x^{10u}W^e[:2u] + x^{7u}W^e[:7u] \\
& + x^{9u}W^e[:5u] + x^{8u}W^e[:6u] \\
& + (x^{7u} + x^{9u} + x^{10u} + x^{11u} + x^{12u})R^e.
\end{aligned}$$

For all integers $k \geq 2$ and $u = 2^{2k}$, the following identities hold.

$$\begin{aligned}
M^o[:14u] &= M^o[:7u] + x^{2u}M^o[:5u] + x^{3u}M^o[:4u] + x^{5u}M^o[:2u] + x^{2u}M^o[:7u] \\
& + x^{4u}M^o[:5u] + x^{5u}M^o[:4u] + x^{7u}M^o[:2u] + x^{3u}M^o[:7u] \\
& + x^{5u}M^o[:5u] + x^{6u}M^o[:4u] + x^{8u}M^o[:2u] + x^{4u}M^o[:7u] \\
& + x^{6u}M^o[:5u] + x^{7u}M^o[:4u] + x^{9u}M^o[:2u] + x^{5u}M^o[:7u] \\
& + x^{7u}M^o[:5u] + x^{8u}M^o[:4u] + x^{10u}M^o[:2u] + x^{7u}M^o[:7u] \\
& + x^{9u}M^o[:5u] + x^{8u}M^o[:6u] \\
& + (x^{7u} + x^{9u} + x^{10u} + x^{11u} + x^{12u})R^o, \\
W^o[:14u] &= W^o[:7u] + x^{2u}W^o[:5u] + x^{3u}W^o[:4u] + x^{5u}W^o[:2u] + x^{2u}W^o[:7u] \\
& + x^{4u}W^o[:5u] + x^{5u}W^o[:4u] + x^{7u}W^o[:2u] + x^{3u}W^o[:7u] \\
& + x^{5u}W^o[:5u] + x^{6u}W^o[:4u] + x^{8u}W^o[:2u] + x^{4u}W^o[:7u] \\
& + x^{6u}W^o[:5u] + x^{7u}W^o[:4u] + x^{9u}W^o[:2u] + x^{5u}W^o[:7u] \\
& + x^{7u}W^o[:5u] + x^{8u}W^o[:4u] + x^{10u}W^o[:2u] + x^{7u}W^o[:7u] \\
& + x^{9u}W^o[:5u] + x^{8u}W^o[:6u] \\
& + (x^{7u} + x^{9u} + x^{10u} + x^{11u} + x^{12u})R^o.
\end{aligned}$$

Proof. To prove Lemma 2.2 we first construct an automaton for each sequence concerned, and then transform the conditions on infinitely many k 's into finitely many conditions on the states of the automaton. In the following, we will prove that for $T = M_{0,0}^o$, for all integer $k \geq 2$ and $u = 2^{2k}$,

$$\begin{aligned}
T[:14u] &= T[:7u] + x^{2u}T[:5u] + x^{3u}T[:4u] + x^{5u}T[:2u] + x^{2u}T[:7u] + x^{4u}T[:5u] \\
& + x^{5u}T[:4u] + x^{7u}T[:2u] + x^{3u}T[:7u] + x^{5u}T[:5u] + x^{6u}T[:4u] \\
& + x^{8u}T[:2u] + x^{4u}T[:7u] + x^{6u}T[:5u] + x^{7u}T[:4u] + x^{9u}T[:2u] \\
& + x^{5u}T[:7u] + x^{7u}T[:5u] + x^{8u}T[:4u] + x^{10u}T[:2u] + x^{7u}T[:7u] \\
& + x^{9u}T[:5u] + x^{8u}T[:6u] + (x^{7u} + x^{9u} + x^{10u} + x^{11u} + x^{12u}).
\end{aligned}$$

The proof of the other 15 cases are similar. We break down the above identity into 7 parts:

$$\begin{aligned}
x^{7u} &= x^{5u}T[2u:3u] + x^{3u}T[4u:5u] + x^{2u}T[5u:6u] + T[7u:8u], \\
0 &= x^{8u}T[:u] + x^{5u}T[3u:4u] + x^{3u}T[5u:6u] + x^{2u}T[6u:7u]
\end{aligned}$$

$$\begin{aligned}
& + T[8u:9u], \\
x^9u &= x^{8u}T[u:2u] + x^{7u}T[2u:3u] + x^{4u}T[5u:6u] + x^{3u}T[6u:7u] \\
& + T[9u:10u], \\
x^10u &= x^{10u}T[:u] + x^{7u}T[3u:4u] + x^{6u}T[4u:5u] + x^{5u}T[5u:6u] \\
& + x^{4u}T[6u:7u] + T[10u:11u], \\
x^11u &= x^{10u}T[u:2u] + x^{9u}T[2u:3u] + x^{5u}T[6u:7u] + T[11u:12u], \\
x^12u &= x^{9u}T[3u:4u] + x^{8u}T[4u:5u] + x^{7u}T[5u:6u] + T[12u:13u], \\
0 &= x^{9u}T[4u:5u] + x^{8u}T[5u:6u] + x^{7u}T[6u:7u] + T[13u:14u],
\end{aligned}$$

which can be rewritten as

$$\begin{aligned}
(2.7) \quad 0 &= T[[10w]_2] + T[[100w]_2] + T[[101w]_2] + T[[111w]_2], \\
(2.8) \quad 0 &= T[[w]_2] + T[[11w]_2] + T[[101w]_2] + T[[110w]_2] + T[[1000w]_2], \\
(2.9) \quad 0 &= T[[1w]_2] + T[[10w]_2] + T[[101w]_2] + T[[110w]_2] + T[[1001w]_2], \\
& 0 = T[[w]_2] + T[[11w]_2] + T[[100w]_2] + T[[101w]_2] + T[[110w]_2] \\
(2.10) \quad & + T[[1010w]_2], \\
(2.11) \quad 0 &= T[[1w]_2] + T[[10w]_2] + T[[110w]_2] + T[[1011w]_2], \\
(2.12) \quad 0 &= T[[11w]_2] + T[[100w]_2] + T[[101w]_2] + T[[1100w]_2], \\
(2.13) \quad 0 &= T[[100w]_2] + T[[101w]_2] + T[[110w]_2] + T[[1101w]_2],
\end{aligned}$$

for all binary word w of length $2k$ and $w \neq 0^{2k}$, and

$$\begin{aligned}
(2.14) \quad 1 &= T[[10w]_2] + T[[100w]_2] + T[[101w]_2] + T[[111w]_2], \\
(2.15) \quad 0 &= T[[w]_2] + T[[11w]_2] + T[[101w]_2] + T[[110w]_2] + T[[1000w]_2], \\
(2.16) \quad 1 &= T[[1w]_2] + T[[10w]_2] + T[[101w]_2] + T[[110w]_2] + T[[1001w]_2], \\
& 1 = T[[w]_2] + T[[11w]_2] + T[[100w]_2] + T[[101w]_2] + T[[110w]_2] \\
(2.17) \quad & + T[[1010w]_2], \\
(2.18) \quad 1 &= T[[1w]_2] + T[[10w]_2] + T[[110w]_2] + T[[1011w]_2], \\
(2.19) \quad 1 &= T[[11w]_2] + T[[100w]_2] + T[[101w]_2] + T[[1100w]_2], \\
(2.20) \quad 0 &= T[[100w]_2] + T[[101w]_2] + T[[110w]_2] + T[[1101w]_2],
\end{aligned}$$

for $w = 0^{2k}$.

First we calculate an 2-automaton that generates T from its minimal polynomial and its first terms. This automaton has 490 states; its transition function and output function can be found in the annex. Let $A(s, w)$ denote the state reached after reading w from right to left starting from the state s , and τ the output function. Define

$$E_{2k} = \{A(i, w) : |w| = 2k, w \neq 0^{2k}\}.$$

Identities (2.7) through (2.20) can be written as

$$\begin{aligned}
(2.21) \quad 0 &= \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 111)), \\
& 0 = \tau(A(s, \epsilon)) + \tau(A(s, 11)) + \tau(A(s, 101)) + \tau(A(s, 110)) \\
(2.22) \quad & + \tau(A(s, 1000)), \\
& 0 = \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 101)) + \tau(A(s, 110))
\end{aligned}$$

$$\begin{aligned}
(2.23) \quad & + \tau(A(s, 1001)), \\
& 0 = \tau(A(s, \epsilon)) + \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 101)) \\
(2.24) \quad & + \tau(A(s, 110)) + \tau(A(s, 1010)), \\
(2.25) \quad & 0 = \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 110)) + \tau(A(s, 1011)), \\
(2.26) \quad & 0 = \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 1100)), \\
(2.27) \quad & 0 = \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 110)) + \tau(A(s, 1101)),
\end{aligned}$$

for all $s \in E_{2k}$, and

$$\begin{aligned}
(2.28) \quad & 1 = \tau(A(s, 10)) + \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 111)), \\
& 0 = \tau(A(s, \epsilon)) + \tau(A(s, 11)) + \tau(A(s, 101)) + \tau(A(s, 110)) \\
(2.29) \quad & + \tau(A(s, 1000)), \\
& 1 = \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 101)) + \tau(A(s, 110)) \\
(2.30) \quad & + \tau(A(s, 1001)), \\
& 1 = \tau(A(s, \epsilon)) + \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 101)) \\
(2.31) \quad & + \tau(A(s, 110)) + \tau(A(s, 1010)), \\
(2.32) \quad & 1 = \tau(A(s, 1)) + \tau(A(s, 10)) + \tau(A(s, 110)) + \tau(A(s, 1011)), \\
(2.33) \quad & 1 = \tau(A(s, 11)) + \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 1100)), \\
(2.34) \quad & 0 = \tau(A(s, 100)) + \tau(A(s, 101)) + \tau(A(s, 110)) + \tau(A(s, 1101)),
\end{aligned}$$

for $s = A(i, 0^{2k})$. We find that $(A(i, 0^{16}), E_{16}) = (A(i, 0^{14}), E_{14})$, so that we only have to verify that identities (2.21) through (2.34) hold for $2 \leq k \leq 8$, which turns out to be true. $\square$

In the following lemma, we express M_{2k} , M_{2k+1} , W_{2k} , and W_{2k+1} in terms of M^e , M^o , W^e , and W^o .

Lemma 2.3. *For all integer $k \geq 2$, and $u = 2^{2k-1}$,*

$$\begin{aligned}
M_{2k} &= M^e[:7u] + x^{2u}M^e[:5u] + x^{3u}M^e[:4u] + x^{5u}M^e[:2u] + x^{7u}R^e, \\
W_{2k} &= W^e[:7u] + x^{2u}W^e[:5u] + x^{3u}W^e[:4u] + x^{5u}W^e[:2u] + x^{7u}R^e.
\end{aligned}$$

For all integer $k \geq 2$, and $u = 2^{2k}$,

$$\begin{aligned}
M_{2k+1} &= M^o[:7u] + x^{2u}M^o[:5u] + x^{3u}M^o[:4u] + x^{5u}M^o[:2u] + x^{7u}R^o, \\
W_{2k+1} &= W^o[:7u] + x^{2u}W^o[:5u] + x^{3u}W^o[:4u] + x^{5u}W^o[:2u] + x^{7u}R^o.
\end{aligned}$$

Proof. We call the four identities in Lemma 2.3 also by the name M_{2k} , W_{2k} , M_{2k+1} , and W_{2k+1} . For $n = 2$, the identities can be verified directly. For $n \geq 2$, we claim that

$$\begin{aligned}
M_{2k} \wedge W_{2k} &\Rightarrow M_{2k+1} \wedge W_{2k+1}, \\
M_{2k+1} \wedge W_{2k+1} &\Rightarrow M_{2k+2} \wedge W_{2k+2}.
\end{aligned}$$

We give the proof of

$$M_{2k} \wedge W_{2k} \Rightarrow M_{2k+1},$$

the other ones being similar. Set $u = 2^{2k}$ and $v = 2^{2k-1}$. By definition and induction hypothesis, the left side of identity M_{2k+1} is equal to

$$W_{2k}M_{2k} = (W^e[:7v] + x^{2v}W^e[:5v] + x^{3v}W^e[:4v] + x^{5v}W^e[:2v] + x^{7v}R^e$$

$$(2.35) \quad \begin{aligned} & \times (M^e[:7v] + x^{2v}M^e[:5v] + x^{3v}M^e[:4v] + x^{5v}M^e[:2v] + x^{7v}R^e \\ &); \end{aligned}$$

Call this expression *lhs*. Note that both sides of identity M_{2k+1} have the same term of highest degree $x^{14v}R^o$. Therefore we only need to prove that their difference is $O(x^{14v})$. Using Lemma 2.1 it can be seen that the right side of identity M_{2k+1} is congruent, modulo x^{14v} , to

$$\begin{aligned} & W^e[:14v]M^e[:14v] + x^{4v}W^e[:10v]M^e[:10v] + x^{6v}W^e[:8v]M^e[:8v] \\ & + x^{10v}W^e[:4v]M^e[:4v]. \end{aligned}$$

For all $n \leq 14$, replace the occurrences of $W^e[:n \cdot v]$ and $M^e[:n \cdot v]$ in the above expression by the reduction modulo $x^{n \cdot v}$ of the right side of the corresponding identity in Lemma 2.2 and get a new expression, which we call *rhs*. Define

$$\begin{aligned} X &:= x^v, \\ a_n &:= W^e[n \cdot v : (n+1) \cdot v] / X^n, \\ b_n &:= M^e[n \cdot v : (n+1) \cdot v] / X^n, \\ c &:= R^e. \end{aligned}$$

Using the notation introduced above, we can represent the expressions *lhs* (2.35) and *rhs* as polynomials in $\mathbb{F}_2[a_1, \dots, a_{14}, b_1, \dots, b_{14}, c][X]$. Note that it is not a problem that a_j commutes with b_k while W^e does not commute with M^e , because in the expressions concerned, the products of W^e -terms and M^e -terms are always in the same order. We let the computer do the simplification and check that the difference between these two polynomials is indeed $O(X^{14})$, which completes the proof. $\square$

Proof of Theorem 1.1. We prove the theorem for $\text{CF}(a, b)$; for $\text{CF}(b, a)$, the proof is similar. By Lemma 2.3, we have For all $0 \leq j, k \leq 1$,

$$\begin{aligned} \lim_{n \rightarrow \infty} M_{2n,j,k} &= M_{j,k}^e, \\ \lim_{n \rightarrow \infty} M_{2n+1,j,k} &= M_{j,k}^o, \\ \lim_{n \rightarrow \infty} W_{2n,j,k} &= W_{j,k}^e, \\ \lim_{n \rightarrow \infty} W_{2n+1,j,k} &= W_{j,k}^o. \end{aligned}$$

Let $z = 1/x$. By the convergence theorem and identity (2.2),

$$\text{CF}(a, b) = \frac{M_{0,1}^e(x)}{M_{0,0}^e(x)}.$$

By definition, $\phi(M^e, 0, 1)$ and $\phi(M^e, 0, 0)$ are minimal polynomials of $M_{0,1}^e$ and $M_{0,0}^e$. Therefore

$$P(x, y) = \text{Res}_t (\phi(M^e, 0, 1)(x, t), y^{12}\phi(M^e, 0, 1)(x, t/y))$$

is an annihilating polynomial of $f(x) = M_{0,1}^e/M_{0,0}^e$.

Define

$$Q(x, y) = q_4(x)y^4 + q_3(x)y^3 + q_2(x)y^2 + q_1(x)y + q_0(x),$$

where

$$q_0(x) = x^{20} + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} + x^{13} + x^{12} + x^{10} + x^9 + x^8 + x^7,$$

$$\begin{aligned}
q_1(x) &= x^{17} + x^{16} + x^{13} + x^{12} + x^3 + x^2, \\
q_2(x) &= x^{20} + x^{16} + x^{14} + x^{10} + x^6 + 1, \\
q_3(x) &= x^{17} + x^{16} + x^{13} + x^{12} + x^3 + x^2, \\
q_4(x) &= x^{20} + x^{18} + x^{17} + x^{16} + x^{15} + x^{13} + x^9 + x^8 + x^7 + x^6 + x^4.
\end{aligned}$$

The polynomial $Q(x, y)$ is the candidate for the minimal polynomial of $f(x)$ found by Padé-Hermite approximation. To prove that it is indeed the minimal polynomial of $f(x)$, we only need to prove that it is an irreducible factor of $P(x, y)$ of multiplicity m and $R(x, y) := P(x, y)/Q(x, y)^m$ is not an annihilating polynomial of $f(x)$. We verify the first point directly. For the second point, we find that when we truncate $f(x)$ to order 216, and substitute it for y in $R(z, y)$, we get a series with valuation smaller than 216, which proves that $R(z, y)$ is not an annihilating polynomial of $f(x)$. Finally, $z^{12}Q(1/z, y)$ is the minimal polynomial of $\text{CF}(a, b) = f(1/z)$. $\square$

3. ANNEXE

All 16 polynomials are of the form

$$p_0(x) + p_3(x)y^3 + p_6(x)y^6 + p_9(x)y^9 + p_{12}(x)y^{12}.$$

The coefficients $p_j(x)$ and the 16 initial terms to determine the solutions uniquely are given below.

For $\phi(M^e, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{120} + x^{116} + x^{114} + x^{110} + x^{104} + x^{100} + x^{96} + x^{92} + x^{90} + x^{88} \\
&\quad + x^{84} + x^{82} + x^{80} + x^{78} + x^{74} + x^{68} + x^{66} + x^{62} + x^{60} + x^{58} + x^{54} \\
&\quad + x^{48} + x^{46} + x^{44} + x^{42} + x^{40} + x^{38} + x^{34} + x^{30} + x^{28} + x^{24}, \\
p_3(x) &= x^{114} + x^{112} + x^{110} + x^{102} + x^{100} + x^{96} + x^{90} + x^{88} + x^{76} + x^{70} + x^{68} \\
&\quad + x^{66} + x^{62} + x^{60} + x^{54} + x^{46} + x^{44} + x^{42} + x^{38} + x^{34} + x^{32} + x^{30} \\
&\quad + x^{28} + x^{26} + x^{22} + x^{20} + x^{18} + x^{16}, \\
p_6(x) &= x^{116} + x^{114} + x^{100} + x^{96} + x^{94} + x^{92} + x^{90} + x^{86} + x^{78} + x^{76} + x^{70} \\
&\quad + x^{66} + x^{64} + x^{62} + x^{56} + x^{46} + x^{44} + x^{42} + x^{38} + x^{36} + x^{34} + x^{30} \\
&\quad + x^{26} + x^{24} + x^{18} + x^6 + x^4 + 1, \\
p_9(x) &= x^{114} + x^{112} + x^{108} + x^{106} + x^{100} + x^{98} + x^{96} + x^{86} + x^{84} + x^{82} + x^{74} \\
&\quad + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} + x^{58} + x^{56} + x^{50} + x^{48} + x^{46} + x^{36} \\
&\quad + x^{34} + x^{30} + x^{26} + x^{20} + x^{12} + x^8 + x^6 + x^4, \\
p_{12}(x) &= x^{120} + x^{112} + x^{88} + x^{80} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 0, 1, 0]$.

For $\phi(M^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{111} + x^{108} + x^{107} + x^{104} + x^{102} + x^{99} + x^{98} + x^{97} + x^{94} + x^{92} + x^{85} \\
&\quad + x^{84} + x^{82} + x^{81} + x^{80} + x^{79} + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} + x^{70} \\
&\quad + x^{66} + x^{65} + x^{62} + x^{60} + x^{59} + x^{58} + x^{52} + x^{42} + x^{41} + x^{40} + x^{38} \\
&\quad + x^{36} + x^{35} + x^{34} + x^{33},
\end{aligned}$$

$$\begin{aligned}
p_3(x) &= x^{84} + x^{83} + x^{81} + x^{80} + x^{76} + x^{75} + x^{73} + x^{71} + x^{70} + x^{62} + x^{61} \\
&\quad + x^{60} + x^{58} + x^{57} + x^{56} + x^{54} + x^{53} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} \\
&\quad + x^{44} + x^{42} + x^{41} + x^{39} + x^{38} + x^{36} + x^{35} + x^{33} + x^{32} + x^{30} + x^{29} \\
&\quad + x^{28} + x^{26} + x^{25} + x^{23} + x^{21} + x^{19} + x^{18}, \\
p_6(x) &= x^{93} + x^{91} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{85} + x^{84} + x^{83} + x^{82} \\
&\quad + x^{80} + x^{69} + x^{67} + x^{66} + x^{64} + x^{61} + x^{59} + x^{58} + x^{57} + x^{56} + x^{55} \\
&\quad + x^{54} + x^{52} + x^{37} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{29} + x^{28} \\
&\quad + x^{27} + x^{26} + x^{24} + x^{21} + x^{19} + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} + x^{12}, \\
p_9(x) &= x^{102} + x^{101} + x^{100} + x^{98} + x^{97} + x^{96} + x^{90} + x^{89} + x^{87} + x^{85} + x^{84} \\
&\quad + x^{78} + x^{77} + x^{75} + x^{74} + x^{66} + x^{65} + x^{63} + x^{61} + x^{59} + x^{57} + x^{55} \\
&\quad + x^{54} + x^{48} + x^{47} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{34} + x^{33} + x^{31} \\
&\quad + x^{30} + x^{26} + x^{25} + x^{24} + x^{22} + x^{21} + x^{19} + x^{17} + x^{15} + x^{14} + x^8 \\
&\quad + x^7 + x^6, \\
p_{12}(x) &= x^{111} + x^{108} + x^{103} + x^{100} + x^{99} + x^{96} + x^{91} + x^{88} + x^{87} + x^{84} + x^{75} \\
&\quad + x^{72} + x^{71} + x^{68} + x^{63} + x^{60} + x^{59} + x^{56} + x^{51} + x^{48} + x^{47} + x^{44} \\
&\quad + x^{39} + x^{36} + x^{35} + x^{32} + x^{27} + x^{24} + x^{23} + x^{20} + x^{15} + x^{12} + x^{11} \\
&\quad + x^8 + x^3 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 0, 1, 1, 0, 1, 0, 0, 1, 1, 0, 0, 0]$.

For $\phi(M^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{111} + x^{108} + x^{107} + x^{104} + x^{102} + x^{99} + x^{98} + x^{97} + x^{94} + x^{92} + x^{85} \\
&\quad + x^{84} + x^{82} + x^{81} + x^{80} + x^{79} + x^{77} + x^{76} + x^{75} + x^{73} + x^{72} + x^{70} \\
&\quad + x^{66} + x^{65} + x^{62} + x^{60} + x^{59} + x^{58} + x^{52} + x^{42} + x^{41} + x^{40} + x^{38} \\
&\quad + x^{36} + x^{35} + x^{34} + x^{33}, \\
p_3(x) &= x^{84} + x^{83} + x^{81} + x^{80} + x^{76} + x^{75} + x^{73} + x^{71} + x^{70} + x^{62} + x^{61} \\
&\quad + x^{60} + x^{58} + x^{57} + x^{56} + x^{54} + x^{53} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} \\
&\quad + x^{44} + x^{42} + x^{41} + x^{39} + x^{38} + x^{36} + x^{35} + x^{33} + x^{32} + x^{30} + x^{29} \\
&\quad + x^{28} + x^{26} + x^{25} + x^{23} + x^{21} + x^{19} + x^{18}, \\
p_6(x) &= x^{93} + x^{91} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{85} + x^{84} + x^{83} + x^{82} \\
&\quad + x^{80} + x^{69} + x^{67} + x^{66} + x^{64} + x^{61} + x^{59} + x^{58} + x^{57} + x^{56} + x^{55} \\
&\quad + x^{54} + x^{52} + x^{37} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{29} + x^{28} \\
&\quad + x^{27} + x^{26} + x^{24} + x^{21} + x^{19} + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} + x^{12}, \\
p_9(x) &= x^{102} + x^{101} + x^{100} + x^{98} + x^{97} + x^{96} + x^{90} + x^{89} + x^{87} + x^{85} + x^{84} \\
&\quad + x^{78} + x^{77} + x^{75} + x^{74} + x^{66} + x^{65} + x^{63} + x^{61} + x^{59} + x^{57} + x^{55} \\
&\quad + x^{54} + x^{48} + x^{47} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{34} + x^{33} + x^{31} \\
&\quad + x^{30} + x^{26} + x^{25} + x^{24} + x^{22} + x^{21} + x^{19} + x^{17} + x^{15} + x^{14} + x^8
\end{aligned}$$

$$\begin{aligned}
& + x^7 + x^6, \\
p_{12}(x) = & x^{111} + x^{108} + x^{103} + x^{100} + x^{99} + x^{96} + x^{91} + x^{88} + x^{87} + x^{84} + x^{75} \\
& + x^{72} + x^{71} + x^{68} + x^{63} + x^{60} + x^{59} + x^{56} + x^{51} + x^{48} + x^{47} + x^{44} \\
& + x^{39} + x^{36} + x^{35} + x^{32} + x^{27} + x^{24} + x^{23} + x^{20} + x^{15} + x^{12} + x^{11} \\
& + x^8 + x^3 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 0, 1, 1, 0, 1, 0, 0, 1, 1, 0, 0, 0]$.

For $\phi(M^e, 1, 1)$:

$$\begin{aligned}
p_0(x) = & x^{102} + x^{98} + x^{86} + x^{84} + x^{82} + x^{78} + x^{76} + x^{74} + x^{70} + x^{68} + x^{60} \\
& + x^{54} + x^{52} + x^{50} + x^{48} + x^{44} + x^{42}, \\
p_3(x) = & x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{80} + x^{76} + x^{72} + x^{68} + x^{62} \\
& + x^{58} + x^{54} + x^{52} + x^{40} + x^{38} + x^{36} + x^{34} + x^{32} + x^{30} + x^{22} + x^{18} \\
& + x^{14} + x^{12}, \\
p_6(x) = & x^{98} + x^{96} + x^{92} + x^{86} + x^{82} + x^{78} + x^{76} + x^{72} + x^{70} + x^{68} + x^{66} \\
& + x^{62} + x^{60} + x^{52} + x^{50} + x^{48} + x^{44} + x^{42} + x^{36} + x^{30} + x^{24} + x^{22} \\
& + x^{16} + x^{12} + x^{10} + x^8 + x^4 + 1, \\
p_9(x) = & x^{96} + x^{94} + x^{84} + x^{80} + x^{78} + x^{76} + x^{74} + x^{70} + x^{68} + x^{66} + x^{64} \\
& + x^{62} + x^{58} + x^{54} + x^{50} + x^{48} + x^{46} + x^{44} + x^{40} + x^{38} + x^{28} + x^{20} \\
& + x^{18} + x^{14} + x^{10} + x^8 + x^6 + x^4, \\
p_{12}(x) = & x^{102} + x^{96} + x^{94} + x^{88} + x^{78} + x^{72} + x^{62} + x^{56} + x^{54} + x^{48} + x^{38} \\
& + x^{32} + x^{30} + x^{24} + x^{14} + x^8 + x^6 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 1, 0, 1, 0, 0, 0, 1, 0, 0, 0, 0, 0]$.

For $\phi(W^e, 0, 0)$:

$$\begin{aligned}
p_0(x) = & x^{102} + x^{98} + x^{90} + x^{82} + x^{80} + x^{78} + x^{76} + x^{72} + x^{68} + x^{64} + x^{60} \\
& + x^{58} + x^{54} + x^{46} + x^{42} + x^{36} + x^{32} + x^{28} + x^{24}, \\
p_3(x) = & x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{84} + x^{82} + x^{76} + x^{70} + x^{68} \\
& + x^{66} + x^{64} + x^{62} + x^{58} + x^{56} + x^{40} + x^{38} + x^{36} + x^{34} + x^{32} + x^{30} \\
& + x^{28} + x^{26} + x^{24} + x^{22} + x^{18} + x^{16}, \\
p_6(x) = & x^{98} + x^{96} + x^{92} + x^{90} + x^{82} + x^{72} + x^{68} + x^{66} + x^{64} + x^{58} + x^{52} \\
& + x^{50} + x^{44} + x^{42} + x^{36} + x^{34} + x^{24} + x^{20} + x^{18} + x^{16} + x^{12} + x^{10} \\
& + x^4 + 1, \\
p_9(x) = & x^{96} + x^{94} + x^{84} + x^{80} + x^{78} + x^{76} + x^{74} + x^{70} + x^{68} + x^{66} + x^{64} \\
& + x^{62} + x^{58} + x^{54} + x^{50} + x^{48} + x^{46} + x^{44} + x^{40} + x^{38} + x^{28} + x^{20} \\
& + x^{18} + x^{14} + x^{10} + x^8 + x^6 + x^4, \\
p_{12}(x) = & x^{102} + x^{96} + x^{94} + x^{88} + x^{78} + x^{72} + x^{62} + x^{56} + x^{54} + x^{48} + x^{38} \\
& + x^{32} + x^{30} + x^{24} + x^{14} + x^8 + x^6 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 0, 0]$.

For $\phi(W^e, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{111} + x^{108} + x^{107} + x^{104} + x^{102} + x^{99} + x^{98} + x^{97} + x^{94} + x^{93} + x^{92} \\
&\quad + x^{91} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{85} + x^{82} + x^{81} + x^{80} + x^{79} \\
&\quad + x^{76} + x^{74} + x^{73} + x^{70} + x^{65} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} \\
&\quad + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} + x^{44} \\
&\quad + x^{43} + x^{41} + x^{37} + x^{36} + x^{33}, \\
p_3(x) &= x^{84} + x^{83} + x^{81} + x^{80} + x^{76} + x^{75} + x^{73} + x^{71} + x^{70} + x^{62} + x^{61} \\
&\quad + x^{60} + x^{58} + x^{57} + x^{56} + x^{54} + x^{53} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} \\
&\quad + x^{44} + x^{42} + x^{41} + x^{39} + x^{38} + x^{36} + x^{35} + x^{33} + x^{32} + x^{30} + x^{29} \\
&\quad + x^{28} + x^{26} + x^{25} + x^{23} + x^{21} + x^{19} + x^{18}, \\
p_6(x) &= x^{93} + x^{91} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{85} + x^{84} + x^{83} + x^{82} \\
&\quad + x^{80} + x^{69} + x^{67} + x^{66} + x^{64} + x^{61} + x^{59} + x^{58} + x^{57} + x^{56} + x^{55} \\
&\quad + x^{54} + x^{52} + x^{37} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{29} + x^{28} \\
&\quad + x^{27} + x^{26} + x^{24} + x^{21} + x^{19} + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} + x^{12}, \\
p_9(x) &= x^{102} + x^{101} + x^{100} + x^{98} + x^{97} + x^{96} + x^{90} + x^{89} + x^{87} + x^{85} + x^{84} \\
&\quad + x^{78} + x^{77} + x^{75} + x^{74} + x^{66} + x^{65} + x^{63} + x^{61} + x^{59} + x^{57} + x^{55} \\
&\quad + x^{54} + x^{48} + x^{47} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{34} + x^{33} + x^{31} \\
&\quad + x^{30} + x^{26} + x^{25} + x^{24} + x^{22} + x^{21} + x^{19} + x^{17} + x^{15} + x^{14} + x^8 \\
&\quad + x^7 + x^6, \\
p_{12}(x) &= x^{111} + x^{108} + x^{103} + x^{100} + x^{99} + x^{96} + x^{91} + x^{88} + x^{87} + x^{84} + x^{75} \\
&\quad + x^{72} + x^{71} + x^{68} + x^{63} + x^{60} + x^{59} + x^{56} + x^{51} + x^{48} + x^{47} + x^{44} \\
&\quad + x^{39} + x^{36} + x^{35} + x^{32} + x^{27} + x^{24} + x^{23} + x^{20} + x^{15} + x^{12} + x^{11} \\
&\quad + x^8 + x^3 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 0, 0, 1, 1, 0, 1, 0, 0, 0]$.

For $\phi(W^e, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{111} + x^{108} + x^{107} + x^{104} + x^{102} + x^{99} + x^{98} + x^{97} + x^{94} + x^{93} + x^{92} \\
&\quad + x^{91} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{85} + x^{82} + x^{81} + x^{80} + x^{79} \\
&\quad + x^{76} + x^{74} + x^{73} + x^{70} + x^{65} + x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} \\
&\quad + x^{57} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} + x^{44} \\
&\quad + x^{43} + x^{41} + x^{37} + x^{36} + x^{33}, \\
p_3(x) &= x^{84} + x^{83} + x^{81} + x^{80} + x^{76} + x^{75} + x^{73} + x^{71} + x^{70} + x^{62} + x^{61} \\
&\quad + x^{60} + x^{58} + x^{57} + x^{56} + x^{54} + x^{53} + x^{51} + x^{50} + x^{48} + x^{47} + x^{45} \\
&\quad + x^{44} + x^{42} + x^{41} + x^{39} + x^{38} + x^{36} + x^{35} + x^{33} + x^{32} + x^{30} + x^{29} \\
&\quad + x^{28} + x^{26} + x^{25} + x^{23} + x^{21} + x^{19} + x^{18},
\end{aligned}$$

$$\begin{aligned}
p_6(x) &= x^{93} + x^{91} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{85} + x^{84} + x^{83} + x^{82} \\
&\quad + x^{80} + x^{69} + x^{67} + x^{66} + x^{64} + x^{61} + x^{59} + x^{58} + x^{57} + x^{56} + x^{55} \\
&\quad + x^{54} + x^{52} + x^{37} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{30} + x^{29} + x^{28} \\
&\quad + x^{27} + x^{26} + x^{24} + x^{21} + x^{19} + x^{18} + x^{17} + x^{16} + x^{15} + x^{14} + x^{12}, \\
p_9(x) &= x^{102} + x^{101} + x^{100} + x^{98} + x^{97} + x^{96} + x^{90} + x^{89} + x^{87} + x^{85} + x^{84} \\
&\quad + x^{78} + x^{77} + x^{75} + x^{74} + x^{66} + x^{65} + x^{63} + x^{61} + x^{59} + x^{57} + x^{55} \\
&\quad + x^{54} + x^{48} + x^{47} + x^{45} + x^{44} + x^{42} + x^{41} + x^{40} + x^{34} + x^{33} + x^{31} \\
&\quad + x^{30} + x^{26} + x^{25} + x^{24} + x^{22} + x^{21} + x^{19} + x^{17} + x^{15} + x^{14} + x^8 \\
&\quad + x^7 + x^6, \\
p_{12}(x) &= x^{111} + x^{108} + x^{103} + x^{100} + x^{99} + x^{96} + x^{91} + x^{88} + x^{87} + x^{84} + x^{75} \\
&\quad + x^{72} + x^{71} + x^{68} + x^{63} + x^{60} + x^{59} + x^{56} + x^{51} + x^{48} + x^{47} + x^{44} \\
&\quad + x^{39} + x^{36} + x^{35} + x^{32} + x^{27} + x^{24} + x^{23} + x^{20} + x^{15} + x^{12} + x^{11} \\
&\quad + x^8 + x^3 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 0, 0, 1, 1, 0, 1, 0, 0, 0]$.

For $\phi(W^e, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{120} + x^{116} + x^{114} + x^{110} + x^{108} + x^{100} + x^{96} + x^{86} + x^{84} + x^{82} \\
&\quad + x^{80} + x^{76} + x^{64} + x^{62} + x^{60} + x^{54} + x^{52} + x^{50} + x^{48} + x^{46} + x^{42}, \\
p_3(x) &= x^{114} + x^{112} + x^{110} + x^{98} + x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{84} + x^{82} \\
&\quad + x^{80} + x^{76} + x^{74} + x^{72} + x^{66} + x^{58} + x^{56} + x^{52} + x^{40} + x^{36} + x^{34} \\
&\quad + x^{32} + x^{30} + x^{28} + x^{26} + x^{14} + x^{12}, \\
p_6(x) &= x^{116} + x^{114} + x^{108} + x^{104} + x^{102} + x^{100} + x^{98} + x^{96} + x^{90} + x^{84} \\
&\quad + x^{82} + x^{80} + x^{78} + x^{76} + x^{74} + x^{72} + x^{68} + x^{66} + x^{64} + x^{58} + x^{56} \\
&\quad + x^{54} + x^{52} + x^{44} + x^{36} + x^{34} + x^{32} + x^{30} + x^{28} + x^{26} + x^{22} + x^{14} \\
&\quad + x^8 + x^6 + x^4 + 1, \\
p_9(x) &= x^{114} + x^{112} + x^{108} + x^{106} + x^{100} + x^{98} + x^{96} + x^{86} + x^{84} + x^{82} + x^{74} \\
&\quad + x^{70} + x^{68} + x^{66} + x^{64} + x^{62} + x^{58} + x^{56} + x^{50} + x^{48} + x^{46} + x^{36} \\
&\quad + x^{34} + x^{30} + x^{26} + x^{20} + x^{12} + x^8 + x^6 + x^4, \\
p_{12}(x) &= x^{120} + x^{112} + x^{88} + x^{80} + x^8 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 1, 0]$.

For $\phi(M^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{111} + x^{108} + x^{107} + x^{105} + x^{104} + x^{102} + x^{101} + x^{98} + x^{97} + x^{96} \\
&\quad + x^{95} + x^{91} + x^{90} + x^{89} + x^{87} + x^{85} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} \\
&\quad + x^{75} + x^{73} + x^{72} + x^{65} + x^{63} + x^{62} + x^{61} + x^{60} + x^{57} + x^{56} + x^{52} \\
&\quad + x^{51} + x^{48} + x^{47} + x^{46} + x^{45} + x^{44} + x^{38} + x^{33} + x^{31} + x^{27} + x^{24}, \\
p_3(x) &= x^{99} + x^{96} + x^{93} + x^{90} + x^{87} + x^{85} + x^{83} + x^{80} + x^{76} + x^{75} + x^{74}
\end{aligned}$$

$$\begin{aligned}
& + x^{71} + x^{68} + x^{65} + x^{61} + x^{59} + x^{57} + x^{56} + x^{52} + x^{49} + x^{48} + x^{45} \\
& + x^{43} + x^{36} + x^{34} + x^{33} + x^{31} + x^{29} + x^{28} + x^{25} + x^{24} + x^{20} + x^{19} \\
& + x^{16}, \\
p_6(x) &= x^{107} + x^{105} + x^{104} + x^{102} + x^{101} + x^{98} + x^{96} + x^{95} + x^{94} + x^{93} + x^{87} \\
& + x^{85} + x^{84} + x^{83} + x^{81} + x^{78} + x^{75} + x^{71} + x^{70} + x^{69} + x^{68} + x^{67} \\
& + x^{66} + x^{64} + x^{63} + x^{61} + x^{60} + x^{59} + x^{56} + x^{51} + x^{46} + x^{43} + x^{42} \\
& + x^{40} + x^{39} + x^{38} + x^{36} + x^{35} + x^{32} + x^{31} + x^{30} + x^{27} + x^{26} + x^{23} \\
& + x^{17} + x^{12} + x^3 + 1, \\
p_9(x) &= x^{99} + x^{96} + x^{95} + x^{92} + x^{91} + x^{88} + x^{83} + x^{80} + x^{79} + x^{76} + x^{75} \\
& + x^{72} + x^{67} + x^{64} + x^{63} + x^{60} + x^{59} + x^{56} + x^{35} + x^{32} + x^{31} + x^{28} \\
& + x^{27} + x^{24} + x^{19} + x^{16} + x^{15} + x^{12} + x^{11} + x^8, \\
p_{12}(x) &= x^{111} + x^{108} + x^{103} + x^{100} + x^{95} + x^{92} + x^{87} + x^{84} + x^{83} + x^{80} + x^{79} \\
& + x^{76} + x^{71} + x^{68} + x^{67} + x^{64} + x^{51} + x^{48} + x^{47} + x^{44} + x^{39} + x^{36} \\
& + x^{31} + x^{28} + x^{23} + x^{20} + x^{19} + x^{16} + x^3 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 1, 1, 0, 1, 1, 1, 1, 0, 0, 1]$.

For $\phi(M^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{104} + x^{102} + x^{100} + x^{96} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{89} + x^{88} \\
& + x^{87} + x^{85} + x^{84} + x^{82} + x^{81} + x^{79} + x^{77} + x^{76} + x^{75} + x^{71} + x^{69} \\
& + x^{68} + x^{67} + x^{65} + x^{64} + x^{61} + x^{59} + x^{58} + x^{56} + x^{53} + x^{51} + x^{50} \\
& + x^{49} + x^{44} + x^{43} + x^{42} + x^{41} + x^{39} + x^{38} + x^{37} + x^{36} + x^{34} + x^{33}, \\
p_3(x) &= x^{77} + x^{76} + x^{75} + x^{74} + x^{61} + x^{60} + x^{59} + x^{58} + x^{21} + x^{20} + x^{19} \\
& + x^{18}, \\
p_6(x) &= x^{86} + x^{80} + x^{62} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{48} + x^{44} + x^{42} \\
& + x^{38} + x^{36} + x^{32} + x^{26} + x^{20} + x^{18} + x^{12}, \\
p_9(x) &= x^{95} + x^{94} + x^{91} + x^{90} + x^{87} + x^{86} + x^{79} + x^{78} + x^{75} + x^{74} + x^{71} \\
& + x^{70} + x^{63} + x^{62} + x^{59} + x^{58} + x^{55} + x^{54} + x^{31} + x^{30} + x^{27} + x^{26} \\
& + x^{23} + x^{22} + x^{15} + x^{14} + x^{11} + x^{10} + x^7 + x^6, \\
p_{12}(x) &= x^{104} + x^{102} + x^{98} + x^{94} + x^{92} + x^{80} + x^{78} + x^{76} + x^{64} + x^{62} + x^{60} \\
& + x^{56} + x^{54} + x^{50} + x^{48} + x^{40} + x^{38} + x^{34} + x^{30} + x^{28} + x^{16} + x^{14} \\
& + x^{12} + x^8 + x^6 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 0, 1, 0, 1, 0, 1, 1, 0, 1, 1, 0, 1]$.

For $\phi(M^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{120} + x^{116} + x^{111} + x^{107} + x^{105} + x^{104} + x^{103} + x^{101} + x^{100} + x^{99} \\
& + x^{98} + x^{96} + x^{95} + x^{94} + x^{92} + x^{90} + x^{89} + x^{88} + x^{84} + x^{83} + x^{79} \\
& + x^{76} + x^{75} + x^{69} + x^{68} + x^{66} + x^{65} + x^{64} + x^{63} + x^{60} + x^{59} + x^{57}
\end{aligned}$$

$$\begin{aligned}
& + x^{56} + x^{50} + x^{49} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{39} + x^{33}, \\
p_3(x) &= x^{93} + x^{92} + x^{87} + x^{86} + x^{81} + x^{80} + x^{77} + x^{76} + x^{75} + x^{74} + x^{71} \\
& + x^{70} + x^{65} + x^{64} + x^{59} + x^{58} + x^{37} + x^{36} + x^{31} + x^{30} + x^{25} + x^{24} \\
& + x^{19} + x^{18}, \\
p_6(x) &= x^{102} + x^{100} + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{84} + x^{82} \\
& + x^{80} + x^{78} + x^{76} + x^{70} + x^{68} + x^{58} + x^{56} + x^{54} + x^{52} + x^{46} + x^{44} \\
& + x^{42} + x^{40} + x^{38} + x^{36} + x^{34} + x^{32} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_9(x) &= x^{111} + x^{110} + x^{109} + x^{108} + x^{105} + x^{104} + x^{101} + x^{100} + x^{97} + x^{96} \\
& + x^{95} + x^{94} + x^{87} + x^{86} + x^{85} + x^{84} + x^{81} + x^{80} + x^{79} + x^{78} + x^{71} \\
& + x^{70} + x^{69} + x^{68} + x^{65} + x^{64} + x^{61} + x^{60} + x^{57} + x^{56} + x^{55} + x^{54} \\
& + x^{47} + x^{46} + x^{45} + x^{44} + x^{41} + x^{40} + x^{37} + x^{36} + x^{33} + x^{32} + x^{31} \\
& + x^{30} + x^{23} + x^{22} + x^{21} + x^{20} + x^{17} + x^{16} + x^{13} + x^{12} + x^9 + x^8 + x^7 \\
& + x^6, \\
p_{12}(x) &= x^{120} + x^{112} + x^{108} + x^{104} + x^{100} + x^{96} + x^{88} + x^{84} + x^{68} + x^{64} + x^{60} \\
& + x^{56} + x^{44} + x^{40} + x^{36} + x^{32} + x^{20} + x^{16} + x^{12} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 0, 0, 1, 1, 0, 0, 0, 0, 1]$.

For $\phi(M^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{111} + x^{108} + x^{107} + x^{105} + x^{104} + x^{102} + x^{101} + x^{99} + x^{98} + x^{97} \\
& + x^{93} + x^{92} + x^{88} + x^{87} + x^{86} + x^{85} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} \\
& + x^{77} + x^{75} + x^{74} + x^{73} + x^{70} + x^{68} + x^{67} + x^{66} + x^{63} + x^{62} + x^{59} \\
& + x^{58} + x^{57} + x^{56} + x^{53} + x^{52} + x^{48} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42}, \\
p_3(x) &= x^{99} + x^{96} + x^{93} + x^{90} + x^{85} + x^{84} + x^{83} + x^{81} + x^{80} + x^{79} + x^{78} \\
& + x^{74} + x^{72} + x^{63} + x^{62} + x^{61} + x^{60} + x^{57} + x^{52} + x^{49} + x^{48} + x^{45} \\
& + x^{43} + x^{36} + x^{34} + x^{33} + x^{29} + x^{24} + x^{23} + x^{22}, \\
p_6(x) &= x^{107} + x^{105} + x^{104} + x^{102} + x^{101} + x^{99} + x^{98} + x^{94} + x^{92} + x^{90} + x^{89} \\
& + x^{87} + x^{86} + x^{84} + x^{83} + x^{82} + x^{81} + x^{79} + x^{78} + x^{76} + x^{72} + x^{71} \\
& + x^{70} + x^{68} + x^{67} + x^{64} + x^{63} + x^{60} + x^{58} + x^{57} + x^{54} + x^{48} + x^{46} \\
& + x^{42} + x^{38} + x^{37} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{29} + x^{24} + x^{23} \\
& + x^{21} + x^{19} + x^{18} + x^{16} + x^{14} + x^{12} + x^{11} + x^8 + x^3 + 1, \\
p_9(x) &= x^{99} + x^{96} + x^{95} + x^{92} + x^{91} + x^{88} + x^{83} + x^{80} + x^{79} + x^{76} + x^{75} \\
& + x^{72} + x^{67} + x^{64} + x^{63} + x^{60} + x^{59} + x^{56} + x^{35} + x^{32} + x^{31} + x^{28} \\
& + x^{27} + x^{24} + x^{19} + x^{16} + x^{15} + x^{12} + x^{11} + x^8, \\
p_{12}(x) &= x^{111} + x^{108} + x^{103} + x^{100} + x^{95} + x^{92} + x^{87} + x^{84} + x^{83} + x^{80} + x^{79} \\
& + x^{76} + x^{71} + x^{68} + x^{67} + x^{64} + x^{51} + x^{48} + x^{47} + x^{44} + x^{39} + x^{36} \\
& + x^{31} + x^{28} + x^{23} + x^{20} + x^{19} + x^{16} + x^3 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 1, 1, 1, 0, 0, 1]$.

For $\phi(W^o, 0, 0)$:

$$\begin{aligned}
p_0(x) &= x^{111} + x^{108} + x^{107} + x^{105} + x^{104} + x^{102} + x^{101} + x^{98} + x^{97} + x^{96} \\
&\quad + x^{95} + x^{91} + x^{90} + x^{89} + x^{87} + x^{85} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} \\
&\quad + x^{75} + x^{73} + x^{72} + x^{65} + x^{63} + x^{62} + x^{61} + x^{60} + x^{57} + x^{56} + x^{52} \\
&\quad + x^{51} + x^{48} + x^{47} + x^{46} + x^{45} + x^{44} + x^{38} + x^{33} + x^{31} + x^{27} + x^{24}, \\
p_3(x) &= x^{99} + x^{96} + x^{93} + x^{90} + x^{87} + x^{85} + x^{83} + x^{80} + x^{76} + x^{75} + x^{74} \\
&\quad + x^{71} + x^{68} + x^{65} + x^{61} + x^{59} + x^{57} + x^{56} + x^{52} + x^{49} + x^{48} + x^{45} \\
&\quad + x^{43} + x^{36} + x^{34} + x^{33} + x^{31} + x^{29} + x^{28} + x^{25} + x^{24} + x^{20} + x^{19} \\
&\quad + x^{16}, \\
p_6(x) &= x^{107} + x^{105} + x^{104} + x^{102} + x^{101} + x^{98} + x^{96} + x^{95} + x^{94} + x^{93} + x^{87} \\
&\quad + x^{85} + x^{84} + x^{83} + x^{81} + x^{78} + x^{75} + x^{71} + x^{70} + x^{69} + x^{68} + x^{67} \\
&\quad + x^{66} + x^{64} + x^{63} + x^{61} + x^{60} + x^{59} + x^{56} + x^{51} + x^{46} + x^{43} + x^{42} \\
&\quad + x^{40} + x^{39} + x^{38} + x^{36} + x^{35} + x^{32} + x^{31} + x^{30} + x^{27} + x^{26} + x^{23} \\
&\quad + x^{17} + x^{12} + x^3 + 1, \\
p_9(x) &= x^{99} + x^{96} + x^{95} + x^{92} + x^{91} + x^{88} + x^{83} + x^{80} + x^{79} + x^{76} + x^{75} \\
&\quad + x^{72} + x^{67} + x^{64} + x^{63} + x^{60} + x^{59} + x^{56} + x^{35} + x^{32} + x^{31} + x^{28} \\
&\quad + x^{27} + x^{24} + x^{19} + x^{16} + x^{15} + x^{12} + x^{11} + x^8, \\
p_{12}(x) &= x^{111} + x^{108} + x^{103} + x^{100} + x^{95} + x^{92} + x^{87} + x^{84} + x^{83} + x^{80} + x^{79} \\
&\quad + x^{76} + x^{71} + x^{68} + x^{67} + x^{64} + x^{51} + x^{48} + x^{47} + x^{44} + x^{39} + x^{36} \\
&\quad + x^{31} + x^{28} + x^{23} + x^{20} + x^{19} + x^{16} + x^3 + 1,
\end{aligned}$$

and the initial terms are $[1, 0, 0, 0, 1, 0, 1, 1, 0, 1, 1, 1, 1, 0, 0, 1]$.

For $\phi(W^o, 0, 1)$:

$$\begin{aligned}
p_0(x) &= x^{120} + x^{116} + x^{111} + x^{107} + x^{105} + x^{104} + x^{103} + x^{101} + x^{100} + x^{99} \\
&\quad + x^{98} + x^{96} + x^{95} + x^{94} + x^{92} + x^{90} + x^{89} + x^{88} + x^{84} + x^{83} + x^{79} \\
&\quad + x^{76} + x^{75} + x^{69} + x^{68} + x^{66} + x^{65} + x^{64} + x^{63} + x^{60} + x^{59} + x^{57} \\
&\quad + x^{56} + x^{50} + x^{49} + x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{39} + x^{33}, \\
p_3(x) &= x^{93} + x^{92} + x^{87} + x^{86} + x^{81} + x^{80} + x^{77} + x^{76} + x^{75} + x^{74} + x^{71} \\
&\quad + x^{70} + x^{65} + x^{64} + x^{59} + x^{58} + x^{37} + x^{36} + x^{31} + x^{30} + x^{25} + x^{24} \\
&\quad + x^{19} + x^{18}, \\
p_6(x) &= x^{102} + x^{100} + x^{98} + x^{96} + x^{94} + x^{92} + x^{90} + x^{88} + x^{86} + x^{84} + x^{82} \\
&\quad + x^{80} + x^{78} + x^{76} + x^{70} + x^{68} + x^{58} + x^{56} + x^{54} + x^{52} + x^{46} + x^{44} \\
&\quad + x^{42} + x^{40} + x^{38} + x^{36} + x^{34} + x^{32} + x^{18} + x^{16} + x^{14} + x^{12}, \\
p_9(x) &= x^{111} + x^{110} + x^{109} + x^{108} + x^{105} + x^{104} + x^{101} + x^{100} + x^{97} + x^{96} \\
&\quad + x^{95} + x^{94} + x^{87} + x^{86} + x^{85} + x^{84} + x^{81} + x^{80} + x^{79} + x^{78} + x^{71}
\end{aligned}$$

$$\begin{aligned}
& + x^{70} + x^{69} + x^{68} + x^{65} + x^{64} + x^{61} + x^{60} + x^{57} + x^{56} + x^{55} + x^{54} \\
& + x^{47} + x^{46} + x^{45} + x^{44} + x^{41} + x^{40} + x^{37} + x^{36} + x^{33} + x^{32} + x^{31} \\
& + x^{30} + x^{23} + x^{22} + x^{21} + x^{20} + x^{17} + x^{16} + x^{13} + x^{12} + x^9 + x^8 + x^7 \\
& + x^6, \\
p_{12}(x) &= x^{120} + x^{112} + x^{108} + x^{104} + x^{100} + x^{96} + x^{88} + x^{84} + x^{68} + x^{64} + x^{60} \\
& + x^{56} + x^{44} + x^{40} + x^{36} + x^{32} + x^{20} + x^{16} + x^{12} + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 1, 1, 0, 0, 1, 1, 0, 0, 0, 0, 1]$.

For $\phi(W^o, 1, 0)$:

$$\begin{aligned}
p_0(x) &= x^{104} + x^{102} + x^{100} + x^{96} + x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{89} + x^{88} \\
& + x^{87} + x^{85} + x^{84} + x^{82} + x^{81} + x^{79} + x^{77} + x^{76} + x^{75} + x^{71} + x^{69} \\
& + x^{68} + x^{67} + x^{65} + x^{64} + x^{61} + x^{59} + x^{58} + x^{56} + x^{53} + x^{51} + x^{50} \\
& + x^{49} + x^{44} + x^{43} + x^{42} + x^{41} + x^{39} + x^{38} + x^{37} + x^{36} + x^{34} + x^{33}, \\
p_3(x) &= x^{77} + x^{76} + x^{75} + x^{74} + x^{61} + x^{60} + x^{59} + x^{58} + x^{21} + x^{20} + x^{19} \\
& + x^{18}, \\
p_6(x) &= x^{86} + x^{80} + x^{62} + x^{58} + x^{56} + x^{54} + x^{52} + x^{50} + x^{48} + x^{44} + x^{42} \\
& + x^{38} + x^{36} + x^{32} + x^{26} + x^{20} + x^{18} + x^{12}, \\
p_9(x) &= x^{95} + x^{94} + x^{91} + x^{90} + x^{87} + x^{86} + x^{79} + x^{78} + x^{75} + x^{74} + x^{71} \\
& + x^{70} + x^{63} + x^{62} + x^{59} + x^{58} + x^{55} + x^{54} + x^{31} + x^{30} + x^{27} + x^{26} \\
& + x^{23} + x^{22} + x^{15} + x^{14} + x^{11} + x^{10} + x^7 + x^6, \\
p_{12}(x) &= x^{104} + x^{102} + x^{98} + x^{94} + x^{92} + x^{80} + x^{78} + x^{76} + x^{64} + x^{62} + x^{60} \\
& + x^{56} + x^{54} + x^{50} + x^{48} + x^{40} + x^{38} + x^{34} + x^{30} + x^{28} + x^{16} + x^{14} \\
& + x^{12} + x^8 + x^6 + x^2 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 1, 1, 0, 1, 0, 1, 0, 1, 1, 0, 1, 1, 0, 1]$.

For $\phi(W^o, 1, 1)$:

$$\begin{aligned}
p_0(x) &= x^{111} + x^{108} + x^{107} + x^{105} + x^{104} + x^{102} + x^{101} + x^{99} + x^{98} + x^{97} \\
& + x^{93} + x^{92} + x^{88} + x^{87} + x^{86} + x^{85} + x^{83} + x^{82} + x^{80} + x^{79} + x^{78} \\
& + x^{77} + x^{75} + x^{74} + x^{73} + x^{70} + x^{68} + x^{67} + x^{66} + x^{63} + x^{62} + x^{59} \\
& + x^{58} + x^{57} + x^{56} + x^{53} + x^{52} + x^{48} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42}, \\
p_3(x) &= x^{99} + x^{96} + x^{93} + x^{90} + x^{85} + x^{84} + x^{83} + x^{81} + x^{80} + x^{79} + x^{78} \\
& + x^{74} + x^{72} + x^{63} + x^{62} + x^{61} + x^{60} + x^{57} + x^{52} + x^{49} + x^{48} + x^{45} \\
& + x^{43} + x^{36} + x^{34} + x^{33} + x^{29} + x^{24} + x^{23} + x^{22}, \\
p_6(x) &= x^{107} + x^{105} + x^{104} + x^{102} + x^{101} + x^{99} + x^{98} + x^{94} + x^{92} + x^{90} + x^{89} \\
& + x^{87} + x^{86} + x^{84} + x^{83} + x^{82} + x^{81} + x^{79} + x^{78} + x^{76} + x^{72} + x^{71} \\
& + x^{70} + x^{68} + x^{67} + x^{64} + x^{63} + x^{60} + x^{58} + x^{57} + x^{54} + x^{48} + x^{46} \\
& + x^{42} + x^{38} + x^{37} + x^{35} + x^{34} + x^{33} + x^{32} + x^{31} + x^{29} + x^{24} + x^{23}
\end{aligned}$$

$$\begin{aligned}
& + x^{21} + x^{19} + x^{18} + x^{16} + x^{14} + x^{12} + x^{11} + x^8 + x^3 + 1, \\
p_9(x) &= x^{99} + x^{96} + x^{95} + x^{92} + x^{91} + x^{88} + x^{83} + x^{80} + x^{79} + x^{76} + x^{75} \\
& + x^{72} + x^{67} + x^{64} + x^{63} + x^{60} + x^{59} + x^{56} + x^{35} + x^{32} + x^{31} + x^{28} \\
& + x^{27} + x^{24} + x^{19} + x^{16} + x^{15} + x^{12} + x^{11} + x^8, \\
p_{12}(x) &= x^{111} + x^{108} + x^{103} + x^{100} + x^{95} + x^{92} + x^{87} + x^{84} + x^{83} + x^{80} + x^{79} \\
& + x^{76} + x^{71} + x^{68} + x^{67} + x^{64} + x^{51} + x^{48} + x^{47} + x^{44} + x^{39} + x^{36} \\
& + x^{31} + x^{28} + x^{23} + x^{20} + x^{19} + x^{16} + x^3 + 1,
\end{aligned}$$

and the initial terms are $[0, 0, 0, 0, 0, 0, 1, 0, 1, 1, 1, 1, 0, 0, 1]$.

Below is the transition function and output function of an 2-automaton that generates $T = M_{0,0}^o$:

Transition function $(n, j) \mapsto \delta(n, j)$ ($\Lambda(n) := [\delta(n, 0), \delta(n, 1)]$):

n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$	n	$\Lambda(n)$
0	[1, 2]	99	[129, 129]	198	[126, 126]	297	[369, 370]	396	[441, 306]
1	[3, 4]	100	[157, 132]	199	[128, 126]	298	[371, 372]	397	[442, 311]
2	[5, 6]	101	[162, 153]	200	[130, 130]	299	[373, 374]	398	[291, 415]
3	[7, 8]	102	[163, 164]	201	[127, 126]	300	[375, 376]	399	[427, 311]
4	[9, 10]	103	[56, 148]	202	[132, 132]	301	[377, 327]	400	[312, 426]
5	[11, 12]	104	[45, 125]	203	[284, 165]	302	[378, 379]	401	[416, 420]
6	[13, 14]	105	[53, 124]	204	[285, 286]	303	[380, 381]	402	[150, 137]
7	[15, 16]	106	[165, 46]	205	[39, 121]	304	[382, 260]	403	[135, 436]
8	[17, 18]	107	[133, 166]	206	[287, 160]	305	[383, 384]	404	[430, 415]
9	[19, 20]	108	[163, 167]	207	[288, 289]	306	[385, 386]	405	[442, 297]
10	[21, 22]	109	[168, 169]	208	[290, 291]	307	[387, 388]	406	[314, 443]
11	[23, 24]	110	[170, 140]	209	[292, 293]	308	[389, 390]	407	[314, 293]
12	[25, 26]	111	[132, 131]	210	[294, 295]	309	[391, 392]	408	[441, 317]
13	[27, 28]	112	[132, 157]	211	[33, 277]	310	[393, 391]	409	[431, 430]
14	[29, 30]	113	[171, 111]	212	[287, 275]	311	[394, 395]	410	[421, 169]
15	[31, 32]	114	[172, 173]	213	[285, 38]	312	[396, 397]	411	[439, 434]
16	[33, 34]	115	[174, 175]	214	[114, 296]	313	[346, 209]	412	[281, 444]
17	[35, 36]	116	[176, 177]	215	[297, 298]	314	[398, 399]	413	[421, 438]
18	[37, 38]	117	[178, 179]	216	[290, 288]	315	[400, 263]	414	[445, 195]
19	[39, 40]	118	[180, 181]	217	[299, 295]	316	[335, 233]	415	[446, 447]
20	[41, 42]	119	[182, 183]	218	[300, 301]	317	[388, 401]	416	[448, 449]
21	[43, 44]	120	[184, 185]	219	[123, 143]	318	[402, 403]	417	[450, 451]
22	[45, 46]	121	[186, 187]	220	[36, 296]	319	[404, 405]	418	[407, 452]
23	[47, 48]	122	[188, 189]	221	[120, 40]	320	[406, 407]	419	[367, 345]
24	[49, 50]	123	[190, 191]	222	[118, 280]	321	[408, 409]	420	[255, 453]
25	[51, 52]	124	[192, 193]	223	[153, 138]	322	[226, 382]	421	[454, 455]
26	[53, 38]	125	[194, 111]	224	[170, 272]	323	[410, 411]	422	[456, 457]
27	[39, 54]	126	[195, 196]	225	[127, 129]	324	[412, 413]	423	[458, 459]
28	[32, 55]	127	[127, 127]	226	[126, 129]	325	[414, 127]	424	[460, 461]
29	[56, 57]	128	[196, 98]	227	[146, 141]	326	[294, 313]	425	[462, 412]

30	[36, 58]	129	[197, 198]	228	[118, 273]	327	[314, 320]	426	[247, 463]
31	[59, 60]	130	[199, 200]	229	[302, 166]	328	[292, 315]	427	[464, 465]
32	[61, 62]	131	[201, 202]	230	[281, 164]	329	[285, 143]	428	[466, 467]
33	[63, 64]	132	[202, 67]	231	[137, 154]	330	[322, 58]	429	[26, 468]
34	[65, 66]	133	[203, 204]	232	[303, 283]	331	[146, 54]	430	[469, 470]
35	[67, 68]	134	[205, 206]	233	[130, 157]	332	[122, 275]	431	[471, 355]
36	[69, 70]	135	[207, 208]	234	[304, 114]	333	[147, 116]	432	[472, 473]
37	[71, 72]	136	[209, 210]	235	[123, 286]	334	[322, 276]	433	[474, 475]
38	[73, 74]	137	[211, 212]	236	[49, 277]	335	[127, 128]	434	[463, 400]
39	[75, 76]	138	[213, 214]	237	[32, 160]	336	[37, 124]	435	[476, 477]
40	[77, 78]	139	[215, 216]	238	[305, 306]	337	[45, 279]	436	[457, 460]
41	[79, 80]	140	[217, 218]	239	[307, 305]	338	[114, 58]	437	[478, 479]
42	[81, 82]	141	[219, 220]	240	[308, 141]	339	[115, 148]	438	[204, 480]
43	[83, 84]	142	[221, 222]	241	[41, 119]	340	[165, 316]	439	[481, 482]
44	[85, 86]	143	[223, 224]	242	[147, 44]	341	[323, 415]	440	[259, 406]
45	[87, 88]	144	[99, 199]	243	[165, 279]	342	[310, 305]	441	[483, 484]
46	[89, 90]	145	[225, 226]	244	[305, 309]	343	[53, 286]	442	[485, 486]
47	[91, 81]	146	[227, 228]	245	[310, 311]	344	[149, 279]	443	[487, 456]
48	[92, 93]	147	[229, 230]	246	[312, 313]	345	[321, 293]	444	[210, 326]
49	[94, 95]	148	[231, 232]	247	[314, 315]	346	[312, 301]	445	[488, 132]
50	[96, 97]	149	[233, 197]	248	[146, 121]	347	[302, 134]	446	[428, 444]
51	[98, 99]	150	[234, 235]	249	[274, 278]	348	[152, 271]	447	[168, 437]
52	[90, 100]	151	[236, 237]	250	[285, 124]	349	[166, 282]	448	[39, 141]
53	[101, 102]	152	[238, 239]	251	[149, 316]	350	[303, 156]	449	[48, 280]
54	[103, 104]	153	[240, 241]	252	[56, 116]	351	[120, 54]	450	[297, 309]
55	[105, 106]	154	[242, 243]	253	[144, 296]	352	[274, 160]	451	[307, 297]
56	[107, 108]	155	[244, 245]	254	[284, 149]	353	[416, 154]	452	[300, 426]
57	[109, 110]	156	[246, 247]	255	[115, 44]	354	[417, 418]	453	[149, 125]
58	[111, 112]	157	[70, 201]	256	[297, 317]	355	[152, 419]	454	[49, 161]
59	[113, 114]	158	[198, 89]	257	[318, 291]	356	[137, 420]	455	[41, 280]
60	[115, 116]	159	[248, 249]	258	[319, 320]	357	[302, 421]	456	[292, 320]
61	[117, 50]	160	[250, 251]	259	[321, 320]	358	[163, 422]	457	[319, 293]
62	[118, 119]	161	[252, 253]	260	[129, 128]	359	[151, 154]	458	[323, 432]
63	[120, 121]	162	[254, 255]	261	[33, 161]	360	[423, 424]	459	[290, 430]
64	[122, 55]	163	[256, 257]	262	[48, 119]	361	[311, 317]	460	[299, 313]
65	[123, 124]	164	[258, 259]	263	[300, 295]	362	[425, 288]	461	[292, 443]
66	[52, 125]	165	[260, 195]	264	[308, 121]	363	[299, 426]	462	[133, 421]
67	[126, 127]	166	[261, 262]	265	[32, 275]	364	[311, 306]	463	[312, 295]
68	[128, 129]	167	[263, 217]	266	[115, 57]	365	[427, 297]	464	[150, 416]
69	[130, 131]	168	[264, 265]	267	[322, 296]	366	[321, 315]	465	[163, 444]
70	[131, 132]	169	[266, 267]	268	[323, 324]	367	[300, 313]	466	[305, 317]
71	[133, 134]	170	[268, 269]	269	[307, 311]	368	[131, 131]	467	[290, 323]
72	[135, 136]	171	[270, 132]	270	[325, 70]	369	[421, 282]	468	[322, 145]
73	[137, 138]	172	[157, 131]	271	[326, 258]	370	[423, 418]	469	[134, 169]

74	[139, 140]	173	[157, 130]	272	[327, 328]	371	[428, 422]	470	[433, 440]
75	[120, 141]	174	[162, 151]	273	[329, 330]	372	[137, 429]	471	[162, 137]
76	[142, 42]	175	[135, 271]	274	[331, 332]	373	[291, 289]	472	[435, 419]
77	[37, 143]	176	[166, 169]	275	[333, 334]	374	[425, 430]	473	[416, 429]
78	[144, 145]	177	[139, 272]	276	[68, 335]	375	[430, 289]	474	[288, 324]
79	[146, 40]	178	[117, 161]	277	[336, 337]	376	[431, 288]	475	[310, 297]
80	[142, 119]	179	[142, 273]	278	[60, 338]	377	[299, 301]	476	[323, 289]
81	[147, 148]	180	[117, 34]	279	[112, 225]	378	[304, 322]	477	[318, 323]
82	[149, 46]	181	[274, 275]	280	[339, 340]	379	[56, 44]	478	[147, 57]
83	[150, 151]	182	[53, 143]	281	[341, 342]	380	[288, 432]	479	[114, 145]
84	[152, 136]	183	[114, 276]	282	[343, 344]	381	[318, 288]	480	[165, 125]
85	[153, 154]	184	[117, 277]	283	[345, 346]	382	[129, 127]	481	[305, 298]
86	[155, 156]	185	[122, 278]	284	[100, 194]	383	[416, 138]	482	[318, 430]
87	[157, 157]	186	[43, 148]	285	[347, 348]	384	[433, 434]	483	[134, 282]
88	[129, 126]	187	[52, 279]	286	[349, 350]	385	[435, 436]	484	[417, 424]
89	[131, 157]	188	[159, 50]	287	[351, 352]	386	[421, 437]	485	[302, 168]
90	[126, 128]	189	[142, 280]	288	[353, 354]	387	[162, 416]	486	[135, 419]
91	[158, 149]	190	[150, 153]	289	[355, 356]	388	[281, 422]	487	[321, 443]
92	[159, 34]	191	[281, 167]	290	[357, 358]	389	[159, 277]	488	[489, 199]
93	[122, 160]	192	[168, 282]	291	[359, 360]	390	[274, 55]	489	[488, 130]
94	[159, 161]	193	[155, 283]	292	[361, 362]	391	[152, 436]		
95	[118, 42]	194	[128, 128]	293	[363, 246]	392	[168, 438]		
96	[43, 116]	195	[131, 130]	294	[364, 365]	393	[133, 168]		
97	[36, 145]	196	[132, 130]	295	[366, 367]	394	[151, 138]		
98	[130, 132]	197	[128, 127]	296	[368, 69]	395	[439, 440]		

Output function $n \mapsto \tau(n)$:

n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$	n	$\tau(n)$
0	0	71	0	142	0	213	1	284	0	355	0	426	1				
1	0	72	0	143	1	214	0	285	1	356	0	427	1				
2	0	73	0	144	1	215	1	286	0	357	1	428	0				
3	0	74	1	145	0	216	1	287	0	358	1	429	0				
4	0	75	0	146	1	217	1	288	0	359	1	430	0				
5	0	76	0	147	1	218	0	289	0	360	1	431	0				
6	0	77	0	148	0	219	1	290	1	361	1	432	1				
7	0	78	1	149	1	220	1	291	1	362	0	433	0				
8	0	79	1	150	1	221	0	292	1	363	1	434	0				
9	0	80	0	151	1	222	0	293	1	364	1	435	1				
10	1	81	1	152	0	223	1	294	1	365	1	436	0				
11	0	82	1	153	1	224	1	295	0	366	0	437	1				
12	1	83	1	154	1	225	0	296	0	367	0	438	1				
13	0	84	0	155	0	226	0	297	1	368	0	439	0				
14	0	85	1	156	0	227	1	298	0	369	1	440	0				
15	0	86	0	157	0	228	0	299	1	370	1	441	0				

16	0	87	0	158	0	229	1	300	0	371	0	442	1
17	0	88	1	159	1	230	1	301	1	372	0	443	0
18	0	89	0	160	1	231	0	302	1	373	1	444	1
19	0	90	0	161	0	232	0	303	0	374	0	445	0
20	1	91	0	162	0	233	1	304	1	375	0	446	0
21	1	92	1	163	1	234	1	305	0	376	0	447	1
22	0	93	1	164	0	235	1	306	1	377	1	448	0
23	0	94	1	165	1	236	1	307	0	378	1	449	1
24	1	95	0	166	0	237	0	308	1	379	0	450	1
25	1	96	1	167	0	238	0	309	0	380	0	451	0
26	0	97	1	168	1	239	0	310	0	381	1	452	0
27	0	98	1	169	0	240	1	311	1	382	1	453	1
28	0	99	1	170	1	241	1	312	0	383	0	454	1
29	0	100	0	171	0	242	1	313	0	384	0	455	1
30	1	101	0	172	0	243	1	314	1	385	1	456	1
31	0	102	1	173	0	244	0	315	0	386	1	457	0
32	0	103	0	174	0	245	0	316	0	387	0	458	1
33	0	104	0	175	0	246	0	317	1	388	1	459	1
34	1	105	0	176	0	247	1	318	1	389	1	460	1
35	0	106	1	177	1	248	1	319	0	390	1	461	1
36	1	107	0	178	0	249	1	320	1	391	0	462	0
37	0	108	1	179	0	250	1	321	0	392	1	463	0
38	0	109	1	180	0	251	1	322	0	393	0	464	1
39	0	110	1	181	1	252	0	323	1	394	1	465	1
40	0	111	1	182	0	253	1	324	1	395	0	466	0
41	1	112	1	183	0	254	0	325	0	396	0	467	1
42	1	113	0	184	0	255	0	326	1	397	1	468	0
43	1	114	0	185	1	256	1	327	1	398	1	469	0
44	1	115	0	186	1	257	1	328	1	399	1	470	0
45	0	116	0	187	0	258	0	329	1	400	0	471	0
46	0	117	0	188	1	259	0	330	0	401	0	472	1
47	0	118	0	189	0	260	1	331	1	402	1	473	0
48	1	119	0	190	1	261	0	332	1	403	0	474	0
49	1	120	0	191	1	262	1	333	1	404	0	475	0
50	1	121	1	192	1	263	0	334	0	405	1	476	1
51	1	122	1	193	0	264	1	335	0	406	1	477	1
52	0	123	1	194	1	265	0	336	0	407	1	478	1
53	0	124	1	195	0	266	0	337	0	408	0	479	0
54	0	125	1	196	1	267	0	338	0	409	0	480	1
55	0	126	0	197	1	268	1	339	0	410	1	481	0
56	0	127	0	198	0	269	0	340	1	411	0	482	1
57	1	128	1	199	1	270	0	341	1	412	1	483	0
58	1	129	1	200	1	271	1	342	0	413	1	484	1
59	0	130	1	201	0	272	1	343	0	414	0	485	1

60	0	131	0	202	1	273	1	344	1	415	0	486	0
61	0	132	1	203	0	274	1	345	0	416	0	487	0
62	0	133	0	204	1	275	1	346	0	417	1	488	0
63	0	134	0	205	0	276	1	347	1	418	1	489	0
64	1	135	0	206	0	277	0	348	0	419	0		
65	1	136	1	207	0	278	0	349	0	420	0		
66	0	137	0	208	1	279	1	350	0	421	1		
67	0	138	1	209	1	280	0	351	0	422	1		
68	1	139	1	210	1	281	1	352	1	423	1		
69	1	140	1	211	0	282	0	353	0	424	1		
70	0	141	1	212	0	283	0	354	1	425	0		

UNIVERSITÉ DE STRASBOURG, CNRS, IRMA UMR 7501, F-67000 STRASBOURG, FRANCE

Email address: `guoniu.han@unistra.fr`

SCHOOL OF MATHEMATICS AND STATISTICS, HUAZHONG UNIVERSITY OF SCIENCE AND TECHNOLOGY, WUHAN, PR CHINA

Email address: `huyining@hust.edu.cn`